



AMSTRAD MODEL 7090

HEADPHONES

TAPE 1 TAPE 2 POWER



FM	88	92	96	100	106	108	MHz				
SW	6	6.5	7	7.5	8	8.5	9	9.5	MHz		
MW	530	600	700	800	900	1000	1100	1200	kHz		
LW	150	180	190	200	220	240	260	280	kHz		
	0	1	2	3	4	5	6	7	8	9	10

AMSTRAD MODEL 7090 HEADPHONES

- REPEAT
- TAPE 1
- TAPE 2
- STOP
- POWER



AMSTRAD
MODEL 7090
CASSETTE RADIO RECORDER

INSTRUCTION MANUAL

© 1978 AMSTRAD CORPORATION, AMSTERDAM, THE NETHERLANDS. ALL RIGHTS RESERVED. PRINTED IN THE NETHERLANDS.

AMSTRAD
GREAT PLAYERS
MODEL 7090
STEREO DOUBLE CASSETTE
RADIO RECORDER


SW/MW/LW
TAPES TO TAPE RE...
MIC MIXING
DUAL CONE SPEA...







ALPINE MODEL 7080
FM/SW/MW/LW 2 BAND RADIO DOUBLE CASSETTE RECORDER



FM	88	92	96	100	104	108	MHz				
SW	6	6.5	7	7.5	8	8.5	9	9.5	MHz		
MW	530	600	700	800	900	1000	1100	1200	kHz		
LW	150	160	180	200	220	240	260	280	kHz		
	0	1	2	3	4	5	6	7	8	9	10

ALPINE MODEL 7080

Now at



WITH 10 IN CASE TO GO
POWER SUPPLY

TAPES TO TAPE
RECORDING
FACILITY

AMSTRAD

GREAT PLAYERS

MODEL 7090

STEREO DOUBLE CASSETTE RADIO RECORDER

- SW/MW/LW/FM
- TAPE TO TAPE RECORDING
- MIC MIXING
- DUAL CONE SPEAKERS
- LED BATTERY TUNING
- POWER INDICATOR
- MAINS / BATTERY OPERATION

BIG
14.0W
POWER
OUTPUT





9ATT 1 STEREO

TAPE 1

AMSTRAD MODEL 7080



AMSTRAD

FM/AM/W/MV/LW 4 BAND RADIO DOUBLE CASSETTE RECORDER

VOLUME
BALANCE
EXTERNAL MIC. LP/RS

PAUSE STOP/EJECT
PLAY
FF
REW
RECORD

PAUSE STOP/EJECT
PLAY
FF
REW

EXT. MIC. ON/OFF
SOUND LEVEL
FM
INT. MIC. OFF
STEREO

F.M.	88	92	7	102	100	5.0	MHZ
S.W.	6	6.5	7	7.5	8	8.5	MHZ
M.W.	530	650	70	1000	1300	1600	KHZ
L.W.	250	350	180	200	220	240	KHZ
	0	1	2	3	4	5	10

AMSTRAD

MODEL 7090

2 BANDS
TUNING
TUNING
TUNING
TUNING



AMSTARD DISCONNECT THE MARIO PLUG
 FROM THE SUPPLY SOCKET
 WHEN NOT IN USE
 BATTERY SUPPLY: 6-CELL
 SIZE: 7090 12.0V 6x1.5V (6F22)
 DISCONNECT FROM BATTERY SUPPLY
 BEFORE REMOVING BACK PANEL.
 MADE IN HONG KONG








 MR. 12.0V
 MC. 12.0V CT. 00





AT&T
MIGRA

100



