



0 0 0

AUTOMATIC STOP

AMSTRAD

Model XR 400
Cassette Recorder

MIC

RECORD

PLAY

REWIND

F.FWD

STOP/EJ

PAUSE



AUTOMATIC STOP

AMSTRAD

Model XR 400
Cassette Recorder

RECORD

PLAY

REWIND

F. FWD


STOP/EJ





COMPUTER
in out
mic rem ear

Volume



AUTOMATIC STOP

AMSTRAD

*Model XR 400
Cassette Recorder*

MIC

RECORD

PLAY

REWIND

F FWD

STOP/EJ

PAUSE



AMSTRAD MODEL XR400

Disconnect the mains plug from the supply socket when not in use.

Mains supply: 240 V ~ 50 Hz

Disconnect from mains supply before removing back panel.

Made in China



1001
2/9/01

CAUTION: TO PREVENT ELECTRICAL SHOCK, DO NOT REMOVE SCREWS. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL. WARNING: TO PREVENT FIRE OR SHOCK HAZARD, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE.



AMSTRAD MODEL XR400


Disconnect the mains plug from the supply socket when not in use.

Mains supply : 240 V ~ 50 Hz

Disconnect from mains supply before removing back panel.

Made in China





0:00

AUTOMATIC STOP

AMSTRAD

Model XR 400
Cassette Recorder

MIC

RECORD

PLAY

REWIND

F.FWD

STOP/EJ

PAUSE





0:00

Chrome Extra II 90

BASF

AUTOMATIC STOP

AMSTRAD

Model XR 400
Cassette Recorder

MIC

RECORD

PLAY

REWIND

F. FWD

STOP/EJ

PAUSE

AMSTRAD

*Model XR 400
Cassette Recorder*


MIC


RECORD

 **PLAY**

 **REWIND**

 **F.FWD**

 **STOP / EJ**

 **PAUSE**

AMSTRAD MODEL XR400

Disconnect the mains plug from the supply socket when not in use.

Mains supply : 240 V ~ 50 Hz

Disconnect from mains supply before removing back panel.

Made in China

26951

CAUTION: TO PREVENT ELECTRICAL SHOCK, DO NOT REMOVE SCREWS. NO USER SERVICEABLE PARTS INSIDE. REFER SERVICING TO QUALIFIED SERVICE PERSONNEL. WARNING: TO PREVENT FIRE OR SHOCK HAZARD, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE.

+

1.5 V

1.5 V

-

-

1.5 V

1.5 V

+

AMSTRAD XR400

**with
Tape
Counter**

**Recommended
for
Computer Use**



- ★ MAINS/BATTERY
- ★ BUILT IN MICROPHONE
- ★ AUTO STOP
- ★ AUTOMATIC LEVEL CONTROL

SLIMLINE CASSETTE RECORDER

AMSTRAD

Model XR 400



*Instruction
Manual*

TECHNICAL SPECIFICATION

Maximum Power Output	: 450 mW
Tape Speed	: 4.75cm/sec.
Recording System	: DC Bias
Erase System	: DC Erase
Frequency Response	: 200 - 6,300Hz
Earphone Socket	: 3.5mm Jack
Microphone Socket	: 3.5mm Jack
Remote Socket	: 2.5mm Jack
Size (mm)	: 250 (L) X 137 (W) X 48 (H)
Weight (Kg)	: 1 Kg
Mains Power Supply	: 240V AC 50Hz
Battery Power Supply	: 6V 4x1.5V (HP11)

In keeping with our policy of continually improving our service, and the technical quality of our products, we reserve the right to change component types, manufacturers, sources of supply or technical specification at any time.

EUROPA ELECTRONICS LTD.

UNIT 24, PARTHOUSE IND. ESTATE, NEWCASTLE, STAFFS

PHONE: 0782-610016 TELEX: 36524

Printed in Hong Kong.

AMSTRAD XR 400

with
Tape
Counter



Recommended
for
Computer Use

- ★ MAINS/BATTERY
- ★ BUILT IN MICROPHONE
- ★ AUTO STOP
- ★ AUTOMATIC LEVEL CONTROL

SLIMLINE CASSETTE RECORDER

AMSTRAD

Model XR 400




*Instruction
Manual*





AMSTRAD

*Model XR 400
Cassette Recorder*



RECORD

PLAY

REWIND

F FWD

STOP/EJ

PAUSE





15989

AMSTRAD MODEL XR400

Disconnect the mains plug from the supply socket when not in use.

Mains supply : 240 V ~ 50 Hz

Disconnect from mains supply before removing back panel.

Made in Hong Kong

CAUTION: TO PREVENT ELECTRICAL SHOCK, DO NOT REMOVE SCREWS, NO USER SERVICEABLE PARTS INSIDE. REFER REPAIRS TO QUALIFIED SERVICE PERSONNEL. WARNING: TO PREVENT FIRE OR SHOCK HAZARD, DO NOT EXPOSE THIS APPLIANCE TO RAIN OR MOISTURE.



COMPUTER
in out
mic rem ear

Volume ▲



