

H 0 U S





Don't be fooled into thinking Amstrad has SMALL had to make compromises. Take a look at the other PCs in your organisation, and compare them feature-for-feature with those of the PC4386SX. We are sure you will agree that EAUTIFUL the PC4386SX is an amazing feat of technology. Amstrad has integrated all the major components onto a single system board, using the latest 6-layer surface-mount techniques to achieve a greatly reduced footprint and increased reliability. And even with all that power in such a small footprint,



Designed for maximum compatibility and connectivity, the PC4386SX is bestowed with POWER a full range of industry standard interfaces, including RS232 serial port and Centronics parallel printer socket. The PC4386SX has two half-length 16-bit expansion slots for network, terminal emulation or modem cards, or indeed one of the thousands of industrystandard expansion cards available today.

there is still the space to expand.

COMMUNICATE

HIGH -DEFINITION DISPLAY

Amstrad has chosen Sony's acclaimed Trinitron® technology for the PC4386SX's high definition 10-inch VGA display. With its superb high-contrast picture tube and super-fine dot pitch (just 0.26mm), today's software could never look better. The PC4386SX is also available with a high-quality 10-inch monochrome flat-screen monitor.



Designed and built to the highest QUALITY comes international (RFI) standards, the PC4386SX FIRST has a sturdy metal base and cabinet to withstand the rigours of today's office. Amstrad's sleek new keyboard uses an ultracompact "reduced-outline" casing to perfectly complement the small footprint of the PC4386SX. Its high-quality full-sized full-travel keys ensure that no sacrifices have been made to functionality or ergonomics. A hinged door on the front of the computer provides a convenient yet elegant connection for mouse and keyboard. And to make the most of its graphical user interface, the PC4386SX is supplied with its own twobutton mouse.


> The PC4386SX comes complete with the kind THE of features only supplied as expensive options on most other computers. And despite SYSTEM its sheer power, the PC4386SX is about the most user-friendly machine you can buy. When you need performance, elegance and no compromise - Amstrad delivers the complete solution.
















POWERFUL 20MHZ 80386sx BASED COMPUTER

LESS THAN HALF THE FOOTPRINT OF MOST OTHER
DESKTOP PCS

4MB OF RAM AS STANDARD, ON-BOARD EXPANSION UP TO 16MB

LARGE 80MB CAPACITY FAST-ACCESS 19MS HARD
DISK DRIVE

INTERNAL 1.44MB HIGH DENSITY 3.5-INCH FLOPPY
DISK DRIVE

HIGH-RESOLUTION 10-INCH FLAT SCREEN
MONOCHROME OR COLOUR MONITOR WITH ULTRA-HIGH RESOLUTION VGA 0.26MM DOT PITCH SONY
TRINITRON® TUBE

TWO HALF-LENGTH 16-BIT ISA EXPANSION SLOTS

EASY ACCESS TO RAM, EXPANSION SLOTS AND 803875X MATHS CO-PROCESSOR SOCKET

STANDARD RS232 SERIAL PORT AND PARALLEL PRINTER INTERFACE

MAINS POWER FOR MONITOR SWITCHED THROUGH THE SYSTEM UNIT

REDUCED OUTLINE ENHANCED AT KEYBOARD WITH

STATE OF THE ART DESIGN WITH STURDY STEEL SYSTEM CASE.

INDUSTRY STANDARD COMPONENTS

AND INTERFACES

MICROSOFT MS-DOS 3.3, MICROSOFT WINDOWS 3

GRAPHICAL USER INTERFACE

AMSTRAD'S EASY-TO-USE GRAPHICAL "FRONT-END"

ORGANISER FOR WINDOWS, INCLUDING

SPREADSHEET, WORD-PROCESSOR AND

DESKTOP ACCESSORIES.

TWO-BUTTON MOUSE

20 MHZ 803865X

SPECIFICATIONS

| MODEL | PC43865X | |
|---------------------------|---|--|
| Processor Speed | 80386sx, 20 MHz | |
| Main Memory | 4 Mbyte (parity checked) Expandable to 16 Mbytes on-board | |
| Ram may be configured for | BASE (256k , 512k or 640 kbytes), EXTENDED, and LIM-EMS | |
| Cache RAM | 64 kbytes | |
| Co-processor | Socket for 80387sx-20 (User upgrade) | |
| Real Time Clock | RTC has integral battery with 10 year life | |
| Floppy disk | 3.5" 1.44Mbyte | |
| Hard disk | 80Mbyte, 19ms, with look-ahead CACHE | |
| Expansion slots | 2 x 16 bit ISA half length | |
| Graphics Interface | On-board VGA (EGA, CGA, MDA and Hercules compatible) | |
| Keyboard | 102 key 'AT' style enhanced keyboard. Slim design, standard key size and layout | |
| Mouse | Amstrad mouse supplied | |
| Software | MS-DOS v3.3 Windows 3 Amstrad Manager executive front end | |
| Interfaces | Bi-directional parallel port Serial RS232c serial port | |







| Width | 250mm | |
|--------|-------|--|
| Depth | 264mm | |
| Height | 70mm | |



MONITOR

Screen

10" high resolution flatscreen, VGA mono

10" ultra high resolution VGA colour

0.26 dot pitch



In keeping with our policy of continually improving our service, value for money and the technical quality of our products, we reserve the right to change component type, manufacturers, sources of supply and technical specification at any time. Dimensions, speeds, weights and colours contained in this brochure are approximate and may not be accurate. Prices and products may be altered without notice at any time. Products subject to availability. Nothing contained in this brochure is intended to extend any warranty or representation, express or implied, with regard to the products and services described.



AMSTRAD PLC

BRENTWOOD HOUSE 169 KINGS ROAD

BRENTWOOD ESSEX CM14 4EF

TEL: 0277 230222

TELEGRAMS: AMLSELEC BRENTWOOD

TELEX: 995417 AMSELE G

FAX: 0277 222117

All software is sold strictly subject to licence. MS DOS & Microsoft are registered Trademarks of Microsoft Corporation. Intel 80386sx is a Trademark of Intel Corporation. The name and the logo AMSTRAD are Registered Trademarks of Amstrad plc. PC4386SX is a Trademark of Amstrad plc. All products made in Korea.

WARNING: It is a criminal offence and a civil wrong to copy copyright software for disk transfer purposes or otherwise unless expressly permitted by the applicable Software Licence. March 1991 AMSTRAD plc. All rights

DESIGNED & PRODUCED BY F-A-B DESIGN TEL: 071 287 4363