







**AUTO-FIRE JOYSTICK**  
INSTRUCTIONS FOR USE

- 1) This joystick can be used as a normal Atari-compatible controller. With the 'AUTO-FIRING' switch in the OFF position, all controls are the same as a standard joystick.
- 2) The auto-fire facility of this unit can be used with Atari, Commodore and most other computers which use the standard 7-pin connector.
- 3) Switch the 'AUTO-FIRING' to the ON position. The joystick will now automatically fire at a rate of approximately 4 shots per second unless the firing rate is controlled by the software of the game.
- 4) You will find that the 'FIRE' buttons now work in reverse - the shooting now stops when the 'FIRE' buttons are pressed. This gives you a convenient method of pausing the firing.

**NOTE** To avoid damage to the circuit of the computer, it is always recommended that the joystick is switched off when the computer is switched on.

Cat. No. VG318AF



ARGOS  
FAREHAM  
31/12/85

SEP NO 180690

CAT NO 5351369 #  
COMPUTERS  
127.99      7.99

TOTAL      7.99

1 ITEMS

CASH RECEIVED      7.99

THANK YOU  
#180690 01 3 R12 T11 85

AUTO-FIRING  
OFF  ON

ARGOS  
FAREHAM

31/12/85

SEQ NO 180680

CAT NO  
COMPUTERS

5351369 #

535-1369

# **CGL THE CHAMPION**

## **THE SURE-FIRE WINNING JOYSTICK**

**WITH  
AUTO FIRE**

- **RUGGED DESIGN**
- **SWITCHABLE AUTO FIRE FEATURE**
- **TRIGGER FIRE BUTTON AND BASE BUTTON**
- **INTER-CHANGEABLE RUBBER GRIP AND SUCTION CAPS**
- **CONTOURED GRIP FOR FAST SURE-FIRE PERFORMANCE**
- **FULL ONE YEAR WARRANTY**
- **FOR USE WITH ATARI 600, 800, 1200 COMPUTERS, ATARI VCS (2600), COMMODORE 64, VIC 20, AMSTRAD COMPUTERS, AND WHEN USED WITH CGL INTERFACES (OPTIONAL) THE CHAMPION WILL WORK ON THE SINCLAIR SPECTRUM, COMMODORE C16, 264, BBC B AND ALL MSX MACHINES.**



# **CGL THE CHAMPION**

## **THE SURE-FIRE WINNING JOYSTICK**

- **RUGGED DESIGN**
- **SWITCHABLE AUTO FIRE FEATURE**
- **TRIGGER FIRE BUTTON AND BASE BUTTON**
- **INTER-CHANGEABLE RUBBER GRIP AND SUCTION CAPS**
- **CONTOURED GRIP FOR FAST SURE-FIRE PERFORMANCE**
- **FULL ONE YEAR WARRANTY**



● **FOR USE WITH ATARI 600, 800, 1200 COMPUTERS, ATARI VCS (2600), COMMODORE 64, VIC 20, AMSTRAD COMPUTERS, AND WHEN USED WITH CGL INTERFACES (OPTIONAL) THE CHAMPION WILL WORK ON THE SINCLAIR SPECTRUM, COMMODORE C16, 264, BBC B AND ALL MSX MACHINES.**

535—1369

**CGL THE CHAMPION**  
THE SURE-FIRE WINNING JOYSTICK

FOR USE WITH  
ATARI 600, 800, 1200  
COMPUTERS, ATARI VCS  
(2600), COMMODORE 64,  
VIC 20, AMSTRAD  
COMPUTERS, AND  
WHEN USED WITH  
CGL INTERFACES  
(OPTIONAL) THE  
CHAMPION WILL  
WORK ON THE  
SINCLAIR SPECTRUM,  
COMMODORE C16,  
264, BBC B AND ALL  
MSX MACHINES.

535-1369

# CGL THE CHAMPION

THE SURE-FIRE WINNING JOYSTICK

WITH  
AUTO FIRE



- RUGGED DESIGN
- SWITCHABLE AUTO FIRE FEATURE
- TRIGGER FIRE BUTTON AND BASE BUTTON
- INTER-CHANGEABLE RUBBER GRIP AND SUCTION CAPS
- CONTOURED GRIP FOR FAST SURE-FIRE PERFORMANCE
- FULL ONE YEAR WARRANTY
- FOR USE WITH ATARI 600, 800, 1200 COMPUTERS, ATARI VCS (2600), COMMODORE 64, VIC 20, AMSTRAD COMPUTERS, AND WHEN USED WITH CGL INTERFACES (OPTIONAL) THE CHAMPION WILL WORK ON THE SINCLAIR SPECTRUM, COMMODORE C16, 264, BBC B AND ALL MSX MACHINES.

THE SURE-FIRE WINNING JOYSTICK

**CGL THE CHAMPION**

THE SURE-FIRE WINNING JOYSTICK

- RUGGED DESIGN
- SWITCHABLE AUTO FIRE FEATURE
- TRIGGER FIRE BUTTON AND BASE BUTTON
- INTER-CHANGEABLE RUBBER GRIP AND SUCTION CAPS
- CONTOURED GRIP FOR FAST SURE-FIRE PERFORMANCE
- FULL ONE YEAR WARRANTY
- FOR USE WITH ATARI 600, 800, 1200 COMPUTERS, ATARI VCS (2600), COMMODORE 64, VIC 20, AMSTRAD COMPUTERS, AND WHEN USED WITH CGL INTERFACES (OPTIONAL) THE CHAMPION WILL WORK ON THE SINCLAIR SPECTRUM, COMMODORE C16, 264, BBC B AND ALL MSX MACHINES.



WITH AUTO FIRE



Made for CGL in the British Crown Colony of Hong Kong  
 PRODUCT CODE 7511  
 BAR CODE 5011606 775112



**THE CHAMPION**  
THE SURE-FIRE WINNING JOYSTICK

- RUGGED DESIGN
- SWITCHABLE AUTO-FIRE FEATURE
- TRIGGER FIRE BUTTON AND BASE BUTTON
- INTER-CHANGEABLE RUBBER GRIP AND SUCTION CAPS
- CONTOURED GRIP FOR FAST SURE-FIRE PERFORMANCE
- FULL ONE YEAR WARRANTY

# **CGL THE CHAMPION**

THE SURE-FIRE WINNING JOYSTICK

WITH AUTO FIRE

- RUGGED DESIGN
- SWITCHABLE AUTO FIRE FEATURE
- TRIGGER FIRE BUTTON AND BASE BUTTON
- INTER- CHANGEABLE RUBBER GRIP AND SUCTION CAPS
- CONTOURED GRIP FOR FAST SURE-FIRE PERFORMANCE
- FULL ONE YEAR WARRANTY
- FOR USE WITH ATARI 600, 800, 1200 COMPUTERS, ATARI VCS (2600), COMMODORE 64, VIC 20, AMSTRAD COMPUTERS, AND WHEN USED WITH CGL INTERFACES (OPTIONAL) THE CHAMPION WILL WORK ON THE SINCLAIR SPECTRUM, COMMODORE C16, 264, BBC B AND ALL MSX MACHINES.



VG-318

MADE IN HONG KONG

Pat. Pending



### AUTO-FIRE JOYSTICK INSTRUCTIONS FOR USE

- 1) This joystick can be used as a normal Atari compatible controller. With the 'AUTO-FIRE' switch in the OFF position, all controls are the same as a standard joystick.
- 2) The auto-fire facility of this unit can be used with Atari, Commodore and most other computers which use the standard 7-pin connector.
- 3) Switch the 'AUTO-FIRE' to the ON position. The joystick will now automatically fire at a rate of approximately 4 shots per second. The firing rate is controlled by a potentiometer.
- 4) You will find a switch on the reverse side of the joystick which will allow you to reverse the firing rate.



### AUTO-FIRE JOYSTICK

#### INSTRUCTIONS FOR USE

- 1) This joystick can be used as a normal Atari-compatible controller. With the 'AUTO-FIRING' switch in the OFF position, all controls are the same as a standard joystick.
- 2) The auto-fire facility of this unit can be used with Atari, Commodore and most other computers which use the standard 7-pin connector.
- 3) Switch the 'AUTO-FIRING' to the ON position. The joystick will now automatically fire at a rate of approximately 4 shots per second unless the firing rate is controlled by the software of the game.
- 4) You will find that the 'FIRE' buttons now work in reverse - the shooting now stops when the 'FIRE' buttons are pressed. This gives you a convenient method of pausing the firing.

**NOTE** To avoid any possible damage to the electronic circuit of the computer or joystick, it is always recommended that the joystick should be plugged in before the computer is switched on.

Car. No VG318AF





° VG - 318 °

MADE IN HONG KONG

Pat. Pending

AUT

- 1) This joystick is compatible with the auto-fire switch in the same as a standard joystick.
- 2) The auto-fire switch is an Atari, Commodore, and Intellivision joystick which uses the same switch.
- 3) Switch the joystick to the auto-fire mode. The joystick will fire at a rate of approximately 1000 times per second. The firing rate is adjustable.
- 4) You will find the auto-fire switch in reverse position. The 'FIRE' button is convenient for use.

**NOTE** To avoid damage to the circuit board, do not use the auto-fire switch.



#### AUTO-FIRE JOYSTICK INSTRUCTIONS FOR USE

- 1) This joystick can be used as a normal Atari joystick in the OFF position. With the 'AUTO-FIRING' same as a standard joystick.
- 2) The auto fire facility of this unit can be used with Atari Commodore and most other computers which use the standard 7-pin connector.
- 3) Switch the 'AUTO-FIRING' to the ON position. The joystick will now automatically fire at a rate of approximately 4 shots per second unless the firing rate is controlled by the software of the game.
- 4) You will find that the 'FIRE' buttons now work in reverse - the shooting now stops when the 'FIRE' buttons are pressed. This gives you a convenient method of pausing the firing.

**NOTE** To avoid any possible damage to the electronics of the computer or joystick, it is always recommended that the joystick should be plugged in before the computer is switched on.

Cat. No. VG318AF







THE SURE-FIRE WINNING JOYSTICK

• RUGGED DESIGN  
• SWITCHABLE  
AUTO FIRE FEATURE  
• TRIGGER-FIRE  
BUTTON AND BASE  
BUTTON  
• INTER-CHANGEABLE  
SUCTION CAPS  
FOR FAST SURE-FIRE  
PERFORMANCE  
• FULL ONE-YEAR  
WARRANTY

• COMPATIBLE WITH  
ATARI 2600, 5200,  
5200X, 7800, 7800X,  
7800XL, 7800XLX,  
7800XLX2, 7800XLX3,  
7800XLX4,  
7800XLX5,  
7800XLX6,  
7800XLX7,  
7800XLX8,  
7800XLX9,  
7800XLX10,  
7800XLX11,  
7800XLX12,  
7800XLX13,  
7800XLX14,  
7800XLX15,  
7800XLX16,  
7800XLX17,  
7800XLX18,  
7800XLX19,  
7800XLX20,  
7800XLX21,  
7800XLX22,  
7800XLX23,  
7800XLX24,  
7800XLX25,  
7800XLX26,  
7800XLX27,  
7800XLX28,  
7800XLX29,  
7800XLX30,  
7800XLX31,  
7800XLX32,  
7800XLX33,  
7800XLX34,  
7800XLX35,  
7800XLX36,  
7800XLX37,  
7800XLX38,  
7800XLX39,  
7800XLX40,  
7800XLX41,  
7800XLX42,  
7800XLX43,  
7800XLX44,  
7800XLX45,  
7800XLX46,  
7800XLX47,  
7800XLX48,  
7800XLX49,  
7800XLX50,  
7800XLX51,  
7800XLX52,  
7800XLX53,  
7800XLX54,  
7800XLX55,  
7800XLX56,  
7800XLX57,  
7800XLX58,  
7800XLX59,  
7800XLX60,  
7800XLX61,  
7800XLX62,  
7800XLX63,  
7800XLX64,  
7800XLX65,  
7800XLX66,  
7800XLX67,  
7800XLX68,  
7800XLX69,  
7800XLX70,  
7800XLX71,  
7800XLX72,  
7800XLX73,  
7800XLX74,  
7800XLX75,  
7800XLX76,  
7800XLX77,  
7800XLX78,  
7800XLX79,  
7800XLX80,  
7800XLX81,  
7800XLX82,  
7800XLX83,  
7800XLX84,  
7800XLX85,  
7800XLX86,  
7800XLX87,  
7800XLX88,  
7800XLX89,  
7800XLX90,  
7800XLX91,  
7800XLX92,  
7800XLX93,  
7800XLX94,  
7800XLX95,  
7800XLX96,  
7800XLX97,  
7800XLX98,  
7800XLX99,  
7800XLX100

5.25 1.389

# CCL THE CHAMPION

THE SURE-FIRE WINNING JOYSTICK

WITH  
AUTO FIRE

• RUGGED DESIGN  
• SWITCHABLE  
AUTO FIRE FEATURE  
• TRIGGER-FIRE  
BUTTON AND BASE  
BUTTON  
• INTER-CHANGEABLE  
SUCTION CAPS  
FOR FAST SURE-FIRE  
PERFORMANCE  
• FULL ONE-YEAR  
WARRANTY



# CCL THE CHAMPION

THE SURE-FIRE WINNING JOYSTICK

- ▶ IMPROVED DESIGN
- ▶ AUTO CHARGE FEATURE
- ▶ TRIGGER AND BASE BUTTON
- ▶ WATER, CHANGEABLE RUBBER GRIP AND SECTION CAP
- ▶ COMFORTURED GRIP FOR LONGER USE
- ▶ 1 YEAR WARRANTY

FOR USE WITH  
FORBES, FORBES  
COMPUTERS, AND  
COMPUTER MONITORS  
AND CONSOLE  
GAMES. THE  
COMPLETE  
CHARGE AND  
RECHARGE WITH  
CCL BATTERY  
FOR THE  
CHARGE ON THE  
SPECTRUM,  
INCL. SPECTRUM  
COMPUTER AND  
CONSOLE GAMES.  
CCL BATTERY  
RECHARGER.

100-1000

# CCL THE CHAMPION

THE SURE-FIRE WINNING JOYSTICK

WITH  
AUTO-FIRE

IMPROVED DESIGN  
AUTO CHARGE FEATURE  
TRIGGER AND BASE  
BUTTON  
WATER, CHANGEABLE  
RUBBER GRIP AND  
SECTION CAP  
COMFORTURED GRIP  
FOR LONGER USE  
1 YEAR WARRANTY

**JOYSTICK**  
**INSTRUCTIONS FOR USE**

can be used as a normal Atari controller. With the 'AUTO-FIRING' OFF position, all controls are the standard joystick.


facility of this unit can be used with modems and most other computers using the standard 7-pin connector.

'AUTO-FIRING' to the ON position. will now automatically fire at a rate of approximately 4 shots per second unless the rate is controlled by the software of the game.

and that the 'FIRE' buttons now work as follows: the shooting now stops when the 'FIRE' buttons are pressed. This gives you a method of pausing the firing.

To avoid any possible damage to the electronic components of the computer or joystick, it is always recommended that the joystick should be plugged in before the computer is switched on.





VG-3084  
MADE IN HONG KONG  
Pat. Pending

**MITO-FINE JOYSTICK**  
INSTRUCTIONS FOR USE

- 1) This joystick can be used as a normal Atari computer controller. With the AUTO-FIRING switch in the OFF position, all controls are the same as a standard joystick.
- 2) The auto fire facility of this unit can be used with Atari Computers and most other computers which use the standard 7 pin connector.
- 3) Switch the 'AUTO-FIRING' to the ON position. The joystick will now automatically fire at a rate of approximately 6 shots per second unless the firing rate is controlled by the software of the game.
- 4) You will find that the 'FIRE' buttons now work in reverse - the shooting now stops when the 'FIRE' buttons are pressed. This gives you a convenient method of pausing the firing.

**NOTE:** To avoid any possible damage to the electronic circuit of the computer or joystick, it is always recommended that the joystick should be plugged in before the computer is switched on.

Cat No. YD318AF



# CCL THE CHAMPION

## THE SURE-FIRE WINNING JOYSTICK

WITH  
AUTO FIRE

**SUGGESTED DESIGN**  
- SWITCHABLE  
AUTO-FIRE FEATURE  
- TRIGGER FIRE  
BUTTON AND BASE  
BUTTON  
- INTER-CHANGEABLE  
RUBBER GRIP AND  
BUCKLE CAPS  
- CONTOURED GRIP  
FOR FAST SURE-FIRE  
PERFORMANCE  
- FULL ONE YEAR  
WARRANTY

**FOR USE WITH**  
IBM PC, IBM XT/PC  
COMPUTER, ATARI MC  
5, AMIG, COMMODORE 64,  
PC 25, INTRAD,  
QUARTX, AND  
WHEN USED WITH  
CCL INTERFACES  
(OPTIONAL) THE  
CHAMPION WILL  
WORK ON THE  
INTEL 80186 SPECTRUM,  
COMMODORE CXL,  
ISA, VSC 8 AND ALL  
MSX MACHINES.



### AUTO-FIRE JOYSTICK INSTRUCTIONS FOR USE

- 1) This joystick can be used as a normal Atari controller. Simply turn the AUTO-FIRE switch on the left of the joystick. All controls are the same as a standard joystick.
- 2) The auto-fire facility of this joystick can be used with Atari Commodore and other similar computers which use the standard 2 pin controller.
- 3) Simply flip the AUTO-FIRE switch on the left of the joystick and your joystick is ready for all a range of applications. It should be checked before the firing rate is approached by the software of the game.
- 4) If you will find that the 1000 buttons are unable to operate in the shooting mode simply switch to 10000 buttons and proceed. This provides an increased number of automatic shots.

**NOTE:** To avoid any possible damage to the joystick, should the joystick be dropped, it is always recommended that the joystick should be plugged in before the computer is switched on.

Ref. No. 1027847







# THE CHAMPION

## THE SURE-FIRE WINNING JOYSTICK

WITH  
AUTO FIRE

- RUGGED DESIGN
- SWITCHABLE AUTO FIRE FEATURE
- TRIGGER FIRE BUTTON AND BASE BUTTON
- INTER-CHANGEABLE RUBBER GRIP AND SUCTION CAPS
- CONTOURED GRIP FOR FAST SURE-FIRE PERFORMANCE
- FULL ONE YEAR WARRANTY
- FOR USE WITH ATARI 600, 800, 1200 COMPUTERS, ATARI VCS (2600), COMMODORE 64, VIC 20, AMSTRAD COMPUTERS, AND WHEN USED WITH CGL INTERFACES (OPTIONAL) THE CHAMPION WILL WORK ON THE SINCLAIR SPECTRUM, COMMODORE C16, 264, BBC B AND ALL MSX MACHINES.

Made for CGL in the British Crown Colony of Hong Kong  
PRODUCT CODE 7511  
BAR CODE 5011606 775112





## AUTO-FIRE JOYSTICK

### INSTRUCTIONS FOR USE

- 1) This joystick can be used as a normal Atari-compatible controller. With the 'AUTO-FIRING' switch in the OFF position, all controls are the same as a standard joystick.
- 2) The auto-fire facility of this unit can be used with Atari, Commodore and most other computers which use the standard 7-pin connector.
- 3) Switch the 'AUTO-FIRING' to the ON position. The joystick will now automatically fire at a rate of approximately 4 shots per second unless the firing rate is controlled by the software of the game.
- 4) You will find that the 'FIRE' buttons now work in reverse — the shooting now stops when the 'FIRE' buttons are pressed. This gives you a convenient method of pausing the firing.

NOTE To avoid any possible damage to the electronic circuit of the computer or joystick, it is always recommended that the joystick should be plugged in before the computer is switched on.

Cat. No. VG318AF