





MADE IN TAIWAN



sinclair

sinclair

PROFESSIONAL SERIES

SPJ-1



ANALOGUE
S·Y·S·T·E·M

MADE IN TAIWAN

sinclair

PROFESSIONAL SERIES

SPJ-1

ANALOGUE
S·Y·S·T·E·M

sinclair

PROFESSIONAL SERIES

SPJ-1



ANALOGUE
S·Y·S·T·E·M

MADE IN TAIWAN

sinclair

PROFESSIONAL SERIES

SPJ-1




ANALOGUE
S·Y·S·T·E·M

MADE IN TAIWAN

sinclair

PROFESSIONAL SERIES

SPJ-1



ANALOGUE
S·Y·S·T·E·M

sinclair


PROFESSIONAL SERIES

SPJ-1

ANALOGUE
S·Y·S·T·E·M

SPJ-1 SINCLAIR

PROFESSIONAL JOYSTICK



USER INSTRUCTIONS

CONNECTION

Always connect the SPJ-1 before switching your computer on.


Plug the joystick connector to the port labelled JOYSTICK on your Sinclair PC.

CALIBRATION

Most of the programs designed for use with a joystick will calibrate the joystick when you follow the joystick instructions before the start of the game. In this case you will not need to make any adjustment to the joystick itself.

There are a few programs that require you to calibrate the horizontal and vertical movement axes of the joystick by adjusting the controls on the bottom of the joystick. Calibrate for the program you wish to use by following the program's own instructions. Figure 1 below shows the calibration levers.

Figure 1



OPERATION

To operate the joystick most effectively place on a flat surface, with the buttons away from you as Figure 2 below.

The majority of programs require the use of only one fire button, in this case any of the three FIRE 1 buttons can be used. FIRE 2 will only be operational if specified by the program.




Figure 2

TWO JOYSTICKS

Two joysticks can be connected to the Sinclair PC using a JA200 joystick adaptor.

© Sinclair

Sinclair is a division of Amstrad plc. Sinclair is a registered trademark.