



QuickShot[®]
by Bondwell

INTRUDER 1

**MULTI
SYSTEM**

FOR SEGA, SEARS, K&M,
LANTERN, COMMODORE
AND MORE



Patent Pending

Consulting Instructions inside

QuickShot[™]
20,000,000
WARRANTY HOURS

QS-149

INTRUDER 1

OS-149
DELUXE DIGITAL JOYSTICK

QuickShot
by Bondwell

INTRUDER 1

**MULTI
SYSTEM**
FOR SEGA, SNES, STADI,
AMSTRAD, COMMODORE
AND MAX



OS-149



USE THE INTRUDER 1 DISTRIBUTION

COMPONENTS
The Intruder 1 consists of the following components:
1. The Intruder 1 joystick
2. The Intruder 1 joystick cable
3. The Intruder 1 joystick software
4. The Intruder 1 joystick manual

INSTALLATION
1. Insert the joystick cable into the joystick port on the back of the computer case.
2. Insert the joystick software CD-ROM into the CD-ROM drive.
3. Follow the on-screen instructions to install the joystick software.

OPERATING MODES
The Intruder 1 joystick has two operating modes:
1. Single Player Mode
2. Multi-Player Mode

HOW TO PLAY
1. Turn on the computer.
2. Press the joystick button to start the game.
3. Use the joystick to move the player.

PLAYER 2 PLAYER 3 SETUP
1. Press the joystick button to start the game.
2. Press the joystick button to select Player 2 or Player 3.

OPERATING GUIDELINES
1. Do not touch the joystick ball or buttons.
2. Do not touch the joystick cable.
3. Do not touch the joystick software CD-ROM.

1. Check the joystick cable.
2. Check the joystick software.
3. Check the joystick manual.
4. Check the joystick port.
5. Check the joystick button.
6. Check the joystick ball.
7. Check the joystick cable.
8. Check the joystick software.
9. Check the joystick manual.
10. Check the joystick port.
11. Check the joystick button.
12. Check the joystick ball.
13. Check the joystick cable.
14. Check the joystick software.
15. Check the joystick manual.