



AMSTRAD FIDELITY

STANDBY

TV/SAT RECALL AUDIO

PRESET

TUNING

H/V SELECT

1

2

3

4

5

6

7

SRX200

NOISE REDUCTION *UV*
C

10 11 12 13 14 15 16



81 88



SRX200

NOISE REDUCTION

10

AMSTRAD FIDELITY

STANDBY

TV/SAT

RECALL

AUDIO

PRESET

TUNING
▽

△

H/V SELECT

CHANNEL
▽

△



CH. ADJ

RF
OUT

TEST
SIGNAL



ON
OFF

RF
IN

INTERFACE



AUDIO OUT









702340019

AMSTRAD

MODELE MP-3

ADAPTEUR POUR MONTRE A
UTILISER SEULEMENT AVEC LE

MODELE CTM644-2

TENSION D'ALIMENTATION 12V CC

SECAM NORME L

FABRIQUE EN HONG KONG



CH. ADJ

RF
OUT

TEST
SIGNAL



ON
OFF

RF
IN

INTERFACE

AUDIO OUT

AMSTRAD FIDELITY

7220000744

MODEL NO. SRX200/E

MAINS SUPPLY: 220V - 50Hz

PAL G POWER CONSUMPTION: 29W



WARNING: THE LNB IN SOCKET CARRIES A MAXIMUM
VOLTAGE OF 17 VOLTS D.C. AT 300mA. DO NOT SHORT CIRCUIT.
CAUTION: TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE COVERS.
DISCONNECT MAINS PLUG FROM SUPPLY SOCKET
WHEN NOT IN USE.



DO NOT EXPOSE THIS UNIT TO RAIN OR MOISTURE.
FOR INDOOR USE ONLY.



SERIAL NO.

FF12147994

MADE IN TAIWAN



AMSTRAD FIDELITY

7220000744

MODEL NO. SRX200/E

MAINS SUPPLY: 220V ~ 50Hz

PAL G POWER CONSUMPTION: 29W



WARNING: THE LNB IN SOCKET CARRIES A MAXIMUM

VOLTAGE OF 17 VOLTS D.C. AT 300mA. DO NOT SHORT CIRCUIT.

CAUTION: TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE COVERS.

DISCONNECT MAINS PLUG FROM SUPPLY SOCKET

WHEN NOT IN USE.

DO NOT EXPOSE THIS UNIT TO RAIN OR MOISTURE.

FOR INDOOR USE ONLY.



SERIAL NO.

MADE IN TAIWAN

FF12147994