

Australian Personal Computer


LATEST LAPTOPS
COMPARED

ISSN 0725-4115 NZ \$3.50
REGISTERED BY AUSTRALIA POST PUBLICATIONS VBP 3691

JULY 1986 \$3.50


AUSTRALIAN

MAGAZINE



CHAOS TO COHERENCE
New series: structured programming

New Macintosh Plus. We've added



This year Apple introduces a new Macintosh.

Macintosh Plus.

As the name suggests, it's evolutionary, rather than revolutionary

(It's not our policy to bring out totally new computers for the sake of it. Instead we strive to perfect existing ones.)

Macintosh Plus is as simple to learn and use as before.

But there are some big differences, encouraged, we don't mind admitting, by current Macintosh owners.

Some of you asked for more power, others speed. Some needed greater storage capacity, others expandability.

Some heavy number-crunchers wanted a numeric key pad and conventional cursor keys built into the keyboard rather than remote.

Done. Done. And done.

The pluses of this new Macintosh include a full megabyte of RAM (expandable to four megabytes).

Which means you can run the most sophisticated software without running out of memory. And manage larger spreadsheets, documents and databases.

We also doubled the ROM to 128K, doubling the speed of accessing most of your application programs and data files, through the new Hierarchical File System and RAM-caching support.

The Plus also contains a built-in, double-sided, 800K disk drive.

This provides

twice the capacity of the previous Macintosh and the equivalent of 400 typed pages, or a bulging file drawer.



If that's still not enough, you can always plug in another 800K external drive.



Or you can really go all out and add our new Hard Disk 20. (Its 20 megabytes are about 10,000 pages worth.)

Just plug in a Macintosh Hard Disk 20 and you can keep all your software, files, worksheets and

documents within a moment's notice of your screen.

Add the Apple program Switcher, and you can actually work with several applications at once, moving information from one into another with the greatest of ease.

So you can transfer notes from an outline to a report – or numbers from a data file to a spreadsheet – as fast as you can click your mouse.

AppleCare.

All Apple products come with an automatic 3-month warranty covering all parts and labour.

But this year, Apple introduced a sort of "Warranty Plus" through the AppleCare service programme.

If you fill out and mail to us the registration form enclosed with your equipment, you will receive nine extra months' cover on top of the normal three.

Macintosh Plus also features a new SCSI connection port (dubbed "Scuzzy" in typical fashion by the development team).

SCSI stands for Small Computer Systems Interface and it's an industry standard.

We've virtually opened up the architecture. But what we've really done, of course, is open up a whole new world of possibilities.

The Scuzzy port lets you daisy-chain up to seven high-performance (and often low-priced) peripherals like hard disks, file servers and tape backups from all sorts of third parties.

Given all this power, it made sense to team it with equally impressive printers.

The new LaserWriter Plus is just such, producing documents with text and graphics of publish-quality.


everything except complications.

And it maintains this fidelity on copy paper, letterhead, labels, envelopes or overhead transparencies.



LaserWriter Plus has 35 different typefaces built in, a choice that would embarrass your local printer (and his invoices).

But if you don't need publication-quality printing, you can have near letter-quality by teaming up your Macintosh with the ImageWriter II.



It prints in three different modes: high-quality, standard and draft. And churns it out at speeds of up to 2½ pages per minute.

You can feed in single sheets automatically with the optional SheetFeeder.

And print up to seven colours using appropriate software.

ImageWriter II can also be shared with other Macintosh users via AppleTalk.

But this Macintosh isn't called Plus for nothing. You can just add and add.

Items like an AppleTalk Personal Network.

It's the most flexible, low-cost, easy-to-set-up, easy-to-use network around.

It'll connect up an office full of Macintoshes, LaserWriters, ImageWriters and file and disk servers - 32 devices in all.

Using an electronic mail package, you can send messages to any Macintosh screen on the network.



Or with EtherMac software you can share information with other computers. (Our computer is so friendly it'll even talk to IBMs.)



Add an Apple Modem 1200 to your Macintosh and you can talk to anyone virtually anywhere.

With a communications program like MacTerminal, a standard telephone and an Apple

modem, your Macintosh can plug into electronic information services like Viatel, Minerva and Midas and communicate with mainframes and minicomputers.

If you already own a Macintosh, there's another plus.

You can upgrade your machine to the new one megabyte. Ask your dealer for upgrade details.

You can also upgrade your LaserWriter to become a LaserWriter Plus.

Get hands-on with the new Macintosh Plus.

You should like it.

You helped design it.



The Apple business card.

If you wish to own a Macintosh system, you can take advantage of the Apple Credit Card, available from participating dealers.

You can use it to purchase computers, peripheral equipment and software with no down-payment and less impact on your cash flow.

If you qualify, in most cases you can take your own Macintosh with you and dive straight into work with it the same day.

For an authorised Apple dealer near you outside Sydney, you call toll-free (008) 22 1555 or Sydney 908 9088.

AP 219/Palace



APC

CONTENTS

Volume 7, Number 7, July 1986



REGULARS

5 NEWSPRINT

When will Amstrad release its PC-compatible? Guy Kewney has the latest.

32 BANKS' STATEMENT

Martin looks at the changing meaning of words like 'professional'.

49 YANKEE DOODLES

David Ahl reports on recent happenings in the US — including news of who's committing computer crime and what they're getting away with.

89 LETTERS

The public has its say.

106 SCREENPLAY

Dazzling graphic and text adventures lead the way in Stephen Applebaum's games review.

136 SUBSCRIPTIONS

How to receive a free binder.

152 SUBSET

Machine code manipulated by David Barrow.

159 BIBLIOFILE

The usual range of textual opinion from David Taylor.

162 END ZONE

APC's information service this month includes a user group's update, Lazing Around, events diary, Mike Mudge's numbers column, computer chess, Benchmark listings and details of how to write for APC.

175 PROGRAMS

A bumper number of listings including a stock market analyser for the Commodore 64 from Kevin Riordan.

177 PROGRAM OF THE MONTH

Speed up Amstrad Basic programs with this compiler.

197 CHIPCHAT

Two press release awards this month, plus bad news from the Marketing Director.

200 AD INDEX

A who's who of the industry.

FEATURES

12 SHOW REVIEW

A pictorial overview of one of the best computer shows ever staged in Australia.

16 BUILDING STRUCTURES

In the cover feature, Mike James opens a new series on the importance of data design in programming.

Editorial Managing Editor Sean Howard; **Assistant Editor** Maria Bokic; **Consultant Editors** Steve Withers, Ian Davies. **Advertising Advertising Manager** Mark Reiss; **NSW and Qld Sales Manager** Gerard Kohne. **NSW and Qld Sales Executive** John Nuutinen (02) 264 1266; **Vic, SA, WA and Tas Sales Manager** Jenny Gold (03) 531 8411. **Production** Graphic Heart Pty Ltd. **Distribution Subscriptions Manager** Judy Welsh (02) 264 1266; **Subscription rates** Australia \$35 per annum, overseas A\$47.00 (surface) A\$130 (airmail); **Newstand sales** Network Distribution Co. 54 Park Street, Sydney 2000.

Publishers Computer Publications Pty Ltd (a subsidiary of Consolidated Press (Holdings) Ltd).

Sydney Office: 215 Clarence Street, Sydney 2000; telephone (02) 264 1266; telex AA 20514 CDNPRES. **Melbourne Office:** 77 Glenhuntly Road, Elwood 3184; telephone (03) 531 8411; telex AA 30333 'AMJ'.

Printed by Quadricolor International (Aust.) Pty Ltd. Material contained within *Australian Personal Computer* is protected under the Commonwealth Copyright Act 1968. No material may be reproduced in part or whole without written consent from the copyright holders. Produced under licence from Computing Publications and VNU Business Publications B.V.



BENCHTESTS & REVIEWS

27 SPERRY IT

This IBM PC/AT-compatible would be just 'one in the crowd' if it weren't for Sperry's Mapper database availability on this micro.

35 JAVELIN

Sourceware will be distributing this super-spreadsheet in Australia. Mike Liardet examines its potential to knock Lotus off the top.

44 AMIGA SIDECAR

Such is the dominance of the IBM PC that Commodore decided to provide PC compatibility for its very 'non-standard' Amiga. Phil Cohen assesses its attempt.

51 TURBO PROLOG

Borland's AI-oriented language is given an IQ test by Ian Davies.

57 PC LAP-HELDS

Toshiba's AT-compatible 3100, Olivetti's M22 and Chendai's Lap compared.



73 GURU

Kathy Lang finds out how intelligent this intelligent database really is.

93 TRIPOS

Beneath Commodore's AmigaDOS lies a somewhat elderly operating system. Philip Sargent digs into its heritage.

125 LASERBASE

A Macintosh database makes the move to Atari's ST range. Nick Walker finds out if anything has been lost in translation.

111 REACH FOR THE SKY


Robin Mudge concludes his astral series with a look at downloading real satellite data.

131 GRAPHIC DESIGN

The Amstrad PCW8256 can produce high-resolution graphics using CP/M's GSX commands and its own printer. R Gilmore builds the images.



TODAY... 10 or 20 MBYTE HARD DISKS JUST CAN'T COPE.



ROOM TO GROW Choose from our range of formatted storage capacities – 26 MByte, 44.6 MByte and 71.3 MBytes. Big enough for Local and Wide Area Networks.

PERFORMANCE Linear voice coil technology yields a 28msec. average access time. That's about 4 times faster than 10 and 20 MByte drives.

BACK UP Support when you need it. Professional assistance from the industry's most competent team.

DANEVA We're dedicated to the science of data storage and management.

Powerful PC software like Lotus 1 2 3 ¹, dBase III² and Symphony¹ gobbles up disk space at an incredible rate. That's why Daneva packages high performance hard disk drive kits with capacities up to 85MBytes.

Daneva kits are complete, system proven and easily installed ... no fiddling around with complex set up procedures and cryptic manuals.

That's only half the story. Daneva is developing a solid reputation for excellence in storage system hardware and software support for the whole range of IBM PC/XT, AT^{®3} and their compatibles.

¹ Lotus 1.2.3. and Symphony are registered trade marks of the Lotus Development Corporation.

² dBase III is the trade mark of Ashton Tate.

³ IBX PC/XT, AT[®] are the registered trade marks of International Business Machines.



64-66 Bay Road
Sandringham
Victoria 3191
Australia
PO Box 114


Telephone (03) 598 5622
Telex AA34439

47 Falcon Street
Crows Nest
NSW 2065
Australia

Telephone (02) 957 2464
Telex AA20801



SPONSORS OF
TASKFORCE
1987



Although secrecy still surrounds the specifications of the Amstrad and Apricot IBM-compatibles, Guy Kewney hazards a guess at what we can expect. He presents this month's news round-up.

Something's cooking

Both Amstrad and Apricot are releasing their IBM-compatible machines about three months later than I had thought — in September, rather than June.

In the case of Apricot, the machine is the Xen, with an IBM-compatible BIOS and properly IBM-compatible disks — and I bet you thought, like me, that Apricot already had diskettes that were compatible with IBM's brand-new 3½in Convertible.

In the case of Amstrad, secrecy has not lifted one whit since we last printed rumours. However, we are now sure that the spec will include:

- an Intel 8086, running noticeably faster than IBM's 8088, and, therefore, making a very much faster machine — up to Olivetti M24 speed.
- Digital Research's GEM with a mouse, and a version of MS-DOS, but not Microsoft Windows.
- standard 5¼in diskettes (no, I don't yet know, for sure, how many, but I think two).
- either colour or monochrome screens included (options) in the two basic models, but no printer.
- a proper IBM-compatible bus available, but not necessarily included as standard.

Amstrad is selling its cheap add-on printer in a version that does IBM graphics and characters,

which means (to me) that the Amstrad PC won't include a printer. But the people who should know say that it won't anyway, because that would steal the PCW's market. I'm not convinced.

The price? Well, nobody knows for sure, but what little leakage there has been from Amstrad suggests that it will be higher than the

\$1700 I was led to expect.

From that leakage, I deduce that it will in fact be slightly *lower* than \$1700, and that the price is being 'talked up' to make the PC sound better when it arrives.

When will it arrive? Well, assuming it is launched, as expected, in September in the UK, it'll probably be here in time to become a Christmas present.

So much for Amstrad.

Apricot's delay is caused, very simply, by the fact that the Xen has been selling in its home country far better than it deserves to.

The multi-user Xen has tapped a market that looks

pretty lucrative — and so 'have ordinary Xens — and the Xen CD (cut-down) 512k version is only just out.

So, politically, there is nothing to gain by killing off those machines by releasing a truly IBM-compatible machine — yet. And there is everything to gain, politically, because dealers who sell the current machines are not going to take kindly to the suggestion that they have to carry on buying what they have already ordered, when the new one is available.


There is also the embarrassing theory (my source is authoritative, but two people I have never spoken to were fired when we revealed the Xen in advance, so they will remain secret this time) that the Apricot disk directory is wrong.

A year ago, when it began to look likely that IBM would, at least, make the move to 3½in disks, Apricot was cock-a-hoop. 'We were there first,' the company crowed.

It seems that somebody inside Apricot decided that they would 'improve' on DOS directories, and as a result, they still aren't there.

In the next three months, Apricot is likely (according to this source) to quietly change the version of the operating system, for one that more closely resembles IBM's.

Guy Kewney



This 'short card' for IBM PCs and compatibles sports 512k of RAM, a parallel and serial port and clock/calendar. It comes with software for print spooling, RAM disk and disk caching. And it's Australian designed and built.

All this costs \$685. Call Hypertec on (02) 819 7222 for information on who's retailing it.

The Pawn

I like The Pawn, because when you type in something like: 'Ask the dragon whether ontological poof of

God's existence is a pre-requisite', it says (like any other adventure): 'I don't understand poof' — but you don't have to retype the whole sentence. Instead, you just hit Escape and edit the 'proof'.

No, I suppose that won't do as an adventure game review.

Professional adventure game reviewers must have infinite wisdom or infinite patience. The rest of us, when given a new adventure game like *The Pawn*, have to cheat — which means we can tell you what the game is about, but not, of course, what it is like.

Except that this game is rather different from many.

I must say that it grew on me, where most adventures wear thin, because it develops in unpredictable ways.

Here is a typical conversation between two players of the game:

'How do you open that wretched safe?'

'Oh, that's simple. You use the key you find near the passage.'

'There is no key there.'

'Oh, yes, there is; in the niche.'

'It's damn well-hidden, that's all I can say.'

'Not at all — you just get it, and there you are. Then you wait for the adventurer to come by, and . . .'

'But the adventurer is fighting the snowman! And he's opened the . . .'

'Ridiculous! He can't do that, because then he'd save the princess, and you have to do that yourself.'

In most adventures, there is a set order of doing things. Get the scrolls, then read the spell, and you can open the casket. Try and open the casket without the scrolls, and you will merely fail.

In *The Pawn*, if you don't get the scrolls, somebody else will. If you don't eat the hamster, you'll possibly never be able to free the tiger; but at the same time, the snowball won't be needed in hell. (I'm inventing

things and possibilities, so as not to spoil the game.)

Having decided that you took too long to get a key from one side of the adventure to the other, you go back and replay it, leaving out one or two distractions. This time you get the key, and find that there's nothing inside the room! And it dawns on you, after two or three goes, that there never will be. Something you did has prevented somebody else getting there, and you've got points for doing something else after all.

The Pawn was produced by Anita Sinclair, an earnest young programmer with a sense of destiny, and a conviction that adventures aren't really as important as the parsers that you use to understand the people who play them.

I nearly agree. The trouble is, the parser for *The Pawn* is so good, it's almost useless.

Where normal adventures have to be told 'get key; look key; look tumblers; look chip; in lock', this one can cope with the far more normal English-like 'Get the key from the desk, look at it and examine the tumblers, then examine the chip and put it in the lock.' (That's a phoney sentence, so don't try it in *The Pawn*. No chips.)

But if a parser can cope with complexities like: 'Put the key in the jeans on the stump in the pouch,' and even worse tangles of grammar, then you don't expect it to be stymied by: 'Ask trader what the jewel is worth' (you have to say 'what the jewel costs'). Of course, there is a limit to any parser. As with any program, if the programmer thought of it, it can cope. If he/she didn't, it can't.

But for a lot of the puzzles in this game, correct phrasing is vital; for others, it doesn't matter a damn. And I find this a distraction, oddly enough, from the puzzles themselves.

My theology says that Sinclair is quite right up to

a point. If you're in a dark room, and you say 'Get all', nothing should happen because the program should be smart enough to know that you can't see the objects. And it certainly should not (as with one Level 9 game) give the whole game away by saying: 'But you can't see the Allosaurus!'

But for me, 'examine fountain' and 'look in fountain' are equivalent, and with a clever parser like *The Pawn*'s, you assume that it understands what you mean. You get used to it, once you crack it, and it's just perfectionism, I suppose, to grumble.

On the Atari ST there's an extra problem, in that *The Pawn* has been written as if for the Commodore Amiga, and has then been adapted for the Atari. The result is that several things that the Amiga does automatically take forever on the ST, and use up valuable memory — Sinclair has had to abandon several nice features as a result.

I hope they re-appear on the Amiga. I might enjoy playing *The Pawn* again — only this time, I might try to rescue the princess.

Guy Kewney

New chips to boost ST sales?

Atari's ST is about to get yet another boost with the launch of the famous 'blit chip' and a matching sound chip, which, we all hope, will make the ST directly comparable with the Amiga.

At the same time, Commodore is planning to announce its 1 Mbyte Amiga, around the same time that Atari launches its blit-based machine — and this time, the Amiga blitter will be able to reach parts of memory that it can't on the original model.

The blit chip is a kind of

'personal assistant' to the main processor, handling the fast data shifts that are necessary to produce animated graphics, without requiring the processor to spend time working out which dots are going to be red, green or blue.

The good news is that the blit chip is due for a September release: the (possibly) bad news is that it won't be available for current ST models.

A totally new model with 2Mbytes of memory and the add-in chips, plus one or two other improvements (possibly a hard disk version, too) will be presented to the world in September. It will be on sale some time thereafter, and don't ask me how soon thereafter, because there is no way of knowing.

This new model is the only machine with the blit chip currently planned, until bigger and better (such as 4Mbyte) designs are released. Current machines are not affected.

For some people, the news is good. It means they can rely on the current specifications staying constant.

The rumour of the blit chip was started by programmers, in the know, around Christmas 1985. Subsequently, senior engineers at Atari began giving details of the chip, and included the news that it would not be available in the 520ST, but would be available in the 1040ST as an upgrade.

That turns out not to be true.

You will hear from 'authorities' who 'know about Atari' that the current 1040ST has two empty chip sockets ready for the blit chip and its sister, the sound processor chip.

It doesn't. There are no empty sockets in the 1040.

You will also read, in some places, about the wonderful plug-on box which will allow ST users to upgrade to the blit and sound chip.

This will not be possible.

NOW ACCESS AUSTRALIA'S BEST BETTING INFORMATION FROM HOME.

Now Victoria's TAB provides comprehensive race and betting information through the Telecom service VIATEL®.


It's called TELETAB. Simply key in *2600# and receive details on the full race programme, including fields, jockeys/drivers and approximate dividends on all races.

Additionally, Victoria's TAB also provides these special features:

- Trifecta and Quinella betting on all races.
- Betting to actual race start on all races.
- A 50 cent unit on all bet types.

In fact, with TELETAB you can get the best betting information in Australia by just keying in *2600#. It's that simple.

For details and a demonstration, contact your local Telecom Business Office.



TELETAB

The good news, however, is that as you can't upgrade today's ST boxes to blitter spec, you don't have to worry about software for the 520 and 1040 models coming out in two versions, or about making a 520 bought today work with a 520 bought for Christmas this year. They should stay the same. The bad news, obviously, is that many people quite possibly thought they could upgrade, and they can't.

At this point, I'd really like to say how many people are likely to be upset by the news, but I can't, because controversy rages among us industry observers (journalists) about how many STs have been sold.

My own information comes from sources which should be accurate — people who are selling software to ST and Amiga users.

Some of these people get royalties on the sales of machines, and these royalties show that, despite the non-existence of the Amiga in Europe up until June, it is not very far behind the Atari ST in terms of the total number sold.

The numbers are very, very approximate. Making guesses about sales after the last royalty figures, one has to assume that Atari's American sales have been hurt by the company's decision to go mail order with the 260. And I have to report sources saying that the Amiga's big US price cut (down to \$700) in May was very good for sales.

Mixing all that together with a lot of other guesswork, it looks as if neither company has hit 150,000 sales, yet.

Guy Kewney

Plug-in problems

Do not assume, when using a business PC or a clone, that every message it gives about errors is correct. In particular, don't believe it

when it says your latest plug-in, multi-purpose card, including modem, doesn't work. It probably does.

The problem seems to be software, most of the time.

There's a fundamental difference between the typical PC and the typical AT: the AT has four more DMA channels, and more complex interrupts. The result is that you have to be careful with plug-in cards — especially plug-in disk cards.

The problem is often one of timing, of course, with the AT machines going very much faster than the PCs, and peripherals designed for the PCs just getting confused.

You also have to worry about how many hard disk controllers there are in your system, because these devices use direct memory access, and interrupts, and can conflict with each other.

Strange things happen when these conflicts arise.

Adding-in memory cards, for example, can be a hazard, because IBM-family machines can have 640k. You can't create 640k from 256-kbit chips, so you have to go for 512k, or 768k. Or you can plug in 512k's worth of 256k chips, and 128k's worth of 64-kbit chips — but nobody bothers these days.

Plug in a memory extension card (it may not look like memory extension, and you may think it's just a network controller, or a serial port and a clock) that uses the same spare 128k, and you have two chips responding to the same addresses. Chaos.

People report strange symptoms when they buy their own memory chips to plug into empty memory sockets.

One simple fact is that these memory chips are supposed to keep their data for two milliseconds without electronic refresh. In fact, most of them can keep data for two seconds!

Why is that a problem? Because some software people know they can rely

on memory even if they starve it of refresh, and so they can do things much faster. Then you plug in chips which meet the official spec, and the software expects them to exceed it, and the system falls down.

There isn't a lot you can do without sophisticated technical help, except take the board back to the shop and say: 'It may not be faulty, but it doesn't work in my system, and I want a different one, please.'

Guy Kewney

Coopers to the rescue

If your computer system has gone down through "fire, flood, power outage, bombings, industrial disputation, water damage, lightning strikes or malicious damage" you're a potential customer of a new service being offered by Coopers & Lybrand.

Disaster Plan/80 is a disaster recovery planning project designed by Bob Santis, President of EDP Security Inc of Boston. He is currently in Australia to launch Coopers' Australian version of the system. More details are available from Paul Okkerse on (02) 239 7846.

AI key to software growth

The Yankee Group's latest report into the PC software market claims sales of word processing and spreadsheet packages have peaked and further growth will have to be stimulated by the use of artificial intelligence concepts to improve user interfaces and program performance, and the need for multi-user versions to operate in LANs. . . AI may be just the spark to ignite interest among software users in new technology.

Currently, AI has migrated to the desktop computer in three forms: natural language, query optimisation and expert systems. The Yankee Group believes expert system technology remains too limited, even on large systems, to offer real utility to vertical or horizontal markets in the desktop computer business community.

"The more likely short-term role for AI in desktop computer-based business software is to simplify the person/machine interface via natural language front ends or improve the software's performance transparently to the user via such techniques as heuristic query optimization."

Doing the add-on shuffle

There have been winners and losers in the recent shuffle of distributorships of add-ons for PCs. Imagineering (a winner) started the ball rolling when it took the AST range from Sourceware (a loser). Apparently, as part of the deal to entice AST away from Sourceware, Imagineering had to dispose of the distributorship of competing products. So companies as well known as Persyst, Intel and Hercules momentarily lacked Australian distributors; but then Tech Pacific (a winner) stepped in and picked up a basket of products. Says Jim Kennedy of Tech Pacific: "It was a cruel blow to Sourceware, but obviously we're not complaining at being a winner in this shuffle."

Some good news for customers is that Kennedy is hoping to chop \$420 off the price of monochrome Hercules cards in the near future; and he's planning to not only knock 20-30% off the Intel Above Board but also offer an 8087 co-processor free of charge to

MEMOREX

Disks

BRIGHT DISKS FOR
ANY COMPUTER



For More Information Call Memorex TOLL FREE 008-226117 or Sydney 908-2211 Melbourne 267-2855
New Zealand: Dataset Computer Supplies (N.Z.) Ltd. Auckland 795-561 Wellington 857-686

MULTISOFT'S NOTEBOOK 11

MULTISOFT'S database management system — NOTEBOOK 11 — gives you virtually unlimited text storage.

◆
Only your computer limits the number of records you can create.

◆
As you enter texts, record sizes dynamically expand to hold up to 50 fields and 28 000 characters — so you no longer have to estimate how large records will be before opening files.

◆
NOTEBOOK 11 has a "built in" full screen text editor which means you can enter information straight into its files — and read files prepared with other programmes.

◆
"For any research notes, for abstracts of articles ... for library use, for file registry systems, for client information or personnel records, for legal documents, for product descriptions... NOTEBOOK 11 is really the only game in town."

Australian PC World

System requirements: IBM PC/XT/AT or compatible.

Price: \$285.00 plus shipping.

MULTISOFT

1121 Hay St, West Perth
Western Australia 6005

TELEPHONE:

(09) 322 6637

Multisoft

purchasers of the memory expansion unit.

Briefs

Visionhire has decided to make Apple IIc and Macintosh computers available for long and short term rental. According to the firm's MD, David Hall: "The rental option opened an entire new market for VCR and colour TV, and we expect it will do the same for computers."

In a separate announcement Visionhire has also announced it has been appointed "principal national corporate dealer" for Commodore's Amiga. The Amiga will also be available for rental, as well as purchase, from Visionhire. . . . Tech Pacific has announced a 20Mb version of its Hardcard, and at the same time heavily reduced the price of its existing 10Mb unit to \$1314. The 20Mb Hardcard will sell for \$2024. . . . A simple plug-in processor chip has been released by NEC, to make all machines with an 8088 go faster.

The chip has been on the market for some months now and is supposedly a simple plug-in duplicate for the Intel 8088, but with lots of internal functions speeded up enormously.

Do not throw away your 8088 chip, if you perform this upgrade; most of your software will be unaffected, but by no means all of it.

From the *Victor/Sirius File*, a specialist newsletter, comes the news that some of the fundamentally essential programs for copying and formatting diskettes need alteration, if you are using that chip. The newsletter has published a fix for the Sirius version of DISK-COPY, but don't try this on an IBM-type processor.

'86 PC Awards

The winners of the '86 PC Awards were announced at the Seventh *Australian Personal Computer Show* held at the Exhibition

Buildings in Melbourne last month.

Presenting the Awards was Regis McKenna, international marketing consultant and author of 'The Regis Touch'.

Products were submitted in eight categories: Business Hardware (Desktop PC), Business Hardware (Lapheld PC), Business Peripherals, Business Software, Business Documentation, Education Hardware, Education Software and Innovative Product of the Year.

Hewlett-Packard's Vectra came out on top in the Business Hardware (Desktop PC) category. Close contenders included machines such as the IBM PC/AT and the Sperry IT.

The Vectra won in the final analysis because the system offered added considerations (in addition to the basic criteria for this category), which were high-resolution screen, keyboard responsiveness and operating speed. The IBM PC/AT and the Sperry IT were very close in second place.

The winner of the second category, Business Hardware (Lapheld PC), was the Zenith Z171 from Anitech. The Zenith was chosen because it comes standard with dual 5 1/4in floppy disk drives and a high-resolution legible screen. It has compatibility with all MS-DOS software and a full size keyboard of high quality construction.

Apple's Laserwriter Plus took out the Award for category three, Business Peripherals, because of its high quality image output and general operating features. The Laserwriter was pitted against products such as the Mountain Drivecard and the Manager Mouse.

The Award for category four, Business Software, went to Commercial Business Applications, CBA, from Intelligence Australia. CBA was chosen for its broad parameter based structure in

enabling flexibility and a general applicability for business users. Other software in this category included dBase III Plus, Super Project Plus and Pagemaker.

A very broad range of documentation was entered into category five (Business Documentation), which ranged from MS-DOS manuals through to application software manuals. The winner was the Breeze Point-of-Sale documentation from Breeze Software. The judges felt the documentation employed a user-friendly approach combined with a logical and coherent layout.

Category six, Education Hardware, was awarded to Apple for its Unidisk 3.5. The winning feature is its

useful and practical contribution to the education market — particularly its resource sharing capability.

The winner of category seven (Education Software), was Newsroom from Dataflow. Newsroom was chosen for its high educational value as it enables users to use text and graphics and produce hard copies. Newsroom covers a very broad area of history, english, science and mathematics and caters for a wide age group.

Category eight was the readers' choice for the Innovative Product of the Year. Pagemaker from SCA was chosen because it represents a pioneering approach to small and large businesses alike in the world of desktop publishing.



'86 PC Award winners from left to right: Garry Landers of Breeze Software; Keith Watson from Hewlett-Packard; Inge Fuglestved from Apple Australia; Chris Cleary of Intelligence Australia; Peter Dawson from Anitech; Arnold Roth from Software Corporation of Australia; and Dr Jeffrey Tobias from Dataflow.



Regis McKenna delivering his message.

Next month's issue of APC will be accompanied by a free guide to PC communications. It'll cover modems, software, networking, dial-up databases, micro-to-mainframe links and what's in-store in the future.

Don't miss out: get your copy as soon as it goes on sale in the first week of August.

END

Intouch Computing proudly announce the availability of



As the proud Winner of Australian Software Division Personal Computer of the Year Awards 1986, Intouch Computing urge you to purchase one of their Complete PC Tutorials so that you can benefit from the expertise that has gone into making your life with your computer as easy as child's play.

Whether you are a Beginner, a Programmer or a Hacker — this is the answer to all your questions, and those of your computing friends who may well be novices!

Contact the nearest dealer in your State. If you need to know who that is, phone Intouch Computing on (09) 339 4431 — they'll direct you to your contact point.

**INTOUCH
COMPUTING**

1 Kent St., Bicton, W.A. 6157



AVAILABLE FROM:

Dick Smith, Grace Bros., Myer, Computerland or your nearest Computer dealer.





Curtains down!

After the rave reviews we gave last year's PC86 Show in Melbourne, and not withstanding any bias we may have in this matter, it would be unfair for us not to say that this year's event was even more spectacular. Combined with an office automation and communications show and held in the Royal Exhibition Building, the Seventh Australian Personal Computer Show attracted more visitors, more exhibitors and more new products.



1 Everyone wants to be IBM compatible — even the 6502-based BBC. Gametronics was showing off this card (which we've not had a chance to examine yet) designed to allow a range of IBM PC-compatible software run on the Beeb.

2 Pagemaker, winner of the '86 PC Readers' Award, shown doing its stuff.

3 The important bit here is the box to the right of the screen. It's Amiga's Sidecar; and it allows programs written for IBM PCs and compatibles to run on the 68000-based Commodore Amiga. (See review elsewhere in this issue).

4 This large flat keyboard is just one of a number of devices displayed by MicroPower which is intended to assist the handicapped in using PCs. It is composed of a large matrix of sensitive 'pads' on which is placed a paper template and, if desired (and shown here), a plastic guiding overlay. The 'pads' are programmable so that one 'pad' could represent a letter of the alphabet or an entire series of commands. The keyboard is connected to a card within an Apple computer which operates transparently to any application software.

5 This is a laser disk WORM drive. It's unusual because it can not only read but also write (once) to its 12in optical disk. Its

capacity is around two gigabytes; unfortunately its price is well beyond the average user at over \$20,000. Call Pulsar Electronics for details.

6 When Imagineering's MD, Jodee Rich, decided to pick up the Australian distributorship of AST products, this man, Jim Kennedy, picked-up what Jodee had to leave behind — including the Hercules and Intel range. Jim is intending to knock considerable amounts off Imagineering's old prices for these products. Call Jim's company, Tech Pacific on (03) 690 9055 for details. (Incidentally, Jim is shown here with his Hardcard — reviewed last issue — which is now available with either 10 or 20Mb capacity).

7 Atari was crowing at the Show about having some business software actually up and running on its 1040ST. A New Zealand package, Cashlink, is shown here on the Mobex stand. What Atari is particularly pleased about, though, is that the Business Operating System (BOS) has been ported to the Atari. BOS is very popular in the UK where there's a large amount of business software for it. So it's likely Atari will soon have a large range of packages to throw at the IBM PC-compatible opposition.



4



6



5



7

THE ADVANTAGE OF MS-DOS* COMPUTER

The more powerful a computer, the more it seems to be deskbound.

Not so with the new Microbee/Mitac Portable PC.

Unlike most MS-DOS computers, you don't need a physique like Charles Atlas to move it from one place to the other.

It weighs in at barely 4.9 kilos.

And, by virtue of a handle, it's also easy to carry.

The keyboard and 5¼" disk drive are ingeniously incorporated into one unit, with up to 640K of RAM.

So, whenever you need to take your Microbee/Mitac Portable PC somewhere, all you need is a free hand.

IT'S COMPATIBLE
WITH YOU KNOW WHO.

This new computer opens out to Microbee users the range of IBM[†] PC compatible software.

The Portable PC uses the internationally accepted Phoenix BIOS.

So, unlike some compatibles, this

one is truly compatible.

It also runs on the 3.1 version of MS-DOS, with all the latest additions and enhancements, plus provisions for networking.



(WELL, 5 CENTIMETRE

EXPANDABLE STORAGE,
OF COURSE.

The inbuilt floppy drive can store 360K bytes per diskette.

If that's not enough, however, an optional second 360K byte floppy drive can plug straight into the rear of the case.

Of course, this isn't essential but it makes for far more convenient

THE NEW MICROBEE STICKS OUT A MILE.

disk-copying.

It also enables you to run large programmes which require access to expansive data files.

You can also add a 20 Megabyte



hard disk drive when you require large volumes of external storage.

INBUILT COLOUR
GRAPHICS ADAPTOR.

If you already own a Microbee green or amber monochrome monitor, you'll be pleased to hear that it will plug straight in.

But if you desire something a little more impressive, our new computer

has a colour graphics adaptor built in as standard.

STANDARD ITEMS
AND PERIPHERALS.

The Microbee/Mitac Portable PC also includes 2 serial communication ports (not just the one) plus a parallel printer port as standard.

Other standard features include a real-time clock and calendar, with a battery pack.

You'll also find that it's compatible with the range of Microbee peripherals.

So, no matter what use you have for a personal computer, the new Microbee/Mitac Portable PC can (dare we say it) handle it.



Microbee/Mitac Portable PC
with 256K RAM - \$1,495.
(Monitor not included.)

For more information ring one of the numbers listed below.

 **microbee**
computer

Sydney (02) 886 4444, Melbourne (03) 817 1371, Brisbane (07) 394 3688,
Adelaide (08) 212 3299, Perth (09) 386 8289, A.C.T. (062) 51 5883.

†IBM is a registered trademark of IBM Corporation.

*MS-DOS is a registered trademark of the Microsoft Corporation.

C&MA MBS 0023



Building structures

In the first part of a six-part series on the creation of programs and programming methods, Mike James examines the role of data structures in determining algorithms.

A revolution is taking place in programming methods and programming languages, and I have no doubt that it will eventually make itself felt by every programmer. This revolution is mainly driven by the desire to make programming more precise and mathematical and is typified by the new languages based on logic (such as Prolog).

The desire to make programming more like mathematics goes back a long way. Many earlier programming methods — structured programming and modular programming in particular — certainly help with the task of constructing a good program with minimum effort. The success of these programming methods and the languages which they have spawned (for example, Pascal) has continued to focus attention on the part of programming which is usually referred to as *coding* — that is, given that you know exactly what a program should do, most programming methods are designed to help you realise your ideas as a bug-free program as easily as possible.

What programming methods have ignored completely is the process which precedes the stage of coding — that is, getting the ideas for the program in the first place. This important area has been ignored because it's difficult and not as neat and clear-cut as the coding stage of programming. However, there's much more that can be learned about program creation than is generally realised. In this series, I'll be sharing some of the insights I have gained by my own programming experiences and talking to programmers, both beginners and advanced, about the way they go about creating a program.

As the initial conception of a program is mostly independent of which language you later use to code the program, this series is relevant no matter which languages you are familiar with. As Basic is such a universally well-known language, it will be used to code the example programs and as an aid to describing the problems of program design.

Before launching into the subject of

program creation, it's worth summarising briefly the currently accepted state of programming methodology.

Programming methods

Perhaps the first step on the road to constructing better programs was the introduction of high-level languages such as Fortran and Basic. Although machine code and assembly language gives a programmer more freedom in the way the machine is used, they also give the programmer more scope for making complex and subtle errors in coding. For example, in machine code you can use any area of memory to store data, and in any format, but in a high-level language, all you can do is create variables, and the language implementation decides where and how the data will be stored. Nearly all improvements in programming are about trading off some freedom of choice for simplicity and clarity.

The advent of high-level languages solved many of the problems of programming data storage, but early high-level languages contained the same types of control commands that were found in assembly language. In other words, the early high-level languages (including Basic) gave the programmer statements to test conditions and transfer control to another part of the program. For example, in most assembly languages, if you want to skip a section of the program if a value is zero, you would use something like:

```
TEST VALUE
JUMP SKIP
...
section of program to skip
...
```

SKIP remainder of program which is almost identical to the Basic version:

```
IF VALUE=0 THEN GOTO 100
...
section of program to skip
...
100 remainder of program
```

The trouble with this type of control is that it allows the programmer the freedom to use the GOTO statement (or whatever the language calls its unconditional transfer of control statement) to transfer control to any point in a program without any regard for the effect that this might have on the program's clarity. The GOTO statement allows a programmer to tie a program into knots, making it impossible to follow; a program which is impossible to follow is sure to contain bugs.

The first reaction to the above problem was the invention of programming languages such as Pascal which removed the need for the GOTO statement and then placed a complete ban on its use. This restriction on the use of the GOTO statement is generally referred to as 'structured programming'. Many programmers now feel that to think of structured programming as just GOTO-less programming is a little naive. It's possible to write well-structured programs using Basic, assembler or any language, with or without the use of the GOTO statement. Structured programming can be much better thought of as a method of producing programs which have a clear and simple flow of control, by restricting the use of the GOTO statement to the selection between alternatives and the formation of loops.

The final great step forward in programming methods takes us back to data storage. Basic programmers have become used to the idea that when a variable is defined, its accessible from any point in a program: that is, if you use a variable called TEMP in a subroutine, it will be shared with any other subroutine using a variable called TEMP.

A variable which is accessible from any part of a program is called a 'global' variable, and it's generally agreed that global variables cause bugs. The trouble is that if two or more subroutines use the same variable name for a variable which does a different job in each subroutine, there will be unwanted and unexpected interactions between those subroutines.

The solution to this problem is the

introduction of 'local' variables — that is, variables which exist only within a specific part of a program, usually within a single subroutine. The existence of local variables allows a program to be broken down into individual subroutines, or modules, which interact only through the parameters that are passed between them. This idea is called 'modular' programming and has been incorporated into some of the more advanced versions of Basic as well as being standard in most other languages. Even in standard Basic, it's possible to use variable naming systems to create the same effect as local variables, and so to use modular programming.

The current state of programming can best be characterised by the use of high-level applications-orientated languages and structured modular programming. Programs produced in this way tend to be easy to understand and consequently bug-free.

Algorithms expressed

The great success of structured modular programming has encouraged computer scientists to concentrate on improving the clarity of a program's text. The principle is that the text of a program is an expression of an idea of how the program should work (its algorithm), and this expression should be as clear as possible in order that other programmers can understand the algorithm, and in order that the program can be checked for accuracy. If you find it difficult to see the difference between a program and an algorithm, think of a number of programs, each one written in a different computer language, but all doing the same thing. Each program is different, but they are all expressions of the same algorithm.

Currently, emphasis is being placed on how to best express an algorithm, and the rather more serious question of where the algorithm comes from in the first place has been more or less ignored. When you know the algorithm, programming is a matter of coding, and this is comparatively easy. We need to take some time to study the way algorithms are created by programmers before they are expressed as finished or partially finished program texts.

Studying programs

The first problem with trying to investigate the way that programmers create algorithms is that algorithms don't exist unless they are expressed in a language. For example, if I ask you to write a program that will find the average of a list of numbers, the algorithm exists

Inside information

Two standard things happen inside loops — running sums or running products. In general, most programmers meet the concept of a running sum early in their education. For example, to add up the first N whole numbers, you would use a running sum as in:

```
SUM=0
FOR I=1 TO N
SUM=SUM+I
NEXT I
```

Running products are far less common, but are just as easy once you have seen an example. To multiply the first N whole numbers, you would use a running product as in:

```
PROD1
FOR I=1 TO N
PROD=PROD*I
NEXT I
```

The detail which catches out most beginners is that SUM has to be set to zero before the loop, but PROD has to be set to one — why? Apart from the running sum and the running product type of operation, not much else happens inside loops!

in your head as a sequence of steps even before you code the program. Perhaps you think something along the lines of: read-in each number in turn add each number to a 'running sum' count each number at the end of the list divide the running sum by the count

This is already a primitive program. It's the expression of the algorithm in English, and from this point of view coding can be seen as a process of translation rather than creation. However, if you examine this expression of the proposed algorithm for finding the average of a list of numbers, you'll find that it's far from crude. The statement 'read-in each number in turn' implies some kind of loop, and 'at the end of the list...' implies that this loop comes to an end when there are no more numbers to be read. The statement 'add each number to a running sum' implies that the programmer has come across the basic mechanism of the running sum, and knows what it is and how useful it is. (A running sum is an expression of the form $SUM = SUM + VALUE$ found inside a loop). Also, something which is not obvious is that the algorithm requires that the running sum is initialised to zero before the first iteration of the loop.

Even this English description of an algorithm is already a program in the

sense that it's an expression of what should be done to work out an average. It's a vague expression of an algorithm which will be made more precise and explicit during coding. It's clearly impossible to discuss an algorithm without using some expression of it, which makes it difficult to get at the essential details of the algorithm. For example, how has it become clear that the working out of the average of a list of numbers needs a loop? Once you know that a loop is involved, you can start asking more specific questions such as exactly what happens in the loop and when should the loop come to an end? What is mysterious is how any programmer ever knows that a loop is involved at all?

Obvious loops

If you are having difficulty in seeing what all the fuss is about — finding the average of a list of numbers obviously involves a loop — let me state that I have given this problem to a great many beginners without any hints, and watched them make no progress at all. There is nothing naturally *loopy* about forming an average from a list of numbers. For example, if I ask you to add 3, 5 and 10, you will think of it as $3+5+10$ which is a single arithmetic expression, not a loop. If you use a spreadsheet, you will find that you can

'When you first learn to program, it's rather like learning to drive a car. You know how to change gear, but you still have to think about it...'

add up lists of numbers by using a single function — something like $SUM(A1:A15)$ which is, once again, not a loop. If you have the kind of programmer's mind which can cope with recursion, you can total a list of numbers using a recursive function in the form of $SUM(N) = SUM(N-1) + A(N)$ and $SUM(1) = A(1)$ which is not a loop.

My best guess, judging by what beginners try to do, is that non-programmers tend to see forming a sum of a list of numbers as a single piece of arithmetic such as $A+B+C$. Only programmers skilled in the art of using loops see that forming a sum of a list of numbers is a repetitive process, and even then it can sometimes be difficult to see exactly what it is that is to be repeated. For example, try this simple

Now also available,
the 20 Meg Hardcard™

Hardcard.™

All other hard disk drives are just...thick.



Hardcard™ from the Plus Development Corporation is faster, smaller and more reliable than any other hard disk drive on a card, in the market today.

It's a breakthrough in PC mass storage design, the original hard disk drive on a PC card.

Only 25.4mm (1") thick, the Hardcard™, unlike others, really does only occupy one slot in your PC or compatible.



And because of a unique head locking mechanism, Hardcard™ is virtually shockproof, making it the most portable hard disk drive around (now you can take your office with you!).

Hardcard
from Plus

Hardcard™ can be installed (or removed) in minutes and comes with a 12 month warranty. It's the ideal, most affordable way to turn your PC into a PCXT, or double the hard disk storage of your XT.

So now you don't have to sacrifice a floppy disk drive or put another box on your desk to get all the storage space you need, just call Tech Pacific on (03)6909055 for the address of your nearest Hardcard dealer. It's the original (and best).



Tech PACIFIC
7 BANK STREET, SOUTH MELBOURNE, VIC. 3205

Blair Com 0287

Plus and Hardcard are trademarks of Plus Development Corporation.

problem: write a Basic program which will form the product of the first N whole numbers: that is, if N is 5, work out $1 \times 2 \times 3 \times 4 \times 5$. By comparing this problem with the problem of forming the sum of a list of numbers, you can see that it should be possible to use a loop, but what takes the place of the running sum? (See 'Inside information' for the solution.)

Data neglect

While there are no rules which state that the sum of a list of numbers has to be worked out using a loop, nearly every programmer working in a standard high-level language would recognise that this is the simplest and best way. The reason for this comes from a consideration of something which is not made clear in the statement of the problem — what is a *list* of numbers?

A programmer will naturally think of a list of numbers as a sequence of numbers entered one at a time in response to an INPUT statement. A non-programmer will think of a list of numbers as something static — more like a list written on a piece of paper. This is a crucial difference, as the idea of using a loop only arises when you think of each number being read in turn. It's not so much that a loop is an obvious part of the process of forming a sum, but rather that it's suggested by the form of the data.

This is a surprising observation. It is generally assumed that the major part of writing a program is concerned with finding out *how* to do something, but the above example shows that the way in which you think about the data is a first step towards constructing an algorithm.

It has long been recognised that programs are composed of two related

Creative challenge

The way in which you think about the data you are working with influences the algorithm you will create for any given task. With this in mind, write a program which will draw a histogram (composed of asterisks) of values in the range zero to 40 stored in an array D(5). That is, if D(1) contains six, draw six asterisks on the first line; if D(2) contains 10, draw 10 asterisks on the second line, and so on.

First, try the most obvious solution to this problem which involves using a pair of nested loops: one to draw a line of asterisks of a given length; and one to draw such a line for each element of the array. If you think about the data (in its broadest sense) used by this program, it's possible to achieve the same result using only one loop? How?

The answer will be given next month.

elements: data, and the process to which the data is subject. A program is like any recipe for action — it tells the computer what to do and what to do it to. Nearly all programming methods to date have concentrated on the 'what to do' part of programming, and have more or less ignored the role of data in determining the algorithm. After watching beginners learn to program and by examining the way in which I generate algorithms internally for consideration, I believe that the way we think of data is a key factor in the creation of algorithms. Of course there are other factors, but these are much simpler and are concerned with our knowledge of the problem and of the programming language being used.

Conclusion

Experienced programmers do think differently from beginners. Good programmers certainly make use of the data properties with which they are involved (this is the subject of next month's article), but as well as this, they have a clearer understanding of the process of computation. In particular,

they seem to carry around inside their heads clear models for loops and ways of selecting between alternative sections of a program.

When you first learn to program, it's rather like learning to drive a car. You know how to change gear but you still have to think about it, and this leaves little room for any higher-level activity such as thinking about where you are going. Later, changing gear becomes second nature, and you are free to think not only about where you are going, but which route is the best. When the fundamentals of computation — the loop and the select — become second nature, you will be sufficiently competent to solve real programming problems.

END

Quality Diskettes at a Sensible Price

- All disks carry a **MEMOREX** lifetime warranty and are supplied in a plastic library case.

Call, phone, or send order:

- | | | |
|--|--|--|
| <input type="checkbox"/> 5 1/4" SSDD box \$18.30 | <input type="checkbox"/> 5 1/4" DSDD box \$27.60 | <input type="checkbox"/> 5 1/4" SSDD bulk \$1.70 ea. |
| <input type="checkbox"/> 5 1/4" DSDD bulk \$2.52 ea. | <input type="checkbox"/> 3 1/2" DSDD bulk \$5.40 ea. | <input type="checkbox"/> 8" DSDD box \$54.00 |

I enclose my cheque for \$ _____ including delivery of \$6 or Bankcard Mastercard

Card expires: _____

Name: _____ Signature: _____

Address: _____ Postcode: _____ Phone: _____



INDEPENDENT SOFTWARE DUPLICATION
P.O. Box 545, Parramatta, N.S.W. 2150 (02) 633 5944

(All prices incl. tax)

HARDWARE

IPX XT - IPX AT

These IBM compatible computers are the best quality machines in Australia. Over two years on the market with a return rate of less than .5% and being highly compatible, you could not have a better computer.

Special Features

Case — the case is solid and sturdy, approved by FCC for minimum EMI.
Magic Card — one card that supports RGB hi-res color, hi-res mono, and com-

posite monitors which solves the problems of card changing.

Reset Button — apart from being convenient, this protects the power supply from the problems known with other computers.

Quality

Components — the components are 40% above the required rating, minimizing aging ailments.

Workmanship — each computer is manufactured using the most modern tech-

niques and automatic equipment.

Tests — each computer is subject to seven cycles of thermal shocks (as specified by NASA) which puts the computer under harsh conditions prior to shipment and ensures 'weaklings' are not shipped.

Local Production

Beginning in April this year, IPEX will assemble the IPX 8088 XT (8 configuration) and IPX 286 AT (10 configuration) in Australia.

IPX 8088 TURBO

- 2 x 360 KB TEAC F/D
- 640 KB - RAM
- Ports - Serial, Parallel, Game
- Power Supply - 240V, 135W
- Ergonomic Keyboard
- Case - FCC Approved
- Magic Video Card (R.G.B., Mono Video, Composite)
- Reset Button - in front
- Manuals - MS DOS 2.11

Select from the Following:
10MB, 20MB, 30MB plus Back-up Tape
60MB.

Compatible with software that runs on IBM XT.

Switchable 4.77/8MHz - The answer to speed/compatibility clash.

IPX IPX 286 AT

- 2 x 1.2MB TEAC F/D
- RAM - 512, 640, 1024 KB on M/B (Expand to 14MB)
- Ports - Parallel, Serial
- Power Supply - 240V, 200W
- Keyboard - IBM AT style
- Case - FCC approved with Key Lock
- Magic Video Card
- Reset Button
- Runs 33% faster than IBM AT
- Manuals - MS DOS 3.1

Select Hard Disks - 20MB, 30MB, 40MB,
70MB, 120MB plus Back-up Tape.

Compatible with software that runs on IBM AT.

Runs ZENIX, Multi-user (32 Terminals), PIC and others.

Also available the reliable IPX 8088 XT. This popular computer can be supplied with 10MB, 20MB and 30MB plus back-up tape 60MB. Features include 2x360 KB TEAC F/D, 640KB - RAM, Serial, Parallel and Game ports, 240V 135W power supply, Ergonomic keyboard, MS DOS 2.11 manuals.



IPX

IPEX COMPUTER (WHOLESALE)

5 EBDEN STREET,
MOORABBIN, VICTORIA, 3189
TELEPHONE: (03) 555 9066

DEALER ENQUIRIES

N.S.W.
QLD.
S.A.
W.A.
TAS.

(02) 646 4011
(02) 646 4011
(08) 339 3952
(09) 481 3277
(002) 48 7444

5 Million Hours of Fault Free Operation

Sperry IT

Clone makers, having had their fill of the IBM PC are now rushing to cash-in on AT compatibles. Ian Davies takes a look at Sperry's latest offering, the Sperry IT, with its multi-user software, Mapper.



Sperry is the latest contender to join the AT compatible race with a new machine dubbed the IT. Almost indistinguishable from the IBM beast, Sperry has attempted to go for performance with a dash of individuality.

Following well established AT lines, the IT is a large box, best suited to placement alongside a desk, rather than on it. Sporting the traditional security key and DASD symbology, the IT even manages to weigh more than the real McCoy.

The IT seems to be following the original AT philosophy which was multi-user. However, the vast majority of ATs are being used as fast single user machines, mainly because buyers can either run multi-user under Xenix (and be lacking somewhat in software), or they can have access to all the top end-user type software by running single user under MS-DOS. Sperry, however, seems a little more serious about multi-user than IBM was. Although the IT makes a very adequate fast single user machine, it is somehow easier to imagine it as the mythical departmental processor.

Hardware

In true form, the IT runs an Intel 80286 processor at either 6, 7.15 or 8MHz. The speed is switch selectable, accessed either through a panel on the rear, or by removing the cover and flicking DIP switches, depending on the model you are lucky enough to get. The 6MHz one wait state mode is provided for IBM AT compatibility, the 7.15 no wait state is for maximum performance, and the 8MHz one wait state is a bit of a puzzle. A wait state is simply the number of clock cycles for which the processor must pause when accessing memory. Essentially, running with wait states is either a voluntary speed reduction, or indicates that the memory is too slow for the processor, and thus performance is wasted while waiting for the memory to respond. I can't really imagine anyone running the IT on less than full speed, and while it's nice to see that Sperry can let the 80286 have its head at a full 7.15MHz, this doesn't make it the fastest AT compatible around.

Two levels of IT are supplied by Sperry. The first is considered to be the single user system, and roughly corresponds to the IBM entry level AT, consisting of a single floppy disk drive, 512k RAM and no hard disk. Standard equipment includes a parallel printer adaptor (nicely compatible with the IBM version of the



Sperry's 98 key enhanced keyboard

Centronics interface), two serial adaptors (more on these later), a choice of display and a choice of keyboard. The multi-user configuration adds a 40Mbytes Microscribe full height hard disk and an extra 512k RAM, taking the total to 1Mbyte. This would be the minimal system most users would contemplate.

If there is one feature which characterises this machine, it has to be the number of serial ports. They're everywhere. With two serial ports as standard equipment, extra ports can be added using multi-terminal adaptor cards, each of which sports four serial ports. Up to two of these boards can be installed, thereby providing a maximum of twelve ports. This is where the multi-user angle comes in. The IBM AT can only support three serial ports, thus making the whole multi-user issue somewhat limited. Who wants to go to all the hassle of running Xenix just to have a system which cannot grow past four users? The Sperry, in comparison, has got true growth potential, and possibly makes the whole bother of multi-user worth thinking about.

My only criticism is that all of the serial ports use the alternative RS232 standard of 9 pin D-type sockets. So you can't plug in a modem or comms cables without a 25 pin to 9 pin adaptor. Thinking about it a little more closely, Sperry had a good reason for going the 9 pin route, and it is simply that the physical space taken up by twelve 25 pin sockets would be prohibitive. However, being a dedicated 25-pinners, I feel Sperry could have provided at least one really standard RS232 socket. On the other hand, it might have made things even worse to have two conflicting standards all on the one machine.

More options are available for the

keyboard. The preferred choice is the Sperry enhanced keyboard. This departs from the PC/AT convention, providing a separate numeric and cursor pad, function keys across the top (very tricky in Flight Simulator), separate editing keys and delineated regions. The PC keyboard is a standard PC style keyboard with a number of subtle variations. I find that switching between two keyboards with subtle differences is much harder than switching between, say, a VT-220 and a 3270. The third keyboard is the PC/IT, and seems to be just about identical to the IBM AT keyboard.

Three different display adaptors are available: monochrome, medium resolution and high resolution colour. The review machine was supplied with the top of the line and, while it was a very nice display, naturally all of the MS-DOS graphics software could not drive it to its highest resolution. A well known nasty with the IBM AT is the quality of the character font when using a graphics screen. IBM still uses only an 8 x 8 font on its standard adaptor board, which makes the characters very doty — a strain for lengthy text work. Olivetti, with the M24, managed to maintain graphics compatibility while switching into an 8 x 16 font in text mode, thereby giving the best of both worlds. For a while it looked as though Sperry had managed the same trick. Unfortunately, while the normal text font is significantly better than 8 x 8, certain useful pieces of software, such as Borland's Turbo Pascal, kept switching it back to an 8 x 8 font. Despite this, Sperry certainly managed to achieve graphics compatibility, with Flight Simulator and Jet running well.

Memory options come on 2Mbytes cards. Up to two of these can be installed, adding to the initial 1Mbyte to

E X P E R I E N C E

THE UNIPLEX EFFECT

Integration

- o Poppups
- o Softkeys
- o Windowing
- o Common ergonomics
- o Consistent command structure throughout
- o Operational consistency
- o Common data structure
- o Free data movement
- o Single product licence
- o Translation facilities throughout
- o System-wide configurability
- o Two-way information piping

Word processing

- o Line draw
- o Multi-column facility
- o Cut and paste 24 ways
- o Multiple cut and paste buffers
- o Horizontal scrolling
- o Headers, footers and margins
- o Decimal tab/column align
- o Automatic document backup
- o Multi-user file locking
- o On-screen multi-page help
- o Automatic page numbering
- o Noun-verb/direct command structure
- o Auto-hyphenation
- o Menu-driven integration
- o 26 on-screen print effects
- o Standard letters/mailshot facility
- o Automatic page breaks visible
- o Command repeat/undo
- o Global/interactive search/replace
- o Automatic spelling check/correct
- o Full document scrolling
- o Paragraph/document merge/boilerplate
- o Defineable macros
- o Automatic paragraph numbering
- o Internal calculator

Database management

- o C-ISAM data structure
- o Database forms

- o Custom forms
- o Powerful Report Writer
- o IBM/ANSI standard query language
- o Forms system inter-face
- o Fully relational data model
- o High speed
- o Optimised queries
- o Integrated data dictionary
- o Audit trail
- o Transaction processing/roll back
- o Select/edit/print options
- o Full screen editing
- o Controlled validation
- o Multiple page forms
- o Full screen administrator facilities
- o Full operator prompting
- o Hierarchical forms
- o Unlimited records
- o Help/assistance system
- o Query history editing
- o Multiple verb definition
- o Keyword/message translation
- o Security systems
- o Interactive spreadsheet integration
- o Pre-defined query storage
- o Informix compatible

Spreadsheet

- o Comprehensive set of functions
- o Macro programming language
- o Integrated business graphics
- o Windowing
- o Labels
- o Row/column titles
- o Column width manipulation
- o Absolute/relative addressing
- o Command saving in text form
- o Fast spreadsheet save/recall
- o Command line editing
- o Separate data/logic
- o 1,000 rows x 1,000 columns
- o Natural/row/column calculation
- o Decision logic
- o Output formatting control
- o External data capture/output
- o Prompted operator data capture
- o Optional single key commands

- o Interactive integration control
- o Embedded database unix cells
- o Linked spreadsheets

Graphics

- o Business graphics capability from low cost screens
- o Bar/line/scatter charts
- o Mixed text/data/graphics on screen
- o What you see is what you get
- o Output on laser/matrix/LQ printers
- o Colour supported

Menu system

- o Integrate spreadsheet
- o Integrate database
- o Point and pick option selection
- o Pass a filename to a Unix command
- o Remark in menu
- o Fetch user data for command
- o Run a Unix command
- o Define a user prompt
- o Restructured menu layout
- o Multi-columning
- o Concatenate options
- o Softkeys
- o Boxing
- o Text lines
- o Document folios
- o Multi-level menu structure
- o Help on any subject

Screen builder

- o Compiler syntax checker
- o Response mapping
- o Comprehensive error checker
- o Input validation to order
- o Default values
- o Form security
- o Alpha/numeric/general input classes
- o File/directory/executable checking
- o Abandon/execute functions
- o Individual prompts on fields
- o Parameter passing
- o Screen appearance definable

- o One of a range/type
- o Full cursor control and editing
- o Over 75 fields possible
- o Mandatory input
- o Field/form reset
- o Scrolling default values
- o Limit definition/checking
- o Protected fields
- o Inter-field comparison
- o Multi-paging
- o Definable variables
- o On-line help and assistance

Calendar management

- o Multiple diaries
- o Shared diaries
- o Private/public diary facilities
- o Time scheduling/multiple booking
- o Copy/edit/remove facilities
- o Alarm/reminder facility
- o Alarm suspend/resume
- o Monthly/bi-weekly diary views
- o User/group alias
- o Appointment conflict warning
- o Resource diary

Electronic mail

- o Inter-user talking
- o User aliasing
- o Efficient data storage
- o Telephone database
- o Receipt and mail read verification
- o Entry validation
- o Multiple machine capability
- o Individual letter reference
- o Local/shared directories
- o Activity logging system
- o Page control during read
- o User by user configuration
- o Help facilities
- o Archive incoming mail
- o Compatible with Unix mail
- o Copy to another user
- o Object orientated
- o Document attachment option
- o Alignment of prompts
- o Shows video effects
- o Audible indication of mail received
- o Forward to another user

Uniplex II Plus is the world's leading integrated office automation system running on the Unix operating system.



DCS PTY. LTD.

Shop 4, 95 Victoria Street,
Potts Point NSW 2011.
Phone (02) 214-4247
Telex 10717280

Uniplex II Plus is now available on the IBM PC/AT, Xenix System 5 and the AT & T 3B series of computers

produce a grand total of 5Mbytes.

The floppy drive can either be a 360k PC compatible, or a 1.2Mbyte (96 TPI) AT compatible. The review machine was equipped with the 96 TPI drive, and it worked flawlessly throughout. Like all high density drives, disks which are formatted to 48 TPI may not necessarily be readable on true 48 TPI drives. This is because the 96 TPI drives have half size red/write reads and step half the distance per track. When a diskette is formatted at 48 TPI, the high density drive simply skips twice between each track. This provides the desired track density, but since the head is smaller, leaves an unformatted area between each track. Real 48 TPI drives with larger heads may have trouble reading this.


For expansion, eight full size slots are provided, six of which are 16-bit slots, and two of which are 8-bit slots. The IT would seem to have no problem swallowing IBM standard cards, as a Microsoft mouse board was happily living in the review machine. Not all of these slots are completely usable, however. Each of the multi-terminal adaptor cards is double bracketed; in other words, although they only consume one of the actual slots, they occupy two of the back plane holes.

Included as standard is one serial/parallel board. This is also double bracketed, but does not take up more than one slot due to a thoughtful arrangement on the mother board. An additional slot is occupied by the hard and floppy disk controller boards as well as a display adaptor board. This leaves one spare 8-bit slot, and four spare 16-bit slots.

An optional 80287 arithmetic coprocessor can also be installed. Velcroed to the back of the system unit are the batteries for the CMOS clock calendar. One final point I must mention is the multi-coloured LED used for the hard disk indicator. This is real high-tech stuff. The LED glows green when the hard disk is ready but not in use, and red when in use — all through the one LED. It's good to see leading edge technology getting into these boxes one way or another.

One other essential option is the vertical floor stand. This lets you place the IT either under or next to your desk, thus consuming a minimum of space. Based on technology originally pioneered by DEC, the Sperry logo rotates for vertical mounting.

The hard disk seemed quite fast. Unfortunately, Sperry was not able to provide performance figures in time for the review. When the review machine first arrived, the disk had a loud pitched scream whenever operating. With time,



With two serial ports as standard, extra ports can be added using multi-terminal adaptor cards.

this scream reduced to a murmur, but not before alarming one or two visitors with a particularly loud outburst. Presumably not all of the hard disks have this problem, and I am sure Sperry would be quick with a replacement if anyone had the misfortune to actually purchase a screamer.

Documentation

The documentation provided with the system is of the same ilk as the IBM stuff. Included with the system are a System Installation Guide, MS-DOS 3.1 Users Guide and Microsoft GWBasic 3.0 Users Guide. A small box of diskettes holds MS-DOS and the diagnostics routines which include a facility to 'park' the heads prior to transportation.

Finally, as far as I could tell, the machine is almost entirely manufactured by Mitsubishi in Japan.

Application software

If Sperry really wants to pursue the multi-

user aspect of the IT, surely what is needed is some decent multi-user software.

Let's not get this confused with multi-tasking software, such as Concurrent PC-DOS and Concurrent CP/M, which allow the one user to run multiple programs at the same time. Similarly, much of the PC software which is called multi-user is in fact LAN based, which

"If Sperry really wants to pursue the multi-user aspect of the IT, surely what is needed is some decent multi-user software."

means that you need a separate computer for each user, and a cable running to a central machine which controls the database.

True multi-user means you have one machine — one chunk of memory, one

In perspective

The IT is a rather curious machine. On the one hand, the world really doesn't need yet another AT compatible machine, or if it does, it needs one at a lower price. With the Asian AT compatibles now available for around \$5000, one has to wonder if people are going to be prepared to pay over \$15000 for much the same thing with a Sperry label on it. Now, if it had an IBM label on it, *that* would be a different story.

On the other hand, the original idea behind the iAPX80286, and therefore the IBM AT, was multi-user. Clearly the AT has not travelled well down the multi-user route, but it is possible that the Sperry IT just might. Particularly when one considers the existing mainframe Sperry Mapper users with a training and application software investment to protect, combined with the strong corporate need for departmental processors.

The 80386 lies just around the corner, and the majority of its stunningly powerful features are aimed predominantly at the multi-user/multi-tasking scenario. Certainly it's hard to take advantage of 64Gb RAM addressability, on-chip demand paging logic for virtual memory and user/supervisor states under MS-DOS. However, with the availability of Xenix and application software such as Mapper with a real attraction for the corporate sector, Sperry may well be paving the way to something more exciting. The 80386 stands to threaten the existing low-end Vax market, but only for multi-user/multi-tasking. Those vendors best positioned for multi-user might be the only ones who can get true mileage out of the 80386.

CPU and a whole heap of RS232 ports on the back into which you can plug dumb (or semi-dumb) terminals. Since MS-DOS does not yet support multiple users, Xenix is the recognised route. However, Sperry has managed to port Mapper, a mainframe based 4GL to the IT and, through it, provide some degree of true multi-user capability.

Personal Mapper fits strangely with the IT. First of all, a portion of the hard disk must be reserved for its use via the FDISK utility. FDISK allows you to partition your hard disk into separate areas which are totally non-accessible to each other, and is usually used when two operating systems must be installed on the one hard disk. The real problem with FDISK, however, is that the areas and their sizes are fixed for all time. To vary the size of the DOS partition, for example, the partition must be completely reformatted after the adjustment. This involves taking a

“To ease the transition from mainframe to PC, the keyboard conventions are that of mainframe Sperry terminals.”

complete copy of the partition to floppy disk or tape, and then reloading. Thus Mapper is not the sort of software you can throw on to a machine at the slightest whim. Indeed, the documentation seems to suggest that it would be normal to allocate most of the disk to Mapper, thereby making a Mapper machine. On the review IT, only 15 of the 40Mbytes were allocated to MS-DOS.

Personal Mapper also requires the addition of a Mapper board. This device provides a Motorola 68010 processor, several PLAs (programmable logic arrays), a 32MHz crystal which is divided down to probably produce an 8MHz clock, and additional memory. The Mapper board can also be installed in IBM machines, simply by flicking a few switches.

Thus the end effect of installing Personal Mapper is really to have two computers in one.

Naturally, by taking this approach, the multi-user capability is only available within Mapper — you still cannot run multi-user Lotus or Multimate, or any other PC software which is not designed for true multi-user use.

Why port mainframe software to a PC?

Why indeed. Mainframe software is almost always less friendly, less intimate and less easy to use than PC software. It is also usually more powerful — but at

what cost in terms of usability? Mainframe software stands out like a sore foot on a PC. It's the stuff that can't scroll sideways in real time; always requires you to keep pressing Enter; makes little use of the extended character set; seems to be caught up in mainframe operating system terminology and has less than ideal performance.

There are really only three reasons why someone might want to run a port of mainframe software on their PC:

Firstly, the software is just so good that it would be unfair to only make it available on the mainframe. This is rarely the case.

Secondly, the power and functionality is required for the job at hand. This has often been the situation in the past, but is becoming less so.

And thirdly, a mainframe already exists and has lots of applications written.

It is the third reason which is the most important. It really only applies to corporate users, but is a very large part of the market. Consider an organisation with a Sperry mainframe running mainframe Mapper. As the user load increases, upgrades are necessary. While additional disks or a few extra megabytes are not terribly expensive, the inevitable processor upgrade certainly is. There are mountains of people trained in the use of Mapper, and dozens of Mapper applications currently being used. To this corporate user, the prospect of shifting a number of those applications onto departmental PCs,


without recoding, without retraining, and thereby saving mainframe resources would be something too good to pass up.

Personal Mapper seems to be a full implementation of mainframe Mapper. To ease the transition from mainframe to PC, the keyboard conventions are that of mainframe Sperry terminals. The Scroll lock key becomes the XMIT button, and several others keys are redefined in a similar way. A template provided illustrates the reassignments.

A full description of Mapper is probably not appropriate, as those corporate users who are going to be intensely interested already know all about Mapper, and those non-corporate users are probably not going to be very interested. Nevertheless, Mapper is based around RIDs and RUNs. A RID is a number followed by a letter which identifies a report to be produced. Report specification is rather similar to QBE (Query By Example), with the added ability to store report specifications (using a RID number).

Additionally, programs can be written using a series of cryptic three character commands. These are called Run Control Statements, and are grouped together into RUNs, which are effectively programs. RUNs can be started by name.

Being very mainframe-like, Mapper requires users to log on with a user identification code and access mode. Administrator facilities are provided for the creation and maintenance of users,



For expansion, eight full size slots are provided.



“Isn't it time you spread your wings!”



The Sperry family of PC's provides solutions to almost any computer problem. Whether you need a single unit application or a multi-user network the Sperry PC family has the answer.

The Sperry PC/IT outperforms its major competitors in speed, price and expandability. Features include:

- 512Kb RAM standard or optional 1Mb on main mother-board (expandable up to 5Mb of RAM in 2 steps using slots).

- Intel 80286 microprocessor with switch selectable clock rate, choose 6 MHz, 7.15 MHz or 8 MHz.
- 8 full expansion slots (2 x 8 bit and 6 x 16 bit slots).
- 2 built-in RS 232-C ports plus parallel port.
- 40Mb mass storage option available.
- 1.2Mb floppy disks.
- 256 colour high-resolution graphics.

When you decide on Sperry you get more value through more advanced features, power and compatibility with industry standard software.

The Sperry PC/IT and other members of the Sperry PC family are a brilliant technological advance on other

PC's. Quite simply, when you decide on Sperry you decide on more of everything.

QLD.....	(07) 229 6549
NSW.....	(02) 887 6777
ACT.....	(062) 47 5222
VIC.....	(03) 267 4766
WA.....	(09) 321 4991
TAS.....	(002) 233 433



BENCHTEST

as well as security.

Personal Mapper is supplied with a suite of four boxed manuals, encompassing installation and administration, software reference, getting to know mapper, and RUN designer reference. Clearly each of these manuals is targeted at different types of user. I found them all rather heavy going, full of RIDs and RUNs. For the non-Mapper reader, a better section on terminology and an overview would have been useful.

I found Mapper very difficult to use, but then I am not the real market for something like this. The true Personal Mapper user would take to it like a fish to water, gleefully finding that it's just like the mainframe version.

Prices

Mapper retails for \$4250. The basic Sperry PC IT unit comprises of a single floppy with 512k RAM and retails for \$6500. A monochrome monitor \$443, and a display controller \$345. A medium resolution colour monitor costs \$1153, and the display controller is \$557. A high resolution colour monitor \$1931,

and a display controller \$1158.

An extra 360k drive costs \$575, or a 1.2Mbyte drive retails for \$775.

A choice of two keyboards: the professional \$375 or the standard IT keyboard \$312.

A 44Mbyte hard disk system with 512k RAM costs \$9650. An extra 512k

to make 1Mbyte costs \$850. An expansion kit to make 2Mbytes costs \$3950. The system is expandable to 5Mbytes.

A 60Mbyte tape back-up unit costs \$3996. An extra 44Mbyte hard disk costs \$3450. The hard disk controller costs \$995.

Technical specifications

Processor:	Intel 80286 running at 6.0, 7.15 or 8MHz
RAM:	512k or 1024k, expandable up to 5Mbytes
Keyboard:	84 key PC style 84 key AT style 98 key Enhanced
Display:	Monochrome Medium resolution colour High resolution colour
I/O:	Centronics parallel, two 9 pin RS232 serial, expandable up to 12
DOS:	MS-DOS 3.1 or Xenix
Disks:	360k or 1.2Mbytes floppy 40Mbytes hard disk
Tape:	Optional internal streaming tape backup unit

PUT YOUR COMPUTER ON THE PAYROLL

For only \$395 you can put BM PAY on your computer and cure payday headaches once and for all.

Our packages are installed in over 4000 businesses and are 'user friendly' for beginners as well as experienced computer operators.

- Cheque, bank draft or cash for up to 999 employees, weekly, fortnightly or monthly including 9 day fortnights and 19 day four week periods
- Prints cheques, pay envelopes, group certificates and detailed management reports
- Permanent and/or casual staff
- Automatic tax calculation, including Medicare levy
- Up to 20 allowances and/or deductions to suit your business
- Keeps track of holiday and sick leave

Please forward more information to

Name _____

Company _____

Address _____

Postcode _____

Tel No. _____

For your nearest dealer contact:



Information Unlimited The name says it all
2 Prospect Hill Road, Camberwell 3124. Tel. (03) 813 3022

Sealant 107



Desk-top power with legs.

Here comes the Sharp PC-7000. Compact transportable design takes minimal space on your desk. Yet you get real power: 384Kb RAM expandable to 768Kb. Compatibility with most of the popular IBM PC* software. Built-in twin 5 $\frac{1}{4}$ " disk drives. Optional 10Mb hard disk drive. Detachable ergonomic keyboard. Illuminated Crystal Display screen.

* IBM is a registered trademark of International Business Machines Corporation.

Plus optional portable printer and smart, padded travel case.

Call Sharp for the location of your nearest PC-7000 dealer. The powerful PC-7000 is all ready to walk out with you!

Sydney: 728 9111, Melbourne: 763 9444, Brisbane: 343 9144, Adelaide: 294 7166, Perth: 277 7477, Canberra: 805 288.



You're looking good!

SHARP^(R)
Simply the best.

BENCHTEST

To use the IT as a multi-user system you need a multi-terminal adaptor \$525 (up to eight users). Each screen then needs a terminal adaptor cable \$97. And

Benchmarks

BM1	0.7
BM2	2.0
BM3	3.8
BM4	3.9
BM5	4.7
BM6	8.9
BM7	13.3
BM8	10.6

All Benchmark timings are in seconds. For a full listing of the Benchmark Programs, see End Zone.

the all important Xenix 5 operating system costs \$1460. A math coprocessor costs \$750.

Conclusion

The Sperry IT is, on the surface, just

another AT compatible. It is, however, a good compatible. It provides enhanced functionality in some areas, as well as enhanced performance. More importantly, Sperry seems to be seriously pursuing the multi-user capability.

Personal Mapper should be of great interest to the corporate Sperry mainframe user. However, I am not sure whether it will be of interest to anyone else.

END



"Why does it always have to pick on me?"

MULTI-USER MUSCLE

In business you need all the muscle you can flex. With the Archives MicroFive you get the muscle of true multi-user architecture and the powerful performance of the world's fastest AT computer (and file server) available today.

Whether you need 1 or 128 users the MicroFive offers unmatched value and versatility. Your Computer Magazine confirmed this when they said: "it is clearly the fastest AT style machine we've seen . . . and if my application were multi-user, I'm sure the MicroFive would be unbeatable."*

So if you're serious about flexing your business muscle call us now for a free demonstration.

* Your Computer Magazine — May 1986 issue.

 **archives**

Preferred Supplier to the Federal Government

- Melbourne (03) 699 8377
- Sydney (02) 922 3188
- Canberra (062) 476 555
- Auckland (9) 503 548



Blair Comm 2262



Sony Magnetic Media Division Future Media Today

Sony Magnetic Media Division offers the widest range of Magnetic Media products ever available from one manufacturer.

Sony's extensive range of professional tapes and disks is designed to meet all your needs for data storage, capture and retrieval; data communication and data back-up. And the Magnetic Media Division provides technical support staff for all professional markets.

As you would expect, Sony Magnetic Media products are designed to the highest engineering standards and our manufacturing technology is your guarantee of consistent quality and continuity of supply.

Now, you can source all your tape and disk needs from the one source. All formats of Sony Professional video tape including Omega, U-Matic, Betacam and High Definition. All formats of Audio Tape, Digital and Analog.

All Cassette Formats from Audio to VHS, Betamax, 8mm Video and a full range of floppydisks for all your computer needs.

Not only do we offer an unrivalled range of Magnetic Media Products, but we support them through a national network of Magnetic Media Centers.

A network staffed by people selected for their expert product knowledge, their technical expertise and their ability to deliver exactly what you want, when you want it.

Sony's Magnetic Media Division. All the professional tape and floppydisks you need with absolutely no red tape.

PRODUCTS

Omega (V-16 Series); U-Matic (K Series), (BR K Series), (SP Series); Betacam (BCT-K Series); High Definition (HD-1); Audio Cassettes; Open Reel Audio Tapes; Digital Audio Tapes; VHS; Betamax; 8mm Video; Floppydisks.

STATE OFFICES, AUSTRALIA

Sony (Australia) Pty. Ltd. Sydney (02) 887 6666,
Melbourne (03) 836 4011, Brisbane (07) 44 6554,
Adelaide (08) 212 2877

NEW ZEALAND OFFICE:

Auckland (09) 444 8888

PROFESSIONAL MAGNETIC MEDIA CENTERS:

NSW

Sydney: Macray Specialist Services (02) 439 4755
Eurovision (02) 764 1555
Videoplus (02) 212 3688

Newcastle: General Communications (049) 69 6100

Canberra: Canberra Professional Equipment (062) 80 5576

VICTORIA

Melbourne: Ted's Video Store (03) 67 6141
Intercape Video Centre (03) 662 3630

QUEENSLAND

Brisbane: Videopro (07) 31 1267
Australian Colour Video (07) 831 9465

SOUTH AUSTRALIA

Adelaide: U-Tel (08) 42 7220
Steiner Electronic Products (08) 79 9381

WESTERN AUSTRALIA

Perth: A-B Video (09) 322 1776
Taimac Video Corporation (09) 328 1988

TASMANIA

Launceston: K.W. McCulloch (003) 43 1034

NORTHERN TERRITORY

Darwin: Tim's Video Store (089) 81 8681

SONY®

MAGNETIC MEDIA DIVISION



Hidden meaning

There's hidden depths to all those computer advertisements, if you read between the lines, or beneath the words, as Martin Banks discovers.

I can always remember being told at school something of great comfort. It was as follows: language is a living thing that is always vibrant, always changing. Grammar is just the remains of what language used to be.

That, I always thought, was one of the most poetic justifications for being lousy at grammar that I had ever heard, although at the time, it was a justification I needed desperately — for grammar and me seemed to be in entirely different worlds, most of the time. (There is absolutely no need for anyone to write in with comments about the present day, thank you very much; I am aware of my limitations).

The point of this little homily was, and still is, that language and the way in which we use it is constantly changing. The same often applies to words and their meanings. More specifically, it applies to what we *think* we mean with the current common usage of a word. This can lead to some interesting problems when the original meaning of the word is recalled.

The computer industry has, over the years, been a splendid exponent of this art of taking a word and fundamentally changing its meaning. More recently, our beloved industry has also adopted the use of words that attempt to suggest far more about a product than is *there*, if only because of the fact that if it weren't there, the company making it, wouldn't be selling it. See, it's all quite clear, really.

Here, to put it more simply, are two specific examples: the words 'sophisticated' and 'professional'.

These two words are used with stunning regularity by the computer industry, especially in promotional and advertising literature. You know the type of thing — 'the most sophisticated...' or ...'a highly professional...' Such phrases abound in advertisements and press releases.

We read them blithely and know what the advertisers mean, or at least *we think* we know what they mean. The trouble is, words such as these have become such

common currency that their meanings have become lost — if not to the *Oxford English Dictionary*, then to most of the people reading computer advertisements.

Take the word *sophisticated*, for example. What does it mean to you when you see it in an advert? Your immediate response might be that the word implies that the product in question is really 'rather clever', and that it will be able to do all the things you expect of it, given the limitations of its applications area (and some other things as well). Most of all, when applied to a product, 'sophisticated' is a word which implies something 'of class'.

A quick delve into the dictionary, however, will show that this couldn't be further from the truth. 'Sophisticated' derives from the word 'sophism', which means a 'false argument' or 'something intended to deceive'. Search a bit further and one finds that a 'sophist' is a fallacious reasoner, while 'sophisticate' means 'to deprive of natural simplicity', or 'to make artificial by worldly experience'.

These, it would seem to me, are not the kind of qualities one would naturally look for in a product, such as an applications program.

It is true that the word *sophisticated* also carries connotations of complication, especially when related to a product or a 'thing'. But even here, there is the implied expectation that the complication is 'necessary' and 'serving a valid purpose'.

This may be the case in practice, but let's look at some examples and use the original meaning of the word. Lotus, in a recent ad for 1-2-3 Release 2, says that its product is more powerful and sophisticated than the original (version). Can this be taken to mean that it has even more false arguments and fallacious reasonings, is even more complicated and less naturally simplistic? Worse, does it mean it is even more artificial?

Take some other examples. One company is advertising a sophisticated curtain-estimating package called

Curtain Master: just imagine what this might produce in the way of finished goods given a little bit of false argument in the algorithm: 'I don't have windows the size of Sydney Cricket Ground. 'No sir, I understand that, sir. But just think, it gives you plenty of material for a nice hem.'

From a quick scan of recent adverts, 'professional' is the in-word at the moment. While current usage has not twisted its true meaning completely — as with 'sophisticated' — its use has come to imply something *extra-special* about a product that, if the reader thought about it, should be present all the time.


Let me give you an example. Two companies apply the word 'professional' to their graphics packages. One company states, that its package has a 'professional polish', which could be literally interpreted as 'the packaging comes from a furniture restorer.' The other company says its package is 'professional-looking', which probably means it's meant to be the art critic of *The Age*.

In both cases, what is meant is that the quality of the graphics produced is high, as one might expect from a professional artist. Well, isn't that what one ought to expect? Why spend money on a graphics package that has damn-all artistic talent?

Once you start looking at the words used in computer adverts and think about their real (or alternative) meanings, they become very interesting. Maxell, for example, writes about the 'staggering' 114 tests each floppy disk has to pass.

Just think: such word analysis could become a spectator sport for people in the industry, something to do in the evenings when the disk-drive has broken and only *Dallas* is on television. Why not read the adverts and see what you can really make them mean? Then, if it isn't dangerous or illegal, act out your conclusion in public.

END



TURN YOUR MILD MANNERED PC INTO A SUPER PERFORMER WITH THESE NEW PRODUCTS



FROM **Help On Tap**

SUPER PROCESSOR: —

Upgrade your PC to **3.1 times its normal speed** for less than \$60 with our CPU upgrade. Complete with installation instructions.

SPEEDCARD: —

Bring the power of an AT to your mild mannered PC with our plug in upgrade card. Nortons rate this card at **7.6 times the speed** of a PC.

VCACHE: — Supercharge your Hard disk! Vcache drives your hard and floppy disks by **3 times normal speed** and higher. In many cases performance approaches that of a RAM disk. 100% compatible.

VFEATURE DELUXE: — Beat the DOS 33meg limit! Allows 500 megs in a single drive letter. Allows drives to be combined together or split into as many

as 24 logical drives. Provides **unbreakable** security features, low and high level formatting, badtrack mapping and user selectable cluster sizes for optimising performance.

FIXT/S: —An unbreakable security system which **totally stops booting** of the computer. The password is modified by means of a "key" diskette, uniquely locked to the last

assigned password. FIXT/S Also provides booting for your non bootable hard disk.

DUB 14: — Configure your AT for many of the non standard drives that are available. DUB 14 potentially **increases capacity** of your existing hard disk.

Call the **HOT LINE**

02 - 502 2860

Dealer enquiries welcome.

YOU'LL BELIEVE A COMPUTER CAN FLY!

Help On Tap

496 FOREST RD., BEXLEY. N.S.W.
P.O. BOX 361, BEXLEY. N.S.W. 2207





SCREENTEST

Javelin

Javelin is a traditional but high-quality financial modeller which can compete with the market's best spreadsheets. Is it a serious rival to Lotus 1-2-3?

Mike Liardet investigates.

Before the advent of personal computers and spreadsheets, financial modelling was tedious and expensive, with cryptic financial modelling software consuming a great deal of time. Understandably, since the arrival of the cost-effective and easy-to-use spreadsheet, the old-style financial modelling software has fallen into disrepute. There have been a few brave attempts to resurrect financial modellers on micros, such as Micropro's PlanStar, but none of these packages has enjoyed anything like the success of the top-selling spreadsheet systems.

I have long held the view that the traditional style of financial modelling has a number of advantages over spreadsheeting. However, in the personal computer market-place, where user-friendliness is paramount, these advantages have been eclipsed by poor user interfaces and crude implementation techniques in the products on offer. Until now, that is . . .

Javelin is the first traditional style of financial modeller to offer, on a personal computer, the kind of high-quality user-interface which has long been the norm for spreadsheets and other forms of personal software. With Javelin, the underlying 'logic' of the financial model is much simpler to build and easier to understand than in an equivalent spreadsheet. But its manuals, its range of facilities, and the organisation of the user interaction are on a par with the best spreadsheet systems, Lotus 1-2-3 included.

Javelin is the product of a new US company, Javelin Software, and is currently available only on the IBM PC. In its comparatively short lifetime, it has

generated a great deal of interest in the US with Ashton-Tate finally landing the international distributorship. In Australia, Ashton-Tate has appointed Sourceware as the authorised dealer. Along the way, a fair amount of nonsense has been written on its supposed (but non-existent) natural language capabilities. These facts notwithstanding, Javelin is a significant development in the spreadsheet market, and Sourceware must have high hopes that it can use Javelin to prise away a fair slice of Lotus' 1-2-3 business.

'Lotus should look very carefully at Javelin as the first major challenge to its supremacy.'

In this review I'll closely compare Javelin with established spreadsheets, such as 1-2-3, to determine if it really offers that something extra which would make it the automatic choice for financial modelling.

Overview

Javelin is intended for the serious business analyst, and can be used not just for performing calculations, but also for communicating to others the results and the reasoning behind these calculations. This contrasts with most spreadsheet systems where the logic behind the calculations is always difficult to read, even by the expert who created the model in the first place.


The most obvious feature of Javelin is

that instead of restricting the user to a single, simple, rectangular worksheet, it allows him to work with a central 'information base' which can be seen through any of 10 different 'views'. The information base contains formulae, variables, data, notes, and so on, and the views enable this information to be displayed graphically, diagrammatically, or indeed, as a spreadsheet. It is important to realise that these different views all work with the same central information base, and just display this information in different ways. The user is always free to choose whichever view he wishes to work with, and in nearly all views, graphs included, he is free not only to see the information, but change it, too.

Formulae are one of the major components in the information base. In the 'formulae' view, formulae can be viewed either all together or selectively. There is a wide variety of functions which can be used in formulae — they are not limited to '+', '-', '*', '/', and so on. Unlike most spreadsheet software, Javelin formulae do not contain cell references, such as R37C43 or J47, but meaningful variable names such as Total Salaries and Net Profit. The formulae do not have to be maintained in any particular order (like the rows of a spreadsheet) — Javelin works out the order of calculation itself. In Javelin, the result of a formula must be assigned into a variable, which is supplied when the formula is first set up. Consequently, all Javelin formulae look like equations (for example, Profit = Revenue - Costs), where the left-hand side of the '=' has the variable to receive the result of the formula calculation.

Javelin does what you've always wished a spreadsheet could do.


Introducing the next generation in business analysis software. Javelin, so much more than just a spreadsheet.



WORKSHEET AND CHART

Working from a central data base it will allow you to examine and analyse data in ten different ways — including worksheets, tables, diagrams, graphs, formulae, and more.

Javelin has an inherent understanding of time too. It enables you to convert financial information from days to months to quarters to fixed years. Or generate cash flow models based on accrued revenues or collections.



FORMULAE AND NOTES VIEW

This will free you to think about business the way you do when you're not using a spreadsheet — with an open mind.



GRAPH VIEW



DIAGRAM

But, most importantly, Javelin allows you to examine and validate the data and reasoning behind the financial models it generates. So your business decisions are based on accurate data and sound logic.

If you're an IBM P.C. user, you're a Sourceware user.




DIAGRAM AND TABLE

SCREENTEST

A significant Javelin innovation is the 'diagram' view, which shows the relationship between the variables in the various formulae. The diagram view in Fig 1 indicates that Profit depends upon Revenue and Costs, and that Bonuses and Net Profits in turn depend upon



Fig 1 Diagram view of Profit

Profit. Fig 1 does not show how these various variables are calculated — the formulae do that — but it does show the dependency relationships between the variables. Javelin automatically generates these diagrams from the formulae, and can 'window' their relevant parts




Fig 2 Diagram/table view

Month	Net Profit
Jan 1986	51188.9
Feb 1986	47964.9
Mar 1986	47964.9
Apr 1986	49376.9
May 1986	49376.9
Jun 1986	49376.9
Jul 1986	49376.9
Aug 1986	49376.9
Sep 1986	49376.9
Oct 1986	49376.9
Nov 1986	49376.9
Dec 1986	49376.9
Jan 1987	49376.9
Feb 1987	49376.9
Mar 1987	49376.9
Apr 1987	49376.9
May 1987	49376.9
Jun 1987	49376.9
Jul 1987	49376.9
Aug 1987	49376.9
Sep 1987	49376.9
Oct 1987	49376.9
Nov 1987	49376.9
Dec 1987	49376.9
Jan 1988	49376.9
Feb 1988	49376.9
Mar 1988	49376.9
Apr 1988	49376.9
May 1988	49376.9
Jun 1988	49376.9
Jul 1988	49376.9
Aug 1988	49376.9
Sep 1988	49376.9
Oct 1988	49376.9
Nov 1988	49376.9
Dec 1988	49376.9
Jan 1989	49376.9
Feb 1989	49376.9
Mar 1989	49376.9
Apr 1989	49376.9
May 1989	49376.9
Jun 1989	49376.9
Jul 1989	49376.9
Aug 1989	49376.9
Sep 1989	49376.9
Oct 1989	49376.9
Nov 1989	49376.9
Dec 1989	49376.9
Jan 1990	49376.9
Feb 1990	49376.9
Mar 1990	49376.9
Apr 1990	49376.9
May 1990	49376.9
Jun 1990	49376.9
Jul 1990	49376.9
Aug 1990	49376.9
Sep 1990	49376.9
Oct 1990	49376.9
Nov 1990	49376.9
Dec 1990	49376.9

Fig 3 Table view of Net Profit

Month	Net Profit
Jan 1986	51188.9
Feb 1986	47964.9
Mar 1986	47964.9
Apr 1986	49376.9
May 1986	49376.9
Jun 1986	49376.9
Jul 1986	49376.9
Aug 1986	49376.9
Sep 1986	49376.9
Oct 1986	49376.9
Nov 1986	49376.9
Dec 1986	49376.9
Jan 1987	49376.9
Feb 1987	49376.9
Mar 1987	49376.9
Apr 1987	49376.9
May 1987	49376.9
Jun 1987	49376.9
Jul 1987	49376.9
Aug 1987	49376.9
Sep 1987	49376.9
Oct 1987	49376.9
Nov 1987	49376.9
Dec 1987	49376.9
Jan 1988	49376.9
Feb 1988	49376.9
Mar 1988	49376.9
Apr 1988	49376.9
May 1988	49376.9
Jun 1988	49376.9
Jul 1988	49376.9
Aug 1988	49376.9
Sep 1988	49376.9
Oct 1988	49376.9
Nov 1988	49376.9
Dec 1988	49376.9
Jan 1989	49376.9
Feb 1989	49376.9
Mar 1989	49376.9
Apr 1989	49376.9
May 1989	49376.9
Jun 1989	49376.9
Jul 1989	49376.9
Aug 1989	49376.9
Sep 1989	49376.9
Oct 1989	49376.9
Nov 1989	49376.9
Dec 1989	49376.9
Jan 1990	49376.9
Feb 1990	49376.9
Mar 1990	49376.9
Apr 1990	49376.9
May 1990	49376.9
Jun 1990	49376.9
Jul 1990	49376.9
Aug 1990	49376.9
Sep 1990	49376.9
Oct 1990	49376.9
Nov 1990	49376.9
Dec 1990	49376.9

Fig 4 During a case study

Month	Ice cream sales
Jan 1986	740
Feb 1986	530
Mar 1986	890
Apr 1986	1290
May 1986	1480
Jun 1986	1330
Jul 1986	1480
Aug 1986	710
Sep 1986	430
Oct 1986	360
Nov 1986	530
Dec 1986	890
Jan 1987	1290
Feb 1987	1480
Mar 1987	1330
Apr 1987	1480
May 1987	710
Jun 1987	430
Jul 1987	360
Aug 1987	530
Sep 1987	890
Oct 1987	1290
Nov 1987	1480
Dec 1987	1330
Jan 1988	1480
Feb 1988	710
Mar 1988	430
Apr 1988	360
May 1988	530
Jun 1988	890
Jul 1988	1290
Aug 1988	1480
Sep 1988	1330
Oct 1988	1480
Nov 1988	710
Dec 1988	430
Jan 1989	360
Feb 1989	530
Mar 1989	890
Apr 1989	1290
May 1989	1480
Jun 1989	1330
Jul 1989	1480
Aug 1989	710
Sep 1989	430
Oct 1989	360
Nov 1989	530
Dec 1989	890
Jan 1990	1290
Feb 1990	1480
Mar 1990	1330
Apr 1990	1480
May 1990	710
Jun 1990	430
Jul 1990	360
Aug 1990	530
Sep 1990	890
Oct 1990	1290
Nov 1990	1480
Dec 1990	1330

Fig 5 Chart/table view




Fig 6 Quick graph view




Fig 7 Graph view of product sales

Month	Sales
Jan 1986	740
Feb 1986	530
Mar 1986	890
Apr 1986	1290
May 1986	1480
Jun 1986	1330
Jul 1986	1480
Aug 1986	710
Sep 1986	430
Oct 1986	360
Nov 1986	530
Dec 1986	890
Jan 1987	1290
Feb 1987	1480
Mar 1987	1330
Apr 1987	1480
May 1987	710
Jun 1987	430
Jul 1987	360
Aug 1987	530
Sep 1987	890
Oct 1987	1290
Nov 1987	1480
Dec 1987	1330
Jan 1988	1480
Feb 1988	710
Mar 1988	430
Apr 1988	360
May 1988	530
Jun 1988	890
Jul 1988	1290
Aug 1988	1480
Sep 1988	1330
Oct 1988	1480
Nov 1988	710
Dec 1988	430
Jan 1989	360
Feb 1989	530
Mar 1989	890
Apr 1989	1290
May 1989	1480
Jun 1989	1330
Jul 1989	1480
Aug 1989	710
Sep 1989	430
Oct 1989	360
Nov 1989	530
Dec 1989	890
Jan 1990	1290
Feb 1990	1480
Mar 1990	1330
Apr 1990	1480
May 1990	710
Jun 1990	430
Jul 1990	360
Aug 1990	530
Sep 1990	890
Oct 1990	1290
Nov 1990	1480
Dec 1990	1330

Fig 8 Spreadsheet view of sales

when the whole diagram is too big for the display screen.

In financial modelling applications, it is not unusual to have variables with values that vary with time. For example, it is quite common to need to consider the performance of a company over 12 monthly periods, where clearly Profit and Sales, and so on, will all be different in each of these periods. In Javelin's 'table' view, it is possible to tabulate a number of different values for a variable. Javelin is already set up with an understanding of dates and time periods, so it is not usually necessary to first set up a time frame for a variable: the actual numeric values can be typed straight into the relevant months, weeks, or whatever. It is worth emphasising that the formulae used to calculate variables are the same for all time periods, so it is not necessary to replicate the formula for each month — Javelin knows that it should repeatedly apply the formula for each time period. This contrasts with spreadsheet software, where time periods are represented by columns across the spreadsheet, and formulae must be laboriously replicated from one column to the next.

Like many of the better spreadsheets, Javelin can generate graphs and charts from its data, and this accounts for no less than three of the possible views on the information base. With two of these graphing views it is not only possible to view the graph, but change it, thus updating a value in a variable. One of the views, 'chart', also operates with the standard non-graphics display card, but the other two require that the PC has the relevant high-resolution graphics capability.

The 'worksheet' view is Javelin's version of the conventional spreadsheet. In Javelin Software's concern to distance Javelin from spreadsheets, this view is rather under-emphasised. But as far as possible, bearing in mind Javelin's considerable differences from a spreadsheet, 'worksheet' operates much like any good-quality spreadsheet system.

The 'notes' view and the 'error' view are both Javelin innovations. The notes view enables an arbitrary amount of textual notes to be attached to any variable; these notes play no part in the modelling process, other than documentation. The error view homes in on formulae with calculation errors, and is useful for quickly pinning down mistakes in the logic of a model. All programmers know the value of placing comments in their programs, and always appreciate good tracing and debugging facilities. Similarly, in financial modelling, remarks and explanations can be

invaluable for current comprehension and future system maintenance — and it can also be extremely aggravating trying to track down the source of an error in the model. Hitherto, spreadsheets have offered no special help in these areas, so these Javelin notes and error facilities constitute a very useful 'first' by Javelin Software.

The tenth, and final, Javelin view is the 'macro' view. Javelin is not alone in providing macros — many spreadsheet systems have them. A macro is a sequence of instructions to Javelin, which can be set up once and re-run any time thereafter. In short, a macro is not unlike an ordinary computer program, and for that reason, it is a facility which tends to be used only by the advanced user who is prepared to develop the necessary programming skills to take advantage of it. However, when a macro has been created, it can readily be used by unskilled users, which is an important consideration.

It can be seen that Javelin provides all the usual facilities available in a powerful spreadsheet system, plus a number of bonuses, such as the diagram and error views. But to some extent, exaggerated talk of the 'information base' and '10 different views' is pure marketing hype — most of the views would be present in any good spreadsheet system.

In use

The user's first sight of Javelin is of an apparently over-documented product, including three manuals in a 3ins-wide library box. It is something of a relief to discover that the largest of the manuals is not a manual at all, but a ring-binder for the disks. There are actually only two manuals: a slim *Guide to Learning* tutorial; and a substantial, but by no means awesome, 300-page *Reference Manual*. No expense has been spared in the production of the manuals and the presentation of the material, but it is pleasing to see that, in contrast to Ashton-Tate's *Framework* or Lotus' *Symphony*, for example, the novice Javelin user is not faced with telephone directories of information to wade through.

There are nine Javelin disks: the system spans four 360k IBM disks, and there are three disks of 'case studies' tutorial material, a demo disk, plus a duplicate for the copy-protected system disk. Currently, Javelin is only available for the IBM PC and 100 per cent compatibles (Compaq is specifically recommended, and I can also vouch for the Zenith). Not surprisingly, with the weight of software provided, Javelin needs quite a substantial system — at

least 520k of RAM and, unless you want to do a bit of disk swapping, a hard disk. Javelin allows expansion past the usual IBM 640k memory limit, with support for the Intel Above Board memory expansion. If you do have a hard disk, the copy-protection scheme allows the software to be completely copied onto it and used without any need for the copy-protected disk to be present thereafter.

The folder for the disks includes a leaflet giving very simple instructions for installing the system. This primarily involves a straightforward copying of the disks, but there is also a set-up procedure for various types of display board and printer. It is possible to use Javelin without a graphics display adaptor, but some of the graphics views will not be displayable. When the system has been installed, the *Guide to Learning* can be consulted for a gentle introduction to the system's capabilities.

'... a fair amount of nonsense has been written on its (Javelin's) supposed but non-existent natural language capabilities.'

After the ubiquitous copyright display, the standard Javelin screen display follows. Most of the screen is devoted to two views of the information base, and the top two lines and the bottom line are for information, editing and status display. Initially the diagram and table views are shown, but both are blank as there is nothing in the information base.

To start building up the information base, a formula might be entered. This is typed directly, with no preamble or menu selection. For example:
Net Profit = Sales - Commissions - Salaries.

The display is then updated (Fig 2). Net Profit becomes the current variable, and its two views are displayed. The diagram view shows that Net Profit is dependent upon Sales, Commissions and Salaries, and the table view states that Net Profit has not yet been calculated.

In order to calculate Net Profit, it will be necessary for Sales, and so on, to be given one or more values (or be defined as the result of further formulae). To set up values for Sales, the GOTO function key can be used, to 'GOTO Sales'. Javelin is supplied with a plastic template which, on an IBM-style keyboard, will fit around the 10 function keys; this identifies F5

as the GOTO key. Press F5 and then type 'Sales', and Sales becomes the current variable. The diagram view remains unchanged, and the table view shows an empty table but with all the possible year+months for Sales already in place. Javelin assumes, by default, that it will be used on monthly models, and also selects the current month and year (from the date set when the computer was switched on) as the first period.

The table view defaults can easily be changed, and it is possible, using the arrow keys, to move either forwards or backwards in time (between 1904 and 2082). The current month and year is always indicated by highlighting on the display, and the highlighted period moves accordingly. When the correct period has been found, a relevant value can be entered by typing one in. Several values can be entered, if required.

A similar approach can be used to set up values for Commissions and Salaries. It is not strictly necessary to set up values for the same time periods in all the variables, but when the calculation is made (press a function key to do it), Net Profit can only be calculated for the periods for which all its input variables have defined values. The newly calculated values for Net Profit are automatically tabulated, and can be displayed by typing 'GOTO Net Profit' (Fig 3).

All the above can be achieved within 20 minutes of taking the wrapper off the package, so it can be seen that it is very easy to get started with Javelin. But to make life even simpler, the novice can take a first look at Javelin through the case studies disks. These offer 17 interactive half-hour tutorials, ranging from an 'introduction to...' through to more advanced topics, such as time delays and importing data.

It isn't necessary to install Javelin in order to use the case studies, nor is it really that important to first copy them, so they can be used straight out of the box. When a case study is running, the user is presented with a snapshot of a Javelin screen, overlaid with an explanation and instructions of what to type in order to achieve the desired effect, as if he were using the real system (Fig 4). Javelin checks the keystrokes and beeps if any mistake is made, but if the user wants to quickly press ahead he can use the space bar, which works as a substitute for any key. Unlike some tutorial systems, the user can freely move backwards or forwards throughout the lesson, or even abandon it altogether, but there is no flexibility enabling you to deviate from the pre-ordained path of the lesson and experiment with any variations.

Prices so low they'll take you down memory lane!



Hypertec Pty Ltd is proud to offer IBM PC (and true compatibles) users a range of memory expansion and multifunction boards at prices that will have you coming back for more!

THIS IS OUR REPUTATION

- These boards are designed to substantially increase the power, flexibility and range of uses of IBM PCs and true compatibles. They stretch your invested dollar a lot further.
- At last, a range of Australian designed and built boards — not imports.
- Being Australian products means that local support is available to both dealers and users — from the company which designed and built the boards.
- Highest quality — backed by full 12 months warranty from Hypertec.
- All this available at outstanding prices.

Now let the facts speak for themselves.

HYPER-256: \$195 (\$220 for IBM 3270 PC)

A short board designed specifically for the IBM PC range and true compatibles with 256K of memory for the incredibly low price of only \$195.

HYPER-256 is ideal for expanding the memory of new system units, to give a dealer that extra competitive edge with his PC product.

HYPER-256 is the perfect solution for cost conscious PC users who need more memory for spreadsheet, database, word processing and other applications, where memory restrictions prevent the software from being used to its full potential.

HYPER-512: \$450

HYPER-512 short board is the answer for PC users who wish to increase system memory by 384K to 512K. No longer need you be restricted by insufficient memory for your particular application. At this price you can't afford not to upgrade memory.

HYPER-512 MF: \$688

HYPER-512 MF is a short multifunction board with 512K of memory as standard, parallel port, serial port and clock/calendar. The board comes with a full range of software for print spooling, disk caching and RAM disks.

This is truly an amazing offer! A high quality, Australian designed and built multifunction board, fully populated with 512K of memory and a host of other features — all for well under \$700.

HYPER-512 is the perfect answer to build up a new PC systems unit with expanded memory, ports, clock and a full complement of systems software.

It is also ideal for users who wish to substantially boost the memory and features of their PC, to extend its life with far more power and flexibility.

HYPER-PORT: \$395

For those who want a modem, mouse or extra printer — but don't have the port for it — HYPER-PORT is the answer. HYPER-PORT is a short board, featuring a parallel port, serial port and clock/calendar. Print spooling software comes standard. Now there is no need to buy an expensive multifunction card simply to get extra ports or the ability to automatically date and time stamp files.

YOUR HYPER-BOARDS ARE SIMPLY A PHONE CALL AWAY

- All boards (except HYPER-256) come complete with full manual.
- All boards (except HYPER-256) come with simple step by step install procedures on a floppy disk to enable a user to install the board. It uses menus, diagrams and plain English to make installation a breeze. And if you are still not sure, simply ring HYPERTEC or your dealer.
- All prices are recommended retail prices including sales tax. Quantity discounts are available.
- Dealer enquiries are welcome.

HYPERTEC



Hypertec Pty. Ltd.,
Suite 404, Henry Lawson Business Centre,
Birkenhead Point, Drummoyne, N.S.W. 2047.
Telephone: (02) 819 7222. Telex: 177440

TO: HYPERTEC Pty. Ltd., P.O. Box 388,
Drummoyne, N.S.W. 2047.

Please send me more information on the boards indicated.

- | | |
|------------------------------------|---------------------------------------|
| <input type="checkbox"/> HYPER-256 | <input type="checkbox"/> HYPER-512 MF |
| <input type="checkbox"/> HYPER-512 | <input type="checkbox"/> HYPER-PORT |

NAME:

POSITION:

COMPANY:

ADDRESS:

PHONE:

The case studies provide an excellent overview of Javelin's capabilities, as well as familiarising the user with many of the keystrokes and interactive techniques needed to drive it. There are two sets of introductory lessons on offer: one for users with spreadsheet experience; and the other for those without. I could find no difference between the two sets of lessons, and was unable to decide whether: (a) I had overlooked some subtlety; (b) Javelin had slipped up; or (c) it was all a private Javelin joke. As the introductory lessons seem to be eminently appropriate, regardless of the user's previous experience, I am inclined to believe the latter.

Graphs and charts

Javelin gives a great deal of flexibility in managing the display of the various views: changing the relative sizes of the two principal areas; allocating the entire screen to just one view; synchronising both views so that they always focus on the same variable; or having different parts of the same view simultaneously on display. But by far the most visually stimulating aspect of Javelin displays are the graphing options. There are three

graphics views: 'quick graph', 'chart' and 'graph'.

The most basic of the three views is chart, which displays a bar chart for a single variable (Fig 5). The chart is built up from the PC's standard graphics-character symbols, so this view can be seen even if a graphics display adaptor is not fitted to the computer being used. Javelin decides the scaling and other display details automatically, so chart is simple and quick to use.

The chart view is an exact graphical counterpart of the table view; and the bar chart is not just a passive display, but it can be changed as well. Javelin permits this facility by arranging for one bar in the chart to be highlighted as the current action point. By pressing the up and down arrows, the bar size can be changed, with the underlying value in the information base updated accordingly. The action point can be moved using the left and right arrow keys, and bars can be deleted or inserted using the keyboard's Insert and Delete keys. For precision changes in value, an actual number can be keyed in. It would be quite possible to build up an information base without ever using the table view, and just using the chart view instead. This method of data entry is particularly appropriate

when exact figures are not known, but where the user has some intuition for the shape of the data.

The quick graph view works in the same way as the chart view, but displays the variable as a line graph instead of a bar chart (Fig 6). This view requires a graphics adaptor and always uses the whole screen, therefore it cannot be displayed alongside another view. But apart from these two minor considerations, quick graph can be used in much the same way as chart — it too provides the facility to graphically modify values. The table, chart and quick graph views are all functionally identical — it is only the way in which they display the information that differs.

Javelin's graph view is intended for the production of high-quality presentation graphics. As such, the layout is not automatically decided by Javelin, but must be set up by the user before the graph view is selected. In contrast to the other two graphics views, several variables can be displayed simultaneously; scaling and annotation can be specified; and there is a variety of display styles to choose from, including pie charts, stacked bars, XY plots, and so on. Fig 7 illustrates some of the 'bells and whistles' on offer.

FREE

TRAINING COUPON

This coupon entitles a business* user of PC's (or any prospective purchaser of PC's for business use) to attend one seminar or hands-on course FREE in Sydney or Brisbane.

NORMAL COST \$90.00

Choose from a large range of:

SEMINARS including Intro to PC's, Budgeting, Accounting, Word Processing, DBMS & Networking or

HANDS-ON courses on Lotus, Multimate, DW3, Word Perfect, Wordstar, Symphony, Sidekick, Laser printers, Novell, etc.

To receive a course schedule, or to book, phone:


(02) 221 5044 or (07) 229 5377

THE INDEPENDENT MICROCOMPUTER GROUP

*home users excluded, we reserve the right to refuse entry to any person. Coupon is not transferable, no value for redemption & subject to availability of courses/seminars



Talk to the World!



COURIER 2400

Call us now & get your "parcels" delivered on time!

Our new **COURIER** range of modems is the quickest way to get your information to its destination. Select from our range:

COURIER 1200 — 1200 bps (V22)

COURIER 2400 — 2400 & 1200 bps (V22 bis/V22)

COURIER 1230 — 300, 1200/75, 1200bps (V21, V23, V22)

COURIER 1234 — 300, 1200/75, 1200, 2400 bps (V21, V23, V22, V22 bis)



High Technology Communications
Pty. Limited

(02) 698 7666

7 Powell St, Waterloo, NSW 2017 PO Box 377, North Sydney, NSW 2060 Telex: AA25930

Why come to our bank when you can open your own?



All you need is a television, a telephone, our Telebank Keyboard or your personal computer, and you're ready for business.

Telebank is a unique service from the Commonwealth Bank.

Which allows you to bank at home or from the comfort of your office.

Reconcile accounts, manage funds, trade shares and even pay bills.

Day or night, 7 days a week.

Before opening your bank, we suggest you open our Telebank brochure.

Send us this coupon or phone us on (02) 232 6088, (elsewhere (008) 221 199 for the

cost of a local call) and you won't even have to come to our bank for that.

Freepost 140 TBK, Commonwealth Bank, (Electronic Banking) Box 2719, GPO Sydney 2001. (No postage stamp needed.)

Name _____

Address _____

Postcode _____

**COMMONWEALTH
BANK.**

Australia's leading bank.

CB796 APC

AMIGA IS HERE!

The AMIGA computer has changed forever our concept of personal computing. A new era has begun. The first official shipment of AMIGA, with full Australian specifications has arrived at High Technology.



AMIGA FACTS:

- 68000 (32 Bit) PROCESSOR ● 512K BYTES OF MEMORY (Expandable to 8 Megabytes)
- 4096 COLOURS AVAILABLE ON SCREEN
- FULL COLOUR GRAPHICS/ANIMATION CAPABILITY ● SPEECH AND STEREO MUSIC SYNTHESIZER ● MULTI-TASKING ● BUILT IN 3½" DOUBLE SIDED DISK DRIVE (880K CAPACITY) ● TWO-BUTTON MOUSE ● 89 KEY KEYBOARD WITH NUMERIC PAD ● HIGH RESOLUTION COLOUR MONITOR

ALL THIS FOR ONLY \$2500

High Technology have a wide range of AMIGA software and hardware, and can service and maintain your AMIGA too. We're not Australia's longest running Commodore dealer for nothing.

In terms of value for money, AMIGA is simply unbeatable.

See the incredible AMIGA for yourself and you'll be convinced.

Test fly one now at:

THE  BY COMMODORE®
AMIGA™ CENTRE



HIGH TECHNOLOGY COMPUTER SYSTEMS PTY. LTD.
290 Bay Street, East Brighton, 3186. Phone: 596 6211.

Spreadsheets

Javelin's information base can be displayed and modified from a worksheet view (Fig 8). It is not completely straightforward to get started with the worksheet view, as before any information can be displayed, the row and column headings must be set up to indicate just what parts of the information base are required. In some ways, this is a good feature, as the spreadsheet can readily be set up to selectively display just the major variables, but it would be more convenient if the default display included everything (and it would be easy to delete what is not needed), rather than nothing (where it's harder to include what is needed).

When the row and column headings are present, the spreadsheet can be manipulated in much the same way as an orthodox spreadsheet. Column widths and numeric display styles can be changed; rows and columns can be inserted or deleted, and so on. Of course, the spreadsheet is drawn from the underlying information base, and the formulae operate on whole rows and not just cells, so there have to be differences. However, an experienced spreadsheet user will quickly feel at home working with this view.

Number crunching

Javelin provides a rich selection of arithmetic operators, and specialist financial and modelling functions. Most of the operators and functions can be applied either to single-valued or multiple-valued variables. Here is a small



SCREENTEST

selection of some of the available functions:

- *Minimum, maximum, average and sum — calculate the minimum, maximum, average or sum of a list of expressions.
- *Bond price — calculates the price of a bond, given its yield, face value, coupon rate, time to maturity, and number of payments per year.
- *Yearly, quarterly, monthly, weekly and daily — enable expressions to operate on variables defined over differing time spans. For example, a personal budget may have to deal with regular monthly, quarterly and annual payments, and these functions can be used to interpolate the less frequent payments into a monthly model.
- *Standard deviation, variance and correlation — a variety of built-in statistical measures.
- *And, if, or, not — simple logical manipulations.

Conclusion

I am greatly impressed with Javelin. For financial modelling, it offers everything that would be provided in a top-quality spreadsheet system such as Lotus 1-2-3. Like 1-2-3 it has spreadsheets, graphics and macros; a top-quality user interface; and sound, clear documen-

tation. But it also scores over 1-2-3 with a number of facilities to greatly clarify the underlying logic of a model, and also with powerful facilities for building and manipulating time frames — an essential part of financial modelling.

On the debit side, Javelin does require a fairly substantial PC as a minimal system, and it would not offer 1-2-3's modelling flexibility if used outside the financial arena.

If I were marooned on a desert island with an IBM PC and only the choice of just one spreadsheet with which to monitor my accumulating investments at home, which one would I choose? By a whisker, I would forego the security of 1-2-3's entrenched market position, and select the new product with the excellent model-building facilities — Javelin.

However, I would be surprised if Javelin were to usurp 1-2-3's position in financial modelling, in the way that three years ago, 1-2-3 superseded the original market leader, VisiCalc. Unfortunately for Javelin Software, 1-2-3 has now become a standard in its own right, and people will buy it for that reason alone. But Lotus should look very carefully at Javelin as the first major challenge to its supremacy.

Javelin is supplied in Australia by Sourceware, 4/73 Albert Avenue, Chatswood NSW 2067. Tel: (02) 411 5711. It costs \$1095.

A Javelin Trial Pack which includes an abbreviated manual, a fully operational copy of Javelin (limited to 20 variables), costs \$39.50.

END

PROGRAMMING

WE WRITE SOFTWARE
FOR ALL TYPES OF
BUSINESSES. NO JOB
TOO SMALL.

Proware

dBASE SPECIALIST

(02) 371 5934

WHAT'S IN A NAME?

MODEM,

Acronym of MOdulate —
DEModulate. A device used
to transmit computer generated
information over the telephone network.

TECHNOLOGY,

The branch of knowledge
that deals with science,
engineering and its application.

MODEM TECHNOLOGY PTY LTD
OUR NAME SAYS IT ALL!

Telephone (02) 683 3877
Minerva MTP002





Sidecar

Sidecar is the latest add-on for the Commodore Amiga which promises PC compatibility resulting in a trove of much needed business software. Phil Cohen reports.

It wasn't that long ago since the Amiga itself was released in this country. A 68000-based windowing machine from Commodore, with a lot of extra power provided by special purpose chips for sound and graphics generation. At first glance it looked like just another sophisticated games machine: after all, what business application needs graphics animation and stereo sound?

However, looking further into the works revealed a powerful and flexible tool with virtually no software available for it: a blank piece of paper onto which developers could write powerful applications.

One of the first questions people asked when the Amiga came onto the market was the inevitable: "is it IBM PC compatible?" For a personal computer today, that's a question which is almost as important as the price of the unit.

When the Amiga first appeared, the

answer to the above question was a simple 'no'. There was a piece of emulation software called Transformer which allowed you to run a limited selection of MS-DOS applications, but that was all. Even Transformer hasn't been released here, some months after the Amiga's release, which is some indication of how much planning

Sidecar is (Commodore claims) 100 per cent software and hardware compatible with the PC.

Commodore missed in answering that all-important question.

Basically, the Amiga is a machine looking for a market. Commodore admits that rather than looking for a niche and then trying to fill it, Commodore let their

boffins run with whatever ideas they had, and then hoped that someone would figure out why the machine had all of those features. Confusion was rife, with one senior Australian official saying that the Amiga was going to be aimed at the business market.

Now Commodore has modified that, saying vaguely that it's aimed somewhere between the education (a lot of early sales are to universities and other research bodies), business (can't ignore business, with the home games market in reverse) and entertainment (even businessmen get bored sometimes) markets. With a fuzzy aim like that, no-one would be surprised if it missed altogether.

However, to be fair, the Amiga is such a powerful machine, and so different in capability from almost everything else on the market at the price, that it's a fairly safe bet that enough uses will be found for it to keep afloat.

For example, in Australia alone there are developers working on vertical market projects such as a dental accounting package with graphics (of teeth, one assumes), an animated logo editor, a graphics-based security system, a 4GL (the Amiga hasn't got one yet!), a multitasking telex management system and some computer-aided instruction software.

However, developers are not software, and anyone thinking of buying an Amiga for business use should know that there is currently very little business software around. Although Commodore proudly points to the over 200 developers busily working on packages in the US, the acid test is to ask the question "is it available off the shelf in Australia?" to which the answer is "no".

What is available here is a very limited choice of ex-PC packages which have



THE ONE YOU'VE BEEN WAITING FOR!

Australian
Personal Computer
SPECIAL ISSUE

**MICROCOMPUTER
BENCHTEST SPECIAL**
AUSTRALIA'S LARGEST
SELLING MICROCOMPUTING
TITLE BRINGS YOU
COMPREHENSIVE BENCHTESTS
ON 18 LEADING MICROCOMPUTERS

IN ONE COMPLETE VOLUME

USE THE COUPON BELOW TO
ORDER YOUR COPY OF APC'S
BENCHTEST SPECIAL



YES I'VE BEEN WAITING FOR IT.
PLEASE SEND ME _____ COPIES OF
APC'S BENCHTEST SPECIAL
I ENCLOSE \$6.95 PER COPY TO
BENCHTEST SPECIAL OFFER 215
CLARENCE ST. SYDNEY 2000 CHEQUES
SHOULD BE MADE PAYABLE TO
AUSTRALIAN PERSONAL COMPUTER
 CHEQUE — PLEASE DEBIT MY AMERICAN EXPRESS/BANK CARD/VISA (DELETE WHERE NOT APPLICABLE).

NAME _____
ADDRESS _____
ACCOUNT No. _____
SIGNED _____
EXPIRY DATE _____

been 'ported' across (recompiled from the C original, in most cases), including a variety of statistical software, animation and graphics works.

Apart from that, there is not much around at all. Around 2000 machines have been sold in Australia so far, and Commodore says that about a fifth of those have gone to domestic hobbyists, and the rest to engineers and research types.

So without that all important PC compatibility, the Amiga is going to be stuck right out on a limb, picking up the odd very vertical market slot.

This brings me to Sidecar. With the failure of Transformer (it runs slower than a PC — even using the power of a 68000 — and isn't anywhere near 100% compatible), Commodore decided to do something radical.

Hardware

Sidecar is no more nor less than a PC without a keyboard or monitor. It attaches to three sockets on the right of the Amiga's main box and contains one 5in drive (the Amiga's drive is a 3.5in type). Seeing this I was strongly reminded of the quote in "Soul of a New Machine" in which a new model of computer is described as the same as the old model but with a bag on the side.

Sidecar is (Commodore claims) 100 per cent software and hardware compatible with the PC. It runs the Phoenix BIOS, which is about as software compatible as you can get without actually being kosher, and has three PC-compatible slots which can be used for any compatible add-on card.

There are four keys on the IBM PC keyboard that are not on the Amiga, but can be simulated by pressing various combinations. Once you learn the sequence, you are ready to roll.

The sockets on the side of the Amiga into which the Sidecar plugs are the mouse, joystick and main bus sockets. The mouse and joystick sockets appear again on the front of the Sidecar. Both processors share the same printer socket. The whole thing looks a little unwieldy and takes up a fair amount of desk space.

A second 5in drive, or an IBM-compatible 3.5in drive can be plugged into the back, and of course the slots in Sidecar can take a hard disk drive expansion. If you want to use a graphics card in the PC slots, you naturally enough have to add your own monitor.

Sidecar has its own 8088 processor, and will support the 8087 maths coprocessor chip as well. It comes with 256k RAM, and runs at the same clock speed as a PC (so there's no point in

running benchtests — Ed). It will retail at approximately \$799, bringing the total price of an Amiga plus Sidecar system to over \$3000.

System software

To run Sidecar, you simply boot up the Amiga as usual. The operating system is based on the now-familiar Macintosh desk and windows, with pull-down menus and so on. By selecting an object that looks like a PC, you can open a window to the PC's operating system. By enlarging the window to the full size of

When Sidecar is released in Australia in August, there will be no way of transferring files from the Amiga to Sidecar or vice versa.

the screen, you can start using the Amiga just like a PC, loading software into the 5in drive on the Sidecar, and forget that you're using anything but an IBM.

Now, the Amiga is a true multi-tasking machine. It is possible to have a number of programs actually in progress in different windows at the same time. The processor will share itself between the windows, so that all programs will progress at the same time. Beware of imitations — operating systems like GEM are *not* truly multi-tasking, and will stop all other programs while working on the one 'active' one in the window which you have selected.

So is it possible using Sidecar to have more than one MS-DOS window operating at the same time? Unfortunately, no. You can have more than one MS-DOS window open at one time, but since it's the 8088 and not the 68000 which is running the windows, and since it's a standard BIOS, all of the other MS-DOS windows are 'frozen' while the active one is working.

However, it is also possible to have any number of Amiga windows operating at

the same time and still have an MS-DOS window running — since there are two separate processors there's no real trick to that. In fact, it's possible to actually reset either machine without affecting the operation of the other. That's the degree to which the Amiga and Sidecar are separate.

You can size and drag MS-DOS windows around the Amiga screen, and do a number of other nice things. You may alter any of the 16 colours to whatever you like, make some windows use less colours (which makes it easier for the 68000 to handle the graphics calls, and therefore speeds things up), alter the cursor flash rate, and so on.

All in all, the operation of the MS-DOS windows is fully integrated into the Amiga environment. Now for the surprising part. When Sidecar is released in Australia in August, there will be no way of transferring files from the Amiga to Sidecar or vice versa.

One of the main reasons for equipping a machine with IBM PC compatibility is to allow interchange of at least data files (if not actually software) between them. Commodore has done a very good job of integrating an operating MS-DOS machine into the Amiga and then left out one of the major drawcards — file interchange.

Why this has been allowed to happen, goodness only knows. The hardware is certainly capable of it — the 68000 processor actually handles all of the screen output from the Sidecar, so there is a channel of hardware communication. It's just a question of software.

Commodore tells me that within six months of its release, all existing Sidecar owners will be given a software upgrade which will allow users to exchange files between the Amiga and the Sidecar. I'd be a lot happier about that statement if Transformer had been released.

Buying a Sidecar now is like buying a PC clone off the shelf — except that it's a bit cheaper (and no-one is sure just how much cheaper).

According to Commodore, the problem can be solved by using what they call "hybrid mode", in which the two machines melt together into one super-

In perspective

The big competition for the Amiga is Atari's ST, a machine similar in approach and in abilities (although this is hotly debated). The Atari has not done particularly well in the US, possibly because of the company's 'alien shootout' image there, and not a lot has been heard of it in Australia either.

Putting Sidecar into perspective is a little difficult because of what appears to be a rather vague marketing strategy, but it seems to be aimed mainly at reassuring Amiga buyers that they will not have a totally useless machine if no good software appears for the Amiga (which in any case is unlikely).

CHECKOUT



Three expansion slots and a fan dominate Sidecar's rear

machine, in which the 68000 can use the 8087 coprocessor, the 8088 can drive the Amiga's wonderful custom chips, and a hard disk in the Sidecar can be split between the Amiga and MS-DOS functions. How do users get access to this wonderful state? They wait for

make it useful in the marketplace. In a year or so the Amiga (and, it has to be allowed, the Atari ST) will be out-running PC clones in a number of selected vertical markets, but not until the software is right.

Rumour has it that, not content with


Technical specifications

Processor:	8088, with optional 8087 maths coprocessor
Clock:	Standard 4.77MHz
RAM:	256k standard, 640k maximum
Operation system:	MS-DOS
Expansion:	three IBM PC-compatible slots

applications developers to write software to use it.

All of this points to the fact that the Amiga is a piece of hardware waiting for applications. True, it's a very powerful piece of hardware, but that does not

having one machine on the market with next to no applications software, Commodore is going to upgrade the Amiga (towards the end of this year), and include the Sidecar in it. (Just like those Apple clones which ended up with a Z80



Inside Sidecar

card built in on the motherboard.) The new machine will have the ability to swap files between the two operating systems.

What users are supposed to do with the Sidecar until the software is ready is anyone's guess. According to Tony Cuffe, National Products Manager for Commodore in Australia, part of the

Having criticised Commodore's marketing of Sidecar, I have to conclude by saying that it's an excellent product.

reason for releasing the Sidecar was to give existing (and potential) Amiga users a "comfort zone", to give them the feeling that they weren't going out on a limb by buying a machine which couldn't emulate an IBM PC.

Having criticised Commodore's marketing of Sidecar, I have to conclude by saying that it's an excellent product. A lot of thought has gone into the integration of MS-DOS into the Amiga operating system, the box looks fairly well engineered (but why didn't they put the disk drive vertically to save desk space), and it runs any piece of IBM compatible software you care to mention. Although I couldn't see the documentation (it's not printed yet) if it's up to the Amiga standard it will be far above the rest of the market.

Prices

As already mentioned, Commodore is saying only that Sidecar will cost approximately \$799, but indications are that that figure might be a little pessimistic.

The predicted total price for an Amiga plus Sidecar is \$3200, for which you would effectively get a colour PC clone plus an Amiga.

Conclusion

The Amiga is a very nice machine, and the Sidecar is a very nice add-on. However, a computer is only as valuable as what you can do with it, and on that basis, until Commodore releases software to allow file interchange, and until developers produce some good applications for the machine, it's only worth watching and waiting for.

END



David Ahl sifts through the best of the new US releases, and presents the other headline news from the States.

What's new

Apple has introduced a new entry-level Mac, the Macintosh 512k Enhanced, which incorporates several features of the Macintosh Plus including an 800k disk drive, a hierarchical file system in ROM and increased performance, particularly in disk I/O. The \$US1999 price is the same as the earlier 512k Mac, but doesn't include MacPaint or MacWrite software.

General Computer Corp has introduced several new versions of its Hyperdrive hard disk for the Macintosh Plus. The line now includes two internal drives of 10Mbytes (\$US1399) and 20Mbytes (\$US1699) as well as a top-end system, the Hyperdrive 2000, with a 20Mbyte drive, a 68000 co-processor board and 1.5Mbytes of memory (\$US3199).

A tiny company, Data Pacific, demonstrated MacCartridge at the West Coast Computer Faire. This nifty product plugs into an Atari 520ST or a 1040ST and emulates a Macintosh. A few Mac programs, especially ones with sophisticated copy protection, won't run with Mac Cartridge, but most will: Microsoft Excel, for example, runs 20 per cent faster on the ST than it does on the Mac. Currently, the company is trying to work out a deal with Apple to use two proprietary ROM chips. Selling these chips to Data Pacific would seem to be to Apple's advantage, as it would virtually establish the Mac operating system as the standard in the 68000 arena.

IBM has finally released its long-anticipated lap-held portable, the PC Convertible (reviewed last month). The machine has an 80C88 MPU, 256k of memory (expandable to 512k), two double-sided, 720k 3½in. floppy disk drives, a fold-up 25-line by 80-character screen, a 78-key keyboard, and rechargeable batteries which last for six to 10 hours. Weighing an arm-stretching 13 pounds, the machine costs a wallet-thinning \$US1995.

An enhanced version of True Basic has been released which supports the Hercules graphics

card in the IBM PC. This is the first Basic language to allow users of Hercules and other graphics cards to access a full 640k and the 8087 co-processor. The graphics syntax is said to be hardware-independent, so graphics developed on the system are directly portable to the Apple Macintosh, the Commodore Amiga and the Atari ST. Price is \$US189 for the complete package or \$US39 for an upgrade.

Quadram has unveiled Super-sprint, an 8086 accelerator card that allows 8088-based computers such as the IBM XT to operate with the speed of 80286-based machines such as the IBM AT. The \$US695 price should drive down the \$US1200+ prices of some of the 80286-based accelerator boards.

Brightbill-Roberts has introduced Show Partner, a memory-resident graphics editor for the IBM PC. The package combines extensive animation capabilities and a 'slide show' manager with the features of the company's previous Grafix Partner graphics editor package. In the slide show mode, image transitions include replace, wipe, split, box, scroll, fade and weave. Show Partner supports IBM and most third-party graphics cards; price is \$US149.

High-tech sting

Despite the enactment of computer crime laws in most US states, fewer than 100 cases have been prosecuted. Moreover, of the computer criminals who are prosecuted, few ever go to jail or pay major fines. However, some interesting facts have emerged from the prosecutions. Most crimes are committed by programmers, students and input clerks with an average age of 22. The most common target for malicious tampering are commercial companies, banks, telecommunications companies and government agencies; the average incident causes \$US93,600 worth of damage.

As a result of the growing frustration in trying to track

down malicious hackers, a number of police agencies throughout the US have set up 'underground' electronic bulletin boards. One, devised and run by Sgt Dan Pasquale of the San Francisco Police Department, has attracted a wide collection of system passwords, account numbers and long-distance access ports. Recently, seven suspects in the Silicon Valley area, none older than 18, were arrested and charged with possession of stolen property, and trafficking in unauthorised credit card numbers and long-distance access codes.

CD-ROMs poised

To date, only 11,000 CD-ROM players have been shipped worldwide, the majority of which have gone to developers and system integrators. At a recent CD-ROM conference sponsored by Microsoft, over 900 developers and publishers gathered to talk to one another and hear about the latest projects. Most agreed that there are few commercial products to attract the average user today, but the market is poised on the verge of enormous growth.

Gary Kildall, inventor of the CP/M operating system and co-founder of Digital Research, was the keynote speaker at the conference. A leading proponent of videodisk technology, he has started a new company, KnowledgeSet Corp, which has recently introduced a CD-ROM electronic encyclopaedia. His company has also established a joint venture with Sony in which KnowledgeSet will offer data preparation services, and Sony will master and reproduce the disks. Kildall believes that the key to making CD-ROMs successful is to make it easy for existing publishers to transform their current materials into CD form, and then work with the CD-ROMs to take advantage of the multi-media capabilities.

One early CD-ROM on the market has been put together by the Personal Computer Software Interest Group (PC-SIG), which claims to be the world's largest

distributor of user-supported and public domain software. It offers its entire catalogue of 479 programs on a single CD-ROM for \$US195. In addition to the software, PC-SIG offers a Hitachi CD reader for \$US995; this includes software for using the reader with an IBM PC.

Other CD-ROMs currently available are mostly specialised databases.

Random bits

Apple has reduced its 2600 US outlets by 600 stores in an effort to eliminate weaker outlets and those who have been wrongly cutting prices... Lotus has cut the price of Jazz from \$US595 to \$US395 to put it more in line with Microsoft's Excel package which has been outselling Jazz in several markets... US Apricot, having never shown a profit and having recently laid off one half of its employees, has been purchased by two former employees. They plan to distribute Apricot products as well as other brands, including a Xenix-based machine... Good news and bad news among the old-timers: Kaypro, following a shift in emphasis from 8-bit CP/M machines to IBM PC compatibles, has reported a nine-fold jump in profit in its latest quarter... Meanwhile, Morrow Designs has filed for creditor protection under Chapter 11 of the Bankruptcy Code, just two weeks after the IRS (Internal Revenue Service) awarded Zenith a \$US27 million contract for 15,000 Z-171 lap-helds, a design that Zenith purchased from Morrow last year for a minuscule \$US1.2 million... The last of Osborne Computer Corp's office and manufacturing equipment was sold in mid-April to a liquidation firm... IBM's introduction of Topview 1.1 shows that the company is committed to the product, but critics point out that Topview still does not support a total graphics environment and is not compatible with IBM's token-ring network...

END



Top service and super savings

Call (03) 417 7044

MORE LINES - MORE SERVICE

SOFTWARE - IBM

Spreadsheets	- Lotus 1-2-3	529
	- Supercalc III	479
	- Multiplan	279
Wordprocessing	- Wordperfect	449
	- MS Word	439
	- Wordstar 2000+	479
	- Multimate 3.3	525
	- Multimate Advantage	699
	- Thinktank	229

Database	- dBase III Plus	675
	- Paradox	789
	- R Base 5000	880
	- Dataflex	995
	- Clipper (dBase compiler)	725

Integrated	- Framework	719
	- Enable	729
	- Open Access	659
	- Symphony	709

Utilities	- Copywrite	89
	- Norton Utilities	129
	- Smartkey	89
	- PC Alien	89
	- Printworks	99
	- Sideways	89
	- Keyworks	115
	- Xtrieve	89
	- Homebase (more features than sidekick)	89
	- 80 Mate (runs CPM 80 Prog)	295
	- dToolkit	99

Training	- PC Tutorial	65
	- Typequick	69
	- Touch	59
	- Instructor & Professor Dos.	157

Project Management	- Timeline	569
	- MS Project	382
	- Harvard Project M/ment	490
	- Superproject Plus	569

Operating Systems	- Dos 2.1	99
	- Dos 3.1	109

Communications	- MS DOS & GW Basic	165
	- Concurrent PC DOS	435
	- Crosstalk	159
	- Smarterm	Call

Accounting	- Dollars and Sense	225
	- Business Manager	595
	- CPA Plus	670
	- Integrity	Call

Personal Development	- Mind Prober	69
	- Mindover Minors	79
	- Negotiation Edge	295
	- Sales Edge	245
	- Communication Edge	195
	- Management Edge	245
	- Expert Ease	645

GAMES IBM AND APPLE

Turbo Pascal, 8087, BCD from	89
Database toolbox	85
Graphix toolbox	85
Editor toolbox	89
Tutor	74
Gameworks	65
Turbo Lighting	115
Superkey	89
Sidekick (Unprotected)	75
Turbo Prolog	Call
Reflex	149

- Our top service includes:
- 3 Months free HOTLINE SUPPORT on all hardware and software purchases.
 - 24 HOURS DELIVERY. (If we cannot deliver the current version ex-stock probably no-one can).
 - 12 MONTHS FREE 4 P membership with orders over \$600.
 - All products fully supported by Official Australian Distributor and backed by our own guarantee.

TOP VALUE SYSTEMS

Quality Boards

\$4750 (incl. tax)

640K FDD
20Mb Mono Screen
DOS 12 mths. Warranty

IBM Compatible

PC of the Year Award Winner

\$3650 (incl. tax)

512K FDD
20Mb Mono Screen
DOS 12 mths. Warranty

Epson PC HD

8MHz Performance

\$2899 (incl. tax)

640K FDD
20Mb Mono Screen
DOS 12 mths. Warranty

Olivetti M24

MICROSOFT

LANGUAGES	- Macro Assembler	299
	- C. Compiler	725
	- Fortran Compiler	495
	- Basic Compiler	540
	- Others	Call
UTILITIES	- MS Windows	165
	- MS Chart	386
	- MS Sort	315
APPLICATIONS	- Multiplan	279
	- Multiplan for Mac/Intosh	279
	- Word	439
	- Word for Mac/Intosh	290
	- Excel for Mac/Intosh	530
	- R Base	880
	- Project	392
	- Flight Simulator	89
PERIPHERALS	- Mouse Bus or Serial	240
	- if purchased with WORD	160

NOTE:

1. Delivery and Insurance only \$7.50 (on all software, boards and accessories)
2. Bankcard and Visa Cards Accepted
3. Call for products not listed
4. All prices include Sales Tax
5. Prices are correct at time of printing but may alter without notice



The Computer Trader

98 Hoddle Street,
Abbotsford 3067
(03) 417 7044



	RRP	Our Price
1. Lotus 1-2-3	835	529
2. Displaywrite 3	825	Call
3. Word	595	439
4. dBase III plus	1095	675
5. Multiplan	365	269
6. Wordperfect	685	449
7. Wordstar	445	299
8. Multimate	875	699
9. Open Access	995	659
10. Framework	1095	719

PRINTERS & PLOTTERS

Epson:	- FX105 (160 cps)	950
	- LQ1000 NLQ (180 cps)	1399
	- EX80 (300 cps)	995
	- LX80 (100 cps)	Call
NEC:	- New Release P6	Call
	- New Release P7	Call
	- P5	1599
Brother	C Itoh & Toshiba	Call
Roland	- DXY 880 Plotter	1889

MONITORS

Composite	189
Hi Resolution Mono	259
Hi Resolution Colour	649
Super Hi Resolution	Call

Top Brands: Taxan, Roland, Qubie, AAT

DISK DRIVES

Seagate 20Mb	1099
Tandon, 20Mb	1150
Mountain 20Mb drive card	1890
Rodime 40Mb	1899
Installation Support Provided	

BOARDS AND OTHERS

AST 6 Pack (includes \$250 s/ware)	399
AST Rampage to 2Mb	595
AST EGA	545
PC Memory Expansion	150
Here compatible graphics	250
8087 Math co-processor	Call
Installation Support Provided	

MODEMS

Netcomm - 1234A (4 speeds)	1350
- PC in modem	465
Sendata (3in) internal	875
Complete Range	Call

OTHER

Tape back-up - 60Mb Wangtek	1999
- 20Mb Sysgen (ext)	1575
- 10Mb Irwin	1290

SUPPLIES	- Disks DSDD per 100	195
	- Disk Storage	22

MAINTENANCE CONTRACTS ALL STATES Call

BARGAIN PACKAGES

Spreadsheets	- V.P. Planner	149
	- Twin	165
Wordprocessor	- PFS Write	159
	- Textra	99
	- Ready	49
Database	- Reflex	149
Languages	- Turbo Pascal	89
	- MS Quickbasic	149
	- DeSmet C	195
Operating Systems	MS-DOS & GW Basic	165

SUPERTRADER SPECIALS



SCREENTEST

Turbo Prolog

Borland International, creator of the whirlwind Turbo Pascal, is constantly stacking success upon success. The company's latest product, Turbo Prolog, holds great promise. Ian Davies puts it through its paces.

Prolog belongs to a family of languages known as 'Logic Languages'. In fact, its name derives from that classification: PROgramming in LOGic. Another similar language is Lisp, which specialised in list processing and embodied the same major philosophy as Prolog. Lisp has dropped in popularity over recent years, mainly due to the emergence of Prolog and the directions of the Japanese ICOT project. The first version of Prolog was implemented in 1972 by Alain Colmerauer of the University of Marseilles, written in Algol-W. His colleague, Roussel, went on to build a more efficient Fortran version in 1975. Since then, several institutions have created their own implementations, mainly for large to medium size mainframes.

It is only recently that Prolog has become available on microcomputers — even on the ZX Spectrum. As well as looking at Turbo Prolog, we will also compare it with two other Prologs for the PC.

PROgramming in LOGic

Logic languages are something new.

Anyone who knows more than a couple of languages quickly comes to realise that all conventional languages are merely variations on a theme. Compare Cobol, Fortran, Basic, Pascal, any assembler, dBase and C. Programming in all of these is very similar, even though their syntax may vary. For example, writing a program to count up to ten in any of the above would entail very similar processes. They all have various types of loops — WHILE, FOR, REPEAT, GOTO; they all have conditional statements — IF, CASE and GOTO; they all have data structures — arrays, records, sets and files. In short, they all consist of things to be done.

They are all so similar because they reflect the architecture of the machines for which they were designed. That is, of course, the classic Von Neumann architecture. John Von Neumann, in 1947, formulated a method upon which are based all computers. Coincidentally, Charles Babbage came up with the same ideas 100 years before. Simply, all computers are designed in much the same way, and this has been true for more than 150 years. This design has heavily influenced the style of computer languages — to such an extent that it's not immediately obvious.

Now for the interesting bit. One of the attributes of Von Neumann architecture machines is that they tend to be good at things people are not good at (being accounting systems, spreadsheets, sledgehammer mathematics), and tend not to be good at the things people are good at (language understanding, pattern recognition, theorem proving, deduction and so on).

This is a direct result of the underlying principles upon which the machine is constructed.

Jump now to the 1980s. Japan announces its ICOT project to develop the Fifth Generation Computer. Unfortunately, due to marketing men, everyone gets very confused and thinks that they are developing something beyond the Fourth Generation Language. Indeed, more than one hardware company has been advertising their box as 'the Fourth Generation Computer', so it's not surprising.

Probably Japan named its project incorrectly. It should have been called 'Second Generation' — no doubt the marketing men had some influence yet again. Anyway, before long, everyone realises that they're actually doing something new, and other countries and consortiums announce their own projects. They realise that its crucial to the future, as they all want to do increasingly complex things with their machines, and the Von Neumann architecture requires increasingly fast hardware. The current state of the art in hardware has only got another order of magnitude improvement left in it before it starts to poop out, due to things like relativity and quantum mechanics. Of course, a completely new branch of physics may be discovered which removes these limitations, but in the




Figure one: the development of hardware & software technology

meantime, people are pushed to unwieldy solutions such as multiple processors and pipelining to get the required speed.

These researchers are developing 'Second Generation' machines (as against 'Fifth Generation') because they will be the first ever machines which do not follow the classic Von Neumann architecture. This means that our current ideas about what computers are good at, what is easy and what is difficult for a computer to do, will no longer necessarily be correct.

So where does Prolog, running on a Von Neumann architecture machine, fit

in with something so new that we don't even know what it will be capable of?

Prolog itself is something new. Its basic philosophy is *totally* different to any other language you will have used (except for people who have already used Lisp and the like). What's more, it is so different that it performs very badly on Von Neumann architecture machines, PT (Pre-Turbo).

Prolog is called a 'Fifth Generation Language', and once again thanks to the marketing men, everyone has got confused and thinks a 5GL is something you graduate to from a 4GL. It's not. A 5GL is something which runs well on

fifth generation hardware. A 5GL is the assembler for the hardware of tomorrow.

Figure one shows the true development of hardware and software technology. The diagram does not imply that the creation of a new software tool supersedes the old tools — that is surely not the case — but one certainly builds upon the other. In short, it's back to square one with a completely new ball game. Languages such as Prolog, by simulating the new architecture on the old, act as a transition aid.

Prolog and Lisp both draw a distinction between 'imperative' and 'descriptive' programming. Traditional languages basically specify a list of things to be done. Indeed, this is often the analogy used in Programming 101 — "think of a program as a recipe or a shopping list".

Traditional languages actually have both descriptive and imperative components, but are typically 90% imperative. A good example of a descriptive construct is the humble arithmetic expression, for example: $X=(Y/Z)+((T+I*P)/(Q+1))$. This describes the calculation to be performed, but says nothing about the methods used to do it. It is a concept which exists happily in a scope outside that of the program it lives in.

Prolog is 90% declarative and 10% imperative. That is, most of the program describes the rules and the facts which surround the problem, and only 10% are concerned with how to solve it.

That may not sound so different to you, but consider: no loops, no conditional statements, no real variables. The result is something the average philosophy student would feel more at home with than a computer science graduate. For example, my first attempt to write a program which counts up to ten and then stops (done several years ago under a very old Prolog) was a real effort, and took several goes to get right. Another example of how different Prolog is: as well as giving a program some input, and receiving its output, you can often give the same program some output, and it will generate the input. In other words, programs are often reversible.

In summary, Prolog is new. It's different. It's the way of the future, and if you still want to be in computer industry to any extent 10 years from now — it's something you should know about.

No foolin'.

Other Prologs

As I have said, Prolog has been around for 14 years now, mainly confined to large minis and mainframes. The first

Carbon Copy ...



... The Ultimate Remote Control Program for PCs.

Carbon Copy is a remote control program for IBM PCs, XT's, AT's and compatibles. It lets you use your local PC to control and monitor a remote PC over a communications link. And once you're connected, you can run any program you wish. Application programs. Hardware or software diagnostics. Utilities. You name it.

When Carbon Copy links the two PCs, their screens, keyboards, printers and disks act literally as one. A keystroke entered on one appears on the other as well. Simultaneously.

Distributed exclusively in Australia by

PC PLUS

(A division of Data Design (Engineering) Pty. Ltd.)

Suite 502, Pran Central, 325 Chapel St., Prahran, Vic. 3181. Tel.: (03) 529 8455. Tlx: AA38888.

Offices in Melbourne, Sydney, Canberra, Brisbane.

SCREENTEST

micro version appeared in 1980, and is still available today.

Whereas the speed of normal machines is measured in MIPS (Millions of Instructions Per Second), and the speed of vector processors is measured in MFLOPS (Millions of Floating Point Operations Per Second), logic machine speeds are measured in LIPS (Logical Inferences Per Second).

Due to the problems of running languages such as Prolog on machines which really weren't designed for the task, Prolog systems tend to run rather slowly. For example, it is said that an Apple II can do about 60 LIPS, and a large IBM mainframe capable of 20 MIPS can do about 20,000 LIPS. This is why languages such as Prolog have not been much more than an academic curiosity until now.

The reason Turbo Prolog is so important is threefold. Firstly — it's fast. So fast in fact, that on a normal IBM PC, it can outperform the specially developed hardware the Japanese have come up with to date (the 'Inference Engine'). Secondly, it's practical. The other Prologs have been sadly lacking in real world facilities, the sort of (trivial) things people need to do if they're going to write real-world software in a language. Finally, it follows Borland's standard approach to marketing: quality at a reasonable price.

This means that people are going to go out and buy Turbo Prolog. We were supposed to get the first copy of Turbo Prolog in Australia, but weeks before it arrived, two friends had already purchased it directly from the US. I suspect that this is a common occurrence with Borland products.

It also means that there will be hundreds of thousands of clever people out there all playing around with Prolog who would not otherwise have done so. We're going to see expert systems appear by the dozen, and some of them are going to be really good. The AI market is going to get a real shot in the arm. Sooner or later, some of these people are going to start discovering new things which can be done with logic languages. It's going to be like VisiCalc all over again.

Turbo Prolog

Turbo Prolog is window driven, so you can see your program, dialogue, messages and traces all at the same time. As you step through a program, the cursor can be automatically positioned at the source line being used. It is a compiled implementation, and can do the Turbo Pascal trick of compiling to memory or to an .EXE file. The resulting

.EXE files can be run stand-alone, and can even be linked with other languages, including Turbo Pascal version 4, which will be able to produce .OBJ files for the linker. It comes with its own built-in

editor, and it is one of the most readable Prologs around.

In addition to providing all the normal Prolog facilities, Turbo uses the idea of 'domains', which loosely corresponds to




Figure two: the Turbo Prolog screen

WE'VE GOT EGG ON OUR FACE



There is no denying our embarrassment. We have been so busy satisfying the demands created by the installation of over 4000 of our Business Manager Packages, that we omitted to notify our customers regarding the latest developments and updates. If you would like the latest updates and information on enhancements, please fill out the form. We will send you a FREE demonstration disk* of the latest BM software.

*To suit IBM PCs and look-alikes

NAME _____
 COMPANY _____
 ADDRESS _____
 _____ Postcode _____
 Tel: _____
 Computer _____ Op. system _____

Tailor made software available

Information Unlimited

The name says it all
 2 Prospect Hill Road, Camberwell 3124.
 Tel: (03)813 3022 Sextant 108

FMS

Lifeboat distributors Tools for the Professional

Btrieve \$537

The most popular B-Tree product available. Easy to use. Keeps all the keys in one file. The one copy interfaces with all the popular languages.

Btrieve/N \$995

Btrieve with record locking for the Novell 3-COM and Ethernet networks. Specify.

Rtrieve \$208 Rtrieve/N \$355

Report generator for Btrieve

C Power Pack 1 \$354

C Building blocks. 250 course code functions

C Power Pack 2 \$831

Source code B-tree data base

C Power Pack 3 \$354

Source code communications

C Power Pack 4 \$354

100 functions. Requires Pack 1 or 6.

C Power Pack 5 \$238

35 Trig. random logs, exp. functions

C Power Pack 6 \$178

Binary only of C Power pack 1

Pfinish \$601

Profile your code and find bottlenecks. Can use symbol table from Plink to give hit counts on routines as well as Monte Carlo report.

Pfix 86 \$442

Multi-window debugger. Shows stack, CPU, 8087 File, Breakpoints in separate windows. A delight to use.

Pfix 86 Plus \$823

The most comprehensive and powerful symbolic and source level debugger available. Multi-window screen which flips onto the application screen. Extraordinarily customizable. Global breakpoints on memory address references! Don't waste another second with Debug!

Instant C \$840

A complete system. Incremental compiler such as Turbo Pascal. Fast development.

PRE-C \$530

Phoenix equivalent of the UNIX LINT function. Checks for portability of C code.

EMACS \$684

The famous UNIX EMACS multi window multi file editor.

Essential C \$328

Source code library. Strong on graphics.

Essential Graphics \$328

Graphics Library. A few graphics boards and printers, multiple fonts.

Available in Australia from

FAGAN MICROPROCESSOR SYSTEMS

95 Canterbury Road, Middle Park, Vic. 3206
Tel: (03) 699 9899 Telex AA31604

FREE catalog. Call or write

type checking in Pascal. The knowledge base can be altered dynamically through the 'assert' and 'retract' predicates, even when compiled, and the knowledge base can be saved to disk. Turbo distinguishes between the fixed portion and the dynamic portions of the database. One of the only restrictions found in Turbo is that only facts can be altered dynamically, not rules.

In true Borland style, the language is finished well, including built-in window,

sound, colour and graphics support. A BIOS interface is provided, as is an interface to execute MS-DOS commands from within Prolog programs. Full file access is provided, even random access files. The editor can be run within any program, either in update or read-only modes. The cursor can be positioned anywhere on the screen, and individual key-strokes can be sensed. To cap it all off, a full set of turtle graphics predicates are also built in.

Language		Time
Turbo Prolog	- Integer	1.7
	- Real	25.5
	- Integer Non-optimised	3.1
Prolog 86		204.0
MicroProlog 3.1		260.0
Basic Interpreter	- Integer	49.8
	- Single	62.9
Compiled Basic	- Integer	0.3
	- Single	7.7
Turbo Pascal	- Integer	0.3
	- Real	10.2

Notes:

1. Run on Olivetti M24.
2. MicroProlog required explicit coding for tail recursion, otherwise ran out of memory after less than 100 iterations.
3. Prolog 86 ran out of memory after less than 3000 iterations even with explicit coding of tail recursion.
4. With optimisation suppressed, Turbo Prolog ran out of memory after 7500 iterations.
5. Other language times shown for comparison only.
6. Turbo Pascal and Prolog 'Real' type is equivalent to Basic 'Double'
7. Basic programs written using 'WHILE' loop.
8. MicroProlog program is extremely "case" sensitive.

Figure three: Comparative programs and execution speeds to count to 30000

```

Turbo Prolog
Domains
    num = integer
Predicates
    count(num)
Goal
    count(30000)
Clauses
    count(0).
    count(N) if N>0 and
                N1=N-1 and
                count(N1).

Micro Prolog, native
((COUNT 0))
((COUNT X)(LESS 0 X)(SUM 1 Y X)(/)(COUNT Y))
? ((COUNT 30000))

Micro Prolog, Simple
add(count(0))
add(count(x) if LESS(0 x) and SUM(1 y x) and / and
    count(y))
is(count(30000))

Prolog 86
count(0)
count(X) :- X>0, Y is X-1, !, count(Y)
count(30000)
    
```

Figure four: Programs used for timings in Figure three

SCREENTEST

```

/*****
/*          TOWERS OF HANOI          */
/*          =====          */
/*          this hanoi is slowed down */
/*
/* Call the predicate hanoi with the number of slices, you want.*/
/* Example: Hanoi(6).          */
/*****
DOMAINS
TIME, ROW, COL, NUMBER = INTEGER

PREDICATES
hanoi( NUMBER )
move( NUMBER, NUMBER, ROW, ROW, ROW, COL, COL, COL )
inform( NUMBER, NUMBER, ROW, ROW, COL, COL )
makepole( NUMBER, NUMBER, COL )
delay() dd(TIME)
move_vert(COL,NUMBER,ROW,ROW)
move_horizon(ROW,NUMBER,COL,COL)

CLAUSES
delay :- dd(100).
dd(0):-!.
dd(N):-N1=N-1,dd(N1).

hanoi(N) :-
    N<=13,!,
    VB=2+6*N,VH=3+N,CV=N, CM=3*N, CH=5*N,
    STCOL=(79-6*N)/2, STROW=(25-VH)/2,
    makewindow(1,7,7,"Hanoi",STROW,STCOL,VH,VB),
    makepole(N,N,CV),
    move(N,N,0,0,CV,CM,CH),
    cursor(0,0), write("Press any key"),readchar(_).

hanoi(_):- write("maximum 13 disc's\n").

move(H,1,HA,_,HC,CA,_,CH):-!,inform(H,1,HA,HC,CA,CH).
move(H,N,HA,HB,HC,CA,CB,CC):-
    N1=N-1,
    HA1=HA+1,
    move(H,N1,HA1,HC,HB,CA,CC,CB),
    inform(H,N,HA,HC,CA,CC),
    HC1=HC+1,
    move(H,N1,HB,HA,HC1,CB,CA,CC).

inform(H, N, H1, H2, C1, C2) :-
    C11=C1-N, C22=C2-N, NN=2*N,
    H11=H-H1, H22=H-H2,
    move_vert(C11,NN,H11,1),
    move_horizon(1,NN,C11,C22),
    move_vert(C22,NN,1,H22).

makepole(_,0,_):-!.
makepole(H,N,C):-HH=H-N,inform(H,N,HH,HH,C,C), N1=N-1,
    makepole(H,N1,C).

move_vert(_,_,H,H):-!.
move_vert(COL,SIZE,H1,H2):-H1<H2,!, /* move up */
    H11=H1+1,
    field_attr(H11,COL,SIZE,112),
    field_attr(H1,COL,SIZE,7),delay,delay,
    move_vert(COL,SIZE,H11,H2).
move_vert(COL,SIZE,H1,H2):-H1>H2,!, /* move down */
    H11=H1-1,
    field_attr(H11,COL,SIZE,112),
    field_attr(H1,COL,SIZE,7),delay,delay,
    move_vert(COL,SIZE,H11,H2).

move_horizon(_,_,H,H):-!.
move_horizon(ROW,SIZE,C1,C2):-C1<C2,!, /* move right */
    C11=C1+1, HH=C1+SIZE,
    field_attr(ROW,HH,1,112),
    field_attr(ROW,C1,1,7),delay,
    move_horizon(ROW,SIZE,C11,C2).
move_horizon(ROW,SIZE,C1,C2):-C1>C2,!, /* move left */
    C11=C1-1, HH=C11+SIZE,
    field_attr(ROW,C11,1,112),
    field_attr(ROW,HH,1,7),delay,
    move_horizon(ROW,SIZE,C11,C2).

goal
    hanoi(6).

```

Listing one: Sample Turbo Prolog Program to solve the "Towers of Hanoi" problem

FMS

Lifeboat distributors Tools for the Professional

PLINK86 \$690

Overlay linker for C, Pascal, Fortran, PL/1, Cobol. Define overlays at link time and not in the program. Includes Plib86 library manager.

*NEW*PLINK86 Plus \$867

The ultimate linker. Allows production of code for bank switched memory past 640Kbyte. Automatic overlay handling.

Greenleaf C Functions \$404

Why reprogram the wheel? Try this documented debugged Royalty free source. Functions cover DOS, String, RS232C largely for the IBM PC. No royalty. Many functions are in assembler for speed but are pre-compiled for convenience.

Greenleaf Communications \$397

Source. All functions for multiple simultaneous transfers through an arbitrary number of ports at up to 9600 baud without using data using ring-buffered interrupt-driver protocols. Also supports XMODEM protocol and Hayes-compatible commands.

Bastoc (Basic to C!) \$1018

Why waste time converting by hand. Excellent robust and configurable translations. Versions available for Microsoft Basic and C Basic.

Basic C \$355

The IBM Basic functions in C source.

Lattice Window \$632

The definitive window product from Lattice. Beware of cheap imitations.

Lattice dBaseII dBaseIII \$446

dBase II or dBase III compatible data base module to produce dBase compatible databases of course.

Lattice LMK \$478

Don't forget to re-compile dependent code after a change. Let the computer work out what to do next. Identical to UNIX MAKE. Uses time and data to determine batch files from a simple list of dependencies. Just edit a module and walk away!

C Cross Reference Generator \$202

Available in Australia from

FAGAN MICROPROCESSOR SYSTEMS

95 Canterbury Road, Middle Park, Vic. 3206
Tel: (03) 699 9899 Telex AA31604

FREE catalog. Call or write

Basically, anything you would expect to find in any decent language will also be found within Turbo. Compare this to the older Prologs which were really bare bones systems — good for educational training, but really not well suited to building systems.

Turbo Prolog also automatically detects 'tail recursion' situations, and transparently removes the recursive aspect to end up with a simple iteration. As you can see from the timings in figure three, even when you fool it into missing this optimisation, it still outruns everything else.

Documentation

The manual is 220 pages and is well written. The first half is a tutorial section,

designed for newcomers to the world of Prolog. The second half is the reference. More than 60 full examples are provided in the manual, each of which appears on a supplementary program disk. This means that you can run the examples and experiment without the hassle of typing them all in. Additionally, a complete application called 'Geobase' is provided. This is a database about American geography, including states, rivers, cities and populations. Front-ending Geobase is a natural language system. It's not the best I've seen, but enough to demonstrate how easy it is to do language parsing in Turbo. You've just got to look at Geobase to see what a high quality end product Turbo is capable of delivering — pop up 'Mac' style menus and all.

Other examples provided with Turbo illustrate a simple arcade game and a knowledge based system (the traditional "what animal am I?" system).

Although the manual does quite a good job of the tutorial, other standard introductions to Prolog may be useful. The manual isn't strong on techniques, for example, there is no mention of how to sort. Likewise, lengthy sections on how to build full expert systems and how to perform language parsing could have been useful. In fairness, putting all this in would have cluttered the manual unnecessarily. Any number of good books will show you how to write a compiler or language converter in Prolog.

These things aren't as difficult as they sound, either. In many ways, it's easier to write a language converter or expert system in Prolog than it would be to write an accounting system. For example, someone in the States has already used Turbo Prolog to build a converter from Basic to C under Unix for an all-up cost of \$7,500. It's likely that Turbo will be the basis for many natural language front-ends and analytical back-ends for some of the favourite database systems.

Turbo even provides support for the COM port, and although this support is not as full as required for some applications, access to INT 14 through the BIOS predicate allows as much control as required. It should be interesting to see what uses of Prolog can be made in the communications area.

Turbo Prolog requires an IBM PC or compatible running MS-DOS or PC-DOS version 2.0 or later, and needs 384k of RAM. It comes on two disks, only one of which is required to get the product up and running.

Conclusion

Well, it's been a rave review. In a time when we're seeing "yet another spreadsheet", "yet another PC/AT clone", "yet another 4GL" and so on, it's refreshing to come across something to which the word 'new' really can apply.

Turbo Prolog costs about the same as Turbo Pascal, and no doubt the same discounting war will apply. For the sake of your future in the computing industry, to remember how a newcomer to computing feels, or just for a breath of fresh air, get yourself a copy. It's worth it.

PC T_EX TYPESETTING PROGRAM

FOR IBM PCs AND COMPATIBLES

What is T_EX?

T_EX is a comprehensive typesetting program which has been running on mainframe computers since 1978. It is now available from THE WORDWORKS to run on the IBM PC, PC-compatibles and other MS DOS machines. (Incidentally, T_EX is pronounced 'teck'. That's because the 'X' is really the Greek letter chi.)

What Kind of Typesetting Can T_EX do?

Anything from complex scientific textbooks ($\int_1^x \frac{dt}{t} = \ln x$) to wedding announcements to multi-column newspaper layouts.¹

What Hardware Is Required to Run T_EX?

An IBM PC or compatible with a 10 (a squeeze!) or 20 megabyte hard disk and 512K or (preferably) 640K of RAM. THE WORDWORKS will happily supply these items.

What Kind of Printers Does T_EX Support?

It gives true typesetting quality on the IMPACT 800-II LASER PRINTER, or on a Hewlett-Packard Laserjet printer upgraded with an IMPACT board from THE WORDWORKS. (This ad was typeset with T_EX and an IMPACT LASER PRINTER.)

It gives quite good (e.g., club newsletter) quality output on the TOSHIBA 1340 & 1351 24-pin dot matrix printers; and does a reasonable job with Epson MX/FX or compatible printers. However, with matrix printers character-borders are faintly 'dotty'.

Is T_EX Hard to Learn?

Learning the functional basics of T_EX is no harder than learning a good word processing program. Beyond that you can go as complex as you like—T_EX is a very powerful and versatile tool.

Is T_EX a Word Processing Program?

No. You use a normal word processing program for preparing your text; then you convert your text files into standard ASCII files (most good wp programs allow you to do this easily); after which you process these ASCII files with the T_EX program, and get a DVI (i.e., Device Independent) file. Finally you send this DVI file to your printer. (T_EX files can be transferred between mainframe computers and PCs for editing or printing.)

Can One View One's T_EX Output on Screen As It Will Appear on Paper?

Yes, with the optional PREVIEW program—provided you have a Hercules graphics card or equivalent and a 720x400 pixel monitor. THE WORDWORKS can provide these.

PC T_EX \$450

Printer Drivers: Epson FX/RX \$175; Epson LQ1500 \$175; Toshiba 1340/1351 \$175; Impact Laser 800 Printer—POA.

¹By the way, T_EX does automatic footnotes, indexes and tables of contents.

PC lap-helds

It's a fact of life that IBM compatibility extends to all areas of computer design and manufacture, the portable/lap-held corner included. Three of the new-style lap-helds, the Toshiba 3100, the Olivetti M22 and the Chendai Lap, aim to provide true desk-top power any time, anywhere.

Nick Walker and Ian Davies road test these small wonders.

Life as a hardware designer for a company which manufactures IBM-compatibles must be very dreary. Despite all the new, exciting chips,

machines still have to be designed to conform to the IBM PC standard. Considering these restraints, it's amazing just how much progress has

been made: current PC-compatibles are faster and much smaller than the original system.

In recent months, a number of new lap-helds have been launched, and unlike previous lap-helds, these new machines are true competition for the best desk-top micros. In this Benchtest, I'll take a look at three of these lap-helds — the Olivetti M22, the Toshiba 3100, and the Chendai Lap.



The Toshiba 3100: PC/AT power in a portable box

Toshiba 3100

Hardware

The Toshiba 3100 looks like a very classy machine. The outer casing is dark grey with stylised ribbing, and features a large, prominent hinge which adds to rather than detracts from the design. The overall effect is certainly stylish, but is perhaps too futuristic for some tastes. The label 'T3100' appears on the lid in bright orange letters, giving a clue to the colour scheme and screen colours within the box.

A carrying handle pulls down from the rear of the machine so that just the micro can be carried, or if you have extras to transport, a case with both hand and shoulder straps is supplied. The 3100 will, at a pinch, fit inside an ordinary briefcase — something which the manufacturers of earlier, less powerful lap-helds thought essential, but which has recently been dropped as a design objective.

A clip at the front of the machine is pressed to release the lid, which hinges back to form the screen in usual lap-held fashion. Unlike other lap-helds, however, the hinge doesn't run the full width of the machine, but creates what sci-fi buffs

might call a 'pod'. The 3100's good looks continue with the keyboard, which is two-tone grey with some keys labelled in amber/orange. The hinge contains seven LEDs, and the amber screen occupies most of the lid.

Around the edge of the machine, to the right, is an opening into which 3.5in disks can be inserted into the floppy disk drive. The rear of the machine features: an RS232 serial port, unfortunately of the less standard nine-pin D type; a Centronics parallel printer port which doubles as an external floppy disk drive port; an RGB port configured to the IBM standard for RGB monitors; a socket for the insertion of expansion cards (IBM expansion card format, but a quarter of the size); and a socket for the connection of a standard three-pin power cable.

The right-hand side of the 3100 is bare except for a three-position switch labelled 'PRT, A and B'. This allows you to select whichever device is attached to the parallel port — either the printer, external disk drive A or external disk drive B. By attaching Toshiba's optional 5.25in floppy disk drive and making it drive A, you can run the few items of copy-protected software which require the original 5.25in master disk to be in drive A.

The 3100's processor is a CMOS version of Intel's 16-bit 80286 (iAPX 286), the first low-powered CMOS version of this chip I've seen in a production computer. In some respects, this processor makes the 3100 an IBM PC/AT clone, though I doubt that the 3100 would be used as the centre of a small multi-user system, so in reality it is a high-performance IBM PC. This CMOS processor is normally driven at 7.74MHz, which is faster than both the PC and the PC/AT. For applications which are time-critical, a software switch allows you to run the processor at 4.77MHz.

The 3100 contains 640k RAM, which is the maximum a PC-compatible can address without resorting to convoluted schemes such as Intel's Above Board. I've always considered it sensible for manufacturers of lap-helds to put as much RAM as possible within the machine, as there is generally little room for expansion, so it's nice to see that Toshiba has done so. The RAM is also of the low-powered CMOS kind although it makes no attempt to maintain its contents when the power is turned off, except for the few bytes needed to maintain a real-time clock/calendar.

It is interesting to note the use of CMOS circuitry throughout when the machine has no option for battery power — perhaps a battery-powered version is in the pipeline. As it stands, the 3100

has an internal power supply (no bulky extra box), and a switch at the rear lets you select either a 220V or a 110V power supply — useful if you are travelling abroad.

Mass storage comes in two forms: an internal 720k, 3.5in floppy disk drive; and, surprisingly, a 10Mbyte Winchester hard disk. The reason this is surprising is not that the 3100 contains a hard disk, but that the micro seems too small and light to be able to hold anything so substantial. The hard disk itself is a 3.5in JVC affair, as found on some of the 'disk on a card' boards which are currently so popular for desk-top PCs. In use, both disk drives work well and are reasonably fast. One consideration for anyone putting a hard disk into a lap-held is ensuring that it can take the knocks which come from transportation. The Toshiba/JVC hard disk is tested to withstand a 70G force, which covers most knocks the system is likely to have.

Opening up the 3100 is a simple job, considering that most lap-held manufacturers don't want you to get anywhere near that supposedly delicate CMOS circuitry. Eight Phillips screws are removed and the top lifts off easily. Most of the chips are at the front of the machine, under the keyboard; the hard disk is on the left-hand side; the floppy disk is on the right-hand side, mid-way down the PCB; and the power supply is particularly impressive, being noticeably smaller and lighter than any I've seen on similar machines. A tunnel under the power supply allows the insertion of an expansion card. A tiny fan at the rear cools the entire board; this fan is almost silent, but is audible in a quiet room.

It is obvious that considerable work has gone into the PCB's design. Five custom CMOS gate arrays have been designed for bus control, the bus driver, DMA control, I/O control, and display

control. Surface-mounted technology, combined with the CMOS custom chips, results in an IBM PC/AT-compatible with 640k RAM, a colour display adaptor, and a serial and parallel port adaptor occupying less space than a single, IBM, long expansion card. The board is, in general, of a very high quality and has no obvious patches.

The most significant aspect of the 3100 is its use of a gas plasma display. A lot of criticism has been levelled at the displays of lap-held micros. Ideally, a lap-held's display should give all the advantages of a CRT (cathode ray tube), such as colour graphics and illumination, and yet be small, light and low-powered. The most common approach is to use an LCD (liquid crystal display) which is small, light and low-powered, but LCDs can be abysmal in certain lighting conditions, and, at the moment, can only simulate colour graphics with limited grey scaling. A second, less common approach is to use gas plasma, which overcomes the readability problems of LCDs, is small and light, but which consumes almost as much power as a CRT and offers even less in the grey-scaled simulated colour graphics stakes.

Given that the 3100 needs mains power to drive its hard disk, the inclusion of a plasma screen presents no undue problems. The display is amber on brown and gives far better readability than an LCD, but compared with other gas plasma displays, such as the Grid's amber on black, it offers slightly less clarity. The machine's lack of contrast on a gas plasma screen notwithstanding, the 3100 makes an excellent attempt at colour graphics — once again, far better than that of an LCD.

The screen usually acts as an IBM colour monitor, with 80 characters by 25 lines, as far as most software is concerned. However, in terms of pixel

Technical specifications: Toshiba 3100

Processor:	80286 running at 7.74MHz, switchable to 4.77MHz
ROM:	32k
RAM:	640k expandable to 2.6Mbytes internally
Mass storage:	Internal 10Mbyte hard disk and 720k, 3.5in floppy; optional external 360k, 5.25in floppy
Keyboard:	81 keys, full-travel
Size:	30cm X 8cm X 36cm
Weight:	6.6kg
I/O:	Expansion port, RS232C serial port, parallel printer/external FDD port, clock/calendar, RGB port
DOS:	MS-DOS 2.11
Bundled software:	None
Peripherals:	I/O expansion bus card, expansion module, 5.25in external floppy disk drive, internal 300/1200 modem, internal 2Mbyte memory expansion card
Power:	240V or 110V mains

The Cheapest

We offer you the opportunity to test our boast. The Computer House will better any price on any computer item from any other dealer. Try us, you won't be disappointed. Ring now on (03) 699 2000.

Our Guarantee

We guarantee to find you the **lowest prices in Australia.** The **lowest prices on a complete range of products backed by Australia-wide maintenance and service.** **Guaranteed Service. Guaranteed Savings. Guaranteed Satisfaction.**



Software

Spreadsheets

Lotus 123 Rel. 2	535
Javelin	946

Database

dBase III Plus	695
Paradox	695
R Base	837
Reflex	165
Dataflex	Call

Word Processing

Multimate Products	Call
Wordstar	299
MS Word	490
Wordperfect	449
Samna	Call

Integrated

Open Access	665
Knowledgeman..Ver 2.0	695
Framework II	695
The Smart Series	786
Symphony	695
Enable	765

Utilities

Sidekick	89
Norton Utilities	125
Sideways	78
PFS file	181
Gem Desk Top	99
Microsoft Windows	160

Languages

Microsoft	Call
Turbo Pascal	99
Systematic	Call

Accounting & Specialist Software

Inc. Sybiz. I.A.L. Integrity. Payroll etc	Call
---	------

Hardware

System Units

IBM Compatible (Profound)	from 1095
Olivetti (Inc. monitor etc)	from 3490
Sharp 7000 (12 lbs)	Call
Others	Call

Hard Disks

10 MB Internal	from 945
20 MB Internal	from 1195
Bigger than 20 MB	Call
Many brands available	

Hardcards

The Hardcard by Plus 20MB	1895
Mountain Drivecard 20MB	1970

Tape Backup

Internal & External	Call
---------------------------	------

M'Function & Memory Boards

M Function Board	248
AST 6 Pack	438
Short Memory Board (with 384KB)	245
AST Rampage	from 595
Intel Above Board	995

Display Cards

Hercules Graphics Card	Call
Hercules Colour Card (short)	346
Bob 16 Board	1090
Other Brands	from 295

Monitors

Mono Green or Amber	from 199
Colour	from 545
Genuine High Res. Colour	from 878

Modem

Complete Netcomm range	Call
------------------------------	------

Communications

Crosstalk	175
Smarterm (Dec. DG Emulator)	Call
Reflection (HP Emulator)	Call
3270 Products - local & remote	Call

Entertainment

Jet	89
Zork I, II or III	65
H/Hikers Guide to the Galaxy	65
Gato	65
King's Quest	65
and many more	Call

Project Management

Harvard Project Management	490
Super Project	467
Microsoft Project	540

Supplies

Complete range including diskettes, tapes, printer ribbons, paper, manuals, etc.	Call
---	------

Printers

Laserjets	from 4485
NEC P5	Call
Epson LQ 1000	1345
Epson LX 80	425
Seikosha	2590
Juki (Daisywheel)	745
Many other brands	Call
Daisywheel - Color - Inkjet	Call

Other Boards & Peripherals

Microsoft Mouse	Call
Printer Adaptors	Call
Power Supplies	Call
Networks	Call
Digitisers	Call
Cables	Call
Terminals	Call

REMEMBER

If what you require is not listed RING US and we'll get it.



Plus

- HOT LINE HELP
- IMMEDIATE* REPLACEMENT OF ANY DEFECTIVE STOCK

(*Subject to availability.)

- TRAINING ARRANGED NATIONWIDE
- EXPERT ADVICE



Delivery

- Anywhere in Australia for \$7.50 (under 3kg.)
- Overnight on request.
- Goods over 3kg. are charged at Post Office rates.



- Prices are subject to change without notice.
- All prices quoted include Sales Tax.
- Terms: Payment on receipt of goods.
- Bankcard, Mastercard, Visa accepted.

"We rent PCs — call for information"

The Computer House

Phone now (03) 699 2000

27-33 RAGLAN ST. SOUTH MELBOURNE 3205

Attaché

Bullet Proof Accounting Software from
the Award Winning Market Leader



The now all Australian owned Attaché Software announces two new products:

- **PAYROLL**
- **ADVANCED INVOICING/ORDER ENTRY**

This adds to the existing suite of:

- **Accounts Receivable (Debtors)**
- **Invoicing/Sales Analysis**
- **Inventory (Stock) Control**
- **Accounts Payable (Creditors)**
- **General Ledger (includes costing)**

Large and small companies are big buyers of Attaché microcomputer software, including such names as:
Coca Cola Export Corporation • AMATIL • Elders IXL • Mercedes Benz • Telecom Directories • T.N.T.
• St. Johns Ambulance • Consolidated Press • Salvation Army (Div. H.Q.) • Rothmans Holdings.

For more information call:

Attaché Software Australia Pty. Ltd.
10th Floor, 8 West Street, North Sydney, N.S.W. 2060
Telephone: (02) 929-8700

resolution, the 3100's screen is twice that of the IBM, at 640 x 400. 640 x 200 simulation is the norm, but the machine's double-resolution vertical means that a lot more pixels are available for the character set, so the characters are nicely defined.

The screen can be angled to between 90 degrees upright to 135 degrees tilted back. I have slight reservations about the infinite number of positions which the display can rest in, as other lap-helds which use this method have worn in such a way that the display can only lie back. Time will tell if this is to be the case with the 3100. When the lid is closed but the machine is still switched on, the display switches itself off and curiously lets out a quiet hiss as it does so. I have always thought that gas plasma displays are sealed units, so unfortunately I don't know where the hiss comes from.

The keyboard is an 81-key, full-stroke affair, so some effort has gone into squeezing it down from the PC/AT's standard 103-key unit. The main qwerty area consists of 48 keys which occupy the centre of the keyboard, and is coloured light grey with white lettering. All the other keys are function or control keys, lettered in a tasteful gold/orange on dark grey keys. The numeric keypad has been overlaid on the right-hand side of the qwerty area and is selected by the Num Lock key. The top row of keys contains, from left to right: Esc, in the top left-hand corner where it should be; the 10 function keys; Num Lock; Scroll Lock; Prt Sc; and Sys Req. Other important control keys such as a cursor cluster, PgUp, PgDn, Home and End have been placed on the right-hand side of the keyboard.

Overall, Toshiba has done an excellent job — the keyboard is easy to use with a good positive feel, though regular users of the numeric keypad may not agree. The machine can be tilted by adjusting the carrying handle, thus angling the keyboard for touch-typing.

There are seven LEDs on the hinge which illuminate to signify power/processor speed, hard disk access, floppy disk access, RGB connected, Caps Lock, Num Lock and Scroll Lock. The processor's LED has nifty dual colours, with red signifying slow and green signifying fast. Interestingly, you can switch between speeds on the fly without a software crash (Ctrl Alt PgDn to select the slow processor speed, and Ctrl Alt PgUp to select the fast processor speed).

A number of hardware extras are offered for the 3100. At the time of writing, these are: an internal modem card; an expansion box which will take up to five PC or AT expansion cards; an



The well-engineered and truly compact 3100 is ideal for business travel

expanded memory card; and an external 5.25in disk drive. None of these items were supplied with the review machine, but they should be available by the time the machine becomes available in September.

System software

Further proof that the 3100 is more of a high-performance IBM PC clone than a PC/AT clone is given by the use of MS-DOS 2.11 rather than the more usual MS-DOS 3.1 (used with the PC/AT). The MS-DOS included with the 3100 is standard, and has no interesting little extras.

A sign of how much research has gone into the 3100 can be gleaned from the fact that the ROM-based BIOS routines have been developed in-house. The usual route for clone manufacturers is to buy in a ROM BIOS, which says something about Toshiba's level of commitment that it hasn't followed suit.

Some effort has gone into compensating for the lack of contrast on the plasma screen in the form of a program called Chad, which allows you to configure the screen to the extent of reversing its colours (dark brown on amber instead of amber on dark brown), and also allows you to use an alternative

character set to signify text in different colours. One particularly nice thing about Chad is that it runs in the same way as Sidekick: having run Chad, you just press Sys Req and a window pops up, allowing you to configure the screen. You can actually see the screen you want to change while you are working on it.

Applications software

As the 3100 is IBM-compatible, there is an enormous range of applications software available for it, though there

Benchmarks: Toshiba 3100

BM1	0.7
BM2	1.5
BM3	4.6
BM4	3.7
BM5	3.9
BM6	6.5
BM7	13.9
BM8	13.8
Average	5.4

All timings in seconds.

For a full listing of the Benchmark programs, see End Zone.

Computing Australia

12 PAGES OF JOBS
Starting on page 39

An ACP/VNL publication

Registered by Australia Post - Publication No. NBP 7594

Sands changes hands again fear for jobs

The new owners are Atac Computers are one of Toshiba's Victorian dealers and also a minor dealer of the A-


ners have given a ment to continue : Vide ext division un stood that an on' as been reached

rector of SBS, to try and find out more about possible changes at the company but he said: "I don't have the time to talk to you."

Users in other removable the ad- step to

W

By Richard
While a de- ident Reag weapons-in- stay holy pir- in the against- ous of the screen- ian maligned- mosh features a- pro- it reduces- ner- it claims vis- Display contrast- provided and the- table over a v- e angles adapt- ve of



s Star ma

The ed the e and Ag - th code-name which failed dollar Ue

chips have been broad- ast five times on cable tele- sion to an estimated 30- illion homes in 30 coun- tries.
At present Ramtron has our three initial funding propo- sals up for consideration. If they were approved, the company would receive of "many millions dollars" but below \$10 million, according to Lyndon-James.
"But these things are a process - they grow."

BREAKTHROUGH!

for all Analysts and Programmers

FREE

We are inviting all analysts and programmers in Australia to apply for a FREE ANNUAL SUBSCRIPTION to Computing Australia.

In eight short months Computing Australia has proved itself to be the nation's most preferred weekly Computer Publication (according to the latest Snap survey).

We provide hard hitting news and current affairs as well as in-depth features on the industry. Not to mention our employment section jam-packed with job offers every week.

Name of applicant Mr/Mrs/Miss/Ms/Dr/other	Birthdate* <small>*For security reasons only.</small>
Your Job Title	
Department	
Employer/Company/Firm Name	
Business Address Suburb	P/Code
Business Phone No.	

Simply complete the coupon and return to the Subscription Manager, Computing Australia 215 Clarence St., Sydney 2000.

SHARP

Simply the best in Computers

PC-7000

FINALIST

PERSONAL
COMPUTER
OF THE YEAR

your
computer MAGAZINE



Real power — 384k RAM,
Fully compatible, Illuminated crystal
display screen. Built-in twin disk drives, Quality printer
available. Fully transportable and priced to go, too! Sharp quality.

For an obligation FREE Demonstration in your office
or home, PLEASE CALL NOW!

GUMTREE
COMPUTERS

14A Brisbane Street,
IPSWICH, QLD 4305

(07) 202-3866

FROM AROUND \$429 YOU CAN OWN A COMPUTER WITH THE LOT



Our Competitors
Key Board Only. No Monitor.
No Disk Drive. No Data Recorder.



Amstrad CPC464 Computer with Monitor and Data Recorder

The Amstrad CPC464 comes with a green screen monitor and built-in data recorder from around \$429.

That makes it a "complete" home entertainment package.

With an Amstrad CPC464 you can play games, educate your children and organise your home affairs.

For the price, you won't find a more versatile home computer of such undisputed quality.

- 64K RAM (42K RAM available to BASIC)
- Green screen VDU with 80 column text display
- Typewriter style keyboard with large ENTRY key and sensibly positioned cursor keys.
- Numeric keypad for fast data entry and a full 8-bit character set.
- High specification and speed loading capability for programmes.
- 3-voice, 7 octave stereo output.
- Wide range of software available. Subjects include entertainment, brain power, education and business.
- Colour screen package available from around \$629, complete with monitor and built-in data recorder.



Amstrad CPC6128 Computer with Monitor and Disk Drive

This ultra-efficient business and home computer comes with its own green screen monitor and built-in disc drive from around \$699.

It can play games, or do more serious things such as spreadsheet analysis, budget calculations, debit and credit analysis, cost control, cashflow projections, sales forecasts, and many other accounting and business functions.

For the money you pay, there isn't a better business and home entertainment computer available.

- Incorporates both AMSDOS and CP/M operating systems.
- Powerful 128K memory.
- Monitor with 80 column text display.
- Built-in disc drive.
- Rapid loading. Instant cataloguing.
- 3 voice, 7 octave stereo output.
- Wide range of software available. Subjects include entertainment, brain power, education and business.
- Colour screen package available from around \$899 complete with monitor and built-in disk drive.



No other system adds up to

AMSTRAD

may be some difficulty transferring certain copy-protected software to this format. However, the recent announcement by IBM of its own lap-held which uses the 720k, 3.5in disk drive is already forcing a drastic increase in suitable software.

Like all recent IBM-compatibles, the 3100 has a high level of compatibility with IBM software. I used to enjoy taking a vast collection of disks along to clone manufacturers to find any incompatibility, but there's no longer any fun in it. The only packages I couldn't run on the 3100 were a couple of peculiar public domain games. Practically all applications will run on the 3100, and all the ones I tried will work at the higher processor speed. If timing is a critical factor, you can slow down the processor.

Documentation

Three manuals will be available: *Owners Manual*, *MS-DOS V2 Reference Manual* and a *Basic Manual*. At the time of writing this review, no decision had been made as to which manual(s) will be supplied with the machine.

Olivetti M22

Hardware

The Olivetti M22 is a true, hybrid luggable/lap-held. Certainly, it is a hefty box to have perched on your lap in the normal manner, and it will not fit inside an average briefcase. Olivetti supplies a shoulder-strapped carrying bag which has room for any extras you may want to transport, and a carrying handle pulls from the rear of the machine if you want to carry it alone. The plastic casing is finished in the corporate colours of light blue and grey. When closed, the M22 looks like a bulky, uninteresting grey box which is more likely to contain a mass of stationery than a computer.

In usual lap-held fashion, the screen rests on the keyboard when the unit is closed, and hinges back when it's in use. Inside, the keyboard continues the blue and grey theme, with blue letters on grey keys, and a large, green-looking LCD occupies the unusually thick lid.

The right-hand side of the casing features the 5.25in floppy disk drive housing. At the rear is an RS232C serial port, a parallel Centronics printer port, a mouse port for Olivetti's own mouse, and a socket for power-in. The right-hand side of the machine is bare except for one huge, ugly hole whose purpose I'll describe in due course.

The M22 contains two CMOS 8088



The Olivetti M22 has a superior screen and big-company backing

processors, both running at 4.77MHz. One of these processors is the main processor; the second processor's sole purpose is to manage a built-in concurrent piece of software called Personal Windows. Considering Olivetti's expertise in manufacturing high-speed processors, such as the one in the M24 desk-top machine, I was particularly disappointed to see that the company has opted for an 8/16-bit processor running at 4.77MHz, which is what IBM used on its original IBM PC. For the base-level entry machine, the M22 is supplied with 256k as standard, and can be expanded up to 1Mbyte internally.

The M22 has battery power, something you wouldn't normally expect on a machine of this bulk and specification. Power can be supplied by a rechargeable battery pack which gives approximately eight hours continual use — provided you don't do anything excessively power-hungry. Alternatively, 10 alkaline batteries will provide approximately 16 hours of use. Olivetti provides a power supply which also recharges the battery. This is an interesting unit which you can plug into any mains supply in any country, and it will still provide current to the machine. The fact that it's external, however, does add extra bulk to the system.

Mass storage is provided by a half-height, 360k, 5.25in disk unit which is fast and quiet. Further storage can be

provided by an optional 10Mbyte Winchester, but as this occupies the battery compartment space, there is no way in which you could use battery power, even if the hard disk were sufficiently low-powered to cope with it.

It wasn't until I tried to open the machine that I discovered the purpose of the large, gaping hole on the left-hand side of the machine. A panel runs across the top of the top of the M22's rear, and this hinges up to reveal an expanse of fresh air; if you look carefully, an edge connector can be found in the lower left-hand corner. This space has been designed to take a standard full-length card, and the gaping hole on the right-hand side means that any ports available



The M22: 'a true luggable/lap-held'

Spend 60 seconds and save \$3,000.

In the time it takes you to read this ad, you could become up to \$3,000 wiser.

All you have to do is remember two things. One, you can't always judge a computer by its case. And two, the newly arrived Dataland PC 8000 series could cost you \$3,000 less than some big name alternatives.

The funny thing is, each Dataland PC is guaranteed to out-perform many of the much more expensive American and European personal computers. (Makes you wonder why some people insist on spending twice what they have to.)

And if price isn't enough to convince you to buy a Dataland PC, then take the remaining 30 seconds to read the impressive list of features.

All Dataland PCs give you,

- 640 K RAM (expandable to one megabyte main memory on board)
- Switchable clock speed for total processing versatility 4.77/8 MHZ
- Colour-Mono-Printer driver cards included (No extra cards required)
- AT style case with loads of room for add-ons
- AT style keyboard with all the ergonomic advantages
- MSDOS (2.11)
- 8 expansion slots
- Complete network ability with up to 255 other IBM PCs and compatibles
- FULL 6 MONTHS WARRANTY NATIONWIDE.

DATALAND PCs work with

- Trans - Net Lan networks
- Hercules boards
- Persyst mono-board and memory board
- A S.T. boards
- All IBM boards
- And of course a comprehensive range of Dataland low cost boards.

They will also run

- Lotus 1-2-3, Attache and other accounting packages
- Symphony, wordstar, 2000, Flight Simulator, dbase III, Educational packages, and many, many more.

DATALAND PC 8000

Features top Japanese-quality dual disk drives, colour-mono-printer, driver cards included.

ONLY **\$2350**

DATALAND PC 8000/10

Features Epson single disk drive, colour-mono-printer, driver cards included. Plus 10 megabyte NEC hard disk fully installed.

ONLY **\$2840**

DATALAND PC 8000/20

Features Epson single disk drive, colour-mono-printer, driver cards included. Plus 20 megabyte NEC hard disk installed.

ONLY **\$2990**

ALL DATALAND PC PRICES INCLUDE A BONUS HI-RES MONO MONITOR PLUS SIX MONTHS NATIONWIDE WARRANTY.



FREE BUY-NOW BONUS PACKAGE OF PUBLIC DOMAIN SOFTWARE INCLUDING GAMES, EDUCATION AND BUSINESS PROGRAMS.

The Dataland PC series is now available at your nearest DataParts store or authorised agent. Telephone and trade enquiries welcome.

MAIL ORDER NOW!
Call direct! Call today!
Shepparton (058) 21 7155

DataParts

The best computer people in the country.

ALBURY: 518 Macauley Street	(060) 21 8088
BALLARAT: 307 Mair Street	(053) 31 3399
BENDIGO: 419 Hargreaves Street	(054) 43 4866
CAMBERWELL: 519 Burke Road	(03) 20 7897
SHEPPARTON: 11 Edward Street	(058) 21 7155

or Authorised Agents
WOLUNDRY COMPUTERS: Wagga (069) 21 6466

* Advertised prices must be quoted
* Prices and products subject to change without notice

JULY APC

MFA DP P044

from this card will still be available when installed on the M22. As far as I know, this is a unique feature among PC lap-helds, and one that may sell a number of Olivetti M22s into specialist markets. There are two more expansion slots running under this area, which takes Olivetti's own customised expansion cards. All M22s have a serial card in one of these slots, which forms the serial port on the back of the machine.

Getting inside the Olivetti can be quite an experience — not because it is particularly difficult, but because unless you know where to look, you won't find any trace of a processor, or RAM, or even a PCB. The main PCB is neatly tucked away behind the screen, although when you have discovered its hiding place, it is relatively easy to get to. Once inside, you will discover an impressively small PCB, considering that it contains two 8088 processors, 1Mbyte of RAM, and custom chips for display and DMA (direct memory access).

The M22's screen is the best example of back-lit LCD technology I've seen on a lap-held, offering greater contrast and much better clarity than any similar display. The colours do take a bit of getting used to, and the slow refresh rate gives a slightly disturbing fluid-like effect. The overall effect is of a clear, readable screen, but the fluid, characters resemble a schoolboy's smudged exercise book. Two controls enable you to customise the display to suit the lighting conditions: a contrast slider bar at the top right-hand corner of the keyboard; and six back-light settings. The screen operates as an 80 x 25 character, 640 x 200 pixel IBM colour monitor, and truly gives a better level of scaling for graphics.

The screen will angle anywhere between 30 to 180 degrees, and like so many latter-day lap-helds, it uses a hinge which allows you to position the screen anywhere in this range. I am unconvinced about the reliability of this hinge in the long-term, though.

The keyboard has 85 keys, and, considering this is 18 keys less than the IBM PC's keyboard, I encountered no problems in converting from the IBM keyboard. The usual problems of the IBM keyboard, such as the placing of the reverse oblique key and the diminutive Enter key, have been rectified, and, unusually on a portable, there is a full numeric keypad. The keyboard has an excellent feel, and the required typing angle is obtained by folding the carrying handle underneath the keyboard. The function keys are half size and run along the top of the machine, so there is no place for a function key overlay. The Num Lock, Scroll Lock and Caps Lock keys are

above the numeric keypad, and contain an orange LED to indicate when they are engaged. Four more LEDs are at the right of the keyboard: power; floppy disk access; RAM disk access; and the fourth LED, although unmarked, lights up when the optional internal modem is receiving data.

Extras for the M22 include an internal modem card, a 10Mbyte hard disk, RAM expansion, and a mouse, but

'With the inclusion of a hard disk, any one of these machines could be used as a real alternative to a desk-top PC...'

none of these were available at the time of writing.

System software

An IBM clone cannot be produced without the use of a version of MS-DOS as the operating system. The M22 is no exception, and uses the standard operating system among machines which are trying to be PC-compatible rather than PC/AT compatible — MS-DOS 2.11.

Much more interesting than MS-DOS 2.11 is the Personal Windows software which resides within a 32k ROM and operates on the second 8088 processor, making it truly concurrent. Personal Windows has been inspired by Borland's Sidekick. Sidekick is a set of 'desk accessories' which lie dormant in RAM until a certain keystroke combination brings them to life, regardless of the application which is being run. Like Sidekick, Personal Windows contains a

memo pad, an address book and an appointment book. Unlike Sidekick, there is a powerful system configuration and a RAM disk. As Personal Windows runs on a separate processor from any application you may be running, that application carries on with its job — printing, recalculating a spreadsheet, or whatever.

From the system configuration screen, you can customise a vast number of options which are grouped in five categories: System; Printer; Initialisation; Calculation; and Personal Windows Applications. All the options are useful and replace not only some complex DOS operations, but also, in some cases, DIP switch settings. One particularly nice option is the ability to switch off the power to any of the three expansion boards, thereby saving a substantial amount of power when the battery is in use.

The way in which Personal Windows operates on the M22's second processor is worth some explanation. The first processor writes to the area of RAM that is usually reserved for the screen; the second processor then takes this RAM and transfers it to the actual screen memory, which is part of the second processor's memory map. Consequently, Personal Windows can put up information anywhere onscreen without upsetting in any way the application which is being run.

Apart from the video RAM and the Personal Windows ROM, the rest of the second processor's RAM is set aside for the RAM disk. I've never been a great fan of RAM disks — all that data sitting volatile in RAM worries me. Olivetti does offer some protection, in that power to the system is maintained for 15 seconds after power-off, and the RAM disk access light flashes if data is still in there. During this 15 seconds, the Personal

Technical specifications: Olivetti M22

Processor:	Two 8088s running at 4.77MHz
ROM:	96k
RAM:	256k
Mass storage:	One 5.25in, 360k floppy disk drive; optional 10Mbyte hard disk
Keyboard:	85-key full-stroke
Size:	40cm X 9cm X 34cm
Weight:	7.4kg
I/O:	RS232 serial interface, parallel Centronics interface, mouse interface, one PC-standard expansion slot, two custom Olivetti expansion slots
DOS:	MS-DOS 2.11
Bundled software:	Personal Windows in ROM
Peripherals:	Various memory boards, mouse, rechargeable battery pack, 10Mbyte hard disk
Power:	10 ordinary alkaline batteries, rechargeable battery pack, any mains voltage

UNIVERSE

SUPERCOMPUTER

PRODUCTIONS PRESENT



PROUDLY PRODUCED IN AUSTRALIA BY: AED SYSTEM DEVELOPMENTS

STARRING: UNIVERSE SUPERCOMPUTER,
THE MICROCOMPUTER THAT OFFERS SPEED AND FACILITIES APPROACHING A MINI
IN CLOSE COOPERATION WITH: INTEL AND DIGITAL RESEARCH
UNIVERSE, THE AFFORDABLE SUPERMICRO BRINGS YOU THE
MULTIUSER/MULTITASKING OPERATING SYSTEM
WITH ALL THE SOPHISTICATED SECURITY FACILITIES.

CO-PRODUCERS OF: MINI POWER AT MICRO PRICES

SUPPORTED BY: 12 MONTHS ON-SITE WARRANTY,
RUNNING: THE WORLD'S WIDEST RANGE OF SOFTWARE PACKAGES
UNDER CP/M, MP/M AND MS-DOS

ALSO SUPPLYING THE HIGH SPEED PC NETWORKING SOLUTION THAT IBM CAN'T

M

Strongly advised for
Multiuser/Multitasking
requirements.

Users needing fast, expandable
computer facilities should view a
Universe Supercomputer Production.

Have a productive day, phone or write now for a
complete information kit on Universe.

AED System Developments

Unit 3, Prospect Industrial Estate, 2 Stoddart Road,
Prospect NSW 2149. Ph: (02) 636 7677 ACT: (062) 47 3403
VIC: (03) 211 5542 WA: (09) 450 5888

AED

Windows data (that is, the appointment book, the memo, the telephone list, and so on) is saved to an area of CMOS memory which is maintained while the machine is switched off. Even considering these safeguards, I would only use the RAM disk to simulate a drive B for software which needs two drives. Perhaps I'm just old-fashioned.

Applications software

There are no problems with compatibility on the M22: everything I tested ran satisfactorily, and as the machine takes a 5.25in disk, you can plug in one of the thousands of applications available for the IBM PC and use it immediately. Some of the applications which use colour graphics are a little disappointing under Olivetti's grey scaling, but apparently there will be some improvement in the final production machines.

Documentation

Olivetti appears to have standardised its documentation to one 100-page manual, which covers all you'll need to know but not in great depth. For beginners, there's a tutorial disk to introduce you to the system.

Benchmarks: Olivetti M22

BM1	1.2
BM2	4.6
BM3	10.1
BM4	10.7
BM5	11.7
BM6	21.1
BM7	32.9
BM8	34.5
Average	15.8

All timings in seconds.

For a full listing of the Benchmark programs, see End Zone.

Chendai Lap

Hardware

Although the Chendai Lap is not much smaller than the Olivetti M22, it can just about be called lap-held, whereas the M22 is really at the bottom of the portable class. The Chendai's casing is in light grey plastic, and the overall impression is one of remarkable ordinariness: the Chendai is a kind of heavyweight Tandy 100.



The Chendai Lap just qualifies to be called portable and lap-held

There is no carrying handle, so the only way to transport the machine is via the rather stylish bag which has shoulder straps and a carrying handle. As for the briefcase test, the M22 did just fit, although I don't think the briefcase would last long.

Two catches on the side of the machine are pulled forward to release the lid, which folds to reveal the screen on its inner surface. Inside, there is a keyboard in the same shades of grey as IBM uses on its PC, and a screen which occupies two thirds of the width of the unit.

To the right of the machine is the opening for the 5.25in floppy disk drive, and an obnoxious bulge which houses a fan to cool down the hard disk. At the rear, the Chendai has five ports: an RS232C; a Centronics parallel printer output; a 96-way expansion port; an RGB output configured for IBM's standard plug; and a composite monitor output. Also on the rear is a switch to select either the Chendai's own screen or an external monitor. The right-hand side of the casing contains a standard, three-pin power input and a 110V/220V voltage selector.



The bulge on the side of the Chendai houses the system's fan

The Chendai uses an 80186 processor which is Intel's slightly extended, faster version of the 8086 true 16-bit processor. Chendai is driving this chip at only 4.915 MHz, which is not a great deal faster than the 4.77MHz used by the IBM PC. Processing 16 bits at a time rather than eight does help, but it still isn't particularly fast. This chip has been unpopular in the past with PC clone manufacturers, as it takes a lot of effort to bring it up to a high level of compatibility.

RAM on the standard machine is 256k, expandable to the PC's full sensible address range of 640k internally.

Mass storage is provided by a 5.25in floppy disk drive and a 3.5in Winchester drive. The 5.25in floppy is half-height, and gives the usual 360k of storage on a single, double-density, double-sided disk. The Chendai has the distinction of being the usual lap-held available in Australia to have an internal hard disk, and, what's more, the disk size is not 10

but 20Mbytes — a lot of storage for a small box.

Internally, the Chendai's power sits at the rear — from left to right there is: the power supply; the processor and its accompanying chips; and the two hefty-looking disk drives. The PCB in the middle looks well-organised and engineered, if somewhat ordinary. Like most compatibles, there is a rather large custom chip which mimics the function of the colour graphics adaptor in the PC

Lapping up the take-aways

Martin Banks considers the future of laptops in the wake of the US Internal Revenue Service's choice of the Zenith Z-171.

Sometimes these things seem to happen as if by spite. There they were, the assembled multitude of the world's computer press, the IBM watchers and experts, all waiting for the US Internal Revenue Service to do the proper thing and order a laptop personal computer from IBM.

Once this had happened, the rest of the industry could copy the laptop and users would feel confident that the need for such a machine existed. They would, it was confidently expected, buy the things in horrendously large volumes.

Then there was one of those spiteful business decisions that throw a not inconsiderable spanner in the works. The Internal Revenue Service didn't order a laptop from IBM. Instead, it went and ordered one from Zenith.

This has blown a largish hole in the prognostications. Not only is the industry less likely to rapidly clone IBM's new machine, but the decision also changes (or more specifically doesn't change) the way the laptop market is expected to develop in a post-IBM-wins-IRS-order world.

As IBM is a company that spends more on research and development than many countries, it was not too surprising to learn some time ago that it was playing around with the laptop portable computer idea. It can be safely assumed that IBM has made at least one of anything anyone has ever thought of under the title 'computer'.

It was even less surprising that the system had an internal project name: Clamshell. What is slightly more surprising, and certainly interesting, is the specification of the Convertible that has now emerged from the company. The most interesting bit is the selection of 3.5in floppy disks as the storage medium.

This has caused much speculation, not least because it represents a step out of

line from the PC family's 5.25in disks. The big question becomes obvious: how much of a change will this mean to the PC family as it develops in the future? Will 5.25in disks be dropped in favour of 3.5in units in the then expected PC2? Will we all have to buy add-on disk drives to remain compatible?

As far as its effect on the laptop market goes, well so far laptops have not been the most successful of variations on the personal computer theme. Despite being an excellent theory — pack a PC into something carried around easily and capable of working from batteries — it has not been accepted as a practical option by the majority of users. There are a number of reasons for this, connected to money and applicability.

Taking money first, the main objection has been the poor cost benefits that such systems provide. Low-cost machines like the Tandy and NEC do what they do very well. It is just that they are really only good for electronic note-taking and similar writing duties. Their small memories and small displays are unsuitable for the type of large-scale work in which a PC user regularly indulges.

Systems capable of handling this type of work, such as those from Hewlett Packard, Ericsson and Data General are, to put not too fine a point on it, expensive. And while Toshiba, for example, has brought out cheaper systems, the company lacks the marketing clout to really make the laptop a general-purpose machine.

Instead, these machines are being sold into specialised vertical markets where their capabilities make an economic trade-off against their cost. Typical applications are travelling sales staff and engineers working on some remote site. We can now, of course, add to that list the American travelling tax collector, of which the IRS has 15,000 if

the size of the Zenith order is any indication.

So there are areas where such machines can make a great deal of sense. Many applications like the above warrant having a computer around at some location where a normal desktop PC would be inappropriate, or just plain unusable. Then, their cost is of secondary importance. Indeed to many of these potential customers, paying \$6000 or \$8000 per box can very often make extremely good economic sense.

To the average punters who just feel it would be a good idea if they had a machine they could take around with them, the difference in that price, the \$US1,995 price of the Convertible and the \$US1500 or less of some PC clones becomes an unanswerable argument.

This relegates laptops for a while to those specialist vertical markets where they have some leeway not only on pricing but also on technical matters. For example, some of the suppliers have already opted for 3.5in disk drives, while others have gone for full IBM compatibility.

But just imagine what the result might have been if IBM had won the order.

Every manufacturer of a PC compatible would promptly rush out their own version of the machine, competing with IBM on the basis of price and/or technology. Some would offer a superior specification for the same price, while others would take the same technology and cut and cut until, like the PC itself, the price will continue to fall.

This will still happen to some degree, of course, but not with the same speed or impact. So the American Internal Revenue Service has not only thrown a lot of egg onto a lot of pundits' faces, it has also ruined a damned good dream. Ah well, onwards to the cold light of dawn.



(or, in the case of the Chendai, the PC's colour and monochrome adaptor cards).

The Chendai's screen is a back-lit LCD affair, so you would expect it to be noticeably better than the standard LCD. The screen supplied with the review machine was a bit of a disappointment, however, it was a pre-production model which explains why. Chendai assure me that future production models will be fitted with a new super birefringent effect (SBE) which will improve the contrast and brightness.

The Chendai's display adaptor is a full-colour display, giving a resolution of 640 X 200 pixels for graphics, and 80 X 25 characters. Graphics are fairly well represented and the Chendai doesn't suffer from the usual slow refresh problem of LCDs, but the aforementioned back-light problem means that there is insufficient contrast to do the displays justice.

The keyboard is excellent. Imagine an IBM keyboard, with all the niggling little irritations removed and the function keys laid in a line above the main qwerty panel — that's what you have on the Chendai. The important keys such as Enter, Backspace and Shift have been enlarged; the reverse oblique key has jumped over the Shift key; and there's a cluster of extra cursor keys. Other than that it is basically a PC keyboard, complete with a numeric keypad and LEDs for Num Lock and Caps Lock. The feel is excellent and the typing angle is just right. It's the best PC keyboard to be found on a lap-held.

The only hardware expansion at this stage will be an internal 300/1200-baud modem.

System software

When the Chendai is switched on, it will initially try to boot whatever it can find on the floppy disk. If this fails, it will try to boot from the hard disk. Obviously, in order for it to be compatible with the IBM PC, the operating system must be a version of the ever-popular MS-DOS operating system. In fact, the unit is shipped with Chendai's MS-DOS 3.1, the current favourite among AT, rather than PC clones.

Applications software

IBM compatibility opens up an enormous range of applications software, and the Chendai is no exception. The Chendai will run practically everything. I tried the usual collection of Lotus 1-2-3, Microsoft's Flight Simulator, GEM Desktop and its applications, Windows, Crosstalk, and others. The system suffered slightly when it came to running my collection of public domain and commercial PC-crashing games, suggesting that it is less compatible than its 8088/8086/80286 competitors. If you want to run something very obscure which uses the screen and the keyboard in peculiar ways, I suggest you see it running first.

Documentation

No documentation was available at the time of writing this review.

Prices

The Olivetti M22 with 256k RAM and no

FMS

Lifeboat distributors

Tools for the Professional

***NEW* Lattice C Version 3 \$770**

The famous professional C compiler with 4 memory models is now ANSI standard. This release includes in-line 8087 and many UNIX compatible functions as well as smaller faster code. Lattice or Microsoft upgrade \$150

Lifeboat's Run/C \$309

Basic like C Interpreter! Perfect for learning or teaching C and debugging C code. Operates and debugs like Microsoft Basic. Lattice C compatible.

Run/C Professional \$496

Plus integrated editor and external library usage. Run with Halo or code compiled by Lattice C.

Multi-Halo \$546

The ultimate PC graphics interface. 132 drivers for cards, printers, digitizers, mice and now plotter output. Many graphics modes supported on graphics boards. Three types of text. Functions from fine line to polygonal flood. World co-ordinates and clipping. Specify language.

Multi-Halo Turbo Pascal \$273

A bargain for Turbo users

Multi-Halo All Languages \$1150

As above with 24 discs covering interface to 12 languages. The all languages, all hardware monster. Microsoft C, Fortran, Pascal, CI-86, Mark Williams, Aztec, Turbo Pascal, IBM Basic Interpreter, Compiler...

Panel \$632

Why write data entry and validation code? Panel will produce source code for you. Available for all languages and operating systems. One of the very best programmer tools. Specify language.

***NEW* Pmate \$454**

Version 4 is available for PC and non-PC users. PC users get the famous Pmate full screen macro editor, a menu driven editor, a multi-tasking editor, a FORTRAN and C checking editor all in one package.



Available in Australia from

**FAGAN
MICROPROCESSOR SYSTEMS**

95 Canterbury Road, Middle Park, Vic. 3206
Tel: (03) 699 9899 Telex AA31604

FREE catalog. Call or write

Technical specifications: Chendai Lap

Processor:	80186 running at 4.9MHz
ROM:	24k
RAM:	640k
Mass storage:	Internal 20Mbyte hard disk; 5.25in, 360k floppy disk
Keyboard:	88-key full-stroke
Size:	39cm X 9cm X 31cm
Weight:	7.3kg
I/O:	Expansion port, RS232 serial port, Centronics parallel printer, RGB output, composite video output
DOS:	MS-DOS 3.1
Bundled software:	None
Peripherals:	300/1200 internal modem
Power:	240V or 110V mains

BENCHTEST

Benchmarks: Chendai Lap

BM1	0.9
BM2	3.7
BM3	9.8
BM4	9.8
BM5	10.5
BM6	14.7
BM7	21.3
BM8	23.1
Average	11.7

All timings in seconds.

For a full listing of the Benchmark programs, see End Zone.

hard disk, is priced at \$3360. The price for the M22's optional hard disk has not yet been confirmed but is expected to retail for approximately \$2000.

The Chendai Lap is priced at \$4750 and the Toshiba 3100 will cost approximately \$8000.

Conclusion

It sometimes upsets me that hardware design is so severely affected by the need to conform to PC compatibility, but the Toshiba 3100, the Olivetti M22 and

the Chendai represent a significant advance in lap-held technology. With the inclusion of a hard disk, any one of these machines could be used as a real alternative to a desk-top PC, which is something I can't say about previous lap-helds. This may sound like marketing jargon, but I know it's true from personal experience. Having that amount of power in such a portable package does increase your personal productivity.

Writing a comparison piece forces me to make a decision as to which is the best machine, and happily there is a definite winner. The machines are all clearly aimed at one well-defined area of the market — the businessman on the move. Except for the approximate \$600 price

difference, very little separates the Olivetti M22 and the Chendai for the second-place slot: both are good, PC-compatible, lap-held machines, offering great power in a properly portable box. However, due to its superior screen and the backing of Olivetti, I put the M22 slightly ahead.

The clear winner, though, is the Toshiba 3100, which not only puts the power of a desk-top in a portable box, but it puts the power of the best desk-top PC/AT clones in a portable box. The screen is totally readable; the processor is an 80286 running flat-out; there's a 10Mbyte hard disk; and it's well-engineered and truly compact. The only question is: where do I find \$8000?


END

In perspective

If you don't have sufficient funds to be able to afford one of these three units, there are a number of cheaper PC-compatible lap-helds with ordinary LCD screens and one floppy disk drive. My particular favourites are the Toshiba 1100 and the Kaypro 2000.

For the executive who requires a really portable package, a good display, a floppy disk and, most importantly, lots of 'posing appeal', I recommend the Grid Compass III. The only other real competitors are the Data General One and the Hewlett-Packard Integral, which now seem overpriced for what they are.

Save valuable computer time with The Complete P.C. Tutorial



Probably the simplest, yet most powerful and effective teaching method currently available, The Complete P.C. Tutorial lets you take complete control of your computer, whether you're a novice, enthusiast or into complex assembly language programming.

The pull up window technique used, gives you simultaneous on screen access to just about everything you need to know, without wasteful, time consuming cross-reference to thick manuals.


As the 1986 winner of "Your Computer — Australian Software Product of the Year", how can you afford not to ask your nearest dealer about making the use of your computer, as simple as child's play, saving you time and money.

Chain Stores:

Most Computerland Stores, Most Dick Smith Electronics Stores, Most Myer Stores.

N.S.W.

ACI 437 6322, Aid Systems 498 7428, Computer Shop 517 2999, Discware 212 6933, Hales & Rogers 857 5440, Ram Computers 986 7373, Ramsdale 957 5788.



Victoria

C-Tech 663 6580, Chendai 663 3030, Computer Realm 299 2009, Computer Trader 417 7044, Consultech 233 8999, Eastern Micro 699 3088, MicroShack 534 0286, PC Plus 561 7310, Philtronics 534 0286, ProSoft 602 4704, Spade Computer Services (058) 21 0244.

Northern Territory

Computer Sales & Leasing 844 656, Computer Spot 815 022.

Queensland

Baltec Systems 369 5900, Data Base 357 5644.

Western Australia

Boans Comp. Cnr 481 1600, Clone City (095) 27 3230, Computer Village 481 1311, Hardware House 322 7344, Software Center 481 0074, UBM Electronics 381 6822.

South New Zealand

Computer Systems (021) 44144.

**INTOUCH
COMPUTING**



1 Kent Street, Bicton, W. A. 6157
Phone: (09) 339 4431

CHARLIE'S 0142



SCREENTEST

Guru

Guru is a powerful and advanced integrated data management system which provides facilities for the building and consulting of expert systems.

Kathy Lang tackles its impressive facilities head-on.

It is an interesting paradox of personal computing that, as personal computers have become more and more powerful, they have increasingly come to be used for applications which are not really 'personal' at all. Many database management systems now have a wealth of features which are welcome to system developers, but are rarely used by ordinary users. Word processing is increasingly dominated by large, complex packages aimed at the 'professional' user, while many spreadsheet packages are developing in the direction of modelling systems which require programming skills to be fully exploited.

At first sight, it would seem that nowhere is this more true than in the field of expert systems. These are

systems that attempt to supplement or substitute for a human expert. They incorporate a body of knowledge and reasoning, together with the tools to allow a user to explore that body of knowledge to reach desired goals. For example, a general practitioner might use an expert system to help him make more accurate diagnoses in specialist areas, thus speeding patient recovery and economising on expensive consultants' time. Such systems tend to be very expensive to set up, mainly because the process of formalising the experts' knowledge is a skilled, lengthy and labour-intensive process. And the resulting system, if it is large enough to be useful, is usually very demanding in processing power and in memory.

In view of all this, you might suppose

that such an area is really only of interest to large companies, which are able to make the necessary investment to build and use expert systems. Two factors may help to make it practicable to make expert systems more widely available. Firstly, as everyone knows, the price/performance ratio for microcomputers is still improving at a great rate, with faster processors and large hard disks being in use much more widely. A particularly interesting development is the potential of the video disk for storing huge amounts of directly accessible information, as expert systems tend to use large databases which strain the capacity of the average hard disk. Secondly, and partly as a response to the improvements in hardware, there are now a growing number of packages on the market which aim to make it as easy as possible to build and use expert systems.

Most such packages have been designed from scratch to run as expert-system builders. However, many of the requirements for such products are common to other applications, and in particular to applications which handle large amounts of data. The logic required to interrogate the database is, of course, unique to expert systems; but many other requirements, such as the ability to store and retrieve many variables, to display data on the screen, to ask the user for information, to report on the results, to implement control structures to enable the user to 'navigate' round the package, are also needed in a database management system.


This common ground has been

Command	Function
Consult	Consult a rule set with reverse reasoning
Consult To Seek	Consult a rule set with reverse reasoning to seek a value for a specified variable
Consult To Test	Consult a rule set with forward reasoning to test the effect on a specified variable (which may be the goal variable)
Consult To Fire	Consult a rule set to fire a specified rule, using backward reasoning if necessary
Consult to Execute	Consult a rule set to execute a specified sequence of rules

Notes: 'Reverse reasoning' involves evaluating rules for firing on the basis of finding a value for the goal. 'Forward reasoning' involves evaluating rules for firing on the basis that their premises are known

Fig 1 Strategies for consultation


SCREENTEST




Screenshot 1 Guru main menu



Screenshot 2 Model completion



Screenshot 3 Showing the goal



Screenshot 4 Constructing a rule



Screenshot 5 Defining a variable



Screenshot 6 Keeping you informed

recognised by the designers of a package which has been widely available in Australia for some years, namely KnowledgeMan. Kman, as it is usually called, bears a marked similarity to the dBase family, although its database management system has some extra features beyond what is available even in dBaseIII Plus. In addition Kman 2 has a number of additional modules (for graphics, text processing, report

generation, communications, and so on) that together provide a very powerful (loosely) integrated system. Onto this base, pulled together into a more integrated whole, has now been grafted a set of facilities to allow you to build and consult expert systems. The resulting package, Guru, looks very powerful indeed, though at \$4278 for the full system, and requiring an IBM PC with 512k memory and 10Mbytes hard disk

space, it is not for the poor or the faint-hearted.

The original version of Kman was reviewed in APC in June 1984. The second version, Kman 2, reviewed in APC August 1984, was substantially enhanced, mainly by the addition of the new modules. In this review I shall, therefore, concentrate on those aspects of Guru that incorporate new features, and especially on those aspects specific to expert systems.

Like a good many parts of computing which owe their origins to computer science rather than to data processing, the field of expert systems abounds in abstruse concepts, as well as the more usual unfathomable jargon. By way of example, lay your tongue, never mind your mind, to fuzzy variables, set theory, firing (no, that's not what it means), confidence factors, backward reasoning, rule sets, and the probability sum of products. In order to understand what Guru does and how, you need a smattering of understanding of some of these ideas. If you have that understanding, or more, already, then you will need lots of detail about the guts of Guru; if you don't, then those same details will, most likely, overwhelm you. In the text I'll stick to using as little jargon and complexity as possible, at the risk of missing out on the details.

There are three ways in which the user can instruct Guru: through menus; by entering into a limited 'natural language' dialogue with the package; or by going

```

GOAL:    best job

RULE:    LIKED1
IF:      ans1=1
THEN:    bestjob += ['Accounting' cf20, 'Financial Analysis' cf
           12, 'Data Processing' cf 12]

NEEDS:   ans 1
CHANGES:bestjob
REASON:  If the person liked accounting in college, then they
           are suited to accounting (cf 20), financial analysis (cf
           12), or data processing (cf 12)

COM-     The person liked accounting in college
MENT:

RULE:    LIKED2
IF:      ans1=2
THEN:    best job += ['Marketing Research' cf 18, 'Financial
           Analysis' cf 20]


NEEDS:   ans 1
CHANGES:best job
REASON:  If the person liked quantitative methods in college,
           they are suited to Marketing Research (cf 18) and
           Financial Analysis (cf 20)

COMMENT: The person liked quantitative methods in college
    
```


Fig 3 Example of part of a rule set

PCturbo

ORCHID



TinyTurbo 286 —
AT Speed in a Half Slot
The People's Choice



PCturbo 286e —
Double AT Speed in a Full Slot
The Super-Achiever's Choice

BE #1 WITH THE LEADER

Two Breakthroughs to TURBOCHARGE Your PC!

Orchid became the #1 Turbo company by delivering the performance, price, and compatibility you wanted. Now we have followed our critically-acclaimed PCturbo 186 with two powerful new 8MHz 80286 Turbos.

TinyTurbo 286

A half-slot PC/XT caching accelerator for AT speed at a tiny cost. It's 100% PC compatible, even with copy-protected software, because you can switch back to the 8088 — a feature our competitors wish they had.

PCturbo 286e


A full-slot PC/XT/AT coprocessor. Twice the speed of an AT; 5 times that of a PC for lightning calculations, dazzling screens, and unbelievable performance. A Megabyte of RAM, optional

EMS memory, and free RAM Disk, Caching, and Print Spooling. Now your PC can wait on you instead of the other way around.

Applications:

- ▲ Windows: No longer do you need an AT to make it fly.
- ▲ Math: Crunch through computations with 8MHz 80287 power.
- ▲ Spreadsheet: Load and recalculate with amazing speed.
- ▲ CAD: Redraw, zoom, and pan in a flash.
- ▲ Database: Run lengthy updates on Friday rather than all weekend.
- ▲ EMS: Supports Lotus specification.

Norton SI Program V3.0



Choose TinyTurbo 286
If you would like AT speed.

Choose PCturbo 286e
If you demand the ultimate in performance.



For the name of your nearest dealer phone
(008) 33 4854

The Innovative Leaders



BRAINSTORM

OUR SPECIAL OFFER:

**IF YOU CAN FIND A LOWER PRICE,
We Guarantee The Lowest Price and Best**

IBM SOFTWARE

Copy II PC	\$ 79
DB III +	\$ 699
Flight Simulator	\$ 89
Framework	\$ 745
Gateway	\$ 170
Gem Draw	\$ 310
Hardward Total Prg Mng	\$ 549
Jet	\$ 85
Knowledgeman	\$ 729
Lotus 123	\$ 535
Microsoft Windows	\$ 160
Microsoft Word	\$ 449
Microsoft Word + Mouse	\$ 599
Norton Utilities	\$ 120
Open Access	\$ 625
PC Alien	\$ 79
Q & A	\$ 449
Reflex	\$ 149
Sidekick	\$ 75
Smart Software	\$ 840
Spellbinder	\$ 565
Super Calc III	\$ 515
Symphony	\$ 710
Timeline	\$ 565
Turbo Lightning	\$ 140
Type Quick	\$ 72
Wordstar 2000	\$ 454

**Call for products not
listed**

We also supply Apple and Commodore software. Please call for best price.

HARDWARE

Qubie 20MB w/sw + contr	\$1100
Qubie BT 20MB card mounted	\$1150
Tandon/Segate 20MB + contr	\$1179
Irwin 10MB back up internal	\$ 889
Irwin 20MB back up internal	\$ 999
Irwin 10MB external	\$1444
Qubie 6 pak 384KB	\$ 375
8087 chip	\$ 260
AST 6 pak inc. Sidekick	\$ 565
Microsoft Mouse	\$ 245

MODEMS

Netcomm in Modem	\$ 495
Netcomm 123 in Modem	\$ 790
Netcomm Smart 123A	\$1100
Netcomm Smart 2123	\$ 580
Nice Modem 300FD 1200/75	\$ 269
Nice Modem for C64 incl. Viatel SW	\$ 299

PRINTERS

Epson LX80	\$ 499
Epson FX85	\$ 785
Epson FX105	\$ 958
Epson LQ1000	\$1350
Toshiba P1340	Call
Toshiba P351	Call
NEC P5 Pinwriter	\$1700
NEC P3 Pinwriter	\$1150
NEC P3 Colour	\$1400
NEC Elf Spinwriter	\$ 699

SAM Computer Phone Answering Machine and Phone Management System for IBM PC & Compatibles.

SAM is an advanced telephone management product, carefully designed to enhance the effectiveness of your personal communications. The package includes all the hardware and software required to transform your IBM PC into an intelligent telephone answering and voice messaging system.

Besides being a normal phone answering machine some of the features are:

- SAM allows up to 999 personal messages to be retrieved by callers
- Message forwarding
- Timed delivery of messages
- Group delivery
- Phone directory from which you can one touch dial up to 250 nos. **\$899 inc. tax**

VoiceCommand Voice Recognition System for IBM PC

At last there is available a voice recognition system that provides a 32,000 word capability in 500 word instant recognition segments — all at an affordable price. Simple universal interface: VoiceCommand creates a universal interface to operating systems and application programs, translating the spoken word into computer commands for these systems and programs. All PC/DOS and MS/DOS can be used with VoiceCommand.

System allows multiple users and includes a full size system board that simply plugs into the spare slot in your PC, software and a microphone. Possible application are with disabled users, medical field, quality control, checkout counters etc. **\$1900 inc. tax**

We are the authorised sole Australian distributors for above products. Dealer enquiries welcome.

PRICE, SERVICE AND ADVICE ... here's the proof!

When you buy from BRAINSTORM you buy from the experts who regularly service the computing needs of some of Australia's leading companies ...

AWI, GIO, BHP, CSIRO, CSR, James Hardie, Taronga Park Zoo, McNair Anderson, PA Consulting, University of NSW, Sydney, Perth, SA, Monash University, Education Department, Department of Public Service, Wollongong City Council and many, many more that would take pages to list.

BRAINSTORM COMPUTER PRODUCTS, 3rd Floor, 405 Sussex St, Sydney 2000, NSW. P.O. Box K109, Haymarket. Telex 70208.

computer warehouse

**FOR ORDERS CALL
(02) 212 1622**
MAIL VIATEL TO: 221216220
See Viatel List On *2489 #

WE'LL BEAT IT BY AT LEAST \$10!

Service on any Software and Hardware



THOMPSON 36512 14" COLOUR MONITOR

RGB or composite input green or amber text switch intergral speaker.

\$570 inc. tax

THOMPSON 36382 ST


14" high res non-glare colour monitor.

\$670 inc. tax

OLIVETTI M24 SP

3036 10MHZ processor 640KB memory 20MB hard disk.

\$CALL



BROTHER M1509 15"

180cpc NLQ serial and parallel input built in tractor.

\$725 inc. tax

TOSHIBA T1100

Portable computer 80C88 processor. 512KB memory, 720KB 3½ drive.

\$CALL



OSBORNE 2000 PC

8088cpu 640KB RAM 2 x 360KB drives. Clock, serial and centronics ports. Graphics card, licenced MS DOS. Osbornes back up and nationwide service.

\$1750 inc. tax

OSBORNE AT

512KB 1.2 MB FDD

\$3390 inc. tax

OSBORNE AT

512KB 1.2 MB FDD, 20 MB hard disc. 40MS.

\$4995 inc. tax

Order from us any new software or hardware item currently advertised in any popular computer publication and we'll beat the advertised price by at least \$10. (PLEASE NOTE: This offer is made subject to stock availability and does not apply to orders under \$100).

Bankcard, Visa, Mastercharge and Amex credit cards welcome.

All prices subject to change without notice. Delivery extra. All products carry full warranty and support.

If you have an IBM PC or compatible

there are 2 utilities you should have...

MACE UTILITIES

- ★ **UNFORMAT** will restore all your subdirectories and files automatically on a hard disk
- ★ **UNDELETE** gets erased files back with four keystrokes and without cross-linking
- ★ **REMEDY** automatically moves files to a safe place and locks out the bad spots
- ★ **RECLAIM** automatically extracts files from unreadable disks
- ★ **CONDENSE** un-fragments up to 32 mb, doubles the speed at which programs load, find and store data by placing files in one physical piece on the disk
- ★ **SQUEEZE/SORT** in a single operation — speeds up the path by squeezing deleted references from directories

ONLY \$135.00

**BUY BOTH
FOR ONLY
\$200.00
SAVES HOURS OF WORK**

XTREE

- ★ **MOVE** files from one directory to another
- ★ **COPY**, delete or rename multiple files in different directories in one operation
- ★ **VIEW** contents of files
- ★ **SORT** files by name, size, extension or time and date
- ★ **PRINT** out all files on an entire disk — organized by subdirectory
- ★ **TAG** as many files as you want to work with, so that you can do any of the above with a single keystroke
- ★ **SHOW ALL FILES** or groups of files in all directions in one sorted display

ONLY \$99.00

To: **Perfect Information (Australia) Pty. Ltd.**
P.O. Box 946, Crows Nest NSW 2065
Phone (02) 957 6686 or (02) 92 7777

Please send me _____ copies of XTREE/MACE UTILITIES or both.
I enclose my cheque for \$ _____ or please debit my American Express, Diners Club, Visa, Mastercard or Bankcard. Plus \$5.50 Freight

Card expires _____ Signature _____
Name _____ Company _____
Address _____ Postcode _____
Phone No. _____


into command mode and either entering commands direct from the keyboard, or running stored commands. The menu-driven front end is very comprehensive, and I'll describe the package mainly in those terms. Guru's main menu is shown in Screenshot 1. Menus are 'stacked' as you invoke options in succeeding sub-menus; there is also plenty of screen prompting. To choose menu options, you have three choices: use the cursor keys; enter enough characters to identify an option uniquely; or use a mouse — Guru comes set up to use a mouse if you make sure that the mouse 'driver software' is installed correctly.

Building a system


There are two basic elements to Guru's expert system facilities: build a system; and consult a system. For each, there is a Guru command, or you can invoke the option through the expert system's menu. Building a system consists of enabling Guru to construct a file of the required command, data and data references. This can be done either by responding to menu prompts, or by entering the elements of the model in a text file using Guru's own Build editor, the built-in text processor K Text, or an external word processor. When the file has been created, it must be compiled (using the Compile command); this is intended to improve the speed with which Guru systems can be consulted by users through the Consult command. (The term 'model' is used here to describe a collection of data and rules about that data. Guru uses 'rule set' instead, but as it actually comprises more than just a set of rules, I find that rather confusing.)

Compilation is quite a slow process, but I didn't notice any problems with speed when consulting the small models I used. However, for those who want to build sizeable models, it is important to check on speed of execution, and also on the model size, that is possible on your computer system. Guru does not itself limit the size of model, in that there is no restriction on the number of rules and variables in a rule set, but hardware may do so.


The model constructed during the Build phase, and stored in a plain text file, has several elements. The goal of the model must be defined. This goal is usually a single variable, or a so-called 'fuzzy' variable, which is a many-valued variable having certainty factors attached to each potential value. The other essential element in the model is a set of rules, which, when evaluated, will provide a value (or values) for the goal.



Screenshot 7 Querying the user



Screenshot 8 Uncertainty in Input



Screenshot 9 The line of reasoning



Screenshot 10 DBMS: menus & help

The simplest kind of model you could devise might look like this:

```
GOAL: Intrate
RULE: Rule 1
      IF: Period < 90
      THEN: LET Intrate=12.5
RULE: Rule 2
      IF: Monthpay < 50
      THEN: LET Period=120
```

Supposing that the variable Monthpay were initially set to 42, and this very simple model were compiled and then executed in a 'consultation'. Guru would look first for a rule that contained a definition of the goal variable — in this case, Rule 1. But this rule cannot be 'fired' or activated, because at this stage, the value of Period is unknown. Guru sets as its next task, or sub-goal, the finding of a value for Period. Rule 2 provides this, and its premise, Monthpay, is known, so the rule can be fired. The premise being true (since 42 is less than 50!), this yields a value for the sub-goal of Period, and allows Guru to fire Rule 1. That premise is true too, so the model has achieved its goal of finding a value for Intrate.

Rules and variables

Even the aforementioned simple model shows a major difference between the type of processing used in expert systems and in conventional programming. Within the set of rules, all are

potentially available for processing simultaneously; we are not using a procedural approach, as in conventional programming. (Some regular readers may already be reminded of the approach central to constructing procedures using Intuitive Solution.) The order in which rules are evaluated to see whether they can be fired, the number of times they are evaluated (and fired), and other attributes, depend both on strategy and tactics. In Guru, the strategy for evaluation may be determined when the model is consulted; the possible strategies are summarised in Fig 1.

Within that overall strategy, to determine how and when rules will be evaluated and fired, Guru uses an approach with which Kman devotees will be familiar — that of environment variables. The particular variables involved are shown in Fig 2; initially the central variable is E.SORD. This consists of a list of codes, each indicating a criterion for judging the order of rule evaluation; the order in which these codes appear in E.SORD dictates the order of importance of the criteria. If the user does not change E.SORD (either by including an assignment within the model, or by altering E.SORD before issuing the Consult command), then rules are examined to see if they can be fired in the order in which they appear in the model. Other criteria include the cost of firing the rule (some conditions may be more costly to test than others: for

DISCWARE

the biggest range of PC products AT THE BEST PRICES

YOUR EGA SOLUTION:

Quadram QuadEGA+ Board and TVM Monitor **\$1995**

EGA: 640 x 350, 16/64 Colours, CGA: 640 x 200, non-glare etched screen, 0.31mm dot pitch. Quad EGA+ also supports Hercules monochrome graphics.

Olivetti M24 Twin Disk Drives **\$3800**

640KB RAM, 2 x 360KB floppy disk drives, hi-res green or amber monitor, parallel and serial ports, 6 month warranty.

Olivetti M24 Hard Disk **\$4900**

640KB RAM, 20MB internal hard disk, 360KB floppy disk drive, parallel and serial ports, hi-res green or amber monitor, 6 month warranty.

SUPER SPECIALS FOR THIS MONTH ONLY

Lotus 123 rel. 2 ... \$835.00 this month only **\$Call**
Seagate 20 MB H/disk ... this month only **\$949.00**

dBase III+ ... \$1095.00 this month only **\$675.00**
Intel 8087.2 ... \$489.00 this month only **\$330.00**

Kaypro 2000 **fr \$2995**

768KB RAM fr. back lit LCD screen option
3.5" 720KB built-in floppy and RAM disk,
real-time clock, 8087 option + \$269.00,
hard disk option \$call, bundled software.

Olivetti M24 SP **\$Call**

8086 @ 10MHz, 640KB, 20 MB, limited stock.

YOUR COMMUNICATIONS SOLUTION:

Imagineering's **Le Modem** by NetComm **\$449.00**
300 baud, 1200/75 baud, auto-dial auto-answer, 1/2 card, totally internal.

Toshiba P351 Printer **\$call**

The finest 3-in-1 printer made: 288 cps draft mode, keeps letter quality, 180 x 360 dpi graphics! 24 pin dot matrix, downloadable fonts, true letter quality.

Toshiba T1100 **\$call**

256KB RAM, 3.5" 720KB floppy, RGB, 512 KB option, 5 1/4 floppy option.

Canon Laser Jet **\$call**

IBM SOFTWARE

	R.R.P.	Our Price
Borland's Superkey	149.00	99.00
Clipper Compiler dB III	995.00	710.00
Concurrent PC DOS 4.1	555.00	399.00
CopyIPC	95.00	69.00
Copywrite	125.00	85.00
Crosstalk XVI	249.00	149.00
dBase III plus	976.00	670.00
Easy!	240.00	215.00
Enable	1100.00	815.00
Fastback	250.00	150.00
Framework 2	1095.00	745.00
Gem Draw/Desk Top	395.00	299.00
Graftalk	670.00	570.00
Harvard Total Project Manager	649.00	490.00
Harvard Presentation Graphics	625.00	499.00
Knowlegeman 2.0	945.00	735.00
Lattice 'C'	790.00	690.00
Lotus 123 rel. 2.0	835.00	499.00
Microsoft Word	599.00	430.00
Microsoft Word + Mouse	799.00	599.00
MultiMate 3.3	725.00	525.00
Norton Utilities 3.1	199.00	129.00
Open Access	995.00	660.00
Paradox	1095.00	769.00
PC Alien	95.00	82.00
Reflex	199.00	140.00
Symphony 1.1	1095.00	699.00
Side Kick ver. 1.5	99.00	75.00
SmartKey 5	79.95	69.00

IBM SOFTWARE

	R.R.P.	Our Price
Smart Software System 2.0	1045.00	830.00
TKI Solver 1.6	500.00	399.00
Timeline ver. 2.0	760.00	545.00
Transporter	319.00	269.00
Turbo Lightning	190.00	130.00
Turbo Pascal, 8087, BDC	fr 125.00	fr 89.00
Turbo Prologue	call	call
TypeQuick	77.00	72.00
Word Perfect 4.1	685.00	519.00
Wordstar	575.00	290.00
Wordstar 2000+rel. 2.0	795.00	440.00
Wordstar Professional	595.00	410.00
Software not listed: call for best price	call	call

Software from Arcrom Pacific, Imagineering, SCA, Microsoft, Digital Research, Sourceware, Software Source, Intelligence, MicroPro, Ashton-Tate, Sorcim and others. All products carry full warranty. We support what we sell. All products are latest release versions.

SAM Computer Phone Answering	\$660.00
VoiceCommand	\$1490.00
Cipher 25MB tape	\$1890.00
NetComm 3+12 modem	\$249.00
NetComm Smart 123A	\$1090.00
NetComm Smart 1234	\$1350.00
NetComm Smart 2123	\$569.00
NetComm In/Modem	\$449.00
20 MB Drive Card	\$1890.00
Intel Above Board	\$579.00
Qubie 20MB hard disk	\$1050.00
Qubie 44MB hard disk	\$2600.00
Qubie 6 Pak 384KB	\$379.00
8087	\$259.00
Texan Super Vision IV	\$1050.00
Sigma Color 400	830.00
Texan Super Vision III	\$765.00
Qubie color monitor	\$699.00
Irwin 10MB tape internal	\$1150.00
Irwin 10MB tape external	\$1590.00
AST 6Pak with Sidekick	\$449.00
Microsoft Mouse	\$235.00
Tandon 20MB hard disk	\$1090.00
Toshiba P351 Printer	\$Call
NEC P5 Pinwriter	\$1700.00
NEC P3 Color	\$1379.00
NEC P2 Color	\$1150.00
NEC P3 Pinwriter	\$1150.00
NEC ELF Spinwriter	\$699.00
Brother M1509	\$739.00
Epson LQ1000	\$1490.00

Prices correct at the time of printing, subject to change without notice. Delivery extra.



Call for specials and sales-tax exempted prices: (02) 212-6933, Order by phone, or send cheque or money order to: DISCWARE, 5th floor, 3 Smail Street, BROADWAY NSW 2007 TLX: AA23509. For all products not listed call (02) 212-6933. Viatel * 778 000#

\$1995
MADE IN USA 6 MONTH WARRANTY

DISCWARE

introduces non-obsolescence

THE KAYPRO PC

NEXT YEAR'S TECHNOLOGY

That's easy. Replace the existing IBM PC/XT board with an IBM PC AT-compatible board, available now; IBM 32-bit standard, available soon; or whatever the future holds.

MEMORY-HUNGRY SOFTWARE?

Simply exchange the existing multi-function board (256 KB of memory, expandable to 768 KB) for any configuration of memory, I/O, and controller boards.

HIGH-RESOLUTION GRAPHICS?

KAYPRO's standard multivideo board features perfect monochrome clarity plus high-resolution colour (IBM CGA). But, if it's IBM EGA that you want? — simply snap in a board.

FURTHER SYSTEM EXPANSION?

But of course! The KAYPRO PC is ready for anything. With six available slots, add what you need — networking, modems, more memory — the sky's the limit.

MONITOR

A large range of monochrome and colour monitors available.



FREE HANDS-ON TRAINING: \$220 VALUE!

Buy a KAYPRO daisy wheel printer with your KAYPRO PC for \$749.00 extra and Discware will enroll you, at no charge to you, in a full 8 hours' professional training course.

PLENTY OF STANDARD FEATURES?

POWER SUPPLY:

A generous 132 watts of power for even the most demanding hard drive.

FLOPPY DISK DRIVES:

Dual IBM-compatible floppy disk drives standard or slide in the drive of your choice.

HARD DRIVE EXPANSION:

Space provided for easy additions of internal hard drives.

BUNDLED SOFTWARE:

A full selection of business software for today and tomorrow.

KEYBOARD:

Detachable, IBM PC AT-style keyboard with security keylock.

Kaypro's new "Snap-In" technology lets you exchange or update all vital system components in seconds.

Computer technology changes with lightning speed. In the time it takes to read this, there will be dozens of new products on the market that make their predecessors obsolete. With that in mind, we'd like to give you a bit of good news. The fully IBM PC/XT compatible KAYPRO PC has been designed to eliminate computer obsolescence. That means it's a snap to update all vital system components — right down to the system's microprocessor.

And, if it's topnotch features you want, look no further. The KAYPRO PC delivers: IBM PC AT-style keyboard, two disk drives, built-in colour capability, and a 256 KB RAM (expandable to 768). The culmination of Kaypro's 33 years of electronics engineering innovation, the American-made KAYPRO PC just may be the last computer you'll ever need.



Call for specials and sales-tax exempted prices: (02) 212-6933. Order by phone, or send cheque or money order to: DISCWARE, 5th floor, 3 Smail Street, BROADWAY NSW 2007
TLX: AA23509. For all products not listed call (02) 212-6933. Viatel * 778 000#

PROFOUND

IBM PC/XT COMPATIBLE

Free trip to
Surfers Paradise
staying at the
new Jupiters
Casino



For full details
contact E.M.E.
Winner will be
announced in the
September edition
of APC

DEALER ENQUIRIES WELCOME

IBM SOFTWARE

	OUR PRICE	RRP
LOTUS 1-2-3 VERS 2	535	835
SYMPHONY	725	1095
DBASE 2	495	678
DBASE 3+	795	995
PARADOX	795	995
PFS FILE	195	215
PFS PLAN	195	215
PFS REPORT	195	215
PFS GRAPH	195	215
PFS WRITE	195	215
AUDITOR VERSION 2	195	215
BOTTOMLINE IV	295	365
SPOTLIGHT	195	235
SIDWAYS	85	95
STARBRIDGE	65	70
SIDEKICK (UNPROTECTED)	125	135
THINK TANK	250	295
TURBO PASCAL	99	119
TURBO PASCAL 8087	160	180
TURBO TUTOR	60	65
TURBO TOOLBOX	80	90
DATABASE TOOLBOX	90	99
TURBO LIGHTENING	130	145
QUICKCODE II	365	405
DUTIL III	135	145
QUICK REPORT III	365	405
WORDSTAR	340	445
WORDSTAR 2000 VER 2	455	595
WORDSTAR 200 PLUS	545	695

PR-02 PROFOUND STANDARD

- * 256K RAM
 - * 8 SLOT MOTHERBOARD
 - * VIDEO BOARD
 - * PARALLEL PRINTER PORT
 - * SERIAL PORT RS-232
 - * REAL TIME CLOCK/CAL
 - * JOYSTICK PORT
 - * 2 x 360K FLOPPY DRIVES
- ALLOW \$150
EXTRA FOR 640K

\$1,499

PR-AT PROFOUND AT

- * 512K ROM EXPAND TO 1MEG
- * 1 x 1.2 MBYTE FLOPPY DISK
- * 1 x 20 MBYTE HARD DISK
- * PARALLEL/SERIAL CARD
- * VDU CONTROLLER CARD
- * AT STYLE KEYBOARD

\$4499

All Systems backed by:

- COMPREHENSIVE WARRANTY
- TECHNICAL SUPPORT
- FRIENDLY SERVICE

HARD DISKS

- 20 MBYTE & CONTROLLER \$1099

MONITORS

- TVM ECA WITH CARD \$1850
- COMPOSITE HI-RES GR OR AM \$199
- TTL & COMPOSITE \$299
- DTX COLOUR 14" \$499
- INTRA 14" COLOR HI-RES \$690
- PHOENIX II 14" COLOUR \$690
- PHOENIX IV 14" COLOR \$790
- EIZO SUPERVISION IV COMPACT WITH CARD \$1590

PRINTERS

- BROTHER HR-5 \$199
- BROTHER M-1109 80 COL \$399
- BROTHER M-1509 132 COL \$799
- TWINWRITER 5 DUAL-HEAD \$1850
- STAR SG 15 132 COL \$799
- NAKAJIMA AP-650 D/WHEEL \$650
- OLYMPIA 165 CPS \$550

OTHER

- BARCODE READER \$590
- MICROSOFT MOUSE \$285
- Z-NIX MOUSE \$160
- INTERLINK 12/75 MODEMS \$299
- IBM COMPATIBLE JOYSTICK \$50
- 10 BLANK DISKETTES DSDD \$35
- DISK STORAGE BDX \$25
- PRINTER CABLE \$35
- ALL THE LATEST AT ACCESSORIES FROM OVERSEAS

EASTERN MICRO ELECTRONICS (Sales) PTY LTD

MELBOURNE
92-94 Bank Street
South Melbourne Vic 3205
Ph: (03) 699 3088
Fax No: 690 9562

SYDNEY
Gnd Floor, Fortune House
88 Foveaux Street
Surry Hills NSW 2010
Ph: (02) 699 3088
Fax No: (02) 21 2245

example, if the condition involves an expensive laboratory test).

There are other differences, of course, from the approach taken in conventional programming. In the aforementioned example model, all the variables used had values which were known with certainty, but a major strength of expert systems such as Guru is their ability to handle uncertainty. Variables may be unknown, or may be known with varying degrees of certainty; they may have single values, or be 'fuzzy' — that is, may

have alternative values (to a maximum of 255), each with its own certainty factor. Certainty factors may vary in value between 0 and 100, and may loosely be thought of as percentages — 'I am 90 per cent certain that it will rain today.' These factors are, however, independent of one another: the certainty factors of possible values for a 'fuzzy' variable need not sum to 100 — they may total less or more than 100.

To make this clearer, let's take another example. Suppose you wanted to build a

system to help people choose an appropriate career. For any one person consulting the model, several of the careers you have included may be appropriate, with varying degrees of apposition. In Guru, the extent to which a career is appropriate would be called the 'certainty factor'. For instance, to someone who likes working with figures and who did well in maths courses at college, but who does not like working with people, a job in data processing might be appropriate, but perhaps less so than a job as an actuary. These judgements would be reflected in the certainty factor assigned to the two possible values — 'actuary' and 'dp staff' for the goal of 'best job'.

Fig 3 shows part of an example of such a model, with the goal and two rules defined; this example is one of several included with the Guru software. The assignments to the variable 'best job' show the use of certainty factors in action. The operator += is used to indicate cumulative assignment to a variable: it enables Guru to accumulate certainty factors using an appropriate form of algebra. This form may be preset by the user with another environment variable; the form used allows for a range of degrees of rigour in the accumulation of certainty factors.

The general approach of accumulating certainty factors is intended to work much as human experts do. When making judgements, people tend to take a variety of items of evidence and consider them together, to build up their certainty as to which is the best solution. The level of certainty at which Guru regards a variable, previously unknown, as having become known (with a certainty factor) is controlled by the environment variable E.UNKN. The working of the model after the goal variable becomes known with minimum certainty is dictated by another environment variable, E.RIGR. (In the example shown in part in Fig 3, E.RIGR has been set to All, to ensure that all possible job criteria were evaluated before the model reached a conclusion.)

Fig 3 also shows some of the options allowed when specifying a rule. The full set of rule options is shown in Fig 4, together with the possible elements of the premise and conclusions of a rule.

In addition to a goal and the set of rules needed to reach it, together with the variables upon which the rule operates, a model may also contain other elements. These include an initialisation section, and a set of statements to be obeyed when the goal is reached. An instance of the latter (another part of the example used in Fig 3) is shown in Screenshot 2,

Variable	Default Value	Meaning
E.BEST	4	Maximum number of 'best' values (those with highest certainty factors) of fuzzy variables used when evaluating expressions
E.CFCO/ E.CFJO	M	Determines option used when combining certainty factors: M=Maximum, P=Probability Sum, A=Average of M and P, B=Balance of M and P
E.CFVA	PP	Controls determination of variable's certainty factor. May have one of 16 values: Probability Sum, Maximum, Average or Balance of Products, Minimums, Averages or Balances
E.HRES/ E.WRES	4	Controls degree of elaboration (1, lowest, to 6/5) in response to user who issues How/Why command to request explanation during consultation
E.ICF/ E.OCF	FALSE	Prompts the user for/displays a certainty factor when entering/displaying a variable via an Input/Output command
E.IFUZ/ E.OFUZ	1	Number of automatic repetitions of Input/Output command issued to get/display values for fuzzy variable
E.RIGR	M	Controls degree of rigour used when attempting to infer the value of an unknown variable: M=Minimum (consider no further rules when certainty exceeds E.UNKN), A=All (fire all relevant rules that can be fired), C=Considerate (consider remaining rules when variable's certainty exceeds E.UNKN, and fire each having TRUE premise)
E.SORD	F	Sequence of from one to six codes which determine the order in which competing rules are considered for firing; the sequence determines the relative importance of each criterion for rule selection. Codes may be: C (least cost), F (first in rule set order), H (highest priority — see options in Fig 4), R (random order), U (fewest unknown variables in rule's premise)
E.TRAC	N	Tracking level: N=None, F=Fired rules, C=Considered and fired rules, V=Verbose
E.TRYP	S	Defines strategy for evaluating premise having unknown variables: may be S=Strict (evaluate only if all variables can be determined), P=Patient (try to determine values for all unknown variables, then try to evaluate premise), E=Eager (evaluate premise after each unknown variable becomes known, halt testing when premise known)
E.UNKN	20	Threshold for certainty factors: a value with certainty factor below this threshold is considered to be unknown
E.WHN	L	Indicates when actions for finding values of variable are to be taken: may be L (as a Last resort), F (First, before trying to infer values for any variables), or N (Never)

Fig 2 Environment variables relevant to model consultation

and gives rise to the display shown in Screenshot 3. This is typical of the use to which the completion section is normally put — that is, to show the user the result of the consultation, but you may also carry out any of Guru's other capabilities, as any Guru command (or command set) may be included here.

User image

When you have grasped the method of approach, Guru is quite a nice system to use: the menu-driven approach is remarkably helpful for those in the early stages of using such systems. And especially for existing Kman users, or those used to other command-driven database management systems such as the dBase family, the ability to use the whole range of Kman 2 facilities is a great help. For example, Kman 2 has some excellent screen-painting features, which takes care of the need to design a good user interface for the expert system user. Likewise, the ability to use the whole range of Kman data management features to add, edit and report on large quantities of data should be of great benefit to the expert system builder. (It is worth adding that certainty factors can only be applied to working (memory) variables. To store such variables in a database, you must store each value and certainty factor explicitly, perhaps in a pair of arrays for a fuzzy variable.) The ability to use graphics to display results or illustrate questions is also helpful.

That's the good news. The bad is two-fold. Firstly, the demonstration booklet which comes with the software does not correctly match the sample programs shown on the disk. Initially, the demo does not behave in the way the booklet says it should, and the booklet includes listings of two of the examples but not of the other two — the most important of which is not even mentioned. These may seem like minor quibbles, were it not that this is likely to be most users' first encounter with the documentation.

The lack of confidence thus engendered is fully justified by the manuals themselves. These are in three sections: a manual for Menu users, another for Command users, and a two-part *Reference Manual* for the whole system. The manuals appear to be comprehensive — as far as I can tell, given that they are every bit as impenetrable as those for Kman (both versions). It took me about six readings of the 'expert systems' sections in each of the three manuals to get any clue about what was going on, and give me enough knowledge to get started. Some use of the system then made it possible for me to go back and re-read the

manuals, and after that I began to be comfortable with the package. But I am already familiar with Kman and its approach. I strongly suspect that novice users, especially those without much understanding of expert systems terminology, would gag on the first section and give up.

Conclusion

The inadequacy — or rather, the inappropriateness — of Guru's documentation is a great pity, because the expert system facilities are powerful and

are provided with thought and care; with good documentation, they could be used to good effect by people who are prepared to take time to understand the product and its potential applications. As it is, I suspect that the package will be great for people who would otherwise be writing programs or developing extensive database management systems, but much less interesting to ordinary users.

Guru costs \$4278 and is supplied by Database Network, Suite 3, 83 Glen Eira Road, Elsternwick, Vic 3183. Tel: (03) 523 8222. **END**

A rule has the basic form:

Rule name: IF conditions THEN conclusions

In addition, several options may be specified for a rule; any options not set take global default values, which may be altered by the system designer or the user

Rule premise conditions

Any logical expression, which may include: * Variables

- working (memory) variables
- field variables (from database table)
- cell variables (from spreadsheet)
- utility variables (for example, results of statistical commands)
- environment variables

* Functions (numeric, string, logical)

* Operators

- numeric (+, -, *, /, **, %)
- string (concatenate)
- relational (equal, not equal, <, >, <=, >=, within)
- Boolean (and, or, not, exclusive-or)
- * Wildcard and pattern class matching

Rule conclusion (actions taken when rule premise is TRUE)

Any Guru command or set of commands, including:

- Assignment of one or more variables
- Requesting input from user
- Displaying results to the user
- Consulting other rule sets
- Guru stored procedures
- DBMS commands including query processing
- Spreadsheet processing
- Generating and displaying business graphics
- Displaying or printing pre-prepared forms, reports and word-processed text
- Communicating with another computer
- Executing DOS commands and other programs

Rule options

Priority: May take values 1 (lowest) — 100. Used as one component in deciding which rule to evaluate

Cost: Relative indication or rule's cost, taking values 1 (lowest) — 100.

Ready: Sequence of commands executed before rule's premise is tested

Needs: List of variables whose values must be known before rule is considered for evaluation. Only needed if premise includes indirect references to variables (for example, macro returning a value needed to test the premise)

Changes: List of variables changed by rule's operation. Only needed if indirect references involved

Try: Indicates testing strategy: *Strict*, *Patient* or *Eager*

Comment: Comment seen by system developer during Build

Reason: Comment seen by user running Consult

Fig 4 Elements of a rule

“GOING ON LINE?”

Telecom Austpac[®] is the reliable, cost-efficient way to go.

It makes good business sense to distribute the power and information of your head office computer to branch offices or other points around Australia.

The benefits of having your own on-line, interactive network are wide-ranging. The only questions are: “How to do it?” and “How much?”

Your answer is Telecom Austpac.

Austpac is a separate Telecom network specially designed to switch your data communications anywhere in Australia—just as your telephone service switches telephone calls.

Telecom Austpac sends and receives information in ‘packets’ rather than as a stream.

Austpac is reliable. The contents of each data ‘packet’ are electronically checked several times during transmission.

Austpac is cost-efficient. You pay the same low call charges, regardless of distance within Australia.

Austpac is fully compatible. Different speeds and protocols are all the same to Austpac. The PC can ‘talk’ with the big business mainframe.

You can dial through the telephone network, or send your own data ‘packets’ with a **direct X25 connection.**

Go on line with Telecom Austpac.

For complete details, contact a Telecom Consultant on:

Sydney: (02) 2676767	Perth: (09) 420 7477
Melbourne: (03) 11510	Hobart: (002) 20 8800
Brisbane: (07) 835 6400	Canberra: (062) 45 5555
Adelaide: (08) 217 9367	Darwin: (089) 89 3266

Telecom Austpac—packet switched data transmission service.

[®]Austpac is a registered trademark of the Australian Telecommunications Commission trading as Telecom Australia.



Telecom Australia
Better for Business

The Atari Voted personal c



Every year, the cream of the computer world gathers for the biggest computer show in Europe to hear who has won the award for Best Personal Computer of the Year.

Guess who swept them all away and came up with the votes in 1985?

That's right, Atari, with their extraordinary

520ST personal computer.

Not only that, it went on to be voted Best Value Computer of the Year by InfoWorld in America.

No equivalent personal computer packs as much performance for the price.

What do you get?

An MC 68000 processor with 512K of RAM

Atari 520ST. The computer of 1985.



with 512 colours for superb graphic applications.

The system's software is GEM™ which means you can have overlapping windows, drop down menus and icons, plus the use of a mouse controller.

Not to mention the choice of either mono or colour monitors.

That's bad news for Apple, IBM and Commodore.

But good news for you.

If we're talking your kind of language, simply contact the Australian distributors, Mobex Pty. Ltd. for your nearest Atari dealer on

(02) 406 6277, (03) 329 5477,

(07) 358 5366, (08) 212 7455,

(09) 328 3355.

DISTRIBUTED AND WARRANTED IN AUSTRALIA BY MOBEX PTY. LTD



ATARI

The Atari 520ST. More power. Less price.

If you've ever wondered whether there was a better way to get work done, have we got good news for you.

The new Atari 520ST was voted Personal Computer of 1985 by a panel of journalists from the USA, Great Britain, Italy, Netherlands, France, Spain and Germany.

And, voted Best Computer Value of 1985 by the prestigious Info World magazine.

Its high speed performance, high resolution graphics and the ability to easily expand, means that it can handle budgeting, accounts, company sales forecasts, plus educational games programmes.

Bad news for Apple, IBM and Commodore.

At \$1695 the Atari 520ST is bad news for our competitors. But good news for you.

The 520ST is equipped with SF354 Disc Drive (360K), SC124 High Res Monitor (Mono), Neochrome Graphics/drawing program and is mouse controlled.

The 520ST can perform the following functions: Word Processing, ST Basic, ST Logo, GEM operating system in Rom.


The 520ST is also available with a colour monitor for an extra \$500.

Just look at the following comparison table - no equivalent personal computer packs as much performance for the price.

	ATARI™ 520ST	IBM™ PCAT™	APPLE™ MACINTOSH™	COMMODORE™ AMIGA™
CPU	68000	80286	68000	68000
Speed MHz	8.0	6.0	7.83	7.16
Standard RAM	512k	256k	512k	256k
Number of Keys	95	95	59	89
Mouse	YES	NO	YES	YES
Screen Resolution		(Non-interlaced mode)		
Colour	640x200	640x200	NONE	640x200
Monochrome	640x400	720x350	512x342	640x200
Colour Output	YES	OPTIONAL	NONE	YES
Number of Colours	512	16	NONE	4096
Disc Drive	3.5"	5.25"	3.5"	3.5"
Built-in Hard Disk				
(DMA) Port	YES	YES	NO	NO
MIDI Interface	YES	NO	NO	NO
No. of Sound Voices	3	1	4	4

Don't take our word for it.

Listen to what computer specialists say about the Atari 520ST. Creative Computer October 1985



"Without question, the most advanced, most powerful microcomputer your money can buy..."

Info World John Dvorak "I recently got to play with an Atari 520ST and found it to be a super little machine for the money."

Australian Computing June 1986 Neville Angrove "... the 520ST is a leading contender for the top position in the market, since it meets just about all the requirements of business."

More good news.

The Atari 520ST offers More Power for less price and large number of peripherals and accessories. There's a huge software library, which utilises GEM and includes overlapping windows, drop down menus and icons, through the mouse controller.

There's printers and an ability to connect to musical keyboards via MIDI.

Seeing is believing.

Get the good news for yourself by contacting your nearest Atari Dealer now.

ATARI 

Warranted and distributed by Mobex Pty. Ltd.
Sydney (02) 406 6277. Melbourne (03) 329 5477.
Brisbane (07) 358 5366. Adelaide (08) 212 7455.
Perth (09) 328 3355.

Calcutronics Pty. Limited, 797 Glenferrie Road, Hawthorn, VIC. 3122. Phone: (03) 818 6631.
Alliance Computer Centre, 11 Cracknell Road, Annerley, QLD. 4103. Phone: (07) 892 1152.
The Logical Approach, Shop 5, Nettlefold Street Plaza, Belconnen, A.C.T. 2617. Phone: (062) 51 6349.
Computer 1, 202 Alison Road, Randwick, N.S.W. 2031. Phone: (02) 399 8865.
The Computer Centre, Shop 7G, Gays Arcade, Adelaide, S.A. 5000. Phone: (08) 223 6899.
Microbase Computers Pty. Limited, 422 Newcastle Street, West Perth, W.A. 6005. Phone: (09) 328 9544.

This is the chance to air your views — mail to 'Letters', Australian Personal Computer, 2nd floor, 215 Clarence Street, Sydney 2000. Please be as brief as possible and add 'not for publication' if your letter is to be kept private.

Compatibility

I read with interest your recently released 'Benchtest Special'.

As the owner of an NEC APC III since April 1985 I noted your observation in respect to the SLE Board which I fitted and, as you say, was not cheap. I needed to add some (otherwise not available to me) software and more specifically Microsoft Mouse Paint because of the wide flexibility this excellent program provides in creative artwork in conjunction with word processing.

To my consternation I found out after some hours that Microsoft Paint is in the same category as the software Decathlon to which you allude. It will not run on the not so compatible APC III. Only the graciousness of the supplier insisting that he take back the software avoided a pointless loss.

The APC III has been promoted as a high grade compatible ever since the time I purchased it. The wait for the expensive SLE Board was long — February 1986.

It is indeed a great pity that NEC, which has produced a superb piece of hardware, does not follow through and do the job properly. Perhaps we'll be offered a Mark II SLE Board when NEC realises the unhappiness otherwise devoted users of NEC equipment feel when they seek perhaps less glamorous but very essential software and discover the claim of compatibility has become somewhat misleading.

S Blair

Trespassers barred

I refer to the article entitled 'Trespassers Will Be Prosecuted', in the May 1986 issue of *Australian Personal Computer*.

Within that article is a statement attributed to Mr John Brothers, Netmap's Director of Marketing. Mr Brothers notes that "The news that hackers have doctored records of driving offences at a UK motor registry doesn't surprise Netmap. 'Wait till it's the TAB,' says Brothers, who also notes the ability of the malevolent hacker to put 'computer viruses', or mini-programs, into a network so the whole program corrupts and goes into an endless loop."

I find the above comment quite offensive. The TAB of New South Wales has continually applied a proper focus on its internal control. This focus ensures that the level of public confidence currently enjoyed has not been marred by any fraudulent or malicious incident. As the Netmap company is not in a position to be aware of the security measures currently in force, and the various cross checks, it is difficult to understand how such a generalised statement could be made.

G Corkill
General Manager
Totalizator Agency
Board of NSW

Infinity, again

Regarding the question of

infinity and the sum of the series $0-1+2-3+4-...$, or if you wish, $2-1+4-3+6-5+...$ As noted by B Sunderland (Letters APC April 1986), the second series is merely a re-ordering of the first. This re-ordering is not necessary to notice the strange nature of the above summation.

Taking the '0' as the first term of this sum, the '-1' as the second and so on, the total sum after including n terms is $[n/2](-1)^{n-1}$ where $[n/2]=$ integer part of $(n/2)$; for example, $[1.54]=$ integer part of $1.54=1.0$.

We can now see that the more terms included in the sum (ie, the larger n) the more violently the sum swings between ever larger positive and negative values due to the $(-1)^{n-1}$ term.

This is not uncommon in the study of the sums of an infinite number of terms. It means that the sum does not 'converge' to a sensible result for an ever larger number of terms n . As a consequence, the idea of a total for an infinite number of terms in this sum is meaningless. This is the error B Sunderland and others have made.

Another point raised in the above mentioned letter is the nature of infinity. The author is correct in stating that "infinity cannot be treated as though it were a number". However, this does not mean that we can never sense a difference between infinities. The point to realise is that there are an infinite number of infinities. Also different types of infinity. For example, the infinity that results from the sum $1+1+1+1+...$, is very different from that which

results from $10^{1+1+1+1+...}$.

There is in fact a situation where physical sense can be made of the difference between two infinities (of the same type). In the study of modern quantum physics a mathematical procedure called 'renormalization' actually calculates physically meaningful, and experimentally verified, quantities by subtracting one infinity from another.

K Hinton

Faulty mathematics

An advertiser in the May 1986 edition of your magazine (let's call it Company X) proclaims proudly its unselfishness in seeking to make only 15% profit on the sale of its goods, while at the same time admonishing the competition for making between 25-60%: "We know you won't find a better price in Australia."

It so happens that I am in the market for a Brother Twinwriter 5 printer, and am interested in getting the best possible price as the RRP is in the vicinity of \$1990. So the aforementioned advertisement caught my eye.

Company X advertises the Twinwriter at \$1899. By using its own figures (ie, 15% profit), the wholesale price of this printer must be \$1651. Imagine my surprise on turning to page 74 of this very same issue to find that a Sydney company, Archive Computer Services, is selling the same printer for \$1650! These generous fellows are losing a dollar on every printer they sell.

Peace of mind in three sizes.



Now Fuji brings you
excellence in floppy disks.

There's nothing more frustrating than having a disk go down when it is filled with valuable data. That was our understanding when we first started designing our floppy disks.

We decided to do it right!

The result is a range of products that is so reliable, it carries a lifetime warranty.

The excellence that is relied upon with our photographic products is now available in our range of highest quality disks. Ask for them by name.



SELECTED SUPPLIERS

N.S.W. SYDNEY: Contact Computer Supplies 419 4908 — A B Office Electronics 949 7195 — C A E Electronics 621 4242 — Calmar Distributors 698 1999 — The Computer Shop 517 2999 — Intelligence 699 3877 — Lamron 808 3666 — Logical Solutions 212 6655 — Manly Stationery Supplies 938 2522 — Mitsui Computer 451 7711 — Office World 439 8077 — Pre-Pack Electronics 569 9797 — R.I.O. Distributing 399 9900 — Thinking Systems 560 0666 — Transcrip 764 2177 — The Computer Stationery Co 635 1339 — **DUBBO:** Orana Cash Registers 82 5833 — **WOLLONGONG:** Altech Electronics 84 3059 — Business & Leisure 295 744 — **WAGGA:** Verlyrne Computer Services 21 6522 — **VIC. MELBOURNE:** Australabe 233 9666 — Copy Source 429 9355 — De Vere Computer Accessories 690 8955 — Goodman Cannington 429 8011 — Micro Mart 690 9677 — Output Media 544 4400 — Ray Cross Electronics 762 8566 — **BALLARAT:** Ballarat Image Supplies 35 7298 — **GEELONG:** Systems Stationery & Computing 22 2844 — **HAMILTON:** Sovereign Office Machines 72 2333 — **QLD. BRISBANE:** The Byte Shop 371 0711 — C.W. Electronics 39 0888 — Computer Paper Supplies 369 5277 — Design Offices Co-op 831 4977 — **CAIRNS:** Cairns Stationery Supplies 51 2277 — **MT. ISA:** Barkly Computer 43 2929 — **SOUTHPORT:** Stateside Gold Coast 32 8988 — **S.A. ADELAIDE:** Boss Business Products 233 2224 — Perce Burton Business Equipment 212 2611 — **MT. GAMBIER:** Southeast Business Machines 25 8900 — **W.A. PERTH:** Jays Business Equipment 381 8700 — Regional Computers 328 9062 — **BOULDER:** Computers West 21 6961 — **KARRATHA:** Dave's Oscronic 85 4836 — **A.C.T. BELCONNEN:** Acticom Computer 51 4307 — **TAS. HOBART:** Southern Star Industries 72 9530 — **LAUNCESTON:** Computer Craft 31 8133

Trade Enquiries **Fujimex** a Division of **HANIMEX** (02) 938 0241

Concord Syd. 1304B.

This surely must be a misprint, I thought, or has Sydney stolen a march on Melbourne yet again? But no. On page 153 of the same issue a Melbourne company, Flowline Computers, has advertised a Brother Twin 5 for \$1650.

Now using Company X's own figures, and assuming that these two other "naughty" companies are making 25% profit (let's keep it conservative), this means that the real wholesale price is \$1320. At this rate, Company X's profit is 43%. Tsk Tsk. (I could be really nasty and assume that the competition is making 60% on the Brother and point out that Company X's profit is a whopping 84%! But I wouldn't want to rub anyone's noses in it, not me).

I can, of course, and will, buy the printer from the competition. But the thing that has put my nose out of joint is that this company must think that the buying public are dills. Do they really believe that, if the headline is big enough, we won't shop around? A company that thinks so little of their customers is not worthy of my custom. Integrity, honesty and a genuine desire to provide value for money are principles that a lot of computer retailers could strive for. I doubt that Company X will be around long enough to foster these mighty ideals.

D Kruger

Benchmark highlights

As I was examining the Benchmark results for various personal and hobby computers, I discovered the absence of a test which informs the potential buyer about the efficacy of the machines' screen-handling routines. I use a slightly modified BM1 which really

highlights the difference.

```
The program is:
10 FOR K=1 TO 100
20 ?K;" ";
30 NEXT K
```

The timing of this loop with scrolling, divided by the time elapsed for BM1, gives an arbitrary number for the time which the processor uses for screen-handling, as compared to calculations in a program.

A couple of factors:
IBM PC 14.0 (21 & 1.1)
Olivetti M24 17.5 (14 & 0.8)

The Amiga would really shine in this test, so why not give the people who produce machines with a separate I/O processor the benefit? A good (and fast) display is, after all, the interface to the user.

B Ardoo

Something completely different

Last year Bushcat introduced the world to our Bushlitt 1 micro, featuring the acoustic local area network (earplugs provided) and VTOS, the Virtual Time Operating System which allows an unlimited number of programs to be run concurrently by the simple expediency of using the fourth dimension to run some of them in the middle of next week. We now announce the Bushlitt 2, which improves the user interface and includes the latest release of our software.

Expansion slots

The system now accepts IBM-compatible expansion cards. The expansion bus is readily accessible under the rear cover — simply chisel off the rivets.

There are often too few slots to go round in most machines. For example, when one finds that the new graphics card needs a long slot, and there is just that

AUSTRALIAN EXPORT

\$99 PLUS TAX

WAS \$220 PLUS TAX

BEST IN ITS CLASS

V21 MODEM


ENTRY LEVEL. SUITABLE FOR BULLETIN BOARDS AND DATA BASES. 12 MONTH WARRANTY

99 DAY OFFER

SENDATA

Melbourne: (03) 568 6299, 11 Stamford Rd. Oakleigh 3166
 Sydney: (02) 438 4255, 67 Nicholson St. St Leonards 2065

P. C. WORKSTATION



**MONEY
BACK
IF NOT
SATISFIED**

**SUPPLIED IN WHITE MELLAMINE FINISH
BLACK EDGING
MOUNTED ON CASTORS
WITH 4 WAY INTERNAL POWER BOARD \$165**

OPTIONAL EXTRAS:
FOLDING MOUSE FLAP (AS SHOWN) \$20
FOLDING PRINTER FLAP \$25

DELIVERY: -

SYDNEY MET. \$10
N.S.W. \$15
AUSTRALIA \$20

GRIFTON HOLDINGS PTY. LTD.
P.O. BOX 413 NTH. SYDNEY
N.S.W. 2060

PHONE: (02) 450 1408
(02) 450 1430

PLEASE SUPPLY PC MODEL

LETTERS

strange little half-slot left near the hot power supply which may be just long enough, but you'll never know because whereas it may be OK, and you can certainly get your fingers at it, you can't get your fingers and card there at the same time. Bushcat has concluded the licensing deal of the century with the ABC Mediocre Effects Department. Yes — every Bushlitt micro now has a chunky silver knob on the back which looks like a bit of yoghurt carton. If you run out of expansion slots, simply twiddle the knob and the inside immediately expands without affecting the outside dimensions. (Warning: Only ever turn the knob clockwise. Turning it anticlockwise reduces the internal dimensions and could squash any cards you may have installed. Never turn it past zero: the micro

may collapse in on itself, turning into a black hole and disappearing up its own event horizon).

Peripherals

We at Bushcat pride ourselves on doing things just that little bit bigger and better. Our liquid helium-cooled laser printer can turn out 10 A4 pages a minute at 10 metres. No need to fiddle around loading those cut sheets — simply line them up against the wall, push the online button and stand well back.

Each printer is supplied with a warning sticker for the door, a klaxon which sounds when something goes wrong, and an 'I Was Tattooed by a Runaway Laser Printer' badge to amaze your envious friends.
Paul Hardy, Bushcat

END

PHC-16

Cordless & completely portable.
Infra-red keyboard no cable.
Weight 6kg — with 5¼" 360K disk drive.
80 x 24 line adjustable display.
Can run CAD-123 plus others.
Serial/Parallel ports.
Extra drive & hard disk available.

1 month only

\$2300 — ex tax

ASI-PCXT 640K Dual Drive

8 slot with the works.
\$1400 — free software up to 10 disks
PC Joysticks \$40
Diskettes DD/DS \$25
20 Meg hard drive with controller \$1050
Modems from \$220

Join our RBBS — Phone 288 3599

We have over 100 disks of Public Domain PC software —
& over 200 CPM



Viatel Computers

ABE Computers

288 2144/288 9067
Agents & dealers in all states

Complete stock of fruit cards — Z80 — 80 col — RS232 — CLOCK — RGB etc.



SCREENTEST

Triplos

Philip Sargent presents the history and capabilities of Triplos, Metacomco's multi-tasking operating system which drives the Commodore Amiga.

Most people have heard of the Triplos operating system only recently as a consequence of AmigaDos, a version of Triplos written by Metacomco and released with the Commodore Amiga. Before Metacomco became involved, the Amiga development team had written their own message-passing and storage allocation 'kernel', and approached Metacomco only when the rest of their operating system development was behind schedule.

That Amiga kernel (called the Exec) had been written by people who had clearly read a few books on operating system design, so the job had been done properly and cleanly. As Triplos is the result of research projects in operating system design, the extremely close functional similarity between the Amiga Exec and the usual Triplos kernel is not entirely an accident. AmigaDos is thus the Exec kernel and Amiga device drivers (in assembler), plus the usual Triplos task handlers and file handlers written in BCPL.

AmigaDos differs from Triplos in having a completely rewritten kernel, but as far as the user is concerned, the differences are slight: AmigaDos time-slices tasks of the same priority, whereas Triplos does not permit different tasks to have the same priority. AmigaDos has 256 priority levels and Triplos has 65536, due to the fact that the original Triplos really only understands 16-bit words (as does BCPL), whereas the Exec has been written in terms of 8-bit bytes. Some recent versions of Triplos are more byte-oriented and are less closely integrated with BCPL.

The Amiga Intuition WIMP graphical

user interface and the graphics support library reside in the same ROM in the Amiga as the Exec kernel, but are entirely independent of Triplos.

History

Triplos is a single-user, multi-tasking operating system for small computers, which originated in the University of Cambridge Computing Laboratory in England as part of a program of research into portable operating systems.

The name, Triplos, is widely thought to derive from Cambridge students' final year exams, which, in turn, are named after a (probably mythical) three-legged stool. In addition, both its detractors and its critics have sometimes referred to it as a *TR*/ivial Portable Operating System: it lacks some of the features that are found in other operating systems, but its simplicity is closely related to its portability and is considered by many to be a great virtue.

What is a multi-tasking system? Imagine every program that you work with acting like Sidekick: immediately available at any time, without terminating your current task. Secondly, imagine that any of those programs can be working away in the background: compiling, answering the telephone, walking the dog, and so on. That's a multi-tasking system.

Operating systems other than Triplos have been implemented on a larger number of machines, and on a larger number of different types of machines; but very few other operating systems are so easy to implement. A recent port from one 68000 machine to another required

a change of *only two lines* in the assembler kernel. Triplos has been implemented for the following machines: Digital PDP-11, Data General Nova, IBM Series 1, Intel 8086, and a large number of 68000 and 68010 machines including the Amiga.

Triplos originated in 1976 with Martin Richards in the University of Cambridge Computer Laboratory, and was devised for single-user mini-computers of that period. With the help of a number of research students, it was demonstrably up and running by February 1979. Unix predates it, but Triplos was one of the earliest operating systems written in a high-level language to have been specifically designed with portability in mind (Unix wasn't), and the only one to have gone beyond the experimental stage. It was designed to be portable, fast and small.

Triplos is used at Cambridge University for research, and former Computer Laboratory members have taken it with them to several companies where it is currently being used for software development companies such as Metacomco.

Modularity & portability

Triplos is an extremely modular system. It consists of only a 1500-line kernel and device drivers (for keyboard, screen, serial port, and so on) written in assembler, and four utility programs written in BCPL. The assembler is, as a matter of policy, always a manufacturer's standard assembler. A BCPL compiler is

Super 5

presents:

Super 5 PC/XT

- 640K RAM
- 2 x Japanese Disk Drives
- 1 x Multifunction Card
- 1 x Serial Ports (2 optional)
- 1 x Centronic Port
- 1 x Joystick Port
- 1 x Color Graphics Card
- 2 x Composite Ports
- 1 x RGB (color) Port
- Clock/Calendar/Timer
- 135 Watt Power Supply
- MS-DOS 2.11

TRADE ENQUIRIES
ONLY PHONE
277 9514



TOTAL \$1695 Inc. 12 MONTHS WARRANTY
TURBO XT 640K RAM \$1895 Inc.
WITH MS DOS 3.11

When purchasing a Super 5 P.C. receive a Database, Wordprocessor, Software FREE
Super 5 is looking for New Dealers. Please phone 277 9514

Available from:

VIC

- ATLANTIS INTERNATIONAL COMPUTERS —
49 Wadham Parade, Mt Waverley 277 3139
- EASTERN COMMUNICATION —
168 Elgar Road, Box Hill 288 3611
- VIATEL COMPUTERS —
24 Burwood Highway, Burwood 288 2144
- GAMETRONICS —
Shop 6, 177 Toorak Road, Sth Yarra 241 3031
- SUPER COMPUTER ENTERPRISES —
57A Stanley Avenue, Mt Waverley 543 1485
- RAINBOW VALLEY —
Sale (051) 45 4315
- YARRA VALLEY COMPUTERS
Main Road, Yarra Junction (059) 64 7544
- PROVEN SYSTEMS PTY LTD
600 Doncaster Road 848 7100

NSW

- BRAINSTORM COMPUTERS —
3rd Floor, 405-411 Sussex St, Sydney 212 1622
- JEAL COMPUTERS —
30 Barr Street, St Marys 623 6403

WA

- COMPUTER OASIS
324 Stirling Hwy, Claremont (09) 384 8431, 383 1480

ACT

- COMPUTECH —
Shop 7, Belconnen Ctr, Benjamin Way, Belconnen 51 2525

QLD

- PERCOM COMPUTER —
2 Wilpie Street, Bracken Ridge 269 4105

- JBC COMPUTERS —
11 Centre Point Arcade 11 Ocean Street,
Maroochydore (071) 43 4292

- CYGNES COMPUTERS —
19 Separation Street, Rockhampton (079) 27 8872

required; this is almost invariably also implemented in BCPL, and produces an intermediate code which requires only a simple interpreter. This is important — a portable operating system is *not* portable unless its base language is too.

The four cooperating utility tasks are:

- 1) a command line interpreter (cli);
- 2) an interactive debugger;
- 3) a console handler; and
- 4) a file handler

which behave as if they run concurrently. As the machine has only one processor, they are really only 'pseudo-concurrent', but the task-switching is built into the kernel and can do it in about 200 microseconds.

This concurrency must be distinguished from Digital Research's 'non pre-emptive multi-tasking' GEM-DOS (GEM on 68000 machines) where no task can be interrupted until it has finished; unlike Tripos tasks, they won't 'let go' or 'shut up'. This means that GEM-DOS operates like a task-switching system instead of a multi-tasking system: nothing happens in the background, so pauses while a word processor task is being typed in are not used for anything useful. True multi-tasking packages can be written to run under GEM-DOS if all the participating programs are written to use a sequence of extremely small tasks, but task-switching would slow things down. This can be contrasted with Tripos, where the operating system handles the multi-tasking, and any program can be written as if it had full control of the machine.

The file handler is the task which manages the filing system, and as it is a self-contained program, a variety of filing systems (with different disk formats) can be accommodated. If more than one such handler is loaded, then these filing systems can be used simultaneously.

The modularity of Tripos has led to confusion in some published articles, where the properties of a particular filing system have been assumed to be inherent to Tripos itself. The Metacomco AmigaDos filing system, with track cacheing and forward and backward block chaining, is more sophisticated than the 'standard' Tripos disk system where blocks just point back to the file header (as well as forward to the next, of course). Recent research projects in distributed operating systems have produced FS-Tripos and FM-Tripos (File Server and Filing Machine respectively), where the file handler may not reside in the computer at all, but in another computer somewhere else, which may or may not be anywhere near the hard disk pack. Such is the flexibility of the

basic system.

The Tripos kernel and device drivers form a basis for embedded operating systems for specific items of apparatus or process control, by adding suitable interface handlers. Such Tripos-based systems have been used for a wire-wrapping machine and for a variety of dedicated network file servers. It is often argued that portable programs are good programs for reasons other than their portability, and this seems to hold for Tripos, too.

Files and file size

Whatever the filing system, Tripos implementations nearly always provide a hierarchical system with directories and sub-directories, as used by Unix, Acorn ADFS and Microsoft MS-DOS.

As it has been designed as a single-

user operating system, Tripos has no protection against intentional destruction, but there are some safeguards against accidental deletion. Files and directories can be labelled with Read, Write and Delete access, so valuable files can be set so that the access must be changed before they can be altered.

Files are assumed to be an unstructured sequence of bytes, as in Unix. There are no filemarks at the end of files; the length is written, together with the name of the creator and the date, in the file header. Fileblocks can be read by random access within each file.

As different filing systems can be mounted, the restrictions on maximum size of file or maximum size of any one disk drive, are implementation dependent. There are two limitations: the number of bits used to encode the length of a file in bytes; and the number of bits




Fig 1 Tripos file handlers: a family tree

The hard reality of software.

The truth of the matter is that your Macintosh is only as good as the software that goes into it.

At the Mac Centre we specialise in the Apple Macintosh, and stock a complete range of software specifically designed for your Mac.

Excel, Jazz or Business Filevision. How do you choose?

Excel is a very powerful integrated spreadsheet, database and graphing package, with programming features.

Jazz does not have a programming ability but adds word processing and communication to its integrated packages.

Business Filevision on the other hand, gives you a database with a unique graphic "picture" feature.

You can realise the full advantages of each system by test driving at the Mac Centre or your home.

Your Macintosh is more than the sum of its components – to get the most from your Mac, talk to the Mac Centre – the computer people who talk English, not computer jargon.




THE ONLY PLACE FOR
APPLE MACINTOSH COMPUTERS.

The Mac Centre: John Monty – Qualified Accountant; Jim Skewes – Programmer. Available for advice and to tailor systems to your requirements. Trisha Foley – experienced bookkeeper and Macintosh demonstrator/instructor.

Other services include:

- 24-hour turnaround for service
- Complete range of Macintosh hardware at competitive prices
- Demonstrations – workstations on display
- Classrooms for complete instruction
- Agents for PRIMA ergonomically designed computer furniture

 Authorised Apple Dealer. Sandridge Bay Towers, 11 Dow Street, Port Melbourne. Phone 646 4077.

A division of Western Applied Computers – Australian Apple dealer of the year.

BALL/MAC 0005

used to store the disk key, which is a fileblock address. If the disk key is 16 bits, then there can only be a total of 64k blocks on each drive; and if each block is 512 bytes, this translates as a maximum drive size of 32Mbytes which is the same as MS-DOS. The length of the file is usually stored at 32 bits, which means that the maximum file size is 128 times the maximum drive size!

AmigaDos permits files to be split over several disks, but probably not over several drives. It all depends on how the file handler is written.

Simultaneous access

Triplos locks files against simultaneous access by means of a token-passing mechanism. Locks may be shared or exclusive, so a local area network of Triplos machines with a file server is a

suitable vehicle for multi-user database or document processing applications, or developing any multi-user network application. Protection has to be built-in at the application level (OSI level seven), however, and is not provided by the operating system.

All current versions of Triplos implement locks on directories and on files, but not smaller-scale locking on blocks which is really required for safe database update applications, although the locks are perfectly adequate for shared-document access. This omission would be a disaster on any other non-modular operating system, but with Triplos, suitable file handlers can be built to almost any specification of that type.

A family tree of Cambridge Triplos file handlers is shown in Fig 1. FS and FM are the file server and filing machine versions for use with the Cambridge

Ring, and FH4 is a local disk version which inherits their extra facilities (such as filename aliases).

The latest Cambridge version, FH5, is the one with the 32Mbyte drive size limitation because a 16-bit key saves disk space (FH1, 2, 3 and 4 use a 32-bit disk key and have a drive size limitation of 4Gbytes). Metacomco's several versions of Triplos for AmigaDos and other machines derive from FH3 and FH2, and follow an entirely separate, parallel line of development.

The 'standard' Triplos filing system is called FH3 and is shown in Fig 2. The more recent FH5 (used by Triplos III and developed by Micro Concepts) uses a slot/key elaboration which makes simple directory accesses much faster. Eleven file entries (slots) fit into each key fileblock, so a simple listing of filenames could be about 10 times faster. The file




Fig 2 A 'standard' Triplos file handler: FH3

headers only need to be read if the size, time stamp or the name of the file owner is required.

Software

As Tripos has been used for so long in a

research environment, there is a great deal of software available which has been designed for writing different versions of Tripos, but this is not what most people want. For 'generic Tripos' on 68000 machines, there are compilers 'available' for BCPL, Algol

68C, C, Pascal, Fortran 77, Cambridge Lisp, Prolog (NSW) and Ponder, and also an assembler and a disassembler. (Ponder is the result of research into functional languages, and it contains a rather unusual mouse-driven spreadsheet).

'Availability' is variable. Some software is for sale by mail order from Metacomco, and some might require licensing arrangements. Other possibilities are the Cambridge line editor, various screen editors, and the text processing/typesetting package, GCAL.


Many of the languages and packages available for basic 68000 machines can run easily under Tripos, so the Modula-2 and the Basic on the Atari 520ST and the Sinclair QL could probably be ported to a Tripos machine relatively easily (if they did not originate on one).

BCPL

Tripos supports many languages but is written in BCPL, which bears the same relation to Tripos as C does to Unix. BCPL is, after Lisp, one of the easiest languages to port to a new machine. The compiler is written in BCPL and produces an intermediate code (O-code) for which a code generator must be written. For the initial port, a different, even simpler intermediate code, INT-code, can be produced by the compiler; this also requires a code generator. By comparison, C (and hence Unix) is much harder to bring up on a new machine. BCPL also benefits from its limited circulation in that there are very few different versions of the language, so although it has no ISO standard, it is much more portable than Pascal, which has.

BCPL is commonly described as an Algol-like language, which gives some idea of its age. C is a development of BCPL, and nearly all the differences between the two languages can be traced to the simple fact that C can access bits, bytes, words and longwords, whereas to BCPL, the world consists only of an expanse of uniform-length words (of at least 16 bits, but otherwise of any length) which are addressed as words, not bytes. BCPL, like C, has no strict 'typing' — that is, variables can be assigned to characters, reals, Booleans, and so on, and then to another type without restriction. Unlike C, BCPL makes no distinction whatsoever: types simply don't exist — there is only 'the word'.

The second main difference between BCPL and other compiled languages is in the data structures used to communicate between modules. Separately-compiled



Exactly like the 'standard' FH3, but the hash table points to intermediate 'key blocks', which each contain 11 'slots' which are file header addresses. Holding several file header addresses in a single block speeds up directory access.

Fig A Tripos III file handler: FH5

NetComm have good news for those who thought the best modems cost an arm and a leg.



Now Australia's finest modem is within reach of everyone's pocket. NetComm's new Modem 3+12 can be yours for an incredible \$324. This 300 and 1200/75 full duplex manual dial modem will open up a whole new dimension for your computer, allowing you to access most local and overseas data bases and other PC's throughout the world.

Unique Upgrade Facility


Unlike other economy modems which have to be tossed out when you want to upgrade, the NetComm Modem 3+12 can be easily upgraded to incorporate auto dial, auto disconnect and other SmartModem® features.

All this and Software as well?

The Modem 3+12 comes with a Videotex and Comms program that will enable your PC to directly access Telecom's Viatel, plus news, stock market reports and a host of other information.

Now there's no need to compromise on quality or price. See your PC dealer today, or contact NetComm for further information.

*SmartModem is a registered trademark of NetComm (Aust) Pty Ltd



NetComm

Total Solutions for Data Communications

NetComm (Aust) Pty Ltd

NSW PO Box 284 Pymble NSW 2073 Tel: (02) 888 5533

Telex: 7110712811 + (DNC002 DNCT)

Minerva: 07:DNC002 Viatel: 288855330

VICTORIA Suite 4 6th Floor 520 Collins Street

Melbourne 3000 Tel: (03) 618 5104

QUEENSLAND Suite 6 Level 11 AMP Place


10 Eagle Street Brisbane Tel: (07) 229 7376

NE23FPC



The perfect match...

COMMODORE RITEMAN



COMPARE THESE SPECS BEFORE YOU BUY...

FEATURES	RITEMAN C +	COMMODORE PRINTERS				
		MPS 801	MPS 802	MPS 803	VIC1525	VIC1526
PRINT SPEED (CPS)	120	50	60	60	50	60
BIDIRECTIONAL PRINT (COLUMN WIDTH)	YES	NO	YES	YES	NO	YES
40 CHARACTERS PER LINE	YES	YES	YES	YES	YES	YES
80 CHARACTERS PER LINE	YES	YES	YES	YES	YES	YES
66 CHARACTERS PER LINE	YES					
132 CHARACTERS PER LINE (PAPER HANDLING)	YES					
FRONT LOADING FOR EASY PAPER SETTINGS	YES					
BUILT-IN PRINTER STAND	YES					
PRINT ON POST CARDS (SOFTWARE COMMANDS)	YES					
DOUBLE STRIKE	YES					
EMPHASIZED	YES					
COMPRESSED	YES					
UNDERLINE	YES					
SUPER/SUBSCRIPTS	YES					
ITALICS	YES					
DOUBLE DENSITY BIT IMAGE (CHARACTERS)	YES					
9X9 FONT	YES					
TRUE DESCENDERS	YES					
ITALICS	YES					
COMMODORE GRAPHICS (OTHER FEATURES)	YES	YES	YES	YES	YES	YES
SINGLE DENSITY BIT IMAGE	YES	YES	NO	YES	YES	NO
EXPANDED	YES	YES	YES	YES	YES	YES
REVERSE	YES	YES	YES	YES	YES	YES

NO

Plug-compatible with Commodore* computers. 2 software built-in: Commodore* & Epson** compatibility.

If you own a Commodore computer...or are thinking about getting one...you're going to want the Riteman C+ dot matrix printer. You'll really appreciate that added convenience, versatility and economy. Its unique front loading design lets you use plain paper of any thickness, eliminates positioning and aligning problems and keeps continuous-feed paper away from entangling cables and connectors. Just compare the spec. table...complete with a built-in Commodore interface and all necessary cables and connectors...the Riteman C+ is the RIGHT printer for your Commodore system.

*Commodore is a registered trademark of Commodore Business Machines Inc.
**Epson is a registered trademark of Epson America Inc.

Distributed exclusively in Australia by:



ADELAIDE: (08) 356 7333 BRISBANE: (07) 275 1766
HOBART: (002) 34 4511 MELBOURNE: (03) 795 9011 & 795 5111
PERTH: (09) 277 7000 & 277 1944
SYDNEY: (02) 648 1711 & 648 4088 AUCKLAND: (09) 444 2645

modules generally communicate through a single 'global vector', which is just an unstructured area of memory containing words of data. The most important implication of this mechanism is that the programmer must personally ensure that the variables declared in the vector for each program match up correctly. BCPL subroutine libraries are, therefore, difficult to implement, but this is no problem for other languages under Tripos; in fact, some of the graphics-handling part of AmigaDos is written in C.

Compared to other languages, BCPL is an extremely simple, extremely dangerous language in which to write programs. Program development in BCPL implies that the machine has to be re-booted more often than is the case with other languages. But once programs have been written and debugged, their transparency and simplicity makes later maintenance easy.

In use

There are two ways of implementing a multi-tasking system: by memory sharing; or by message passing. These have been shown to be in some sense mathematically equivalent in that they can provide the same facilities, so the choice of which type to use must be purely pragmatic. Tripos is a message-passing system.

Tripos permits any task to create new tasks which then continue to run concurrently. Each new task is set up with:

- an identifying integer (for example, 5);
- a run-time stack;
- a global vector;
- an empty list of messages (the work queue);
- the task status (waiting, running, held, and so on); and
- a priority (an integer).

The priority can be changed after creation, but this is slightly expensive and not usually useful. Tasks in AmigaDos with the same priority are time-sliced by the kernel; in other systems, tasks are defined always to have different priorities.

Each task is allocated two areas of memory — a global vector and its run-time stack — and is told about certain system structure addresses, and can 'see' its queue of incoming messages. It usually does not know, and need not know, anything about other tasks in the system, but as all Tripos programs have access to the whole memory map, a pathological task can corrupt others. A task can safely request more memory for

its stack, and de-allocate memory when it has finished with it by using routines in the kernel. At the end of a task, all memory is de-allocated.

Within each task there can be a number of co-routines which bear the same relationship to tasks as tasks do to the operating system. They are pieces of code which do not hand over control to another routine within the task until they decide to, but as they are just parts of a task, the whole task can be swapped in and out without the co-routines 'realising'. A co-routine is allocated its own run-time stack, but shares the global vector of its parent task. Co-routine switching is approximately 10 times faster than task-switching, and co-routines offer most of the advantages of tasks but without synchronisation and time penalties. They are widely used in the Tripos system software.

The command line interpreter (CLI) is used to interpret strings typed at the keyboard (or sent over a network) as commands to run utility programs. The utilities supplied with Tripos have exactly the same status as user-written programs, and are run as co-routines of the CLI task. One of these utilities is the Run command, which creates a new CLI task and takes the rest of the input line as a program to run in that task. For example, 'Run BCPL from t-s to t' creates a background task which goes away and compiles the BCPL source file, t-s. When it finishes the compilation, the task commits suicide. If automatic suicide is not wanted, typing 'NEWCLI' creates a permanent, new CLI task which writes to the screen and reads from the keyboard. Keyboard input is directed towards the intended task by means of a typed escape sequence, or, with Intuition and AmigaDos, by moving the mouse to the required CLI window.

One of the ways in which the system can achieve efficiency in a small system is by running all tasks in the same address space, so when running, it can take up less space than it requires for disk storage (which is about 68k for Tripos III). In any case, common pieces of code, such as the entire run-time library, are shared between tasks.

Comparison with Unix

Tripos is not a virtual memory system, whereas Unix is. On a Unix machine, programs 'see' an expanse of RAM which is equal in size to the maximum address space, rather than the real RAM size, because the operating system swaps programs and data in and out between disk and RAM 'behind the back'

of any executing program. The most obvious consequence of this to the user is that on a machine of similar size, Tripos's response to input is much faster.

At a slightly more sophisticated level, because Unix files have a kind of ghostly existence, it is possible to 'pipe' files from the output stream of one program into the input stream of another without pausing for breath. MS-DOS also has pipes, but they are really hidden temporary files; all the output from one program has to finish before the next can begin (unlike Unix, where it happens on the fly).

Tripos does not have virtual file handling, but since 1981 Tripos has included a pipe handler utility which sets up a concurrent task to pass data like a Unix pipe. More recently, this has been reimplemented in Tripos III so that the pipe task can be treated almost exactly like any other file, and so provides the same level of utility as does Unix.

Tripos and Unix have a kernel written in assembler. The Unix kernel is much smaller than the Tripos kernel, but a greater proportion of Unix is written in C than the proportion of Tripos written in BCPL. The speed of operation of Unix is much more dependent on the quality of the C compiler than the speed of Tripos depends on the BCPL compiler. Thus, even discounting the virtual memory overhead, Tripos is smaller and faster. With Unix, the hand-coding effort in porting goes into the C compiler, but with Tripos it goes directly into the kernel.

Comparison with Panos

Panos is another new, small operating system written in a high-level language. It is supplied by Acorn for its Wordstation series, which is based on NatSemi 32000 processors. Panos (the name is reputed to come from a Greek restaurant) is extremely recent. It was first seen by beta-testers of the Acorn 256k NS32016 co-processor in about March 1985, and a debugged version (1.1) was released in October of that year. It is nearly nine years younger than Tripos.

Panos is written in Modula-2+. The '+' denotes a version of Modula-2 which has been enhanced by the DEC Palo Alto Research Centre in the US to include handling exceptions, finalisation, garbage collection, controlling concurrency, and providing a type-safe discipline for managing storage. It is apparently not (currently) for sale, but is probably quite portable. Modula-2 has great advan-

tages for the writing of most system software, as it has strict type checking and yet allows easy access to the fundamentals of the machine (by means of the type 'word', for example). Type checking between tasks is not possible in Tripos because messages are passed only by a pointer to an address, so there would be no great advantage in re-writing Tripos in Modula-2 (or C), even without the consideration that BCPL is the more portable language.

Panos is not a multi-tasking system, but it inherits a great many other features from Tripos. This is a reflection of the fact that for a number of things fundamental to small operating systems, Tripos has 'got it right'. The single-tasking nature of Panos is a reflection of its origins as an operating system running on a second processor attached to a 6502 host processor via the Acorn Tube interface. Apparently, the requirement that the new system be upwards-compatible with the host processor hardware mitigated against a message-passing system.

The command line interpreter (CLI) utility in Panos uses almost exactly the same keyword handling mechanisms to pass parameters to applications programs as does Tripos. Similarly, there

are special keywords such as 'help' which do not run the utility, but tell you what parameters you should have given. Parameters are set-up with options such as: /A, meaning a compulsory parameter — a value alone may be given and is identified by position; /K, meaning a keyword must be quoted; and /S, meaning a switch, no value required, only the presence or absence of the parameter (for example, list or nolist).

Panos implements the same ideas as Tripos in that the system utilities have exactly the same status as user-written programs. As with Tripos, users can rewrite the directory listing utility, or a Type or List command, or anything really, with impunity. Panos also permits any program to initiate the execution of any other program, thereby supplying some of the same facilities to the user that multi-tasking does for Tripos, but no background tasks are possible.

Within Tripos, it is not usually (or safely) possible to call any program from within any other; use is made of co-routines and tasks instead. There are no fundamental reasons why such a system (essentially, just enabling the execution of NEWCLI) could not be implemented with Tripos, but it would add little to the facilities currently available.

The Cambridge Ring

It would be impossible to describe Tripos without a mention of the parallel development which has shaped its growth — the Cambridge Ring. This is a slotted-ring (*not* token-ring) local area network (LAN) with continuously circulating packets. When a station wishes to communicate it waits for a packet, and writes its message, and the address of the recipient, in the appropriate fields.

There are approximately three packets at any one time on a 600m ring, travelling at some appreciable fraction of the speed of light and passing through shift registers at each station. The original ring ran at 10Mbit/s; the Cambridge Fast Ring (CFR) will run at 50Mbit/s, and slotted rings of that type are probably the only local area network which can guarantee LAN access for a station at intervals short enough for it to be used to carry speech.

Tripos and the Ring enable computers to be attached to a LAN with no peripherals at all — no keyboard, no screen, no disks. A user with a simple terminal and a ring station can attach to any free computer and use it as if it were sitting on the desk. Tripos's fast handling



“MY SECTION COULDN'T GET AN APPROPRIATION TO BUY A COMPUTER, SO WE RENT FROM TECH-RENTALS.”

Cost-conscious Management has meant tighter purse strings all around. If you can't get approval for capital to purchase a computer for your office, ring Tech-Rentals for details on the economics of renting what you need.



TECH-RENTALS

Perth (09) 322 1085
Adelaide (08) 344 6999
Brisbane (07) 369 8688

Melbourne (03) 879 2266
Sydney (02) 808 3055



SPEECH SYNTHESISER CHIPS!

SPO256A-AL2: Speech synthesiser chip, needs programming to work. **\$13.95**

CTS256-AL2: Contains the code recognition circuit to enable the project to plug directly on the printer port, or into an IBM PC. **\$27.95**

A SET OF EACH \$39.50



IC SPECIALS!

	1-9	10+	100+
4116	\$3.95	\$3.75	\$3.50
4164	\$2.95	\$2.75	\$2.50
2716	\$5.90	\$5.50	\$5.50
2732	\$6.25	\$5.95	\$5.50
2764	\$6.25	\$5.95	\$6.00
27128	\$6.95	\$6.50	\$6.25
6116	\$2.95	\$2.75	\$2.50
41256	\$6.95	\$6.50	\$6.00
6264	\$6.50	\$6.50	\$5.25
27256	\$11.50	\$10.50	\$10.00

WORLD MODEM CHIP

Cat. U21614 Normally \$49.50
Save \$20, SPECIAL \$29.50



IC STORAGE CASE

Electro static charge proof plastic IC case with conductive sponge. Dimensions: 75 x 130 x 19mm.

Cat. H10095 **NORMALLY \$8.95**
SPECIAL, ONLY \$7.95



JUKI PRINTER

Professional daisy wheel printer 18CPS full incremental mode Diabolo 630 emulation. Large range of daisy wheels. 8K internal buffer available.

Cat. C20040 **Normally \$825**
SPECIAL, ONLY \$795



TELECOMMUNICATIONS AUSTRALIAN STYLE ADAPTOR CABLE

• Australian socket to plug/socket
• Length 10 metres

Cat. Y16015 **Normally \$15.95**
\$12.75



TELEPHONE ADAPTOR

• Australian plug to U.S. socket
• Length 10cm
• Cream colour cable

Cat. Y16026 **Normally \$6.95**
SPECIAL, ONLY \$5.55



TELEPHONE CURL CORD

• U.S. plug to U.S. plug
• Replacement hand set cord
• Length 4.5 metres
• Colours: cream, dark brown

Cat. Y16022 **Normally \$7.95**
SPECIAL, ONLY \$6.35



TELECOMMUNICATION PLUG TO 2 SOCKETS.

Ideal for modern connections.

Cat. Y16014 **Normally \$12.95**
SPECIAL, ONLY \$10.35



NEW INTRA HIGH RESOLUTION RGB COLOUR MONITOR!

Size: 14 inch
Sync. Horiz. Scan Freq: 15.75 KHz
Sync. Vert. Scan Freq: 50 Hz
Band width: 18 MHz
Resolution: 640 x 400 dots
Display Format: 80 x 25 Characters
Display Colours: 16 colours.
Input Connector: 9 pin D type
Cat. X14520 **only \$695**



RITRON 2 MONITORS

Stylish, swivel base monitor, available in amber or green.
Green Cat. X14506 **Normally \$215**
Amber Cat. X14508 **Normally \$219**
SPECIAL, ONLY \$199



20 M/BYTE HARD DISK DRIVE FOR IBM* AND COMPATIBLES

Includes disk controller card.
Cat. X20010 **\$1,250**
*IBM is a registered trade mark



APPLE* COMPATIBLE SLIMLINE DISK DRIVES

Japanese Chiron mechanism.
Cat. X19901 **Normally \$225**
NOW \$195
(*Apple is a registered trade mark.)



MITSUBISHI DISK DRIVES

MF353 (3 1/2" DRIVE)
Double sided, double density, 1 M/Byte unformatted, 80 track per side.

Cat. C11953 **\$280**

M2896-63
Slimline 8" Disk Drive, Double sided Density No AC power required. 3ms track to track, 1.6 Mbytes unformatted, 77 track side 10s/su10 bit soft error rate.

Cat. C11916 **\$895**

Case & Power Supply to suit
Cat. X11022 **\$159**

M4854
Slimline 5 1/4" disk drive. Double sided, double density, 96 track/inch, 9621 bit/inch, 1.8Mbyte unformatted 3ms track to track access, 77 track/side.

Cat. C11904 **\$375**

Case & Power Supply to suit.
Cat. X11011 **\$109**

M4853
Slimline 5 1/4" disk drive, Double sided, double density, 1 Mbyte unformatted, 3ms track to track, 80 track/side, 5922 bits/inch.

Cat. C11903 **\$295**

M4851
Slimline 5 1/4" disk drive, Double sided, double density 500K unformatted, 40 track/side. Steel band drive system.

Cat. C11901 **\$249**

Case & Power Supply to suit
Cat. X11011 **\$109**

M4855
Slimline 5 1/4" disk drive, double sided, double density, 96 track/inch, 2.0 Mbytes unformatted.

Cat. C11905 **\$385**



5 1/4" FLOPPY DISK SPECIALS!

All prices 10 disk boxes!

XIDEX 1-9 10+
S/D/D \$29.95 \$29.95
Cat. C12401
D/S/D/D \$38.95 \$36.95
Cat. C12410
High Density \$125
Cat. C12520


VERBATIM DATALIFE
S/D/D \$27.95 \$26.95
Cat. C12501
D/S/D/D \$34.95 \$32.95
Cat. C12504

VERBATIM VALULIFE
S/D/D \$24.95 \$22.95
Cat. C12421
D/S/D/D \$29.95 \$25.95
Cat. C12425

3 1/2" DISK SPECIALS
Verbatim S/S Cat. C12610 **\$69.95**
Verbatim S/S Cat. C12612 **\$89.95**
Xidex S/S Cat. C12600 **\$65.95**
Xidex D/S Cat. C12602 **\$89.95**

NEED HIGH DENSITY DISKS FOR YOUR IBM AT?

"Buy your High Density disks at below recommended retail prices from Rod Irving Electronics and SAVE!!"
R.R.P. \$113 Our Price \$99.95



DELUXE 5 1/4" DISK STORAGE UNIT

Features...
• Diskette fan display system elevates the disks for easy identification and access.
• Lockable lid (2 keys supplied)
• Clear smoked plastic lid
• High impact plastic base
• 45 diskette capacity

Cat. C16050 **Normally \$49.95**
SUPER SPECIAL, \$24.95



RS232 DATA SWITCH WITH TESTER

• 25 pin RS232 "D" connectors 2 in. 1 out or 1 in, 2 out.
• Ideal for 2 computers to one peripheral or 1 computer to 2 peripherals.
• No power required.
• Six dual coloured LED indicators showing certain flow status: T.D. Transmits Data R.D. Receives Data R.T.S. Request To Send C.T.S. Clear To Send D.S.R. Data Set Ready
• Housed in heavy duty metal cabinet.
• Size: 200(W)x66(H)x150(D)mm
Cat. X19110 **Normally \$149**
SPECIAL, ONLY \$129

CENTRONICS DATA SWITCH

• 36 pin gold plated female Centronics connectors
• All other specs as for RS232 Data Switch with Tester.
Cat. X19115 **Normally \$169**
SPECIAL, ONLY \$149

130W IBM COMPATIBLE SWITCH MODE POWER SUPPLY

DC output: +5/13A, -5V/0.5A +12V/4.5A -12V/0.5A
AC input: 240V AC +15% 1.5A 47Hz - 63Hz
Cat. X11096 **\$239**

RS232 GENDER CHANGERS

Saves modifying or replacing non-mating RS232 cables by changing from male to female to male. All 25 pins wired straight through

Male adaptor to join 2 female ends
Cat. X15650 **\$19.95**

Female adaptor to join 2 male ends
X15652 **\$19.95**

CENTRONICS GENDER CHANGER

• Female to Female.
• Saves modifying or replacing non-mating Centronics cables.
• All 36 pins wired straight through.
Cat. X15662 **\$33.95**




MICRODOT DISKS

100% certified and error free guaranteed! Where else can you get 100% guaranteed disks at these prices?!

5 1/4" S/S (C12440) 1-9 boxes 10+ boxes **\$17.95 \$16.95**

5 1/4" D/S (C12445) **\$19.95 \$17.95**

Bulk and dealer inquiries welcome please phone (03) 543 2166



IBM* COMPATIBLES from \$849*

Incredible deals to suit everyone including special package deals!

• 256K RAM, single drive, graphics, disk controller and printer cards. \$849
IBM* is a registered trade mark

256K RAM: Colour Graphics, Disk Controller Card, 1 parallel port, 2 disk drives and 3 months warranty. **only \$1,350**

640K RAM: Colour graphics, Multifunction Card, Disk Controller Card, 2 serial and 1 parallel ports, 2 disk drives and 3 months warranty. **only \$1,450**

256K PACKAGE DEAL: Includes Colour Graphics Card, Multifunction Card, Disk Controller Card, 2 serial and 1 parallel ports. A 120 C.P.S. printer and a monochrome monitor and 3 months warranty! **only \$1,899**

640K PACKAGE DEAL: Includes Colour Graphics Card, Multifunction Card, Disk Controller Card, 2 serial and 1 parallel ports. A 120 C.P.S. printer, a monochrome monitor and 3 months warranty! **only \$1,999**
*IBM is a registered trademark.



IBM COMPATIBLE CARDS TURBO CARD!!

Switchable 5 MHz / 8 MHz IBM* compatible motherboard.
Cat. X18021 **\$495**

MULTIFUNCTION & DISK CONTROLLER CARD (ALL IN ONE)
Save valuable board space with this new combined card. (RAM excluded)
Cat. X18014 **\$295**

MOTHER BOARD!
XT compatible mother boards. 8 slots, room for 256K RAM
Cat. X18020 **\$295**

GAMES ADAPTOR CARD
Features 2 joystick ports.
Cat. X18019 **\$39**

MULTIFUNCTION CARD
(384K RAM included) Parallel, serial and game port, battery backup clock.
Cat. X18013 **\$329**

DISK CONTROLLER CARD
Controls 2 slimline drives
Cat. X18005 **\$79**

HIGH RESOLUTION MONOCHROME GRAPHICS CARD
Give your IBM real graphics capability.
Cat. X18007 **\$199**

512K RAM CARD
Including RAM Cat. X18015 **\$299**
Excluding RAM Cat. X18016 **\$99**

PRINTER CARD
Cat. X18009 **\$39**

COLOUR GRAPHICS CARD
Cat. X18011 **\$239**

IBM* AT COMPATIBLE!

• 6/8 MHz (switchable)
• 80286 CPU
• 8 slots
• 1 M/Byte main board
• 1.2 M/Byte Floppy disk drive
• 20 M/Byte Hard disk
• Colour graphics display card
• Floppy and Hard disk controller card
• Printer card and RS232
• 200W Power supply
• Keyboard
• Manual

All this for just \$2,995



Printer Card Cat. X17029 **\$79**
Drive Card Cat. X17019 **\$79**
80 Column Card Cat. X17025 **\$89**
Speech Card Cat. X17009 **\$49**
Music Card Cat. X17011 **\$89**
Super Serial Card. X17035 **\$109**
RGB Card Cat. X17039 **\$79**
280 CP/M Card Cat. X17041 **\$59**

APPLE IIe COMPATIBLE CARDS
80 Column/64K Card X17061 **\$89**



Postage Rates:
\$1 \$9.99 \$2.00
\$10 \$24.99 \$3.00
\$25 \$49.99 \$4.00
\$50 \$99.99 \$5.00
\$100 \$199 \$7.50
\$200 \$499 \$10.00
\$500 plus \$12.50

This is for basic postage only. Certified Post for orders over \$100 included free! Registered Post for orders over \$200 included free!

All sales tax exempt orders and wholesale inquiries to:
RITRONICS WHOLESALERS,
56 Renver Rd, Clayton,
Ph. (03) 543 2166 (3 lines)
Errors and omissions excepted

*Apple and IBM are registered trademarks

MasterCard VISA

COMPUTER PAPER
Quality paper at a low price! 2,500 sheets of 11 x 9 1/2", 60 gsm bond paper.
Cat. C21001 **Normally \$44.95**
SPECIAL, ONLY \$37.95



of messages and tasks, its assembler-written kernel, and its modular nature, are all intimately connected with this distributed computing project. Nearly all the servers on the Ring (plotters, file servers, ring bridges, and so on) also run with a Tripos kernel and a different set of utilities.

Recent developments

The most significant recent development is the release of the Amiga, running Metacomco's Tripos (AmigaDos) with a new filing system, a kernel and a graphical user interface (Intuition) which permits separate windows for concurrent tasks. More fundamentally but less visibly, Micro Concepts' Tripos III includes two new basic utilities to add to the usual four: an Object Manager; and a Volume Manager.

The Tripos III Object manager automatically keeps the most recently-used commands and utilities in any spare RAM so that if used again, they will run immediately. In MS-DOS terms, all programs become resident as soon as they are used, but are 'ducked out' (invisibly) if the space is required. This overcomes part of the speed disadvantage of a disk-based as opposed to a ROM-based copy of the system and utilities. The Object Manager is a task, but the utilities it swaps in and out are not tasks as they are not running anything.

The Volume Manager can be used with any mass storage system with removable media (usually floppy disks), and simulates multiple drives if only one drive is connected. It does this by prompting for the right disk to be inserted whenever another drive is required.

The Object and Volume Managers are

particularly useful in: (a) reducing the length of time spent reading disks; (b) making it possible to use non-system disks because many utilities have been loaded into RAM; and (c) making do (cheaply) with only one drive. Their development was probably hastened by the fact that Micro Concepts' prototype machine had only one 200k, single-sided, single-density floppy drive, and all the initial Tripos development was done using this (try doing that with Unix). Tripos is very small: the kernel device drivers, system utilities and BCPL compiler (both source and binaries) will fit on one 720k, 3.5in floppy disk.

Wild-character expression, such as is available with MS-DOS where a '*' means any sequence of characters in a filename, is not currently part of the Tripos or AmigaDos CLI, and has to be handled by each applications program. Micro Concepts' Tripos III will include this facility in the CLI and as an operating system function call.

Future implementations

Despite the apparent predominance of 68000 and 68010 systems, Tripos is not limited to those machines and will run very happily on any system with a 'flat' address space; more than about 128k of word- (not byte-) addressed, unsegmented RAM; a floppy disk; and a 16-bit or a 32-bit microprocessor. In practice this means a 32-bit processor, as the common 16-bit micros do not implement word processing (for example, the 8086 and 80286).

Future implementations of Tripos can be expected on NatSemi 32000 series microprocessors, which are generally considered to have a cleaner architecture than the 68000, and a version for the Atari 520ST could probably be brought to market extremely quickly if there were

demand. Tripos should also run very well on most RISC machines, such as those produced by IBM (the PC/RT), and Acorn (the ARM) but its message-passing system would not sit very happily on the Transputer, which passes messages as data rather than by an address pointer. Tripos is a high-level system and is not dependent on the physical size of the databus, as long as it is adequately multiplexed. It could run on (cheap) machines which use 8-bit bus versions of the 68000, the 32000 or the ARM.

Although there is not much to be gained by rewriting Tripos in a language other than BCPL, for reasons of business confidence it is possible that a C-based implementation may have more commercial success, even though from a standing start, a BCPL implementation is probably faster to port onto a new machine.

It is possible to envisage a virtual memory version of Tripos, where a number of virtual Tripos machines would run as tasks on a conventional Tripos system. This would slow down the response, but that is inevitable for all virtual memory operating systems (such as Unix).

What happens next with Tripos depends directly on how many systems are ported onto how many more machines. New machines are constantly appearing, and easily portable operating systems (POSS) have a distinct speed advantage in the porting procedure. By a process of natural selection, portable systems will gradually displace the CP/M-alikes and MS-DOS-alikes of the world from the next generations of small, powerful computers in business, education and the home, as well as making inroads into embedded systems and programmable controllers.

END

Backs up **CopyWrite** IBM PC software

Hundreds of the most popular copy-protected programs are copied regularly. Copy-protected software is copied readily. **CopyWrite** needs no complicated parameters.

Requirements: IBM Personal Computer or XT; 128K-bytes of memory; one diskette drive.

CopyWrite will run faster with more memory or another drive.

CopyWrite is revised monthly, to keep up with the latest in copy protection. You may get a new edition at any time for a \$25 trade-in fee.

CopyWrite makes back up copies to protect you against accidental loss of your software. It is not for producing copies for sale or trade, or for any other use that deprives the author of payment for his work.

To order **CopyWrite**, call with your credit card or mail a cheque for \$95, plus priority paid mail \$5 for **CopyWrite** or trade-in.

**Aardvark Utilities, PO Box 133,
HAWTHORN, VIC 3122. (03) 819 1996.**



100's OF COPYPROGRAMS



AARDVARK'S

other utilities include:

Disk Explorer	\$100
Zero Disk	\$100
Systemate II	\$120
SurMate Audit Trail	\$75
Disk Manager	\$100
Unlock	\$120
Express Letter Processor	\$95
Ds Backup	\$150

ECP GIVE YOU ONLY THE BEST SOFTWARE

For Home



For Fun



For Business



For Commodore 64/128, Amiga, Atari, Atari 520ST, Apple, IBM and Amstrad Computers*

*Please note not all titles are available for all systems

Entertaining Australasia.

ECP

ENTERTAINMENT
& COMPUTER
PRODUCTS PTY LTD

3A/3-9 Kenneth Rd., Manly Vale 2093.
Australia. Phone (02) 949 7300.
Telex No 176039 ENTCOM

Please contact your local ECP representative:

Vic ECP Pty Ltd, 1981 Malvern Rd, Malvern East. Ph: (03) 211 8410
Qld Computronic, 54 Kingston Rd, Underwood, Qld, 4119. Ph: (07) 341 5088.
S.A. The Richmond Centre, Unit 11, 60-66 Richmond Rd, Keswick, S.A., 5035,
 Ph: (08) 297 9033.
W.A. John Mills Agency, PO Box 278, Greenwood, W.A., 6024. Ph: (09) 448 1137.
Tas. Tasmanian Record Company, 10 Cameron St, Launceston, Tasmania, 7250.
 Ph: (003) 31 5588.



Anarchy reigns because the whisky brewers have been dismissed, and an ever-so-nice detective is being shot at. Stephen Applebaum brings a sober restraint to this month's games review.



Tall tales

GAME: The Pawn

MACHINE: Atari ST

SUPPLIER: Chambers Computer Supplies

PRICE: \$99.00

The standard of graphical adventures has never been very high, as programmers have been restricted to the meagre amounts of user RAM available in most popular home computers. There have been some successes, but even these display an uneasy compromise between the standard of their pictures and the amount of text available throughout the game. Graphic locations usually consist of numerous but inadequate vignettes, while small vocabularies vex, rather than entertain, players.

If you agree with this view, you'll welcome the launch of Rainbird's Atari ST version of The Pawn. The Pawn is a highly-charged adventure based on that

old chestnut, the struggle between good and evil.

This latest conversion has been eagerly awaited by adventure game players, not least due to some of the claims put out by the program's designers.

Told through words and pictures, The Pawn is a stunning combination of art and good, old-fashioned adventuring. To complement the game's atmospheric, and at times humorous, text, a professional artist was asked to create the program's graphics. The result... well, you only have to look at the screenshots to see what an excellent job he has done. Some are florid, whimsical affairs, while others, especially those depicting the rank forest, are Daliesque.

Below each picture is a bevy of pull-down menus disguised as scrolls, which contain options to save a game in progress and load an old one, or change the text size on the screen so that it can be read more easily. One scroll features a series of commands to adjust the way in which a picture is displayed on a black

and white screen, to give you the best possible quality. If you have a printer, there is a facility to dump your input/output onto hard copy.

All The Pawn's action takes place in the magical world of Kerovnia at a time when its ruler, King Erik, is losing control over his subjects. One of the reasons for his sudden drop in popularity is his refusal to reinstate a race of dwarves, one of whose number he believes to have been responsible for the assassination of Queen Jendah II.

Kerovnia's drinking fraternity has mourned the departure of the dwarves, for it was they who were responsible for the distillation of the smoothest and strongest whisky around.

In the dwarves' absence, the drinks market has been dominated by two companies which produce real ale and spring water respectively, and which have a vested interest in making sure that the dwarves' exile is permanent. However, their hopes could be dashed by the people of Kerovnia, who are beginning to believe that the dwarves are, in fact, inno-

cent, and should be allowed to return to the drinks scene.

With his popularity waning, King Erik must act positively or be defeated by his own apathy. And as if things weren't bad enough, there is also a general election on the horizon.

At this point in the story, you arrive on the scene as a king of *deus ex machine*. It is up to you to direct events, and possibly effect the reinstatement of the whisky-swilling dwarves.

At the beginning of the game, most directions are open to you. A quick check on your inventory shows that you're wearing a pair of jeans (no special make), a shirt, and a silver wristband which can't be extricated from your arm. How to remove the wristband is an important puzzle which must be solved before you're allowed to enter several of the game's locations.

What you are supposed to do at this point isn't clear, and the situation remains that way until you have met various Kerovnian inhabitants. These include: Honest John, a not-so-honest salesman; Kronos, an evil wizard; a guru; the devil; Jerry Lee Lewis (yes, *the* Jerry Lee Lewis); and a legless horse, to name but a few.

One thing I *can* tell you is that there is a vain maiden to rescue, although I didn't manage to find her. I have been assured that she *is* there, but judging by what I've

been told about her, you're more likely to want to leave her locked up than have her nagging you for the rest of your difficult quest.

Compared to some adventures The Pawn is quite small, with only 100 locations (35 being graphical ones). Even so, it is believed that even an experienced adventurer will take upwards of two months to complete it, and then not necessarily have scored a maximum 350 points. Like other adventures which involve the player scoring points for solving puzzles or riddles, The Pawn can be completed in many different ways, only one of which is correct.

Communicating with the computer is not such a laborious process in The Pawn — so many of the problems are easier to deal with than in some other adventures. This is thanks to a clever parser which lets you input commands as you would probably say them in everyday speech.

Multiple actions have been catered for, as have pronouns, dramatically reducing the amount of typing required to perform actions. But even with these little luxuries, I kept my commands concise, subconsciously confining myself to the inflexibilities of other adventure games.

For those players who reach an impasse, Rainbird has included some ingenious ciphers in The Pawn's manual which allow you to obtain hints. Typing

the word HINT, followed by a code given in the game's manual, will present you with a clue.

There are ciphers to cover most of the major problems encountered, and also some bogus ones which, when you have typed them in, come back with a sarcastic comment. The Pawn is all tongue-in-cheek stuff, and it is easy to get caught out.

The Pawn has many good points in its favour and there is little that can be criticised, but two of its major failings are the use of English and the many spelling mistakes, especially those in the hints returned after inputting a cipher. One example of the former criticism is when you are told that you are 'carrying a white'; an odd statement until you realise that you are, in fact, carrying white light.

Both these glitches reveal a degree of slackness which could have been overcome by thorough testing. There is also a minor bug in the ciphers, which has been cleared up as an addendum, but which again should have been caught at an earlier stage.

Apart from the odd slip-up, The Pawn is a major leap forward in the world of graphical adventures. It isn't the last word, but it is a guiding star which others will hopefully follow.



Private investigations

GAME: Borrowed Time

MACHINE: Apple II

SUPPLIER: Imagineering

PRICE: \$39.95

Being a detective isn't easy, especially when you're living on borrowed time. And that is just what you *are* doing in Activision's latest illustrated text adventure of the same name. In a game which closely resembles Mindscape's trend-

setting *Deja Vu*, reviewed in the May issue of *APC*, *Borrowed Time* is a colourful *Boys' Own* story, written by the authors of *Mindshadow* and set in the America of the mid-1930s.

Like its Macintosh counterpart, you once again take on the persona of a private detective, this time a detective called Sam Harlow.

You've always thought of yourself as an amiable kind of guy, loved by all except those whom you caught and threw in the slammer. It comes as a bit of a shock, therefore, to find that someone is trying to kill you.

Who and why are the two questions swimming around inside your brain.

With little thought, you hit upon the only sensible solution: get them, before they get you. As this is not a Humphrey Bogart movie, you can't simply kill whoever you believe your assailants to be. Instead you must be shrewd, and collect enough relevant evidence to convince the police of that person's (or persons') guilt.

To get your man (or woman) you have to be prepared to take risks. For instance, after only several moves into *Borrowed Time*, you find yourself being shot at and pursued across a washing line which is strung precariously between two adjacent highrise buildings.

Every scene is depicted in graphic

SPECIALS

HARD DISK DRIVES

20MG AND CONTROLLER
10MG AND CONTROLLER

\$1100

\$1050

Installed free

DISKETTES
2000 SHEETS OF PAPER

\$28

\$38



MODEMS

MODEM PHONE MK I 300,
1200/75 WITH PHONE
\$249

WITH SOFTWARE **\$299**

COM-MODEM 300 BAUD ONLY
WITH SOFTWARE SUITS
COMMODORE 64 ONLY **\$99**

SMART TEAM HAYES
COMPATIBLE 300 1200/75
BELL, CCITT **\$599**

G.V.C. MODEM 300, 1200/75
AUTO ANSWER & DIAL
\$599

* ALL NEW MK II MODEM
PHONE MK II 300, 1200,
AUTO ANSWER AUTO
DIAL BELL & CCITT HAYES
COMPATIBLE **\$549**

2001 INTERNAL MODEM PC.
300 F/D 1200/75 AUTO DIAL
& ANSWER HAYES
COMPATIBLE INCLUDES PHONE
\$599

FREE-FREE-FREE-FREE-FREE
LOG ON TO OUR RBBS
24 HOURS FREE. PH 277 6824

(SPECIAL MOUSE FOR PC **\$145**)

THE ATLANTIS WARRANTY


1. THE ATLANTIS PC/XT & TURBO COMES STANDARD WITH 12 MONTHS WARRANTY.
2. WITH MS DOS 2.11 & MANUALS
3. YOUR CHOICE OF THREE KEYBOARDS.
4. IF ANYTHING GOES WRONG RETURN THE COMPUTER TO OUR OFFICE AND A.I.C. GUARANTEE THE FAULT REPAIRED WITHIN 15 MINUTES, IF NOT A NEW SYSTEM WILL BE REPLACED FREE OF CHARGE.
5. JAPANESE COMPONENTS ASSEMBLED BY ATLANTIS INTERNATIONAL COMPUTERS HERE IN AUSTRALIA.
6. **\$100** CASH BACK OFF R.R.P. ON THE ATLANTIS PC/XT & TURBO



ATLANTIS INTERNATIONAL COMPUTERS

IMPORTERS
SUPPLIERS
DISTRIBUTORS
& SALES

49 WADHAM PARADE, MT. WAVERLEY, VIC. 3149
PHONE: 277 3139, 277 7187



ATLANTIS PC-640K RAM 8088 PROCESSOR MS DOS 2.11

- 2 x 360K DISK DRIVES
- 1 x MULTIFUNCTION CARD
- 1 x SERIAL PORT
- 1 x CENTRONICS PORT
- 1 x JOYSTICK PORT
- 1 x COLOR GRAPHICS CARD
- 1 x RGB PORT
- 2 x COMPOSITE PORTS
- CLOCK/CALENDAR

EX-STOCK
ATLANTIS PC/XT

\$1695 Inc.

TOTAL PRICE

IBM COMPATIBLE PC/XT 640K RAM

ATLANTIS PC-XT TURBO ASSEMBLED IN AUSTRALIA 8088-2 PROCESSOR MS DOS 2.11

- 2 x 360K DISK DRIVES
- 1 x MULTIFUNCTION CARD
- 1 x SERIAL PORT
- 1 x CENTRONICS PORT
- 1 x JOYSTICK PORT
- 1 x COLOR GRAPHICS CARD
- 1 x RGB PORT
- 1 x COMPOSITE PORT
- CLOCK/CALENDAR

\$1895 Inc.

EX-STOCK ATLANTIS PC/XT

8087 CO-PROCESSOR

\$300 Inc.

PRINTERS

- SUPER 5 EP 1201 \$549
- SUPER 5 EP 1802 \$699
- CPB 80 130 CPS \$395
- CPB-136P 130 CPS 15 INCH \$799
- OLYMPIA MP 165 \$499

★ For your printer requirements, ring.
A.I.C. will match or beat any price
on printers in this issue

MONITORS

- COMPOSITE MONITOR \$180
- TTL ORANGE \$229
- TTL GREEN \$229
- ROLAND COMPOSITE \$199
- MONITOR CABLE \$29
- MONITOR STANDS \$29
- ROLAND COLOUR MONITOR \$899
- ATLANTIS D+X2001 \$599

INTERFACE FOR IBM OR COMPATIBLES

- MULTIFUNCTION CARD \$299
- MEMORY CARD \$199
- MONO GRAPHIC (HERCULES) CARD \$250
- COLOUR GRAPHIC (IBM) \$199
- PARALLEL INTERFACE \$99
- SERIAL INTERFACE \$99
- DISK DRIVE CARD \$86
- DISK DRIVE CABLE FOR ABOVE \$25
- DISK/MULTI IO CARD \$209
- CABLE FOR ABOVE \$25
- HARD DISK CONTROLLER \$318
- IBM DISK DRIVE \$229
- JOY STICK \$45
- PRINTER CABLE \$29
- REPLACEMENT KEYBOARD \$150
- REPLACEMENT KEYBOARD \$239
- MOUSE FOR PC \$145
- KERRY CARD (COLOR, MONO/GRAPHICS CARD) \$299

TAX PAID

SCREENPLAY

form, and more often than not contains some small, animated detail. In your office, a ringing phone jumps up and down on your desk, while in another room, bubbles gently rise and burst in a glass water dispenser. Also, other characters are able to communicate with Sam Harlow.

Next to Borrowed Time's graphics window is a list of useful commands which can be accessed with a cursor, moved using the mouse. Here, you find such useful functions as: search, show, cut, and open.

There are 24 verbs and nouns featured onscreen, but many more can be used by typing them in as you would any other adventure. Several commands which have been dispensed with are those used for movement; they have been

replaced by a compass, allowing the player to move by placing the cursor on any of the four cardinal points and clicking on the mouse.

Below the graphics window and the aforementioned box of commands is a rectangular space, into which go the objects collected during your investigations. When an item is removed and replaced somewhere else on the screen, the computer assumes that you have dropped it.

Borrowed Time is an intriguing game, and it is reassuring to find other games producers going along the same path as companies such as Mindscape. I don't feel that it is quite as good as DeJa Vu, its only other rival, but it is certainly better than the majority of so-called illustrated interactive adventures.

I do have one complaint about Borrowed Time, however, and that is that some of the sticky situations which you find yourself in seem to allow you fantastic routes of escape. A good illustration of this is the moment when you find yourself suspended by your wrists, which have been tightly bound together with twine and fixed to a door lintel. Like any hero, I nimbly swung my legs over a table and somehow managed to pick up a matchbox and a candle. Although hanging from my wrists, I was still able to light the candle and burn the twine, so freeing myself. Beat that, Bond. **END**


*** AT'S** IBM AT PHONE!
 Lotus (286) \$3,700
 Lotus (186) \$2,700
 512K RAM, Parallel + Serial Ports, Floppy, Monitor
ADDITIONS: 20Mg \$850, 40Mg \$1600

XT'S \$1600
 (Turbo \$1900)

DATRONICS will service OUR compatibles!
 We install Network, Modems and conduct training
LOTUS COMPUTERS
 CELEBRATES 4 YEARS OF TRADE
(02) 817 4129 Trial a "COMPATIBLE in YOUR office"

SPIKES

THE NUMBER 1 BOARD KILLER



TYCOR® GETS THE SPIKES OUT

Voltage spikes are the Number 1 circuit board killer. When the board goes down, your computerized equipment goes down. Then up go your costs with time wasted, productivity and data lost and costly service calls made.

A **Tycor Power Line Filter** will get rid of not only those spikes, but also surges, oscillatory transients and common mode noise that account for 98% of all micro-processor based equipment problems, including:

- Read/write errors ● Memory loss
- Component damage ● Program errors
- System failure ● Costly reboots

TYCOR FILTERS

are available in Australia from

ELECTROMARK PTY. LTD.

43 ANDERSON ROAD (P.O. BOX 184)
 MORTDALE NSW 2223
 PHONE (02) 570 7287



45 WELLINGTON STREET
 WINDSOR VIC. 3181 (03) 529 8500

Reach for the sky

The University of Surrey in Britain is currently operating two satellites, UOSAT 1 and UOSAT 2. In the last of their series, Robin Mudge and David Furst look at what scholars and hobbyists are doing with these spacecraft.



In 1945, Arthur C Clark outlined an idea for placing three artificial space satellites in orbit around the world at a height of 35,880km above the equator. At this height, the satellites would orbit the earth once in 24 hours and so keep a fixed position relative to the earth's surface. Between these three geostationary satellites, a complete global communications system could be established.

In 1986, communications satellites have become big business. There are thousands of them in orbit around the earth; they have brought television and radio to the remotest parts of India; they have given the US its first national newspaper, *USA Today*; and they supply more than 12,000 global telephone circuits.

DIY satellites

Most of the aforementioned satellites cost millions of dollars each, but orbiting among them can be found Oscar 1, a satellite which was built on the kitchen table by a group of enthusiastic radio amateurs (hams). Oscar stands for Orbital Satellite Carrying Amateur Radio. Oscar 1 was built in 1961, and since then there have been 11 others.

Each 'home-made' satellite has been designed to help hams communicate with each other on a world-wide basis, in a more reliable way than they can by using the familiar short-wave radio bands. Radio hams are people who are interested in the technology of radio communications. They have often been at the very forefront of research (they contributed enormously to discovering how radio waves propagate around the earth), so it's not surprising to find them



Movement of the earth . . .



Satellite tracks


active in the field of satellite communications.

Two 'home-made' satellites, Oscar 9 and Oscar 11, carry a number of space science experiments onboard which measure all the functions of the satellite's systems, such as battery voltage, solar cell current, and temperature. Other instruments measure the earth's magnetic field and solar radiation, perform spectral observations, take dust particle measurements, and there is a CCD camera which takes pictures. All this information is transmitted back to earth by radio in ASCII code at 1200 baud; the method is called telemetry, and can easily be received by enthusiasts. Once received, your micro can help you to interpret these messages, and you are ready for some real space science experiments in your own home.

Receivers

Oscar 9 and Oscar 11 are operated by the University of Surrey and are called UOSAT 1 and UOSAT 2 respectively. Both transmit their telemetry on 145.825MHz.

The best receivers for satellite work have an auto recorder switch. This is operated by the squelch control: when a strong signal is received, the squelch turns on the tape recorder. It is turned off again when the signal fades. It is advisable not to use a top-quality recorder for this purpose as the machine



. . . below the satellite




Polar view

has to be left in the 'Play' position for long periods. This leaves an indentation on the rubber pinch wheel which moves the tape. It's OK for satellite signals, but it plays havoc with the wow and flutter figures when used in a hi-fi system!

The signals from UOSAT come and go because they are both in polar orbits; these take the satellites over the north and south poles. UOSAT 1 and UOSAT 2 are about 554km and 700km high respectively, and they take about 90 minutes to complete each orbit. Their orbits are fixed in space, one at 90 degrees to the other, and the earth revolves under them, once every 24 hours. Each hour, the earth rotates through 15 degrees, so each time the satellites come around, they are over a different part of the earth. In theory, each satellite will come overhead twice a day — once in the daylight (travelling north to south), and once at night (travelling south to north). In practice, though, an antenna with a wide angle of acceptance (like a turnstile) is used, so it captures signals from passes that are at either side of the main overhead ones. To increase the strength of these rather weaker signals, a 'preamplifier' can be used. The best type fits onto the antenna, boosting the weak signals before passing them down the cable to the receiver. You can use a preamplifier at the receiver, but the interference and noise introduced to the signal in the connecting cable will then also be amplified.



An example of satellite passing



Paths traced over 24 hours

Frequency

Specialist receivers have a rather unusual tuning circuit which takes care of a troublesome effect called the Doppler shift. In England both MM Microwave and Timestep Electronics produce such receivers, though they are not available locally. This Doppler Shift is the same effect that you hear as a police car or a train approaches you at high speed, sounding a siren; as the vehicle passes, the siren seems to change pitch and lower in tone. The siren produces a note of a specific frequency (frequency is the measure of the number of complete waves passing a fixed position in one second (called Hertz)). The frequency is fixed by the speed at which sound travels and the wavelength of the sound wave. The siren is on the car and it produces a sound of fixed wavelength which travels at a fixed speed — but the car is moving forward at a high speed. The speed at which the sound waves reach you equals the speed of sound plus the speed of the car, so the frequency of the note will seem higher. As the car passes you and goes away from you, the speed at which the sound reaches you is the speed of sound minus the speed of the car; the frequency will be lower, so the note will be lower. At the point at which the car passes you, you hear a tell-tale change in pitch as the speed of the sound waves changes.

The same thing happens to radio waves. The satellite is travelling at a very

MCA

Micron Computers (Australia)

(Buy Direct from the IMPORTER and SAVE!!)

SPECIALISTS IN SYSTEMS FOR OFFICE, SCHOOLS AND HOME
FINEST IBM COMPATIBLE SYSTEMS

★★★ ALL SYSTEMS WITH 6 MONTH WARRANTY ★★★
 ★★★ ALL JAPANESE COMPONENTS ★★★



MICRON PC/XT

- * 640K RAM, 8088 PROCESSOR
- * 2 DOUBLE SIDED DISK DRIVES 360K
- * MULTIFUNCTION CARD WITH SERIAL PARALLEL AND GAMES PORT.
- * COLOR/GRAPHICS, MONO CARD
- * REAL TIME CLOCK/CALENDAR
- * 150 WATT POWER SUPPLY
- * AT STYLE KEYBOARD

\$1495 (inc.)

This includes a free monitor on a Tilt Swivel Base
 Valid to 30/7/86

TO CELEBRATE THE OPENING OF OUR NEW STORE LOOK AT THIS FOR 1 MONTH ONLY

NOW WITH SERVICE CENTRES IN EVERY AUSTRALIAN STATE

INTERFACE FOR IBM OR COMPATIBLES

- MULTIFUNCTION CARD 384K/OK **\$220**
- MULTI IO CARD **\$204**
- CABLE FOR ABOVE **\$15**
- HARD DISK CONTROLLER **\$300**
- IBM DISK DRIVE TOSHIBA **\$220**
- JOY STICK **\$45**
- PRINTER CABLE **\$25**
- REPLACEMENT KEYBOARD **\$150**
- REPLACEMENT KEYBOARD AT TYPE **\$220**
- MOUSE FOR PC WITH SOFTWARE (optical) **\$155**
- SUITABLE FOR LOTUS 1-2-3, WORDSTAR ETC.
- COPYCARD WITH SOFTWARE **\$165**
- EXTENDED GRAPHIC CARD **\$485**

APPLE PERIPHERALS

- 128K RAM CARD **\$140**
- 16K RAM CARD **\$66**
- II+80 COLUMN CARD **\$82**
- EXTENDED 80 COLUMN CARD WITH 64K MEMORY **\$140**
- DISK DRIVES **\$204**
- SUPER SERIAL CARD **\$100**
- TALK CARD **\$48**
- Z80 CARD **\$54**
- EPSON DUODRIVE FOR II, IIe **480**

MONITORS

- COMPOSITE MONITOR **\$195**
 - TTL ORANGE **\$220**
 - TTL GREEN **\$220**
- (Cheaper if purchased with computer system).

All monitors tilt/swivel base

8087 CO-PROCESSOR

\$260 Inc.

PRINTERS GALORE

- SUPER 5 EP 1201 **\$490**
- CANON 1080A **\$490**
- CANON A40 **\$450**
- OTHERS **\$CALL**

HARD DISKS IBM

10 MEG **\$795** 20 MEG **\$1050**
 Including cables and controllers

EPSON LX-80 WITH TRACTOR FEED
\$419 (inc.)
 WHILE STOCKS LAST



TAXAN SUPER IV

- Super hi resolution graphics display for CAD and CAM
- Resolution 790 dots x 410 lines
- Including E.G.A. Card
- Perfect for Autocad

ONLY **\$1540**

DTX 2001 COLOUR MONITOR

- Unbelievable value — Too good to be true.
- Ideal for graphics and hi res — 640 dots x 262 lines
 - Faithful reproduction of intermediate colours

\$489 (inc.)
 ex-stock



VIATEL DECODER

NO COMPUTER OR MONITOR REQUIRED

ONLY **\$499**

* CALL MICRON FOR A DEALER NEAREST YOU

* **DELIVERY AUSTRALIA WIDE**

* All Prices Include Sales Tax

MICRON COMPUTERS (AUSTRALIA)

75 Irving Street
 Footscray 3011
 Phone: 689 6444 (3 lines)
 Fax: 689 6190

MAIL ORDER NOW!
Call direct! Call today!


OUR NEW STORE AT:

631 Glenhuntly Road
 South Caulfield

OPENING 1st JULY

MASTERCARD/BANKCARD ACCEPTED

Z-NIX MOUSE



Opto-Mechanical Sensors


Smart cats are buying the Z-Nix mouse at

\$99 inc Tax

Lowest prices ever for a quality rodent

Hinged Lid — Latest Design Lockable disk boxes

Smoked perspex lid
and separators
Holds 85+ disks
only **\$23.00**
Freight **\$5**



New
improved design
with better line guide
and stronger clamp base!



How much are your
eyes worth?

Special price for
adjustable document
holders **\$33**

Freight **\$5**



NEW

\$26.50 inc Tax
\$5 freight & packing

- * Multipurpose for computer printer, plotter, typewriter...
- * Solve that problem of where to put the paper.
- * Paper tucks away neatly after printing
- * Optional angle lets user read paper while sitting.
- * Rack won't jiggle or vibrate.

PRINTER STAND

Olympia
/Nakajima
/NP2200

- * Maximum speed 165cps
- * Superb Near Letter Quality


- * Soundproofed! Use it in a busy office or the middle of the night.
- * 2k buffer



\$525 inc tax.
(This month only.)

This advert was printed on the Olympia!

TOP VIDEOTEX
SOFTWARE
INTERLINK \$77
XL \$99



156 Martin Street, Gardenvale, Vic 3185
Telephone (03) 596 7222 Fax 5970126
Telex AA 38029 Quote Ref 841203 A B YEAS
PTY. LTD.

Compak's Z-Nix Software Pledge:

Customers are free to return the computer for full refund in the first four weeks after purchase if they show the original disk of any commercially distributed program that runs on the IBM PC/XT and that cannot run on the Z-Nix PC/XT.

(Please note that programmes that use basic need to operate under GW Basic.)

Dr. J. Fedman

Z-Nix PC/XT with all specifications below	\$1724 inc tax
20 megabyte hard disk — Tandon slimline	\$1295 inc tax
10 megabyte hard disk — Davong	\$825 inc tax

Technical Advantages of Z-Nix PC/XT

1. The standard speed of the IBM PC/XT is 4.77 M/Hz. The Z-Nix PC/XT zips along at 8.0 M/Hz although you can slow it down to IBM's pace at the flick of a switch. That's a full 68% faster for a machine that's half the price.
2. There is a front reset button for those that don't have arms as long as a gorilla.
3. The Z-Nix PC/XT gives you security. With the turn of a key you can lock out the keyboard while the computer is running. Great for little kids at home and bigger kids in the office!

Z-Nix PC/XT



\$1724
including tax (monitor extra)

- ### Z-Nix PC/XT Specifications:
- * 640k on motherboard
 - * Twin 360k drives
 - * 8 slots
 - * Multi-function card
 - * Video card with colour/mono outputs
 - * RGB colour
 - * RS232 serial (second port optional)
 - * Security key to stop unauthorised access
 - * Front reset button
 - * Parallel printer port
 - * Joystick port
 - * Light pen port
 - * Battery backed up clock
 - * Hinged lid for easy access
 - * Sculpted ergonomic keyboard
 - * 4 layer board for reliability

TULLY COMPU-PRINT

For all your Computer and Office Stationery Requirements

IMAGINEERING™

"The Art of Software"

SINGLE SIDED/DOUBLE DENSITY DISKS

10-90 DISKS 100-990 DISKS 1000 DISKS
\$1.75 ea. \$1.65 ea. \$1.50 ea.

DOUBLE SIDED/DOUBLE DENSITY DISKS

10-90 DISKS 100-90 DISKS 1000 DISKS
\$2.35 ea. \$2.20 ea. \$2.00 ea.

THE ABOVE PRICES ARE FOR 5 1/4" DISKS AND ARE PACKED IN LOTS OF 10.

ALL PRICES **INCLUDE SALES TAX.**

PLEASE NOTE: SS/DD DISKS ARE IN PACKET. DS/DD IN A CARDBOARD BOX.

PLASTIC BOXES TO HOLD 10 DISKS:— **\$3.00 ea.**

PRICES FOR 3 1/2" AND 8" DISKS AVAILABLE. ALL DISKS HAVE A 5 YEAR WARRANTY.

COMPUTER PAPER, LABELS & BINDERS

11*9.5" — 70 GSM KEEN EDGE WORD PROC. PAPER.

PACK OF 750 **\$20.00**
 CARTON 2500 **\$40.50**

A4 WORD PROC. PAPER, 80 GSM KEEN EDGE.

PACK OF 500 **\$25.00**
 CARTON 2500 **\$55.00**

11 * 15 PLAIN OR B.H.S. 70 GSM — LASER BOND.

CARTON 2500 **\$44.50**

COMPUTER ADDRESS LABELS * 2500

102 * 36..... **\$34.50**
 89 * 23..... **\$21.00**

COLOURED COMPUTER BINDERS


11 * 9.5..... **\$3.00**
 11 * 15..... **\$3.00**

5 1/4" FLOPPY DISKETTE STORAGE

- * HIGH IMPACT AND SMOKED PLASTIC LID.
- * HOLDS 80 TO 5 1/4" DISKS.
- * LOCKABLE AND HINGED LID.

anti-static

\$18



EPSON MX 80



Colour Ribbons available

RIBBONS FOR EPSON PRINTERS


LQ-1500..... **\$12.50**
 MX/RX/FX 100..... **\$14.50**
 MX/RX/FX 80..... **\$ 9.50**
 LX/GX 80..... **\$ 9.50**



PHONE ORDERS HOT LINE
(07) 379 5100

ENQUIRIES
(07) 379 5218

REVERSE CHARGES ACCEPTED



Open: — 7am-7pm Mon-Sat

SEND MAIL ORDERS & CORRESPONDENCE TO:

TULLY COMPU-PRINT
 RIVERSIDE SHOPPING CENTRE,
 4/150 GRACEVILLE AVENUE,
 GRACEVILLE, QLD. 4075.

PLEASE SEND ME THE FOLLOWING ITEMS OVERNIGHT BY KWIKA:

_____ \$ _____
 _____ \$ _____
 _____ \$ _____

GUARANTEED OVERNIGHT DELIVERY BY KWIKA \$6.00

Enclosed Cheque/Purchase Order/Visa/
 Bankcard Mastercard for the balance of: \$ _____

SIGNATURE: _____ CARD EXP: _____/_____/_____

NAME: Mr/Mrs/Miss _____

ADDRESS: _____

SUBURB: _____ STATE: _____ P/CODE: _____

high speed, so the frequency changes as it approaches and leaves in the same way. The specialist receivers incorporate a phase-locked loop design which tracks the tuning to exactly match the received one.

The signal is an FM transmission, so any receiver which can tune into that frequency can be used. There are a number of interesting scanning receivers available — most of which can't handle the Doppler shift directly, but the signal can be kept in tune. The scanning receiver can be set to scan between the highest and lowest frequency limits, so when the signal goes out of tune, the receiver steps through to find the new frequency.

The bandwidth of the receiver is important. The satellite transmits a narrow bandwidth signal, so only a limited set of frequencies can be transmitted, but this is sufficient for the telemetry. The advantage of a narrow bandwidth is that the signal is less prone to interference. The receiver also has to have a similar narrow bandwidth, otherwise it will pick up a lot of interference which will distort the signal. Most scanning receivers are switchable between narrow and wide bandwidths, and are quite suitable for UOSAT.

More care and information is needed before a scanning receiver can be used with weather satellites, as receiving these signals is not so straightforward.

Scanning receivers are expensive, but they do open the door to receiving many other satellites. Until recently, one of the most famous satellite tracking stations was run at England's Kettering Grammar School. During the early years of the space race, boys at the school were often able to pick up and track Russian satellite telemetry. By measuring the Doppler shift of the radio signal carrying the satellite telemetry, they were able to work out its orbit and, often, where and when the satellite had been launched. Subsequently, the boys monitored the speech channels of Russian manned space flights — indeed, they were once the first people to report a Russian space accident.

Most amateur radio equipment manufacturers offer VHF scanning receivers. The AR2002 from AOR costs about \$800 and is widely available. This scanner provides excellent value as it has a staggering coverage (25-550Mhz and 800Mhz-1.36Ghz), excellent sensitivity and very few internally generated signals (called 'birdies').

The most superior scanner is the ICOM IC-R7000. This tunes from 25-1000 Mhz and 1025Mhz-2000Mhz, high enough for it to receive signals from Meteosat 2, the geostationary weather

satellite, but at almost \$2000, it's rather pricey.

Most of these receivers offer a computer control interface which helps extend satellite tracking activities. Leaving a tape recorder connected to a receiver works well enough. The receiver is set to continually scan a range of frequencies; each time the receiver finds an active frequency, it stops, turns on the tape recorder and records it, stopping when the signal passes. However, it becomes very difficult to identify the source of the signal when the tape is replayed, as there is no record of the frequency or the time at which signals were received. Using a computer-controlled receiver, a log of all these factors can be kept and compared over a long period of time. With this, it is sometimes possible to identify the satellite.

At the top end of the range Icom's R7000 can have an optional speech synthesiser fitted so that it can announce the frequency being monitored. This is recorded on the tape along with the signal being received.

These scanning receivers offer a far wider frequency range than is really necessary in order to listen in on most satellites — remember, UOSAT 1 and UOSAT 2 transmit on 145.825Mhz. Another less expensive alternative is to fit a converter to an existing HF shortwave receiver. The converter changes the signal coming down from the antenna so that it will fit into the frequency range of the receiver. Some receivers, such as the Kenwood R2000, can have a converter fitted internally. When the converter is switched on, the frequency display is changed to show the correct numbers. Many of the newer short-wave receivers have scanning facilities and computer control interfaces built-in, enabling them to offer similar features to the more expensive VHF scanning receivers.

Information decoders

Whatever your receiver and antenna, if the system isn't a specialist one, you will

```

*****
* Sat-Pack: UoSAT-2 RAW TELEMETRY FILE DISPLAY [ Press <ESCAPE> to exit. ]
* Reading from file: R.TEST-2 [ <SPACE> to toggle pause. ]
*****
Y70104128
0050630146BB02673003348C04052305039F06025107052008047B09037D
10293911332212000313063714135215440416181F175164184915195397
20470121184E22660023000124000625000726097A27556328511F295248
30513431040632286D33579834000735266436317037430338476E39504B
40765041120642642643061044166145000146000247494A48506F494779
50556351102752675353308D54649A55000056000357499658494459506F
60826A615BE7621F4E6333056444026517056647ED67700668000E69000F
:UOSAT-2 8510270104133
00505001478A02673003349D04052305039F06025107052008047B09037D
10295F11332212000313063714129F15440416181F175157184863195397
20443121184E22660023000124000625000726097A27556328512C295248
30513431040632286D33579834000735265736317037430338476E39504B
40766341120642642643063244166145000146000247494A48506F494779
50563551102752676053682A54653155000056000357499658494459507E
60826A615BE7621F4E6333056444026517056647ED67700668000E69000F
:UOSAT-2 8510270104138
00504101482F02672103349D04052305039F06025107052008047B09037D
10298211332212000313063714125315441516181F175146184827195397
20421521183922660023000124000625000726097A27557228513D295248
30513431040632286D33578A34000735266436318F37430338476E39504B
40766341120642642643063244167045000146000247494A48506F494779
50569F51102752677153684C54653155000056000357499658494459507E
60826A615BE7621F4E63330564440265170566482E67700668000E69000F
:UOSAT-2 8510270104142
00503601492E02672103351404052305039F06025107052008047B09037D
10302011332212000313064014128E15440416181F17513118477D195397
20399121185F22660023000124000625000726097A27557228514A295248
30512531040632286D33579834000735267536319E37430338476E39504B
40766341120642642643065444167045000146000247494A48506F494779
50574351102752678E33685D54658A55000056000357499658494459507E
60826A615BE7621F4E6333056444026517056648A67700668000E69000F
:UOSAT-2 8510270104147
00503601499502671203352704052305039F06025107052008047B09037D
10306411332212000313064014128E15440416181F175120184739195396
20378E21184E22660023000124000625000726097A27557228515B295248
30512531040632286D33577534000735268A36320437430338476E39504B
40767241120642642643066744167045000146000247494A48506F494768
50579E51102752680933686E54658A55000056000357500758494459507E
60826A615BE7621F4E6333056444026517056658B67700668000E69000F
:UOSAT-2 8510270104152
00502701507302670303355004052305039F06025107052008047B09037D
10311211332212000313064014126015440416181F175113184692195396
20359021183922660023000124000625000726097A275572285168295248
30512531040632286D33579834000735269836321537430338476E39504B
40767241120642642643064544167045000146000247494A48506F49476E
50583851102752681853687F54662355000056000357500758494459507E
60826A615BE7621F4E63330564440265170566482E67700668000E69000F
:UOSAT-2
    
```

<<<< END OF RAW TELEMETRY DATA FILE >>>>

Fig 7 An example of raw telemetry



Qubié announces the BT20 Hard Pack for the PC

The slot mounted 20 Megabyte hard disk system fits in one slot of a PC. The unique side by side design allows it to be plugged into slot 5 and nestle behind your floppy disk drive(s). (Slot 7 on the PC/XT).

Ability to run a second drive from its controller giving you 40 megabytes of storage.

Software included for diagnostics, formatting, and included is 1DIR, the hard disk organizer, a \$95.00 retail value.

BENEFITS:

Ability to run 2 floppies in the PC, OR 1 floppy and an internal back-up unit OR an additional internal drive with the Qubié 20megabyte HardPack.

- Drive Manufacturer: Tandon
- Drive Surface: Chromed
- Drive Size: 3.5"
- Controller Manufacturer: Basic Time (Qubié)
- Controller Size: 5.25"

Recommended retail price:

\$1599.00

Inclusive of sales tax

Available at:

Your local PC dealer NOW!

Telephone (02) 579 3322

QUBIE'

have to use an information decoder to interface the audio tones to your computer. An English organisation called Amsat UK supplies a simple kit for this purpose, plus lots of information about amateur satellites. Amsat has been set up to help amateur radio enthusiasts who use satellites to communicate on a world-wide basis.

To get the most out of the university of Surrey satellites, you must receive UOSAT 1 and UOSAT 2, but this is no problem as they both transmit on 145.825Mhz. All the available decoders are capable of handling information from either satellite. The most interesting experiments are carried onboard UOSAT 2; they operate according to a schedule worked out by the command team at Surrey University. The team prepares a 'space news bulletin' which gives general-interest material as well as the operating schedule of UOSAT 2. This newsletter is also carried by UOSAT 1, so it is necessary for you to receive it to find out what the weekly timetable is for UOSAT 2 experiments.

The decoders produce an RS232 output, so any computer running a communications package can decode the signals. However, apart from the news bulletin, the telemetry comes as a whole string of numbers. These numbers give details of the 69 satellite functions, most of which deal with the spacecraft's system. It is possible to decode these numbers using the *UOSAT Handbook* from Surrey University, but this takes a long time. Occasionally, the satellite transmits telemetry by voice using a voice synthesiser, but this isn't particularly useful as it only manages to say a few figures before going out of range. The best method is to get a computer to decode it for you.

SATPAK

In Britain a software package called SATPAK has been developed. It is disk-based and comes in three parts. It is only available for the BBC Micro, and was written by Craig Underwood and Eric Twose at Scarborough Sixth Form College. The package is marketed by an English company called Unilab (which is also developing a UOSAT receiver), and can be obtained from that company or through Amsat UK.

SATPAK 1 is an orbital prediction system. The system takes standard Keplerian orbital data and uses it to plot the position of a satellite for any time and date (Kepler was an early astronomer who worked on the orbit of the planets). It will work with any satellite for which the relevant data is available, and there is an option in the system which allows this



ARE 510 PAGES OF YOUR BUSINESS DATA WORTH \$30?

Your company's computer files are your life blood. A corrupt character in the wrong place, could not only have grave implications for your cash flow – even if you have paper files from which you can reconstruct – but could throw your previously orderly business into turmoil.

Alloy Australia have developed a virtually fail-safe solution that costs as little as \$30 per megabyte of back-up storage.



The Alloy FT-60 streaming tape cartridge will take up to 30,000 pages of daily updated files at a time. And it does it automatically.

If your system should crash, the hair-tearing excuse 'I was going to do a back-up this week' could never be used. The FT-60 never forgets to back-up. It can be easily programmed to take back-ups of your hard-disk files hourly, daily, weekly, monthly – and without an operator needing to be there.

The file-oriented FT-60 plugs straight into the PC & XT external floppy port, and can be readily added to your AT or compatibles with our low-cost controller card.

The Alloy FT-60 is just one of the new Streamliner Series of back-up and storage systems now available from all leading PC dealers.


ALLOY

Alloy Australia Pty. Ltd.,

We back you up.

Suite 3, 318-322 Stephenson's Road, Mount Waverley,
Victoria, 3149. Telephone: (03) 277 1333.
Fax: (03) 277 6119. Telex: AA 152657.

**PAY
ATTENTION!**



**BRING OUT THE
GENIUS IN YOUR
PC, XT, AT, WITH
EXPANSION PRODUCTS FROM:**



MEMORY CARD:

Up to 384K to fit XT style short slot, Ram Disk/Print Spool, options for 128K stack card and clock/calendar.

SYSTEMS SUPPORT CARD:

1 x serial and 1 x parallel port, games adapter and clock/calendar.

**MAXIMISER MULTI
FUNCTION CARD for PC/XT:**

Up to 384K, 1 x serial port, 1 x parallel port, clock/calendar with battery backup, Ram Disk/Print Spool, options for second serial port, games adapter and 128K stack card.

**MAXIMISER MULTI
FUNCTION CARD for AT:**

Up to 2.0 Megabytes, 1 x serial and 1 x parallel port, Spool, options for second serial port, games adapter and the Maxistack with a further 2.0 Megabytes of memory.

**COLOR 400
HI-RES GRAPHICS:**

Design bridges and buildings or bring your business graphics to life with 640 x 400 resolution in 16 colours. Functions with most popular packages.

HARD DISKS:

Up to 32M-bytes half height which will even fit your portable. 120M-byte full height. Internal mount or external sub-system.

TAPE BACKUP:

Full streaming or file by file 60M-byte cartridge or 10M-byte single spool which plugs into your floppy controller. Internal mount or external sub-system.

EXPANSION CHASSIS:

When your slots are full, get another 9 with our expansion chassis with DMA support.

Ask your PC dealer for more information

*If you don't ask
you will never know what you're missing*

DEALER ENQUIRIES TO:

COMPUTHINK

11 Hamlet Street, Cheltenham (03) 584 3188



data to be entered and stored on disk. SATPAK 1 comes with data for UOSAT 1 and UOSAT 2, and a number of other satellites. The system is menu-driven to allow the selection of relevant drives and data entry sections. The main program allows you to specify the time, date and period during which you wish to see the path of the satellite; it also lets you set the time interval in minutes for each position to be shown.

When you have entered all these parameters, SATPAK 1 offers you the choice of showing the satellite's position as a list of numbers or plotting it as dots on a choice of maps — you can select a world mercator, a north or south polar map, or a map of Europe. On the latter, the time at which the satellite passes directly overhead is printed onto the screen.

Looking at the paths of different satellites is very interesting — one of the amateur radio satellites appears to move backwards at one point. It doesn't, of course: it's in a highly elliptical orbit which makes it appear to move backwards at some points in its orbit. This is useful for the radio enthusiast because the satellite stays in one place for a long time, allowing you to use it more easily. Comprehensive control over the timing elements is given via the BBC Micro's red function keys. It's quite exciting to let the system run in real-time with the receiver switched on — you can see its exact position at the moment of first reception. This is useful in the case of weather satellites, because when it's cloudy, it's sometimes difficult to discern exactly the subject matter of the picture. The satellite plot helps in these cases.

SATPAK 2 and SATPAK 3 are specifically aimed at UOSAT users. They are both concerned with the decoding and analysis of the telemetry data. SATPAK 2 takes the raw 1200-baud ASC11 signal and turns it into a complete annotated list of the experiments and their results, storing them on disk for later use.

There are five sections to SATPAK 2. The first two sections display and save to disk the raw satellite telemetry. The audio signal is fed in from the cassette recorder, or the receiver, where the software converts it into streams of numbers. The numbers appear in blocks, called frames. Each frame has a header which gives date and time information.

The third section is the heart of the system, and turns the frames into recognisable numbers. It uses clever routines to sort out valid data from corruption caused by interference.

This first stage of processing gives frames as recognisable groups of six figures. The first two digits give the

THE PERFECT



PC EXPANSION

For PC XT AT & compatibles

- 30 – 150 Mbytes of formatted hard storage
- 60 Mbyte streaming tape back-up
- 5 extra expansion slots.

Qicstor-Plus enables you to expand your PC with the world's most reliable Winchester disks, a streaming tape back-up system, and five extra expansion slots — all in the one box.



With disk access times as low as 28 milliseconds and in-built error correction on all data transfers, 2 Mbytes/min file oriented streaming tape back-up system, Qicstor-Plus provides optimal expansion for all computer users.

It's the perfect partner for your IBM PC/XT/AT and/or other PC compatible that supports Direct Memory Access.

Fully serviced and supported in Australia, QICSTOR-PLUS is PC Network, Novell NetWare, 3COM Ether Series compatible. Now available from all leading computer dealers.

If you already have mass storage and back-up but are having trouble finding enough slots, or power for all the necessary peripheral cards — ask your local dealer today about the PC-XBUS — our 12 slot expansion box.

ALLOY

Alloy Australia Pty. Ltd.,

We back you up.

Suite 3, 318-322 Stephenson's Road, Mount Waverley,
Victoria, 3149. Telephone: (03) 277 1333.
Fax: (03) 277 6119. Telex: AA 152657.

ALL/A945

channel number; the next three give a hexadecimal value for the experiment; and the sixth is a special check-sum. The software takes a few minutes to completely reduce the raw data to readable results, and when this has been done, the data is displayed as fully annotated sets. Choosing either the analogue or the digital values produces a display onscreen of every channel — this can be sent to the printer for more detailed study.

SATPAK 3 is a graphing package which helps in the analysis of received data. It allows three data sets to be plotted against each other, using a variety of graph styles. It is possible to look for and study interrelated effects, either from different data channels of the same satellite pass, or the same data from different passes.

Uses of information

SATPAK 3's techniques relate to two major uses of the information gained. The first, immediate use is to try and discover exactly what the satellite was doing during its pass. You can't see it — the only information available is in its telemetry. This gives information about the temperature of the satellite's faces, the current in its solar panels, the horizon sensor, and much more. From this type of data it is possible to work out the satellite's orientation in space — details such as which side is facing the sun or the earth, is it spinning, and so on.

The second use is in long-term experiments. The satellite sends back masses of information, but it is only through long-term observation that changes can be detected. It is possible to conduct real experiments using this data; for example, it would be interesting to see how sunspot activity affects the earth's magnetosphere. Early in 1986, there was a solar storm that completely disrupted radio communications on the short-wave. It would have been interesting to look at the effect on the magnetosphere, which had been measured by UOSAT's instruments during this incident, but it would only be possible to see any change from normal if there had been a sufficiently large collection of data from other orbits to which the change could be compared.

Conclusion

Genuine scientific experiences can be gained from the information retrieved from satellites — the amateur scientist rarely has access to the kind of mass data which professional scientists have to deal with. UOSAT provides this access, along with all the problems of handling it

and searching for hidden stories. It is not surprising that educationalists have begun to encourage UOSAT use in schools. In Britain an organisation called the Satellites in Education Project has been set up to help in this matter.

Whether it is just the excitement of listening to a satellite signal as it passes overhead, or a desire to carry out a

genuine piece of scientific research, UOSAT 1 and UOSAT 2 are worth experimenting with. The next generation of software will decode image information from the CCD cameras on these satellites. The 'Big Brother' watching us may soon be our neighbour's micro!

END

Addendum

In Tune Into The Airwaves, the first article in this three part series, we told you how to receive teletype services. Below is a list of relevant services and their frequencies.

Agence France Presse (AFP)
7.542, 10.730, 19.327

Central News Agency (CNA) — Republic of China
7.695, 13.563

Reuters
6.845, 9.120, 10.960, 14.514

Tass (Official Soviet News Service)
6.870, 6.950, 7.760, 9.110, 10.270, 11.470, 12.085, 13.410, 14.510, 14.700, 15.923

United Press International (UPI)
9.985, 16.233, 19.520

Voice of America (VoA)
14.527, 19.793, 20.482

Xinhua (New China News Agency)
7.250, 9.491, 11.680, 12.265, 14.923

KCNA (North Korean News Agency)
13.780

Interpol (Organisation Internationale de la Police Criminelle (Interplod))
18.190

'Lucky Dip' frequencies: Some in French.
15.925, 16.099, 16.107, 18.263, 20.080

Note: All the above frequencies are used at different times of day. If they can't be received in the evenings, it's worth a try at other times of day. The frequencies given are approximate. Many teletype stations vary their frequencies up or down one or two kilohertz depending on conditions.

Happy listening!



'Don't just stand there, man — come in!'

FLASH!!!

A NEW FLASHPRINT FOR WORDSTAR

FLASHPRINT has solved printing problems for thousands of Wordstar users. Now it's even better.

Modern printers have dozens of commands. Until now it has been impossible to send all of these codes from a Wordstar file. Most printer demonstrations are in computer code, not Wordstar.

New FLASHPRINT/4 changes the world of Wordstar and printers. Now you can print anything — even large letters.

Print **BIG** and little and **anything** your printer can print!!

FLASHPRINT is supplied with command files for several popular printers. But you can chose the command and the coding your printer needs.

We even include notes on designing your own characters such as boats, cars and graphic symbols.


FLASHPRINT requires no special knowledge and Wordstar requires absolutely no installation. You simply copy FLASHPRINT and a printer table on to your normal Wordstar disk and run it.

There's more. FLASHPRINT/4 includes FLASHKEY. This allows any Wordstar character (including control characters) to be a function. That's 127 function keys on your computer. Functions can contain hundreds of bytes. FLASHKEY also allows key translation. You can create a Dvorak keyboard or change Wordstar's clumsy commands.

\$68 CP/M-80 version is available in more than 100 formats. Please add \$6 for Microbee 3.5-inch and 8-inch IBM standard to cover additional costs. Requires Wordstar version 2.26, 3.0 or 3.3. The MS-PC-DOS version is normally 360K 5.25-inch disk for Wordstar V3.3. Please include \$5 for packing and postage.

JRT SOFTWARE
42 TURNERS AVENUE
COROMANDEL VALLEY
5TH AUSTRALIA 5051 (08) 278-7076

FLASHPRINT/4 will change the way you use Wordstar.



We've sharpened our pencil to sell you a STYLUS.

STYLUS is a radical breakthrough. It's a new tool for designing PC programs.

STYLUS is a flowblock editor and translator. That means you simply design the program — and STYLUS codes it all for you in PL/I, dBASE II or BASIC.

The concept of the flowblock dates back to 1973 but it was not until 1985 that it was delivered to the PC user. Now STYLUS is available for IBM, Apricot, Olivetti, APC III and Panafacom.

STYLUS makes you more efficient — and makes maintenance a breeze. To learn more about it, just send the coupon for our brochure.

But to learn a lot more about it, here's our special sharp-pencil offer. Send \$25 as well (or charge your Bankcard) and we'll send you the whole demo kit. If you don't fancy STYLUS after 30 days, send it back and we'll refund the \$25. But if you find life will never be the same without it (and it won't) get our introductory 20% discount by sending only another \$95. That's thirty dollars off the regular price!

Be sharp about it. Clip the coupon right now. Try STYLUS and...

To be blunt — you'll buy it!

STYLUS

DCF 7218

Mail to: Grouse Bell, Box 297,
Neutral Bay Junction, NSW 2089.
(02) 908 3458
Phone Orders Accepted

From

..... P/Code

Send the demo kit (\$25.00)
 Send the full system (\$120.00)
 Version required

Here's my cheque/money order
 Charge my Bankcard, Mastercard

No.

Expiry Date

Signature

FLASH!!!

FLASHPRINT MARK II FOR PC PRINTING

THE original FLASHPRINT has solved printing problems for hundreds of Wordstar users. Now FLASHPRINT MARK II, especially for PC- and MS-DOS users, works with any program that prints. Not just Wordstar.

FLASHPRINT MARK II lets you send any code to any printer from any program. It is especially useful for people who want to take full advantage of the complex codes required by modern laser printers. And it allows users of dot matrix printers to exploit every feature of the printer.

Coding that requires hundreds of bytes can be included in a file, document or even a program simply by keying one or two characters.

FLASHPRINT MARK II uses the same command structure as FLASHPRINT and is supplied with command tables for several popular printers. But you can chose the commands and the coding your printer needs. FLASHPRINT MARK II does the rest. A single command can send hundreds of codes to any printer. Wordstar, for example, allows only four or five.

As usual, we include notes on designing your own characters and graphic symbols. We also include a utility program which lets you design your characters on the screen and print the character and code your printer requires in bit-image graphics mode.

FLASHPRINT MARK II is easy to use. Simply load it and specify the table of printer commands you require. It is then ready to intercept your special commands whenever you print. From any program. Even from the Print/Screen key.

\$88 FLASHPRINT MARK II requires PC- or MS-DOS. A special version is required for the NEC APC III. Please add \$5 for packing and air mail delivery.

JRT SOFTWARE
42 TURNERS AVENUE
COROMANDEL VALLEY
5TH AUSTRALIA 5051 (08) 278-7076


We believe FLASHPRINT MARK II will change the way you use your printer.

MICRO IMPORTS PTY. LTD.

Delivery **\$5.00** GOSFORD
 SYDNEY
\$10.00 WOLLONGONG
 ANYWHERE ELSE

P.O. BOX 295, PADSTOW, NSW 2211
 PH: (02) 543 1541 TELEX: 72049 MICIMP

CGC CARD
\$300



- TTL
- RGB
- COMPOSITE
- SELECTABLE BY SOFTWARE

CGG CARD
\$400

VIDEO CARD for IBM



MODEL AK-GC20 JOYSTICK
\$45

for 2+/2c/2e or IBM

IBM ACCESSORIES

Parallel Printer Cables	\$30
Teac Disk Drive	\$220
384k Multifunction Card (O.K.)	\$276
EGA card	\$615
12 Bit AD-DA Card (16 channel)	\$280
135 Watt Power Supply	\$200
Metal Case	\$100

A new force in the world of portables



Ampere WS-1
 An A.P.L. Computer
 from **\$3999**

- 16/32 Bit 68000 CPU
- Up to 512k RAM
- Built in Modem
- 2 serial Ports
- 1 serial Port
- 25 x 80 LCD screen
- OCTAGON — Eight

Application programs in ROM

KINGTECH PORTABLE



\$2800
 with TTL Monitor

- 16kg
- 640k
- Serial
- Parallel
- Clock
- 2 FDD's

APPLE ACCESSORIES

Liquid Crystal Display for 2C	\$599
Clip on cooling fan	\$59
Grappler card & cable	\$65
Expanded 80 col 2e	\$70
128k RAM	\$199
Eprom Burner	\$65
16k RAM	\$60
Buffer card & cable	\$100
SAM speech card	\$36

DISKETTES

CIS DSDD	\$24
XIDEX DSDD	\$36

Introducing the Sortec Portable Laptop

\$3600 Dealer Enquiries Welcome

PHC-16

- 80C88 4.8MHz 16 bits CPU
- 512k on board up to 1.25M bytes
- Large LCD display: 640 x 200 for graphics + Back Light 80 columns x 25 rows
- Standard ASCII layout keyboard, 10 function keys
- Infrared wireless keyboard
- 5.25" floppy drive 360k — 3.5" available soon
- Built-in: parallel printer port, RS-232C port, clock Video port for RGB and MONO monitor
- DC 12V rechargeable battery
- Compatible C-CP/M, PC-DOS & MS-DOS
- 14 lbs. (6 kgs.)
- Concurrent CP/M standard
- External dimensions 330 x 153 x 265mm
- 360k RAM disk



EXPANSION CHASSIS

Versatile Expansion Chassis for IBM PC/XT

- 5 PC/XT Expansion Slots
- 100 watt power supply
- Send/Receive Adaptors/Cable

\$570

- Streaming tape extra



VISUAL INTELLIGENT TERMINAL

Automatic Consecutive Mark Card Reader QUARAPID-3

For data input and calculation of school test results, polls, office rationalization, or any counting procedures.

Features: Built in RS232c interface for connection with personal computer.



\$3999



SCREENTEST

Laserbase

Laserbase is a free-format, small-business database which aims to help the Atari ST gain some recognition in the business system market. Nick Walker looks at what it has to offer.

While there is no doubt that the Atari ST offers extremely good value for money, it is placed a little awkwardly in the market in terms of price. At around \$1695 for a mono system, it is too expensive for most home users, and the business community doesn't trust a machine which costs so little from a company that once produced video games.

This uncertainty has meant that serious business software has been slow to emerge, which is a shame, as the machine certainly has the power to run such applications. One of the earliest business applications written for the ST was Laserbase from Laser Software. Laserbase is a free-format database which was originally designed for the Apple Macintosh. With its subsequent release on the ST, I thought I'd look at the package in more detail.

Design

In order to write this review, I decided to create a simple patient record system, such as may be used in a health clinic. It proved to be an interesting exercise.

Laserbase consists of three separate programs: a design program; an input program; and a reporting program. To create a new database, you must first run the design program, but before doing so, I strongly advise you to sit down and carefully plan exactly what data you want to store, how it will look on the screen, and how you will want to access it. Write everything down explicitly, and refer to your notes throughout the design process.

Running the design program will lead you to a screen which strongly

resembles that of MacPaint and all its clones. To the left of the screen, there are a number of icons which represent the various design tools available, and the rest of the screen is a blank area upon which you design the layout of a record. The technique for designing a record is one which will be familiar to all users of a WIMP (Windows, Icons, Mice and Pull-down menus) environment. You select the type of field you require from the icons on the left, and use the mouse to define a box in the blank area which will represent this field. For fields of variable length, a numeric figure in the left-hand corner of the field automatically changes as you define it, giving you instant feedback on the size of the field. Every field defined in this way generates a prompt box, asking you to give the field a name.

All the standard data types — Text, Numeric, Data, and Time — are supported (I particularly like the rubber stamp icon which is used when selecting either data or time). In addition to these four, it is necessary to specify one, and only one, key field which will be used to index the file. I was disappointed not to see a Boolean or Yes/No field among the collection.

The most powerful of the Laserbase items is calculation. Calculations can be defined for numeric, data and time fields in an extremely simple manner. Selecting the calculation icon brings up a box containing a four-function calculator and a list of the fields available for calculation. Using this calculator, you can define any mathematical relationships between fields, subject to the usual mathematical restrictions such as

too many brackets, recursive calculation, and too complex calculations. My version of Laserbase didn't have calculations on text as an option, though I understand that it will be standard on later versions.

Having defined a record, a number of facilities are available to add emphasis and generally enhance the layout. Four outlines are available: squares, rounded squares, ellipses, and cross-hairs, in a number of line thicknesses. These shapes can be shaded, and text can be entered in a variety of formats.


My first impression of these cosmetic extras was that they were of limited use. It was a little later, when I was about to print-out a record, that I realised that you may want a company name on an invoice/order — or, in my case, a Health Authority's name on a patient's record. These facilities are ideal for this purpose, and are rarely found on most larger, more powerful databases. When the design is finished, you save it to disk and proceed to the second program — data input.

It is worth mentioning at this point just how easy a Laserbase record design is to modify. Many systems will take hours copying files into the new format, while Laserbase just takes you back to the design screen where you can add extra fields, delete current fields, or change the size of fields — all with very few restrictions. The key field must, however, remain completely unchanged.


Data input

Having designed your record format, the next stage is to insert data into the database. Considering how much time


SCREENTEST



During the design process



Input design is vital



Onscreen report design

could be spent performing tedious, repetitive typing, the design of this part of a database is vital — any small problem can be magnified several times later on. Overall, Laser Software has done a good job by adopting the 'type as little as you can' approach.

For example, just type the day into a data field, and Laserbase will take the month and the year from the system clock in the ST. While this means that the typing effort is minimal, it also means that data validation is minimal. No ranges can be set up by the user, so the only data validation is done by the program on date and time. For the experienced user, the alert boxes which appear when data is

incorrect can be switched off.

Although the input program is called 'LBINPUT', it is also used for record updating and simple sorting and searching. The left-hand side of the screen presents a row of symbols, or buttons, which represent the most common operations in searching and updating a database. These include: read record with specified key; save record with specified key; recalculate all calculation fields within a record; and delete record.

One of these buttons, the Arrange button, brings up a window which allows you to formulate a search request for the database. The search statement can be

typed into this window in something approaching natural English. By enclosing the field names in square brackets, the system doesn't require any clever parsing technique to understand the request. An example search request would be: 'Accounts whose [fourth quarter] sales are greater than 5000'; or 'Patients whose [number of visits] is less than 3'.

Laserbase has a comprehensive initial dictionary of keywords which includes all the standard logical functions, plus such extra niceties as 'Starting with', 'Ending with', 'Containing' and 'Sort descending'. I'm assured that a utility will be made available to allow you to add your

COMPUTER GRAPHICS? DRAW ON OUR EXPERIENCE

Now you can turn your computer into a graphic workstation. Whether you are into graphic art, Computer Aided Design, excellent business presentations, or just having fun — Summagraphics Digitizers from Minicom will give you the perfect picture every time. And it is as easy as putting pen to paper!

Summagraphics' extensive range of digitizers are compatible with your machine and run with a large selection of software. AutoCAD, Dr Draw, GEM, Mirage, TopView, Macpaint, and MacWrite to name a few. All this plus the

latest technology which offers resolution of up to 1000 lines per inch.

We even have a tablet designed especially for the Macintosh called MacTablet. Just plug it in and realize the full potential of your Macintosh's exceptional graphics. MacTablet's pen stylus performs all the functions of the mouse yet is far simpler to use — its like the difference between drawing with a pencil and drawing with a round of Camembert. Tracing an existing drawing into the Macintosh is easy — you can trace from originals up to 1/2 inch thick.


Ask your dealer to show you how a Summagraphics digitizer from Minicom will turn your computer into an exciting graphics system.

Solely distributed by

Minicom
SOFTWARE & EDUCATION PTY. LTD.

Minicom Building
104 Mount Street, Nth. Sydney 2060
Ph: (02) 957 6800





Which printer can silently replace all your Epsoms, Qumes, Diablos, NECs, lineprinters & LQP-02s & works ten times faster?

When you need the highest standard of presentation, the highest speed and the lowest noise levels, there is one *very special* laser printer you have to see:

The Impact Laser 800

The Impact works perfectly with your *existing* software and even your dedicated wordprocessor. Our printer does this by *emulating* practically every industry standard printer. So there is no need to reconfigure software. It works with the Impact just the way it is.

Whether you need to print out a spreadsheet with Lotus, configured for an Epson FX100 or a document from WordStar configured for a Diablo 630 or from WPS-PC for the HP LaserJet, the Impact can do it. At around 10 times the speed, to typeset quality, in complete silence.

Emulation modes are easily selected either via front panel switches or software commands.

Working 10 times faster than letter quality printers, one Impact replaces several of them, saving office space. And of course, one Impact is cheaper to buy and maintain than printers it replaces. The toner cartridge for the Impact works out about half the price per page compared to ribbons.

The Laser 800 has *more typesets built in* and they are easy to use. The base model comes with four character sets; a further eight sets are available and may be "on line" at the same time.

Optional font cartridges further extend the range. *Very simple commands* are all that is needed to use these character sets with your existing software.

Using the "flexi-font" capability, the Impact transforms existing fonts into thousands of new permutations.

The Impact can generate a wide variety of output *to your specific requirements*. This includes shading patterns, forms generation, logos and photographs, *even your signature!*


The Impact is *fully field upgradable* and is serviced Australia-wide by Honeywell.

Start with a basic machine. Expand to a fully optioned machine with 50 fonts on line, 2MB of memory and a multibin sheetfeeder.

You'll have to see it to believe it, so call us now for a demonstration.



The Impact will *save you money*. An acoustic hood is unnecessary. The sheet feeder is built in. And you'll never need a forms tractor or continuous stationary because the Impact can print the form (complete with your logo) *as it prints the text*.



Text and graphics can be mixed to swiftly produce presentation quality reports on paper or film.



LOGO Computer Centre,
Suite 303, Henry Lawson Business
Centre, Birkenhead Point. PO Box 389
Drummoyne 2047. Phone (02) 819 6811

Master Distributor. 
Dealer enquiries invited.

REDISCOVER THE "SPOT"

Your friends Ray and Tom have come up with a new and exciting "Spot" in Burwood where you can obtain professional, personalised service and advice on any computer or software items.

Microcomputer Spot specialises in the Commodore range of computers.

NEWSFLASH: Now available is the Commodore **Amiga**. Come in for a demonstration!

Join in the opening celebrations!

WIN a Commodore 128D Computer or one of 20 consolation prizes.

Simply complete the entry form below and drop it into the barrel at:

MICROCOMPUTER SPOT
185 Burwood Rd, Burwood
Phone: 74 8809



Monitor not included.

ENTRY FORM

NAME

ADDRESS

POSTCODE

TELEPHONE No.

DO YOU OWN A COMPUTER? YES NO

IF SO, WHAT TYPE?

CONDITIONS OF ENTRY

- 1 Instructions on how to enter form part of the Conditions of Entry
 - 2 Entries close 29/8/1986, and will be drawn on the premises of Microcomputer Spot, 185 Burwood Road, Burwood on 1/9/1986.
 - 3 Total prize value is \$1,600.
 - 4 Employees of Microcomputer Spot, their relatives and advertising agencies are ineligible to enter.
 - 5 The promoter is Microcomputer Spot, 185 Burwood Road, Burwood, NSW 2134.
 - 6 The judges decision is final and no correspondence will be entered into.
 - 7 Winners' names will be announced in the Public Notices column of The Australian on Saturday 6/9/1986.
- TC86/1109 issued under the Lotteries and Art Unions Act

own keywords to this dictionary, or to customise the existing ones to your own personal preference.

One particularly nice feature of the Arrange window is a button labelled 'OK', which performs a syntax analysis on the search statement and points out any errors. I can't really comment on the speed of such a search as I don't have sufficient knowledge of other databases, but I suspect that the search becomes excessively slow at a certain point (the actual number of records varies according to the size of each record).

I was quite alarmed when the disk drive whirred of its own accord in the input process, even when I hadn't touched the keyboard, and it wasn't until I read the manual that I discovered the reason. Laserbase automatically performs a periodic save on any database if the keyboard is in use. Personally, I would have found more helpful a message alerting me to the fact that I hadn't saved my data in the last 10-15 minutes of typing.

Reporting

Having spent a considerable amount of time and effort designing and entering information into your database, you will want to print a report. This is the function of the Laserbase disk's third program, 'LBREPORT'. Laserbase provides some powerful reporting facilities, the most obvious of which is onscreen report design.

The report program uses 10 onscreen buttons which are selected with the mouse in the normal point-and-click way, and provides a blank area for your report. The buttons' 10 functions can also be accessed by the ST's 10 function keys.

The first step in producing any report is to design it. Click the Design button and you will be presented with a menu giving six formats for your report. Only three of these — List, Column and Label — are available at the moment; the other three — Letter, Document and Disk — will presumably be available on a later version.

The Fields option will list all the fields from the database which are being used to generate the report. These can be selected and placed anywhere on the report screen in the same way as the Laserbase design program; the only difference is that you have much finer control over where an item is printed, and better labelling facilities.

All the other facilities you would expect from a decent database are there, along with more unusual ones such as: six mathematical functions applied to a

single field; break lines in a sorted listing (to separate groups of orders by customer name) and headers and footers on list reports.

One Laserbase feature which runs across all three programs is a simple three-level password security scheme. Three passwords can be attached to any database: specifying the first password lets you look at a database and produce a report; specifying the first two passwords lets you read and modify the database; and specifying all three passwords allows you to do anything, including changing the design of the database. While this scheme is by no means totally secure, it should deter most part-time hackers.

Documentation

A pocket-size, 80-page manual is included with Laserbase, and doesn't do justice to the power of the system. It could be argued that a comprehensive manual is unnecessary with such a friendly system, but my experience suggests that this isn't true, and there are times when *nothing* substitutes for a good manual. It would also help to have examples on the disk with a product like Laserbase, but sadly, there are none.

Prices

The Australian Atari distributor, Mobex, is currently negotiating distributorship of Laserbase. No definite price has been set to date, however, Laserbase is expected to retail for approximately \$229.

Conclusion

Laserbase is an excellent light-to-middle-weight database, which is ideally suited to small-business use for customer accounts and ordering. Excellent use is made of the WIMPs environment, making Laserbase ideal for those already familiar with the WIMPs style.

As far as the ST is concerned, Laserbase is a step in the right direction and an excellent early business application. If other manufacturers produce applications of a similar quality, the machine should soon be considered alongside the Macintosh and the IBM PC as a capable business system.

Mobex can be contacted on (02) 406 6277.

END

What AUSTRALIA really needs is a low priced Double Sided, Double Density Diskette with a LIFETIME WARRANTY! And Software To Go has it!

Introducing Computermate Supreme Diskettes: the high quality diskette with the lowest price and the best LIFETIME WARRANTY!

In the course of selling more and more diskettes every month, we've learned something: higher prices don't necessarily mean higher quality.

In fact, we've found that a good diskette manufacturer simply manufactures a good diskette . . . no matter what they charge for it. (By way of example, consider that none of the brands that we carry has a return rate of greater than 1/1,000th of 1 percent!)

In other words, when people buy a more expensive diskette, they aren't necessarily buying higher quality.

The extra money might be going toward flashier advertising, snazzier packaging or simply higher profits.

But the extra money in a higher price isn't buying better quality.

All of the good manufacturers put out a good diskette. Period.

How to cut diskette prices . . . without cutting quality.

Now this discovery posed a dilemma: how to cut the price of diskettes without lowering the quality.

There are about 85 companies around the world claiming to be "diskette" manufacturers.

Trouble is, most of them aren't manufacturers.

Rather they are fabricators or marketers, taking other company's components, possibly doing one or more steps of the processing themselves and pasting their labels on the finished product.


Each of these diskettes is manufactured in whole or in part by another company!

So, we decided to act just like the big guys. That's how we would cut diskette prices . . . without lowering the quality.

We got TDK to manufacture our diskette to specifications which are higher than most . . . and simply create our own "name brand" diskette.

Name brand diskettes that offered high quality at low prices.

PRODUCT*	DESCRIPTION	TPI	DPI	TRACKS/SURFACE	STORAGE CAPACITY UNFORMATTED (BYTES)
SP-20	Double side/Double density	48	5536	40	500,000



Computermate Supreme diskettes are sold in multiples of 50 only. Diskettes are shipped with Tyvec sleeves, reinforced hubs, user ID labels and write-protect tabs.

Boy, did we get lucky. Our Diskettes are the same ones you've been using for years . . . without knowing it.

In our search for the low priced, high quality diskette of our dreams, we found something even more interesting.

We found that there are several manufacturers who don't give a hoot about the consumer market for their diskettes. They don't spend millions of dollars in advertising trying to get you, the computer user, to use their diskettes.

Instead, they concentrate their efforts on turning out the highest quality diskettes they can . . . because they sell them to the software publishers, computer manufacturers and other folks who (in turn) put their name on them . . . and sell them for much higher prices to you!

After all, when a software publisher or computer manufacturer or diskette marketer puts their name on a diskette, they want it to work time after time, everytime. (Especially software publishers.)

Computermate Supreme Diskettes. You already know how good they are. Now you can buy them . . . cheap.

Well, that's the story.

Computermate Supreme diskettes don't fall off a truck or emerge from a basement plant just east of Hillsdale.

Computermate Supreme diskettes have been around for years . . . and you've used them for years as copy-protected software originals, unprotected originals. Sometimes, depending on which computer you own, the system master may have been on a Supreme diskette. And maybe more than once, you've bought a box or two or more of Supreme diskettes without knowing it. They just had some "big" company's name on them.

Supreme Diskettes are good. So good that a lot of major software publishers, computer manufacturers and other diskette marketers buy them in the tens or hundreds of thousands.

We buy them in the tens of thousands.

And then we sell them to you.
Cheap.

When every little bit counts, it's Computermate Supreme Diskettes

You've used them a hundred times . . . under different names.

Now, you can buy the real McCoy, the same diskette that major software publishers, computer manufacturers and diskette marketers buy . . . and call their own.

We simply charge less.

\$27 per pack of 10.

Minimum order 5 packs.

DISKETTE STORAGE CASES

DISKBANK SYSTEM

Modular interlocking holder for 10 5¼" diskettes.

Pearl or Smoke only.

\$9 each plus .30¢ each shipping.

5 packs for \$30 plus \$3 shipping.

MEDIAMATE DISKETTE STORAGE

Dust-free storage for 50 5¼" diskettes.

Dividers included. Excellent value.

Without lock \$24 each plus \$3 each shipping.

With lock \$29 each plus \$3 each shipping.

HOW TO ORDER:

FOR FAST SERVICE PHONE (02) 457 8289

(Situation permitting, we'll ship these orders in 24 hours or less.)

HOURS:

Human: 9AM-6PM 7 days per week.

Answering Machine: Some Times.

SHIPPING: 5¼" DISKETTES - Add \$3.50 per each 100 or fewer diskettes. **OTHER ITEMS:** Add as shown in addition to other shipping charges. **PAYMENT:** BANKCARD, VISA, MASTERCARD and Prepaid orders only are accepted. **PHONE ORDERS:** If charged to a credit card only.

MINIMUM ORDER: \$50.00

THE COMPUTERMATE LIFETIME WARRANTY!

Computermate Supreme Diskettes are unconditionally warranted against defects in original material and workmanship.

Returns are simple: just send the defective diskettes with proof of purchase, postage-paid by you with a short explanation of the problem, and we'll send you the replacements. (Incidentally, coffee stained diskettes and diskettes with staples driven through them don't qualify as "defective".)

**WE WILL MEET OR BEAT ANY NATIONALLY
ADVERTISED PRICE
ON THE SAME PRODUCTS AND QUANTITIES
SUBJECT TO THE SAME TERMS AND CONDITIONS.**



Trade enquiries welcome.

P.O. Box 5A, Mt. Kuring-gai, N.S.W. 2080.

MICRO PRO Computers

(03) 568 6911, 569 0169
569 5450

43 ATHERTON ROAD, OAKLEIGH

TELEX
32679 BASIS

CELEBRATING 11 YEARS IN BUSINESS
A Reliable Company You Can Trust



PERCOM

Engineering Company

\$1390.00

MICRO PROFESSIONAL PC/XT

- * 640K RAM
- * 8 SLOTS
- * CLOCK & BATTERY
- * 2-SERIAL PORTS (1 IMP)
- * 1-PARALLEL PORT
- * 1-JOYSTICK PORT
- * 1-LIGHT PEN PORT
- * 1-COLOUR RGB & MONO CARD
- * 2-360K DRIVES
- * 1-150W SWITCH MODE POWER SUPPLY
- * AT STYLE KEYBOARD
- * AT STYLE CASE

The Micro-Professional PC/XT with it's 8088 CPU & 640K Random Access Memory. Combine to deliver I.B.M. PC/XT Compatibility with substantial cost saving over its rivals.

The 120 day **genuine** warranty covers all parts and labour.

Wordprocessing software, games and fully licenced MS DOS V2.11 all circuit diagrams and manuals included

★★★ *A full range of peripherals available* ★★★

MS DOS is a trade name of Microsoft. IBM is a trade mark of International Business Machines

ALL DEALER ENQUIRIES WELCOME

Graphic design

Don't let the Amstrad PCW8256's lack of graphics commands deter you — graphic output is possible, using GSX routines. RS Gilmore explains.

When I saw the reviews of the Amstrad PCW8256 I decided to buy one, principally as a word processor, but also as a computer which would allow me to do simple mathematical modelling. The Mallard Basic which comes with the machine is fast and can store data in random access files. Furthermore, if you use the speed of the memory disk, and the chain merge facility, you can even run overlaid programs. The big disappointment is that the Basic has no graphics commands. This is a pity, as although I can accept being unable to play Space Invaders, I do want to display data in graphical form. I find that a graph is always much easier to understand than a sheet of numbers.

The software which comes with the PCW8256 includes GSX, the Digital Research Graphical System Extension for CP/M, and on page 59 of the CP/M+ section of the Amstrad manual there are some rather nice samples of graphical output which GSX has produced. The manual is a little vague about details, but in fact it is possible to use the GSX system from within Mallard Basic.

The GSX system

The GSX routines have a general



Fig 1(a) A picture using fill techniques as output on the printer

resemblance to CP/M. In the CP/M system there are three components: CCP, BDOS and BIOS. CCP (the Console Command Processor) interprets the

'Although I can accept being unable to play Space Invaders, I do want to display data in graphical form. A graph is easier to understand than a sheet of numbers.'

commands typed at the keyboard and passes them on to either BDOS (the Basic Disk Operating System) or to BIOS (the Basic Input Output System); BDOS controls the disk files, reading or writing data as required, while BIOS communicates with the keyboard and the printer. The system is designed to hide from the user all details of the hardware concerned. Any output from a program will have the same form whether it is sent to the monitor screen or to the printer. In the GSX system, the main sections are GDOS (the Graphic Device Operating System) and GIOS (the Graphic Input Output System). GIOS consists of the device drivers which control the output to the screen or printer; GDOS accepts commands from the user's program. It has the task of making all the output devices look the same whether you are using the screen or the printer (or, apparently, an HP plotter if you have one: there is a driver for that, too).

The printer output is rather slow, particularly in its high-resolution mode. However, the resolution of the printer in this mode is 960 X 1368, and I understand that the main use of GSX will be in producing printed plots; even so, the screen output is useful. It is an unfortunate fact that my first version of any program usually contains a few nasty surprises, and I don't want to produce pages of slowly-printed rubbish while I put them right. Consequently I

use the screen for debugging, as I can see everything drawn there as the commands are sent. When the results are satisfactory, a copy can be produced on the printer using the same commands, which ought to work. You do have to be careful with this approach, as the screen will not display many of the options which are available for the printer. Figs 1(a) and 1(b) show the results of sending the same commands to the printer and to the screen. The positions and shapes of the various components are the same, but the effect is quite different.

One problem with GSX is that it takes up a lot of memory. BIOS and BDOS are tucked neatly away to leave you with a TPA (Transient Program Area) of about 61k. After the Basic interpreter is loaded, this still leaves about 31k for you to use. Unfortunately the GSX routines also sit in the TPA, so they are competing with you for memory. They are quite large programs, too — the high and low-resolution printer drivers are 15k and 12k respectively; consequently, only one device driver is loaded at any time. When you want to change between different output devices you must load a new driver, but if the device drivers are kept in the PCW8256's RAM disk, this doesn't take very long.




Fig 1(b) The same picture as 1(a) but as seen on the screen

AS NOT SEEN ON TV!

YOU DON'T PAY FOR ANY FANCY OVERHEADS!

\$500 Cash Back on System III

Monitors available from \$299



System Two Shown

No expensive TV commercials (like you-know-who!)... no free lunches (there's no such thing!)... no bull (!)... At Dick Smith Electronics, we put value back into your dollar... value into our computers. You reap the benefit!

DSE Multitech: IBM compatibility from \$1395!

Yes! Compare the Multitech with the IBM: feature for feature it more than stacks up. Dollar for dollar — it's streets ahead (even with their special offers!). The Multitech runs all popular IBM PC software... and there's a configuration available to suit your budget:

- System One** 128K memory, single disk drive, MS-DOS (2.11) and three months warranty. Cat X-8000 **\$1395**
- System Two** 256K memory, dual disk drives, MS-DOS plus 'EASY' word processing software. Cat X-8001 **\$1995**

\$500 Cashback on System Three!

Beat this value, IBM: Fully expanded Multitech System complete with 10Mb hard drive... and we give you \$500 cash back in you hand! We've made a huge scoop purchase of 10 Meg drives — and we pass the savings on to you. More than that, we offer FREE on-site installation and FREE 6 months on-site service* PLUS the latest business software package. Amazing value!

- Multitech Computer
- 512K Memory
- 10Mb Hard Drive
- 360K Floppy
- MS-DOS 2.11
- 'AURA' integrated business software
- FREE installation and service*

NORMALLY \$3995 **\$3495**

(*mainland capitals only)

Cat X-8002

We buy the best at special prices to pass huge savings onto you!!

For the total accounting solution.

olivetti



Minor accounting problems can easily add up to major set backs that affect your business profitability. Soon, you could be seeing 'red' in more ways than one. The brilliant Olivetti/Olibiz accounting package integrates your creditors, debtors and general ledgers into an effective, time-saving system. The complete system comprises:

- Olivetti M24, 640K, 20Mb hard drive with floppy drive, monitor and keyboard.....\$5995
- MS-DOS and GWBASIC Kit.....\$120
- Dataproducts high speed, wide carriage dot matrix printer.....\$1195
- Printer cable.....\$49
- Olibiz Accounting Software:
 - Creditors.....\$295
 - Debtors.....\$295
 - General Ledger.....\$295
- Optional Stock Control and Payroll modules available.

TOTAL \$8244




We sell solutions! SAVE \$749 Only \$7495

Cat X-5277

Toshiba T-1100 Bonus Offer on the Executive's Lap Computer

Sit down with the brilliant Toshiba T-1100 lap computer anywhere and at the touch of a button, you can lay out your entire office. Perform WP, inventory control, calculate market and budget forecasts... any task you want! Its powerful 720K disk drive is enhanced by the ability to run an extensive range of MS-DOS software. And as a bonus... we include the new version of Access Four, the integrated business program that combines Spreadsheet, Business Graphics, Text Editor and Information Manager. Together, Toshiba and Access Four make things work for you. Cat X-5500



\$2995

THE PERFECT PRINTERS

Near letter-quality Dot Matrix

Data Products 8012

Speed, performance and versatility! The 8012 printer offers selectable print modes: draft, type or letter quality. Prints up to 180 cps in 6 pitches with either bold, underline, super and sub-script characters. 10" carriage and popular Centronics interface.



\$995

Cat X-3200

For bigger jobs...

Data Products 8022

The 8022 is the ideal choice for any busy office. Its large 15" carriage handles massive document work, printing at an impressive 180 cps. And it can even emulate IBM graphic printers... operating with virtually any software.



\$1195

Cat X-3205

High Grade Disks from \$2.75 each!



Highest quality double density disks at an affordable price! DSE own brand — the ones WE use for our important programming — provide long life and ensure protection for valuable programs.

Single sided X-3500 Box of 10

Double sided X-3501 Box of 10

\$27⁵⁰

\$29⁵⁰

DICK SMITH ELECTRONICS COMPUTER STOP

B.189/AW

• NSW: Albury 21 8390 • Bankstown Square 707 4888 • Blacktown 671 7722 • Blakehurst 546 7744 • Bond Junction 387 1444 • Brookvale 93 0441 • Campbelltown 272 2199 • Chatswood Chase 411 1955 • Chullora 642 8922 • Gore Hill 430 5311 • Gosford 25 0235 • Hornsby 477 5633 • Liverpool 600 9888 • Maitland 33 7866 • Newcastle 61 1696 • North Ryde 88 3855 • Parramatta 689 2188 • Penrith 32 3400 • Railway Square 211 3777 • Sydney City 267 9111 • Tamworth 68 1711 • Wollongong 26 3800 • ACT: Fishwick 80 4944 • VIC: Ballarat 31 5433 • Bendigo 43 0388 • Box Hill 860 0699 • East Brighton 592 0366 • Coburg 393 4455 • Essendon 379 7444 • Traralgon 785 9144 • Geelong 43 8522 • Melbourne City 67 9634 • Richmond 428 1614 • Springvale 547 0622 • QLD: Brisbane City 229 9377 • Buranda 391 8233 • Chermside 359 6255 • Redbank 288 5599 • Rockhampton 27 9644 • Southport 32 9883 • Toowoomba 38 4300 • Townsville 72 5722 • Underwood 341 0644 • SA: Adelaide City 212 1962 • Darlington 298 8977 • Enfield 260 8088 • Salisbury 281 1593 • WA: Cannington 451 8666 • Fremantle 335 9733 • North Perth 328 6944 • Perth City 481 3261 • TAS: Hobart 31 0600 • NT: Stuart Park 61 1977

Want to know more? Send for your FREE information pack. It's obligation free.

- DSE Multitech \$189.00
 Olivetti M-24 TOSHIBA T1100

Name:

Address:

Postcode: Phone:

Drop into any DSE store (see left) or send to DSE Express, P.O. Box 321, North Ryde, NSW, 2113. Phone (02) 888 3200

Z80 CALL to location #0005
 C register contains number 115 (#73)
 DE register pair contains address, (DE), of Parameter Block

The Parameter Block contains
 at location (DE) [address of array CONTROL%]
 (DE)+2 [address of array PAR.IN%]
 (DE)+4 [address of array COORD.IN%]
 (DE)+6 [address of array PAR.OUT%]
 (DE)+8 [address of array COORD.OUT%]

Fig 2 GSX calling conventions

Loading the utilities

To save further space, the GSX routines are only loaded when you require graphic output, unlike the CP/M+ resident routines which are always in memory (except when you are running Locoscript). Fortunately, the routines are easy to load; the process is described on page 62 of the Amstrad CP/M+ manual. You first have to make sure that the files you need are available on disk. The files needed are GSX.SYS, ASSIGN.SYS, DDSCREEN.PRL, DDFXLR8.PRL, DDFXHR8.PRL and GENGRAF.COM, which are all held on side four of the disks which come with the computer. You also need the program which is to produce the graphical output, which in this case is the Mallard Basic interpreter, BASIC.COM; this is on side two of the disks. They can all be copied onto one disk using PIP, as described in section 2.3 of the Amstrad manual. When you have the files available, and are running CP/M, type GENGRAF BASIC. This will attach GSX to the Basic interpreter — it's as easy as that. You can now delete GENGRAF.COM, as it has no further use.

From now on, when you load Basic, a message about 'GSX-80' will appear before the usual 'Mallard-80 Basic with




Fig 3 Line and marker styles, with different marker sizes

Jetsam'. You will also have 17258 bytes of memory instead of 31597. Where has all the memory gone? Mostly, it has been filled with a device driver. GENGRAF attaches a short loader to the start of BASIC.COM, and when you attempt to load Basic, you actually run this loader. It first brings GDOS and one device driver into memory, then it alters the link address at memory location 0005 so that all system calls are filtered through GDOS. Finally, it loads Basic at the normal location. The device driver which it chooses to load is controlled by the file ASSIGN.SYS, which is a text file so it can be altered. The usual form is given below (the extension .PRL is assumed in this file):

```
21 @:DDFXHR8
22 @:DDFXLR8
11 @:DDHP7470
01 @:DDSCREEN
```

This file gives the logical device numbers by which the system knows the different device drivers. Starting from the top of the list, the drivers are for the printer in its highest-resolution mode; the printer in low-resolution mode (roughly equivalent to the draft mode for text); a plotter; and the monitor screen. The driver at the top is the one which the GSX loader will bring into memory when you load your new version of Basic. Enough memory is allocated to hold this driver, but no more, so it is important that this should be the largest driver that you plan to use. You could have more space available for Basic programs if you put the screen driver DDSCREEN at the top of the list, as this is only approximately 4k long, but then you would be unable to use any device *but* the screen as the other drivers would overwrite part of the system.

The great reduction in the amount of usable memory does seem a pity, but on the PCW8256 it is not quite the disaster it might be. There are two ways of overcoming the space restriction by using files stored on the RAM disk M for fast access.

One way would be to write your program to calculate the data which you wish to display, but to run it with a

version of the basic interpreter which does not have the GSX utilities attached and consequently still has 31597 bytes of free memory. Instead of producing any graphics directly, the output data could be stored in a sequential file. It would subsequently be read back by a simple program running under a version of the Basic interpreter which does have GSX attached; this need do no more than display everything that it reads, and could be very short. Such an approach has the drawback that, when you are developing a program, you would not be able to see any graphic output on the screen while the program is running.

Mallard Basic allows a second possibility for dealing with the reduced memory space, which is to split your program into small pieces and use an overlay scheme. If your program can be divided into distinct sections which are run in sequence, then these can be stored in separate files, and each can load the next with the Chain Merge command. This has options which allow you to delete sections of the previous routine before the new one is loaded, and to preserve some or all of the variables in use. Any arrays which are no longer required can be removed with the Erase command. This approach was used to create Fig 8, for which the shading routines became rather lengthy.

Calling the utilities

The GSX utilities are called in much the same way as any of the CP/M system functions: that is, by a CALL to the memory location 0005, with a function number held in the Z80 C register and any other information passed through the DE register pair. Any call with the function number 115 (hexadecimal #73) is accepted by GDOS, and all others are passed on to CP/M.

The number of options available with GSX is rather large. The version on the PCW8256 does not implement them all, but there can still be a lot of information to pass to GSX when a call is made. This is achieved by using the DE register pair to hold the start address of a 10-byte parameter block. This block in turn contains the start addresses of five arrays of 2-byte integers which actually contain the information to be passed between GSX and the calling program. The scheme is summarised in Fig 2.

You may note that there are arrays for both input and output information. The arrays PAR.IN% and PAR.OUT% hold information which specifies how the GSX routines are to respond. The arrays COORD.IN% and COORD.OUT% hold the x and y coordinates which give the horizontal and vertical positions of a

PROGRAMMING




Fig 4 Repeated forms, as used in pictorial unit charts

number of points in the sequence $x_1, y_1, x_2, y_2, \dots$

In general, the input arrays tell GDOS what you want to do, while the output arrays allow GDOS to tell you what has actually been done. These may not be the same, as the loaded driver may not be able to perform the operation you asked for, or the position coordinates may vary slightly from those you sent due to the limited resolution of the output device. You can request any defined GSX operation from any device driver without




Fig 5 The 'hatch' fills available

generating an error, but some requests will be ignored. There are many options available for the printer which are not possible on the screen; these are summarised on page 65 of the CP/M+ section of the Amstrad manual, and I will describe them in more detail later.

In Basic you can define explicit integer arrays, with names ending in '%', which will store numbers in the 2-byte integer form required by GSX. These should be dimensioned as follows:

```
DIM CONTROL%(5), PAR.IN%(79),
```




Fig 6 The different densities of grey tones available

```
COORD.IN%(1,74), PAR.OUT%(44),  
COORD.OUT%(1,74)
```

The dimensions used in each case assume that you do not use OPTION BASE 1 in your program. This makes index 1 the first element of an array, whereas the default is that arrays start with index 0, so that CONTROL%(5), for example, will contain six elements.

In Mallard Basic, there are two means of calling external routines; one is the USR function. This can have only one parameter, and that is not, in general, passed to the routine in the DE register pair as is required. I have no doubt that the USR could be used to make GSX calls if there were no other way, but the Call command is more convenient. This has the form: CALL *addr* ($P_1, P_2, P_3, P_4, \dots$). Here, *addr* is the start address of the external machine code routine, and the parameters P_1, P_2 , and so on, are variables passed by reference. That is, the addresses of the variables are sent to the external routine. The specification is that:

- the address of P_1 is passed in the BC register pair;
- the address of P_2 is passed in the DE register pair;
- and, if there are four or more variables, the remainder are passed in a parameter block whose starting address is given in the HL register pair. This all looks a little like the specification for GSX calls, but unfortunately it is not quite the same.

There are two possible ways of using this command. One way is to declare a Basic array, GSX%(4), which will form the parameter block. If we make a Call of the form: CALL *addr* (dummy, GSX%(0)), then the DE register pair will contain the start address of this block, as is required. The variable 'dummy' is needed because it is the *second* parameter which is passed in the DE registers. In this case, the array will have to be loaded with the start addresses of the five parameter arrays before the




Fig 7 Samples of text sizes and directions

PLUG-IN, BACK-UP



No modifications . . . no separate controller boards . . . faster and more convenient than floppies.

It's that easy with these two cartridge systems

Cipher 5210 for IBM PC-XT

File orientated for selective archiving. No need to image entire disk. Backs up at 1.1Mb per minute. Versions are available for IBM PC's and most compatibles.

DM110 for DEC Rainbow 100+

Operates under CP/M 86/80 and MS-DOS. Menu driven selection of Format, Backup and Restore. Compact self-contained. Operates in full streaming mode. Capacity up to 20Mb.

Dealer enquiries welcome

cipher
data products, inc.

DEI 400862 1/4" Data Cartridges

Increased data integrity through improved construction which ensures data reliability and interchangeability. Precision moulding and an aluminium baseplate minimize thermal effects, warping etc. Don't risk your data with an inferior product - choose DEI Model 400862 cartridges.

SOLD & SERVICED IN AUSTRALIA BY

ELMEASCO

Instruments Pty. Ltd.

NEW SOUTH WALES VICTORIA

15 McDonald Street,
MORTLAKE
P.O. Box 30, CONCORD
NSW 2137
Tel: (02) 736 2888
Telex: AA25887

12 Maroondah Highway,
RINGWOOD
P.O. Box 623, RINGWOOD
VIC 3134
Tel: (03) 879 2322
Telex: AA30418 ELTENT

QUEENSLAND

Tel: (07) 369 8688
S. AUSTRALIA
Tel: (08) 344 9000
W. AUSTRALIA
Tel: (09) 481 1500

**FREE
BINDER**

Subscribe to the best in the business.

For news, reviews and features, *Australian Personal Computer* prides itself on being the very best in the business.

Each month *APC* is jam packed full of lengthy benchtests of the newest machines, detailed software checkouts, thought provoking features and the crucial news from around the industry.

Subscribe now and not only secure your personal copy each and every month but receive a brand new *APC* binder worth \$8.95 absolutely free!

Simply complete the priority order form opposite and return with your remittance to the address stated.

No postage is required.

**Australian Personal Computer, the best computer magazine in
the business. Subscribe now.**

CALL is made. This is possible as there is a Basic function, VARPTR, which will return the address in memory of any variable. The function returns the address as a single-length real number, which will be forced to integer form when it is assigned to an element of the integer array GSX%. However, integers can only take values between -32768 and 32767, so any addresses above 32767 would cause overflow. There is a way round this in the form of the function UNT (unsigned integer conversion), and a line of the form `GSX%(0)=UNT(VARPTR(CONTROL%(0)))` will store an address of any size up to the maximum of 65535. A similar expression is needed for all five of the parameter arrays, including the two for output information. Although the contents of these arrays will be written by GSX, it is still necessary to assign memory for them so that they are not written at an inconvenient place (most probably at the entry point to CP/M if the address 0 were to be sent by default).

This allocation of the five addresses to GSX% is a little inconvenient, although it does have the advantage that coordinates for different graphic forms can be stored in different arrays, and the address of the required array can be assigned to GSX%(2) just before the call to the GSX routines is made. A problem can arise with this address assignment if any new variables are subsequently declared before the CALL. This is because array variables are held in memory above the simple variables, and if a new variable is declared, the arrays are moved up in memory to make room for it. In Basic, a new variable will be created anywhere in the program, each time it is mentioned for the first time. In particular, if the variable 'dummy' had not been mentioned before, it would be created just before the CALL was made. This would result in all the addresses stored in GSX% pointing to the wrong places. This problem is avoided completely if the parameter block option of the Call command is used. A line of the form: `CALL addr (dummy, dummy, CONTROL%(0), PAR.IN%(0), COORD.IN%(0, 0), PAR.OUT%(0), COORD.OUT%(0, 0))` will make a call with the start address of the required parameter block held in the BC register pair. As you will probably have noticed, these are the wrong registers. To correct this the CALL must be made, not to the CP/M entry point 0005, but to a short link routine which transfers the contents of the BC registers into DE. Although this operation is not necessary for the first, aforementioned method for constructing the parameter block, it would still require a form of link routine. This is because




Fig 8 A demonstration of shading and masking effects




Fig 9 The basic shapes of Fig 8, without masking

GDOS will only recognise calls with 115 (#73) in the C register, and there is no obvious way of arranging this with the Call command, though it can be done quite easily with a short machine code routine such as:

```
LD D, B
LD E, C
LD C, #73
JP #0005
```

The instructions listed below will load the necessary few bytes of code above HIMEM, the largest address which is available to Basic. Subsequent GSX calls may then be made to the location `addr = HIMEM+1`:

```
MEMORY HIMEM-7: REM create 7
bytes for link routine
DATA &H50, &H59, &H0E, $H73,
$HC3, &H05, &H00
```

```
FOR n=1 TO 7
READ glink
POKE HIMEM+n, glink
NEXT n
```

If the first method of making the calls is preferred, then the above code may still be used, but with the first two items dropped from the DATA list and the number 7 replaced by 5 throughout (though not, of course, in the number &H73 in the DATA list). On the whole I feel that the second method is safer. As the parameter block is set up within the CALL routine, there is no possibility of pointing to the wrong address for the arrays. It has the slight drawback that data passed to GSX must be held in the arrays named in the call. As all variables in Basic are global, there is no possibility of using dummy variable names for the

Don't buy Mic

Why? Because we're giving Excel away free with every new Macintosh!

So now you can save yourself \$750 on the most powerful spreadsheet combination there is . . .

The Apple Macintosh and Microsoft Excel.

But the Mac and Excel do more than crunch numbers with consummate ease.

Two clicks of the mouse and you've created a chart.

Change the data in your spreadsheet and your chart changes too. Automatically. Excel's database will find, store, or analyse any data in any spreadsheet.


Use it to sort out your finances; track the stockmarket; or just simply store addresses and phone numbers by whatever variables your heart desires.

Macintosh and Excel are so sociable that they're happy swapping data with the IBM PC and Lotus 123.

Whether you're interested in a Macintosh 512K, 512K/800, or the Mac Plus, we can offer you full support and excellent prices.

But don't waste time. We can't go on giving Excel away forever.

Phone us now on (03) 791 2900 for more information.



Authorised Dealer

Microsoft Excel

20 Megabytes of fast, smart, power inside your Macintosh. **HYPERDRIVE. THE HARD DISK**

HyperDrive stores the equivalent of 50 diskettes and, because it's connected directly to the Macs logic board, it accesses files as much as five times faster than a standard Macintosh.

With a HyperDrive you'll spend less time waiting and a lot more time working. . .

Hyperdrive is the only internally mounted hard disk drive for the Macintosh so you'll still have as much desk space and portability as you've always had.

The features don't end there. HyperDrive lets you make fast backup of your files on to diskette; print and work at the same time; and protect sensitive files from prying eyes.

A Macintosh with a HyperDrive installed by us is still covered by Apples original warranty. You can't lose.

The Hyperdrive was a smart investment at \$5010. Now at \$3395 it's the best investment you've made since the Macintosh! Phone Rob's Computer Centre now on (03) 791 2900 for a free demonstration.



HYPERDRIVE BENCHMARKS

All actions measured to the nearest .5 sec. with a minimal System file, except Jazz, which uses the Jazz System file included with the product.

ACTION	SOFTWARE	Time in seconds		TIMES FASTER
		HYPERDRIVE	512K MACINTOSH™	
Power-up	Apple Finder	12.0	20.5	1.7
Start	MacWrite	5.5	18.5	3.4
Exit	MacWrite	4.0	14.0	3.5
Start	Microsoft Word	5.0	26.5	5.3
Exit	Word	7.0	32.0	4.6
Start	Microsoft Multiplan	5.5	23.5	4.3
Exit	Multiplan	4.5	18.5	4.1
Start	Lotus Jazz	20.5	50.5	2.5
Exit	Lotus Jazz	8.5	20.5	2.4
				Average 3.5



COMPUTER CENTER

295 Thomas Street, Dandenong 3175

Phone (03) 791 2900

JUST LOOK AT THIS!

SPECIALS



Olivetti M24 System 1 includes:
\$4995

- 20 megabyte "Hard Card"
- 1 x 360K floppy disk drive
- 640K of memory
- 7 slot expansion board
- Green or amber monitor
- IBM or Olivetti keyboard
- Free hard disk directory software

Olivetti M24 System 2 includes:
\$6995

- As above with:
- 20 megabyte Talgrass internal "Grasshopper" tape drive back-up system.

Olivetti System 3 includes:
\$7995

- As above with:
- Brother M1509 Complete Perfect II series including Perfect Writer, Speller, Theasurus, spreadsheet and database.



APRICOT F1

Slim, attractively styled 16-bit 8086 computer with one 3.5 inch floppy disk drive, monitor, MS-DOS 2.11 software, 256K (expandable to 768K), GSX graphics software, SuperPak (includes Super Writer, Super Calc, Super Planner) and an Epson LX-80 printer.

Ideal small business, educational package: \$1995
Price includes tax.

DROP INTO OUR STORE OR TRY OUR MAIL ORDER DEPARTMENT. COUNTRY RESIDENCES MOST WELCOME.

PRINTERS

Brother M1509	\$725.00
Brother M1109	\$399.00
Riteman F+	\$545.00
Olympia NP165	\$490.00
Citizen MSP20 200cps	\$925.00
Citizen MSP15	\$950.00
Epson LX80	\$499.00
Commodore MSP1000	\$499.00
Colour Inkjet	\$695.00
HP Laserjet	\$4985.00
C-Ittoh colour M1550	\$1495.00

MONITORS

Taxan Supervision III	\$749.00
Taxan Supervision IV	\$1095.00
Qubie HR134	\$265.00
NEC color	\$599.00
Princeton HX12	\$699.00

IBM

VP Planner (works like Lotus 1-2-3)	\$145.00
20MEG hard disks	\$1000.00
20MEG Tandon 3.5 hard disks	\$1280.00
20MEG hard cards/software	\$1395.00
Hercules compatible	\$199.00
Colour graphics	\$165.00
Colour graphics on TTL card	\$299.00
1.6MEG disks BOX 10	\$65.00

APPLE

Grappler+ printer card	\$56.00
Grappler+ printer and combined 16K (up to 64K) buffer card	\$155.00
Flipper 1MEG memory card	\$713.00
Apple Modem card/software	\$240.00
Autolce extended 80 column	\$99.00
128K RAM card and software	\$149.00
Plusworks (run Appletworks on Apple II plus)	\$34.75

BORLAND SOFTWARE

Sidekick (copyable)	\$76.80
Sidekick (protected)	\$67.20
Reflex	\$156.00
Turbo Lightning	\$117.60
Turbo Pascal V3.00	\$88.80
(Call for full Borland range)	

Prices include sales tax.

For products we couldn't fit call!

PLEASE PHONE TODAY!
(02) 349 2366

RITEMAN C+

- "THE PRINER OF MY DREAMS" — AUSTRALIAN COMMODORE REVIEW
- 100% COMMODORE COMPATIBLE
- EPSON COMPATIBLE
- UNIQUE FRONT PAPER LOADING
- COMPRESSED, ITALIC NLQ, HEX DUMP, etc. **\$499**

SUPER NICE MODEM

- 300, 600, 1200 and 1200/75 VIATEL
 - SUPPORTS U.S. AND WORLD STANDARDS
 - AUTO ANSWER/DISCONNECT
 - VIATEL AND STANDARD SOFTWARE FOR COMMODORE AND IBM
- RS232: **\$279** IBM: **\$339**
COMMODORE: **\$299**

THOMPSON MONITORS

- GREEN OR AMBER
- MOST RESPECTED MONITOR MANUFACTURER IN THE WORLD!
- NOW YOU CAN AFFORD A BRAND NAME! **\$195**

COMPUTER HAVEN



A DIVISION OF MALABAR TRADING PTY. LTD.
INC. IN N.S.W. SINCE 1966
183 MAROUBRA ROAD,
MAROUBRA, N.S.W. 2035
TEL.: (02) 349-2366
VIATEL: *248753*

MAIL ORDER FACILITY



OR SIMPLY PHONE
Prices subject to change without notice.

ADD \$5 POSTAGE & PACKING MOST ITEMS.

Function code CONTROL%(0)	FUNCTION	CONTROL%(1)	CONTROL%(3)	Other parameters needed.
1	LOAD new driver	0	10	PAR.IN%(0..9), as described in text.
2	CLOSE down driver	0	*	*
3	CLEAR picture	0	*	*
4	OUTPUT graphic buffer	0	*	*
6	DRAW line sequence	Number of points (n)	*	COORD.IN%(0..n-1)
7	PLOT series of markers	Number of points (n)	*	COORD.IN%(0..n-1)
8	TEXT output	1	Number of characters	COORD.IN%(0) Text in PAR.IN%
9	FILL polygon	Number of points (n)	*	COORD.IN%(0..n-1)
11	Draw BAR	2	*	Coord of lower L and upper R corner
† 12	set TEXT SIZE	1	*	COORD.IN%(0,0)=0 COORD.IN%(1,0)=size
† 13	set TEXT DIRECTION	0	*	Complicated (see text)
15	set LINE STYLE	0	*	PAR.IN%(0)=style
17	set LINE COLOUR	0	*	PAR.IN%(0)=colour
18	set MARKER STYLE	0	*	PAR.IN%(0)=style
† 19	set MARKER SIZE	1	*	COORD.IN%(0,0)=0 COORD.IN%(1,0)=size
20	set MARKER COLOUR	0	*	PAR.IN%(0)=colour
22	set TEXT COLOUR	0	*	PAR.IN%(0)=colour
† 23	set FILL STYLE	0	*	PAR.IN%(0)=style
† 24	set FILL INDEX	0	*	PAR.IN%(0)=index
25	set FILL COLOUR	0	*	PAR.IN%(0)=colour

* means no value need be set
† shows options not available on the screen

Table 1 The full range of available operations

arrays. If you want to use a different array, you would have to make a separate CALL in which it is named explicitly.

All the information sent to the GSX procedures is held in the arrays CONTROL%, PAR.IN% and COORD.IN%, the other two arrays being used by GSX to return information. The array CONTROL% passes numbers in both directions; its contents are defined as follows:

You set: CONTROL%(0) to the function code which selects the operation you want.

CONTROL%(1) to the number of points for which you have specified coordinates.

CONTROL%(3) to the number of integers which you are sending in PAR.IN%

GSX sets: CONTROL%(2) to the number of integers which are returned in PAR.OUT%

CONTROL%(4) to the number of points for which coordinates are returned.

Any further elements, CONTROL%(5) and above, have meanings which depend on the operation selected.

The range of operations available is

shown in Table 1. You will see that a number of function codes have been omitted; this is either because they do not work for the PCW8256, or, as for the screen cursor control, it is easier to achieve similar results within Basic.

The functions may be divided into a number of groups, depending on the type of operation performed. The first group controls the start of the graphic device driver currently in memory.

Loading graphic drivers

The 'LOAD New Driver' function has the largest amount of diverse information associated with it of any operation. It requires 10 parameters to be sent which control the values of such things as the style of line used, the way in which areas are to be filled, and so on. Some of the operations controlled are not available on the Amstrad; those that are are listed below. Further details of the options are given in the description of the various 'SET' functions described later.

PAR.IN%(0) The logical device number

PAR.IN%(1) DRAW Line style (1..5)
 PAR.IN%(2) Line colour (0 or 1)
 PAR.IN%(3) PLOT marker style (1..5)
 PAR.IN%(4) Marker colour (0 or 1)
 PAR.IN%(5) Not implemented
 PAR.IN%(6) Text colour (0 or 1)
 PAR.IN%(7) Style of area FILL (0..3)
 PAR.IN%(8) Index for area FILL (1..6)
 PAR.IN%(9) Colour of fill (0 or 1)

Satisfactory results can be obtained by setting all of these equal to 1, apart from the first. If particular effects are required, they may be obtained with various SET commands. The first parameter is the driver identifier which is given in the ASSIGN.SYS file, so you would set this to 1 to use the screen, 22 for the printer in the low-resolution mode (similar to the Locoscript draft model), and to 21 to get high-resolution printer output. If the required driver is not in memory, and if it is on the default disk, it will be loaded. If it is already in memory, or if GDOS cannot find the right file, then the driver already in memory is retained.

Whether or not a new driver is actually loaded, this request returns no less than 45 numbers in PAR.OUT%, together with another 12 in COORD.OUT%. These give a selection of information about the facilities available, and some of it is rather useful. The numbers of particular interest are:

PAR.OUT%(0) The maximum width of the output in plotting steps: that is, the horizontal resolution.

PAR.OUT%(1) The maximum height: that is, the vertical resolution.

PAR.OUT%(3) The horizontal width of one plotting step in micrometres.

PAR.OUT%(4) The vertical width of one plotting step in micrometres.

COORD.OUT%(1,0) The minimum character height in device units.

COORD.OUT%(0,2) The minimum line width in device units.

COORD.OUT%(1,4) The minimum market height in device units.

These numbers are all useful in calculating the size of graphic output produced.

When the screen is used for graphic output, it would be a pity if any output messages were printed on top of the graphics. This may be prevented by setting a screen window so that all the messages appear on the bottom line of the screen, which is normally reserved for system messages. This may be done with the instruction:

```
PRINT esc$;"O"; esc$;"X"; CHR$(63);
CHR$(32); CHR$(32); CHR$(120)
where esc$ has previously been set to
CHR$(27), 27 being the 'escape code'
which is usually written 'ESC'. The effect
of this string may be found in Appendix
III of the CP/M+ section of the
```

PCW8256 manual. ESC O disables the status line so that the bottom line of the screen may be used, while ESC X sets a text viewport. In this case, the viewport is the bottom line of the screen only. Unfortunately, the graphics output to the screen turns out to be confined to this viewport also, so before any graphics call which will use the screen, it is necessary to enable the whole screen with a command:

```
PRINT esc$;"H";esc$;"f"
```

ESC H moves the cursor to its 'Home' position at the top left-hand corner of the screen, and in the process cancels the window. ESC f disables the cursor blob on the screen (this is purely a matter of taste. I prefer not having it present when drawing graphics).

The remaining calls to control the device driver conditions are straightforward. You need only to set CONTROL%(0) to the function code as given in Table 1 and CONTROL%(1) to 0. The other array elements need not be set.

CLOSE down the driver: this finishes the use of the device driver in an orderly fashion, preventing any previous graphic commands from being lost.

CLEAR the picture: this prepares for a new picture, either by clearing the monitor screen or feeding a new page on the printer, whichever is appropriate.

OUTPUT graphic buffer: the screen and the printer differ in the way they respond to a sequence of graphic outputs. On the screen, each item is drawn as it is received, but the printer driver stores all the information until requested to print out the entire picture. The OUTPUT function makes this request; it has no effect on the screen.

The coordinate system

In keeping with the general philosophy of hiding the details of particular output devices from the calling program, the GIOS routines expect all positions to be expressed in terms of a coordinate system in which the horizontal, x, coordinate lies in the range 0-32767 and the vertical, y, coordinate lies in the same range. This ensures that as long as your coordinates remain in this range, the output will not fall off the edge of the picture — whichever graphic device you may be using.

There is one problem with a coordinate system which defines the output as 32767 units square, and that is that the output area is not, in fact, square. The screen is wider than it is high, while for the printer, the picture is higher than it is wide. This means that if you define a

circle with equal x and y dimensions, for example, it will appear on the screen as a low, wide ellipse and on the printer as a tall, narrow one.

If you want your output to stay in the picture, you can use the entire coordinate range in either direction; but if you want shapes to have the correct proportions, you must scale the coordinates. This can be done using the information returned by the LOAD operation. If you multiply the resolution in each direction by the size of the plotting step, you get the actual width and height of the output area. To be specific, let's assume that we are using the screen. In this case, the width is calculated to be roughly 270 millimetres and the height as 198 millimetres. If the smaller dimension, the vertical in this case, is allowed to cover the full range of 32767 units, but the horizontal coordinates are reduced by a




Fig 10 Extensive use of filled circles

factor equal to the ratio height/width — that is, 0.73, then all output will appear in proportion.

Graphic functions

We come at last to the principal operations which actually produce graphics: these are DRAW, PLOT and FILL. Unlike the usual Basic graphic commands, these will deal with many points in one call — up to 75 of them. The coordinates which define these points are passed to GSX in the array COORD.IN%. For each function there is a variety of options, all of which may be selected with various SET functions. With these operations, you need to set CONTROL%(0) to the appropriate function code from Table 1 and CONTROL%(1) to the number of points to be used for the output.

The DRAW operation will draw a series of lines connecting successive points in the array. There are five styles available (six for the printer); these are

illustrated in Fig 3. There is only one line width possible, despite the entry on page 65 of the Amstrad manual which states that there are 12 for the printer.

The PLOT operation will put a marker at each position specified in the coordinate array; these markers come in five different styles and in five different sizes. All the styles and the smallest six sizes are illustrated in Fig 3. There is only one size on the screen.

The FILL operation connects all the points together, much like DRAW. It then joins the last point to the first to make a closed polygon, which it fills in one of a variety of styles. It is not able to fill a shape created by a previous command, but as up to 75 points can be sent, it can generate a variety of shapes; a regular 72-sided polygon is a pretty good approximation to a circle, for example. Fig 10 makes extensive use of filled circles. Another example of the type of shape you can create is given in Fig 4, where one basic array has been used to generate figures of different sizes, such as you might use in a pictorial plot to illustrate statistical data.

There is also a function BAR which draws a rectangular bar, suitable for use in bar plots. This is filled with the same range of fill styles as for the FILL function. FILL could produce the same effect by giving the coordinates of all four corners, while BAR has the slight advantage that you only have to give the coordinates of two corners — the lower left-hand and the upper right-hand ones.

The choice of fillings available is impressive. You can have style 1, a solid filling, or style 0, a hollow filling where the area isn't filled at all. You can have six hatch styles (style 3) and six patterns (style 2). The hatches which you can have if you select style 3 are chosen by setting the fill index, a number in the range 1 to 6. Fig 5 shows the hatches available. The patterns which you can have in style 2 are again selected with the fill index and are shown in Fig 6, together with the hollow and solid fills. The patterns are, in effect, grey shades with a steady progression in density from white to black, and can give crude shading effects as in Figs 8 and 9.

Text output

As well as the aforementioned four functions which actually draw something, there is another which allows you to write captions, label the axes of graphs, and so on; this is the TEXT output function. For this, you set CONTROL%(0)=8 and CONTROL%(1)=1, while CONTROL%(3) contains the number of characters you wish to print.

MicroMania

SOFTWARE

Auditor Version 2	181
Chart	369
Clipper	725
Copywrite	85
Crosstalk XVI	150
DAC Accounting - Aust. Ver.	175
DAC Word	99
Daybook - Accounting Cashbook	149
Dbase II	499
Dbase III Plus	689
Desktop Publisher	899
Desqview	120
Executive Filer	95
Executive Writer	95
Fastgraphs	289
Flight Simulator	87
Framework II	730
Gem Desk Top	84
Graphwriter	760
Harvard Presentation Graphics	499
Info. Bus. Manager	436
Javelin	999
Jet	85
Knowledgeman	729
Lotus 1-2-3	525
Multimate 3.31	519
Multimate Advantage	595
Multiplan	285
Norton Utilities	115
Open Access	695
PC Tutor	89
PFS File	159
Paradox	829
Popup	99
Printmaster	84
Pnntworks	120
Ready!	79
Reflex	140
Remote	168
Samna III	635
Sidekick	67
Sideways	79
Smart Package	839
Spellbinder	575
Statpak	513
Super Calc III	517
Superkey	99
Superproject	552
Symphony	699
Timeline	565
Transporter	79
Turbo Database Toolbox	88
Turbo Editor Toolbox	88
Turbo Gameworks	88
Turbo Lightening	117
Turbo Pascal BCD	120
Turbo Pascal	88
Turbo Pascal 8087	124
Turbo Pascal BCD & 8087	150
Turbo Pascal Graphics Toolbox	80
Turbo Pascal Toolbox	75
Turbo Prolog	149
Turbo Tutor	53
Twin - 123 lookalike	189
Typequick	69
VP Planner	158
Windows	160
Word	443
Wordperfect	499
Wordstar	299
Wordstar 2000	435
Wordstar 2000+	449
Wordstar Professional	430

Customer of the Month . .



"I searched everywhere for low prices on software. Micromania came through with amazing prices and excellent service."

Dr. Guy Bashford.

SUPER HOT SPECIALS!!!

D - Accounting	175	20 Meg Hard Disk	995
PC In Modem	495	Dbase III Plus	689
Norton Utilities	115	Wordstar 2000+	449
Turbo Pascal	88	Symphony	699

(02) 569 0232

180 Parramatta Rd. Stanmore N.S.W. 2048

All prices include sales tax. We accept Bankcard, Mastercard and Visa. Phone (02) 569 0232 to place an order or send a cheque or money order to Micromania, 180 Parramatta Rd., Stanmore N.S.W. 2048. All products carry full distributors warranty and support and are latest release versions. Delivery extra - phone for rates. Prices may change due to factors beyond our control. All customers will regularly receive a copy of our online ordering program to run on their PC or Compatible, containing the latest product details and pricing.

HARDWARE

80287 AT Maths Coprocessor	417
8087 Maths Coprocessor	265
8087-2 Maths Coprocessor	357
AST - Megaplus - 64K	606
AST - Sixpak Plus + Sidekick	399
AST Advantage	895
AST Rampage - 256K	599
AST Rampage - AT 512K	1049
EGA Compatible Card	699
Intel Above Board - AT	850
Intel Above Board - PC	579
Microsoft Mouse (Bus)	239
Microsoft Mouse (Serial)	239
Monitor - Colour 14" RGB	639
Monitor - IBM TTL Amber	259
Monitor - IBM TTL Green	259
PC Colour Graphics Card	159
PC Floppy Disk Controller	114
PC Mono/Graphics Card	175
PC Multi I-O Card	249
PC Parallel Card	80
PC Serial Card	80
Parallel Printer Cable - PC	35
Power Supply (135 W)	199
Seagate 20Mb Hard Disk Kit	995
Speedemon - 10Mhz for PC	899
Tape Backup - 20 Meg AT	1499
Tape Backup - 20 Meg PC	1199
Fuji DS/DD 3 1/2" Disks	75
Fuji DS/DD 5 1/4" Disks	36
Fuji SS/DD 5 1/4" Disks	27

PRINTERS

Brother 1509	749
Brother HR15XL	679
Brother HR35	1409
Brother HR5	209
Brother M1109	389
Brother Twinwriter	1899
Epson FX105	1080
Epson GX80	440
Epson LQ1500	1699
Epson LX80	475
NEC P3 Colour	1383
NEC P3 Pinwriter	1149
NEC P5 Pinwriter	1699
NEC P6 Printer	939
NEC P7 Printer	1198

MODEMS

Imagineering Le Modem	490
Netcomm 1200 In Modem	787
Netcomm 123 In Modem	1099
Netcomm 1234 In Modem	1399
Netcomm 2400 In Modem	1049
Netcomm 3 + 12 Manual	265
Netcomm PC In Modem	495
Netcomm SmartModem 1200	799
Netcomm SmartModem 1234A	1669
Netcomm SmartModem 2400	1099
Netcomm SmartModem 123A	1359

You must then pass, in the COORD.IN% array, the x and y coordinates of one point — the lower left-hand corner of the first character in the text string.

The text itself is passed in the array PAR.IN% and requires some consideration. The GSX routines expect to find one character in each 2-byte element of the array, while in Basic, text is held in string variables which hold one character in each byte. A further complication is that the address which Basic returns for a string, either when using the VARPTR function or in the CALL command, is that of the string descriptor. This is a 3-byte variable which specifies the number of characters in the string and the address at which the string itself is held. The simplest way of dealing with strings, which suits both suggested methods for making the CALLs to GDOS, is to copy the characters one by one from the string into the PAR.IN% array. This could be done as in the sequence below, where the text is assumed to be held in the variable TEXT\$:

```
FOR ch = 1 TO LEN (TEXT$)
PAR.IN%(ch
-1)=ASC(MID$(TEXT$,ch,1))
NEXT ch
```

After this you can set CONTROL%(3)=LEN(TEXT\$), and the call to GDOS can be made in the normal way. With this method, the longest text line which you can print is limited by the length of PAR.IN%.

On the monitor screen, there is no choice as to the way in which text can be written, but on the printer you can choose between 12 text sizes, equivalent to the 12 different marker sizes, and four text directions. The range of options is illustrated in Fig 7, which shows the four directions and the seven smallest sizes. The ability to print text rotated at 90° intervals is obviously useful when labelling the vertical axes of graphs and plots. Text direction 4 was used in Fig 7, in which the horizontal and vertical coordinates were interchanged to allow the printer to produce a picture whose width is greater than its height, without any loss of resolution.

With this TEXT output function, all 256 character codes are treated on the screen as printable characters, as defined in Appendix I of the CP/M section of the Amstrad manual. In particular, the codes 0-31, which are interpreted as control characters in the Basic PRINT and LPRINT commands, will appear on the screen as Greek letters and mathematical symbols. With a printer driver in use they are still not treated as control codes, but they do not print, either. The character set available for the printer consists approximately of the symbols you can get under Locoscript without

using the Alt or Extra keys.

Setting GSX options

The final functions in Table 1 serve to select the various options available for the main graphic operations. Those which are not available on the screen are marked with a '†'. As with all functions, the function code is set in CONTROL%(0).

Firstly, there are the calls which set the style of the line, marker or fill used. They all have CONTROL%(1)=0 and the code for the style requested in PAR.IN%(0). The calls to set the fill indices have the same form.

The colour of the line, marker, text or fill can be set. Again, CONTROL%(0)=0 and PAR.IN%(0) are either 0 or 1. Colour 1 is the normal mode, which draws in black on the paper and green on the screen. Colour 0 will draw with the same colour as the background and can be useful for erasing.

Finally, there are the options for setting the text and marker size, and the format for these is rather different. In this case, CONTROL%(0)=1 and the size requested are passed in COORD.IN% and not in PAR.IN%. COORD.IN%(0,0) is set to 0, and COORD.IN%(1,0) is set to the size required. As this operation involves resetting the coordinates of the first point in the COORD.IN\$ array, it can produce some dramatic effects for the next DRAW or FILL interaction if you are not careful.


Writing mode

The drivers on the Amstrad appear to have only one writing mode, the Replace mode. For text on the screen, this mode behaves in the way in which you would expect a screen to behave — a new character will blot out a previous one in the same position. On the printer, in fact, the text mode is more like an OR mode. It is only the black regions of the letters which replace what is already there, so you can, in effect, overstrike.

Reverse colour


The Replace mode is really interesting in the effect of the FILL operation, where a hatch or pattern will replace whatever was there previously. This is illustrated in Fig 6, where a bar shape was drawn first and the superimposed triangles were filled with hollow, pattern or solid fills. You can see that the bar has been erased by all but the hollow fill. On the screen only the hollow fill is available, so you do not get this effect. This you can see by comparing Figs 1(a) and 1(b), which come from the same sequence of commands. On the printer, the pie shape has obscured the bar shapes which were drawn first. A white area like this cannot be produced by using the hollow fill, as this leaves the enclosed area as it was; instead, you have to set the colour to 0. This produces the effect of drawing with white lines on white paper, and is therefore a little difficult to see. If, however, you fill an area with any fill style *other* than hollow, it will remove whatever has been drawn previously. You can erase areas at will. This can give the effect of hidden line removal: that is, you can omit from a drawing any parts which would be obscured by something in front of them. If you draw the shapes furthest away first, then any filled shape in front which overlaps them will erase them from the overlap region. This approach was used for the different shapes in Fig 8, which were drawn in succession by different routines brought into memory, one after another. The obscuring effect may be seen by comparing Fig 8 with Fig 9, in which the shapes were separated so that they did not overlap and the entire shapes can be seen. The block was omitted in the last picture as there was not enough room to keep it clear of the others.

I hope that in this article I have managed to demonstrate that, although the Basic that comes with the PCW8256 does not have any graphic commands, it is possible, from Basic programs, to produce a wide range of graphic output using the GSX routines. END



'Frankly, it's the only language it understands.'

TDA TEMPLATE SERIES



PCA

ACCESSORIES PTY LTD

P.O. BOX 374, TURRAMURRA, NSW 2074 (02)449 4721

why not a CLEVELAND XT, 186+ OR PORTLAND (portable)
The computer that is taking Australia by storm because

LIKE THE IBM * is assembled in Australia * has the same XT h'ware * runs all IBM s'ware

BUT UNLIKE IBM * has Australian made BIOS in ROM (no copy) * costs LESS than HALF * has 12 months WARRANTY
* Reads/Writes and Formats 40 or 80 tracks diskettes

for the best prices and value for money don't miss to call or write to

* HOME
* BUSINESS

B&E COMPUTERS

* EDUCATION
* GOVERNMENT

Telephone (07) 341 5422 or P.O. Box 411, SPRINGWOOD, Qld

Dealers for Cleveland, Osborne, Sanyo, Sperry, Kaypro
Dealers in COFFS HARBOUR-LISMORE-GOLD COAST-TOOWOOMBA-MACKAY-CAIRNS-TOWNSVILLE

Business Accounting \$2799
* Cleveland XT
* Thomson Monitor
* 165 char Olympia Printer
* Full Accounting Program

Public Accountants \$4999
* Cleveland XT
* Thomson Monitor
* 165 char Olympia Printer
* Clients Accounting Program

Video Library \$3299
* Cleveland XT
* Thomson Monitor
* 165 char Olympia Printer
* Video Library Program

Wordprocessing \$2249
* Sanyo Computer
* Sanyo Monitor
* Sanyo Daisywheel Printer
* Wordstar Mail Spell Prog

Dealer Enquiries Welcome (07) 341 5340

Lotustaradox

The word that Imagineering and Osborne created.

lotto, n. Game of chance with drawing of numbers as in lottery. [It.]
 lotus, n. The world's leading integrated spreadsheet program: commonly referred to as 123. [L. f. Gk lotos]
 lotustaradox, n. The addition of Lotus, Wordstar, Paradox and the Osborne 2000 PC: commonly referred to as TRILOGY
 loud, v. 1 Strongly audible, sonorous (speaker, name, name, apparatus that converts electrical impulses into sounds enough to be heard at some distance); clamorous, noisy; (of colour, dress, pattern, manners) obtrusive, conspicuous, flashy; hence EN⁶

Trilogy - the Concept.

Imagineering and Osborne have combined to produce a unique new computer concept - Trilogy.

Trilogy brilliantly matches the powerful and versatile Osborne 2000 PC with Imagineering's world famous Lotus 123 spreadsheet, Wordstar's totally new wordprocessing package and the revolutionary Paradox database. Furthermore, Trilogy includes an Imagineering life-time customer support contract and a complete program of education.

So what does Trilogy cost? Clearly it deserves to be enormous. But it is in fact, less than that of a standard IBM PC alone - \$4,995!

Thinking Systems - Sydney's leading microcomputer specialists are proud to offer you a microcomputer concept so innovative - it could change the way people buy computers.

Definitely no catches.

Lotus 1-2-3	\$ 795
Wordstar 2000	\$ 835
Paradox	\$ 1,095
Osborne 2000 640K Computer	\$ 2,350
Thomson RGB Colour Monitor	\$ 960
Delivery and installation	\$ 200
3 days training or	\$ 1,300
3 training videocassettes	
Lifetime hotline support	
Attractive financing	

Your would normally pay \$ 7,535

TRILOGY price \$ 4,995



Phone our Trilogy hotline on:
(02) 560 0766

**Thinking
 Systems**

**180 Parramatta Road,
 Stanmore. NSW. 2048
 Ph: (02) 560 0666**

Hackers stop here!

*Not everyone sees hacking in an unfavourable light: the author of the new **Hacker's Handbook**, for example, regards it as 'a recreational and educational sport'. Peter Tootill and Steve Withers report.*

The second edition of the *Hacker's Handbook* has just been published. The first caused quite a stir when it came out in March last year, which we think was caused by the book's name rather than its contents — it's unlikely that anyone could actually *learn* how to hack into a system just from reading about it. In the *Hacker's Handbook* the author, Hugo Cornwall, offers no magic formula to turn the reader into a super-cracker of account numbers and passwords. However, the hints he does give, such as 'Own names and those of loved ones are top favourites' and 'If the password is numeric, the obvious things to try are birthdays, home phone numbers, vehicle numbers... and so on', should be a salutary lesson to all who think such passwords are secure.

The book will give you a certain grounding in comms but, unfortunately, it does assume a basic familiarity with such things as RS232s and ASCII codes. However, if you are able to get past all that, there's a fair bit of useful information for the ordinary (law abiding) online computer user. The *Hacker's Handbook* is 168 pages, is very readable, and contains some interesting background information on a few of the more famous 'hacks'. The author sets out his own position clearly: he doesn't approve of hacking for profit, or destructive activities; the fun is all in finding your way into a system by your own wits — 'hacking is a recreational and educational sport,' he says. Also: 'Most hackers are not interested in perpetrating massive frauds, or modifying their personal banking, taxation and employment records,' he claims — nor, we suspect, would most hackers succeed if they were. Hacking is a lot more difficult than films such as *War Games* would have us believe.

The book has no index; there isn't even a detailed contents list — a major omission in our opinion, as neither of us is inclined to buy a non-fiction book unless it has a reasonable index.

The *Hackers Handbook* is published by Century.

Viatel news

The Canberra branch of the Australian Computer Society has started placing information about the branch's activities. For those living in the area, the material starts on page *440123#. Branch officials hope that the idea will spread to other parts of the ACS structure, and believe that their service could be expanded to cover all ACS activities.

A boycott of Viatel by domestic users was called for the week beginning May 26th (the day this column was written). Many subscribers are angry at the prospect of a 20% increase in time charges, and a 28% hike in the standing charge. Such increases are way over our 'banana republic' inflation rate, and may even result in a drop in revenue (judging by the number of messages we have seen from subscribers planning to drastically cut their usage). It certainly won't encourage those who have been considering the use of Viatel to sign on the dotted line.

System news

January and July are the months for our full system listings, so space is at a premium. The new entries are Ausnet, MacBBS, Griffith BBS, and AUSOM MacSIG. There are also a few minor changes to reflect newer information about operating hours, modem standards, etc.

We've heard of a new dial-up system in Melbourne for those who enjoy fantasy role-playing games. The system will support play-by-modem games, and should be on-line very soon.

What should we call the type of system this column is all about? "Bulletin Board" is too specific, and we never liked "Public Access Message System" as many aren't open to the public and messaging is only part of the story. Any suggestions?

This month's information providers were Philip Harding, Bob Fryer, Mike Purdy, Neil Barker, Ed Cox. We hastily

scribbled a few notes that omitted our informants' names — to these people go our apologies and thanks.

Bludners

In "Viatel: One Year Later" (APC April 1986) the database of tenders was appropriated to the wrong organisation. Tendertex is operated by International Trade and Tenders Pty Ltd.

NSW

Ace BBS (02) 560 9846. 6pm-9am weekdays, 24 hours weekends.

Andromeda (02) 764 3598. 24 hours.

AUGABBS (02) 451 6575. MV. Mathew Barnes and Andrew Riley. 24 hours daily.

Augur TBBS (02) 661 4739. Mark James. 24 hours.

AUSBOARD (02) 95 5377. P. Daniel Moran. 24 hours daily.

Ausnet (02) 959 3712. 24 hours daily. V22, V22bis. For DEC users.

BERT (02) 211 0855. P. Resource Data. 24 hours daily. V23 videotex.

Bresike Omen (02) 457 8281. Geoff Arthur. 24 hours daily. TRS-80.

CCBBS BBS (02) 398 2413. 8pm-7am weekdays, 8am-5pm weekends.

CCUA BBS (02) 599 7342. 24 hours daily.

Club-80 RTRS (02) 332 2494. MV. Michael Cooper. 24 hours daily.

Commboard (02) 664 2334. MV. Graham Lee. 24 hours daily. For Commodore 64 users, membership \$25/year to 199 Coogee Bay Road, Coogee 2034.

Contact BBS (02) 550 1004. MV. Steven Williams. 9am-11pm weekdays, 24 hours weekends. Computer dating.

Csace BBS (02) 529 8249. 24 hours.

**NEW SOFTWARE TO
HELP YOU RUN
YOUR BUSINESS . . .**

Lewis CROSS- CHEQUE

**TRACK YOUR INCOME &
EXPENDITURE**

- ★ Improve your financial control by getting reports about your business at the press of a button.
- ★ Reduce your time spent on preparing your accounts and income tax return.
- ★ Replace your cash book.
- ★ Multiple cheque accounts.
- ★ Price is \$240.00.

CROSS-CHEQUE IS IDEAL FOR organisations unsuited to general ledger accounting such as

Doctors	Family Businesses
Shops	Personal Accounts
Farms	Service Industries
Dentists	Motor Industry

CROSS-CHEQUE follows the success of the CASEG medical accounting system and

Lewis PAY-PACK

PAYROLL SYSTEM


- ★ Used by over 100 Australian business in over 30 industries.
- ★ Includes management of sick and holiday leave.
- ★ Price is \$690.00.

EASY-TO-USE

Both programs are designed to be used by people with no computer training. At all times, 3 lines of the screen are devoted to instructions of what to do next.

DEMONSTRATION DISKETTES and manuals are available for PAY-PACK (\$50.00) and CROSS-CHEQUE (\$30.00). This cost can be credited to purchase price. Both programs are available for MS/DOS and CP/M80.

**Contact Dr Geoffrey LEWIS
Custom-Made Software Pty Ltd
PO Box 507 Randwick 2031
Tel (02) 399-8520**



The state of the art book on the state of the art language

Modula-2 was designed by Niklaus Wirth as a successor to Pascal.

Now Arthur Sale, Professor of Information Science at the University of Tasmania, and an international authority on Pascal and Modula-2, has written the most comprehensive and up-to-date book available on programming in Modula-2.

Modula-2: Discipline & Design is available at \$28.95 from your bookstore, or contact:



**Addison-Wesley Publishers, 6 Byfield St, North Ryde 2113.
Telephone 888-2733**

WISDOM-286

**THE FAST IBM-PC/AT COMPATIBLE ALTERNATIVE
35% FASTER THAN THE "AT" AT LESS THAN HALF THE PRICE.**

The WISDOM-286 is a computer based on the advanced 80286-8 16 Bit microprocessor chip, with a system clock rate of 8MHz. This results in a performance that is 35% faster than the IBM PC/AT or some 350-400% faster than the IBM-PC/XT, or lookalikes.

Loading and execution of your programs is going to take a fraction of the time it took on your existing PC. The WISDOM-286 is fully designed to be fully compatible with the IBM-PC/AT bus, and it totally supports IBM-PC Dos 3.0, 3.1, and Xenix operating systems.

The WISDOM-286 CPU board can be expanded to 1M-byte of Ram, with a minimum standard of 512KB, saving valuable slot space and further reducing system cost.

SPECIFICATION:
 *MOTHERBOARD: 100% compatible bus and form compatible CPU board
 *MICROPROCESSOR: 8MHz 80286-8 16/24 CPU
 *MEMORY: Expandable on-board to 1M-bytes
 *DISPLAY: Color Graphics or Monochrome, also optional Enhanced Graphics Adapter or 132 Column cards
 *I/O PORTS: 1 x RS232 Serial and 1x Centronics Parallel std.
 *EXPANSION SLOTS: 8 I/O slots, 2 x single 62 pin, 6 x dual 62 pin and 36 pin



*POWER: a large 200 Watt power supply standard

*OPERATING SYSTEMS: Dos 3.0, 3.1, and Xenix

*LANGUAGES: Basic, Fortran, Cobol, APL, Pascal, Macro, Assembler

*DIAGNOSTICS: Auto power-on test, Ram parity checking

*We are sure that any comparison you make with other systems will result in your selecting this as THE TOP PERFORMER.

CE computer enhancements pty. ltd.
 9th Floor, 505 St Kilda Road, Melbourne, Vic 3004, Aust.
 Telephone: (03) 267 7829, (03) 267 4755.

INCORPORATING:

 commercial and professional microsystems

COMMUNICATIONS

Dick Smith Electronics RIBM (02) 887 2276. P. Ian Lindquist. 24 hours daily. Program downloading.

Frontier Systems RIBM. (02) 875 2606. 24 hours.

Galaxy RAPL (02) 875 3943. 24 hours.

Infocentre. (02) 344 9511. M. 24 hours daily.

Irata BBS (02) 600 9041. 6pm-midnight weekdays, 24 hours weekends.

Keeboard (02) 629 2230. P. Philip Keegan. 24 hours daily.

MacBBS (02) 623 2287. P. Ed Cox. Nearly 24 hours daily. V21, V23.

MI Computer Club BBS. (02) 662 1686. MV Rose Vines. 24 hours daily. Program downloading.

MicroDesign Lab Citadel. (02) 663 0150 and (02) 663 0151. P. Stephen Jolly. 24 hours daily.

Nightline (02) 528 8968. P. Hamish Bowly. 10pm-7am daily. Mainly Apple.

Omen I (02) 498 2495. P. Ted Romer. 4.30pm-9am weekdays, 24 hours weekends. V21 and V23.

Palantir BBS (02) 451 6576. P. Steve Sharp. 24 hours daily.

Prophet RBBS (02) 628 7030. P. Larry Lewis. 24 hours daily.

Pursuit BBS (02) 522 9507. 24 hours.

RCOM BBS (02) 667 1930. MV. Simon Finch. 24 hours daily. For Commodore 64 users, software downloading to registered users only \$20/year to Box 1542, GPO, Sydney 2001. Half duplex.

Renegade BBS (02) 631 2715. 9pm-7am daily.

RUNX Unix System (02) 487 2533. MV. Mark Webster. 24 hours daily. Call (02) 48 3831 for system status. Also on (02) 48 3831 (V22) and (02) 487 1860 (V23).

Scorpio BBS (02) 621 7487 MV. Russ Morrison. 24 hours daily. C64, full access \$25 — contact 64 Blacktown Users Group.

Sentry BBS (02) 428 4687. 9pm-6am weekdays, 8pm-6am weekends.

Skull BBS (02) 529 8750. Les Ayling. 24 hours daily (but sometimes offline). Apple.

SMUG-BEE BBS (02) 607 7584. P. Bob Fryer. 24 hours daily. Microbee Software.

Sorcerer Users Group RCPM. (02) 387

4439. MV. John Woolner. 6pm-8am weekdays, 24 hours weekends. Ring-back system.

Sydney PC Users Group RIBM (02) 238 9034. 24 hours. Also (02) 221 5520 for V22. Bytenet listings.

Sydney Public Access RCPM (02) 808 3536. MV Barrie Hall and David Simpson. 24 hours daily.

Tandy RIBM (02) 625 8071. 24 hours daily.

Tesseract RCPM (02) 651 1404. MV. John Hastwell-Batten. 24 hours daily.

Texpac RBBS M. Shane Andersen. Mon & Tues 7pm-6.30am, Wed 7pm-Mon 6.30am. For membership write to TISHUG. (attn Texpac Sysop), PO Box 595, Marrickville, NSW 2204.

Tomorrowland's DIRECT (02) 411 2053. MV. Mike Kidson. 24 hours daily. Helpline: (02) 412 3909.

Zeta RTRS (02) 627 4177. Nick Andrew. 24 hours weekdays, 7pm-7am weekends.

Abcom RIBM (047) 36 4165. 24 hours.

Griffith Computer Association BBS P. (069) 62 7272. Greg Bodger. Ring-back System. Program downloading.

Illawarra BBS (042) 84 4354.

Newcastle Microcomputer Club RCPM RBBS (049) 68 5385. MV. Tony Nicholson. 5pm-8.30am weekdays, 24 hours weekends. RBBS free to all, RCPM for members only — \$4/year to PO Box 293, Hamilton, NSW 2303.

ACT

ACT Apple (062) 31 9462. Ian Warren. 10pm-6am daily.

Canberra IBBS (062) 58 1406. MV. 24 hours daily.

Canberra MICSIG RCPM (062) 85 1026. Ross Elliott. 24 hours daily.

Canberra RBBS (062) 88 8318. 24 hours daily.

Commodore User Group (ACT). (062) 54 7365. P. 24 hours daily.

DSA-80 RTRS (062) 41 4395. MV. Anonymous. 24 hours daily. Full access granted only to Canberra Micro 80 Users Group Inc and non-residents of Canberra.

PC Exchange (062) 58 406. 24 hours daily. V21, V22.

Victoria

AM-NET (03) 366 7055. Peter Hallgar-

ten. 24 hours daily. V21, V23, and packet radio.

Atlantis International Computers RBBS (03) 277 6824. P. 24 hours daily.

AUSOM BBS (03) 877 1990. MV. Grahame Willis. 24 hours daily.

AUSOM MacSIG (03) 435 9152. P. 24 hours daily. For Macintosh users.

BERT (03) 602 1552. P. 24 hours daily. Business and economic news. Also on (03) 67 7371 for V23/Videotex users.

BUGM RCPM (03) 500 0562. P. Sol Green. Midnight-6pm Monday-Saturday, Midnight-Midday Sunday.

C64-BBS (03) 489 4557. MV. Alan Miles. 24 hours daily. Commodore 64 software up/downloading.

DECUS Melbourne Fido (03) 63 9133. Jay Ondracek. 24 hours daily. V21, V22, V23, V22bis. DECUS members only (but membership is free), caters for Rainbows to VAXes, public domain software downloading (CP/M and MS-DOS).

Down Under Software (03) 429 5819. Greg Hudson. 24 hours daily. V21, V22, V22bis and V23.

DUNCAN (03) 602 5200. P. 24 hours daily. Computer news and advertising.

Eastwood RCPM (03) 870 4623. Mick Stock. 4pm-midnight, Monday-Friday ONLY. V21 originate or answer due to poor line quality. Previously referred to as East Ringwood RCPM.

HiSoft IBBS Node 1 (03) 799 2001. Richard Tolhurst. 24 hours daily.

HiSoft IBBS Node 2 (03) 799 2041. Richard Tolhurst. 24 hours daily. V23 only.

Hi-Tech BBS (03) 397 1165. 24 hours.

Melbourne PIE (03) 878 6847. P. Len Gould. 24 hours daily.

MICOM CBMS (03) 762 5088. MV. Peter Jetson. 24 hours daily.

MicroBee RBBS. (03) 873 5734. G Forrest. 24 hours daily.

Millionaire — Off-line.

National (03) 819 5582. John Blackett-Smith. 24 hours daily. Now running Fido software, with international FidoNet links being arranged. ByteNet listings.

Omen IV (03) 846 4034. Philip Westh. 24 hours daily.

PC-Connection (03) 528 3750. MV. Lloyd Borrett. 24 hours daily. V21 and V22.

SOFTERM PC

MICRO-TO-MAINFRAME CONCURRENT COMMUNICATIONS EXACT TERMINAL EMULATIONS

SOFTERM PC CONNECT YOU WITH MAINFRAMES.

Now you can access information services, bulletin boards, electronic mail systems, and even your company's computer from home or office. Softerm PC includes keyboard macros, a built-in phone book for automatic dialing simultaneous capture to print or disk, and much more. Softerm PC's extensive file transfer capabilities provide automatic execution using command files, support for popular protocols like XMODEM, and our own Softrans™ protocol which comes with an adaptable program for your host computer.

INTEGRATES COMMUNICATIONS WITH ANY PROGRAM.

Now you can add concurrent communications to all your favourite programs. Just load Softerm PC into your computer's memory so it will remain resident while you use other programs. Then, with a single keystroke, you can interrupt the current program and use Softerm to print or display files, dial a host computer, use terminal mode, or initiate a file transfer. You can return to the interrupted program and continue working while the other tasks are performed concurrently.

IBM is a registered trademark of IBM

New Release 1986

WORDCOMM

MAKES YOUR IBM PC WORK EXACTLY LIKE ANY MAJOR TERMINAL.

Softerm PC includes exact emulations of more than 30 popular terminals. All keyboard and display functions are provided for both conversational and block modes.

SOFTERM PC IS A COMMUNICATIONS BARGAIN.

Softerm PC is only

\$ 399

TERMINAL EMULATIONS

TTY Compatible	TeleVideo 910, 921, 925, 950
ADD5 Regent 20, 25, 40, 60	Texas Instruments Model 931*
ADD5 Viewpoint, Viewpoint/78	TRS-80 Model 16 Console
Data General D200, D410	User Defined
Datapoint 3601, 8220*	*Coming Soon
Digital Equipment VT52, VT102, VT220	
Hazeltine 1400, 1410, 1500, 1520	
Hewlett Packard 2622A	
Honeywell VIP 7205, 7801, 7803, 7813*	
IBM 3101 Model 10 and 20	
Lear Siegler ADM-2, ADM-3A, ADM-5	

Softerm is also available in versions for the NEC APC III, Tandy 1000/1200, Wang PC, TI Professional, DG1, Gridcase and Apple IIe & IIc, MacIntosh version coming soon.

- * 1st QTR 1986 Additional Protocols including Kermit, Hayes, and Clink.
- * Seamless integration provides a transparent, micro to mainframe link to any PC-DOS application. Assigns unused device specifiers such as H: and I: to represent remote systems.
- * One shot from Dataview now included. Allows textfiles to be converted into 7 different formats including: WKS, WRK, DIF, SYLK, ETC.

Suite 203, 156 Pacific Highway
St Leonards N.S.W.
Australia 2065
Telephone: (02) 439 7144, (02) 439 6312
Telex: AA 10713845

COMMUNICATIONS

Public Resource #1 BBS (03) 878 2918. 24 hours.

SCUA RCPM/RBBS (03) 754 5081. MV. David Woodberry. 24 hours daily. Public domain software downloading for members of Sorcerer and CP/M Users of Australia, Inc.

Sunshine PC (03) 312 2259. Chris Whitefield. 24 hours daily.

The Real Connection (03) 288 0331. Carla Miller. 24 hours daily.

Viatel Computers (03) 288 3599. P. Max Elliot. 24 hours daily. V21, V22, V23.

Victorian Apple Bulletin Board (03) 877 1990. Graham Willis. 24 hours daily.

Mail-Bus (051) 27 7245. M. Max Moore. 24 hours. Membership virtually essential. Write to PO Box 234, Newborough, Vic 3825.

MIN-NET (054) 41 3013. MV. Mal Fields. 24 hours daily. Enquiries to (054) 43 2589 during business hours ONLY.

Queensland

ACEA (07) 341 0285 24 hours daily. Commodore.

AM-PAK RCPM (07) 263 7070. John Bews. 24 hours weekdays (V21), 24 hours weekends (V22, V22bis, Bell 103).

BEX II RCPM (07) 395 1809. Rick Dalley. 24 hours daily.

Brisbane Microbee RCPM (07) 384 8333. John Wain. 24 hours daily.

Brisbane Experimental RCPM (07) 395 1809. Rik Dalley. 24 hours daily.

CCUG (07) 808 2125. 24 hours daily. Commodore users' group.

Competron IBBS (07) 52 9498. 24 hours daily.

Computer Orchard (07) 350 1300. Scott Pearse. 24 hours daily. Software downloading (Apple II, Mac, IBM PC).

ED-RCPM (07) 266 3369. Andrew Waddell. 24 hours daily. Emphasis on education, software downloading for many systems.

HiTech CBBS (07) 38 6872. 24 hours daily.

Hotline (07) 353 3718. Lionel Theunissen. 24 hours daily.

Kangaroo Point TAFE (07) 391 3788. Troy O'Malley. 9am-10pm weekdays, 24 hours weekends.

Midnight Express (07) 856 4363. Lloyd Ernst. 24 hours daily.

TI-BBS (07) 263 6161. 7pm-6am weekdays only.

Tomorrowland (07) 394 2300. 24 hours daily.

CAD-IBBS (070) 51 1360. Neil Barker. 24 hours daily. V21, V22, V23. Software for IBM, Microbee, Amstrad, Commodore etc.

CoCoLink (075) 32 6370. 24 hours daily. For Tandy Color Computer users.

SA

Adelaide Micro Users Group BBS (08) 271 2043. MV. 9am-9pm weekdays, 10am-10pm weekends and public holidays.

Computer Ventures CBBS (08) 255 9146. Daniel Schumacher. 24 hours daily.

The Electronic Oracle (08) 260 6686. MV. Don Crago and Grayham Smith. 24 hours daily. V21, V22, V23, V22bis.

Multiple BBS (08) 255 5116. 24 hours daily.

Nexus (08) 243 2477. 24 hours daily.

Omen V (08) 382 4631. 6pm-7am daily.

SAC64 (08) 382 4631. 24 hours daily. Commodore users' group.

NT

Omen II (089) 27 4454. Terry O'Brien. 24 hours daily.

Outback RCPM (089) 27 7111. Phil Sampson. 24 hours daily.

Red Centre RCPM (089) 52 8852. 24 hours daily.

WA

Applecross (09) 364 9924. 24 hours.

Atarians (09) 409 7251. 24 hours daily.

Computext (09) 447 0522. Russell Stokes. 24 hours daily.

MiniPro C64 (09) 337 3400. 24 hours, Mon-Fri only.

Mouse Exchange (09) 330 5530. 8.30pm-7.30am daily.

NEMO (09) 370 1855. Graeme Platt. 24 hours daily.

Omen III (09) 279 8555 Greg Watkins. 24 hours daily.

Omen Mini (09) 279 8555. 24 hours.

The PAD (09) 337 2941. 24 hours daily. V21 and V23.

Trash II (09) 478 1163. 8pm-7am daily. Commodore 64.

Kalgoorlie College RCPM (090) 21 7755. P. 24 hours daily.

Tasmania

Computercraft IBBS (003) 31 8466. Andre Everts. 24 hours daily.

Launceston BBS (003) 34 0911. 24 hours.

Ian Campbell TBBS (003) 26 4248. 24 hours.

The material in this column is presented in good faith, but as it is collated from information provided by readers, APC cannot take responsibility for its accuracy. New information and corrections are always welcome (but please mention whether or not you can vouch for its accuracy), and should be sent to Steve Withers at one of the following addresses: C/- Computer Publications, 77 Glenhuntly Road, Elwood, Victoria 3184. Viatel 063000030, ACSnet stephenw@murdu, Teledata 11UN-RWITHERS. Acknowledgement will generally be made through this column.

END

Laser Printing


direct from Macintosh disk or by modem

Give your report, newsletter, brochure or display ad a professional appearance at a fraction of the cost of other production methods. Send your Macintosh disk or take advantage of our typing, layout and assembly services. You'll be delighted with the results and amazed at the cost savings.

**Phone (02) 94 5207 now for
for a free quotation —
compare our prices!**

Download and print from Mac disk
from 50¢ per A4 page

MacBureau



David Barrow presents more documented machine code routines and useful information for the assembly language programmer. If you have a good routine, an improvement or conversion of one already printed, or just a helpful programming hint, then send it in and share it with other programmers. Subroutines for any of the popular processors and computers are welcome but please include full documentation. All published code will be paid for. Send your contributions to Subset, APC, 2nd Floor, 215 Clarence Street, Sydney 2000.

68000 SERIES CONDITION CODES ACCESS

In November 1985 I explained how access to the Condition Codes Register in User Mode required a different instruction for the 68000 and 68008 side of the family (MOVE SR, <EA>) to that of the 68010 and 68020 virtual machines (MOVE CCR, <EA>).

So far, only Terry Browning has attempted to provide a useful, truly portable routine to put the CCR on top of stack — ready for use within a subroutine

or for RTR exit. Terry describes the result PSHCCR (Datasheet 1) as 'a mess, taking about 200 cycles to execute.'

Without denigrating Terry's programming skill, I have to agree that, despite a hint of elegance, PSHCCR is undoubtedly a costly way to read the 68000's flags.

Nevertheless, the only alternative to this or a similar routine is to rely entirely on the system software's ability to trap an illegal instruction or privilege violation and return the CCR state from the exception. This, too, is likely to be quite slow because of the lengthy internal interrupt processing. Furthermore, exceptions are bound to introduce timing uncertainties when precise timing could be crucial.

DATASHEET 1

PSHCCR	68000-series MOVE from CCR to User Stack.
JOB	68000-series fully portable push of CCR to User Stack (A7) without using "MOVE CCR, -(A7)" (not available on 68000 or 68008) or "MOVE SR, -(A7)" (not available on 68010 or 68020).
ACTION	Clear CCR copy register, D0. FOR each condition code: ZNVC [IF condition set [Set copy bit in D0, 4 bits higher.]] Rotate copy register right through eXtend 4 bits shifting all copy flags to correct bit position. Stack CCR copy register below return address.
CPU	68000-series.
HARDWARE	None.
SOFTWARE	None.
INPUT	None.
OUTPUT	Copy of CCR on User Stack top (A7). (Stacked SR system byte = 0.) No other registers or flags affected.
ERRORS	None.
REG USE	None.
STACK USE	(User Stack, A7): 4. (PSHCCR increases program stack use by 2.)
RAM USE	None.
LENGTH	60
CYCLES	68000: 178 + 10 for each set N,Z,V,C flag. 68008: 332 + 14 for each set N,Z,V,C flag. 68010: 178 + 10 for each set N,Z,V,C flag. 68020: 135 + 1 for each set N,Z,V,C flag (max).
CLASS 1	*discreet *interruptable *promable
*****	*reentrant *relocatable *robust

```

PSHCCR MOVEM.W D0-D1,-(A7)      ;Use D1 to make 2-byte workspace and save D0 on top of stack.      4BA7 C000
                                ;Initially clear all flag bits in D0.B, using "SF" since "CLR" affects CCR.      51C0
                                ;
                                ;... "BSET" affects Z flag, so begin synthesis with Z. Build CCR
                                ;... copy in D0 left shifted 4 bits for later rotate to get X.
PCCRZ BNE PCCRN                  ;Okay if Z reset, else set corresponding D0 bitno. +4.      6604 0BC0
      BSET #6,D0                  ;
PCCRN BPL PCCRV                  ;Okay if N reset, else set corresponding D0 bitno. +4.      6A04 0BC0
      BSET #7,D0                  ;
PCCRV BVC PCCRC                  ;Okay if V reset, else set corresponding D0 bitno. +4.      6B04 0BC0
      BSET #5,D0                  ;
PCCRC BCC PCCRZ                  ;Okay if C reset, else set corresponding D0 bitno. +4.      6404 0BC0
      BSET #4,D0                  ;
PCCRX ROXR.B #4,D0              ;Rotate X into D0, shifting "flags" to correct places.
AND1.W #00FF,D0                 ;Clear D0(15-8) for zero system byte on stack.      0240 00FF
MOVE.W 4(A7),2(A7)              ;Move stacked return address up stack (down memory) by 2 bytes to make room for copied CCR to go on return stack top. Use word ops to ensure no overwriting.      0004 3F6F
MOVE.W 6(A7),4(A7)              ;Put copied CCR to return stack top (below ret addr).      0006 3F40
MOVE.W D0,6(A7)                 ;Restore D0.      0004 301F
MOVE.W (A7)+,D0                 ;Restore CCR from stack copy (system byte not affected).      44EF 0004
MOVE 4(A7),CCR                  ;Exit with CCR on stack top.      4E75 RTS
    
```

QUICKER Z80 SOUNDX

SOUNDX (Datasheet 2) from James Day is a far speedier version of John Hardman's routine (September 1985). Although timing will vary considerably depending on the string being processed, James estimates that his routine will execute on average some five times faster than the original SOUNDX. It is also five bytes shorter and uses two bytes less stack space.

Much of the speed increase is as a result of random table access rather than the sequential read

used by John's routine. The letter to be encoded is added as offset to the table base address and the corresponding code value (0 to 6) read off.

One very useful trick used by James is not to follow the convention of converting the letters' ASCII values to simple offsets in the range 0 to 25 but instead to form a displaced base address to the table such that the lowest valid offset will index the first value in the table.

Another trick, which shortens the table by one byte and gains a slight increase in speed, is to disregard 'A' when testing for validity since a null code would be returned anyway.

BELIEVE IT OR NOT!

We guarantee to beat any price by \$10

Tell us the advertiser and price of any software or hardware item on this page currently advertised in any popular computer publication and we'll beat that price by \$10.

This offer does not apply to items under \$100 or where the price is not lower than DataParts.

MONITOR SPECIALS

THOMPSON HI RESOLUTION
Green screen (incl cable) Suits most computers.
Composite Model **\$189 inc**
Save \$60
TTL Model **\$269 inc** Save \$60



PHILIPS TELEVISION HIGH QUALITY TV MONITOR

RGB/14" Composite * 40 col * 80 col
Ideal for BBC, IBM
APPLE COMMODORE
MICRO BEE
Includes cable to suit
PLUS BUILT IN ANTENNA \$499

We will not be beaten on Taxan prices



TAXAN SUPER IV
* Super hi resolution graphics display for CAD and CAM
* Resolution 790 dots x 410 lines
Special SP. O.A.
Prod. No. A106

"PC TYPE" HARD DISKS

Seagate 20 MB hard disk drives. Include controller and cable. Ready to fit kit.
\$109B
12 months warranty.

POWER SUPPLIES IBM-IBM-IBM

High precision in steel case with built in fan.
\$199 inc



APPLE-APPLE

5A/5V + 12V @ 1.2A
\$99 inc

PRINTER BARGAINS

OLYMPIC NLQ PRINTER
All electronic, touch button, high performance, dot matrix with single sheet or continuous feed.
165 cps (90 cps NLQ) bi-directional. Epson and Centronic compatible with optional 2K buffer.
\$488 (inc) Save \$111
Prod. No. A107



EPSON GX 80
* Tector-Friction feed
* 100 cps
* Near Letter Quality Switch
* Now fits Commodore Graphics, Apple II C and IBM Graphix
Best price in Australia
Prod. No. A108



SILVER REED PRINTER

Super special on all these high quality Japanese daisy wheel printers.
From only \$399.00

XETEC/COMMODORE
Interface Unit
Make any printer compatible with your 64 or 128 computer
\$99 (inc) Save \$22
Prod. No. A110

TAXAN SUPER PRINTER BUFFER

* The super buffer that never forgets. It comes standard with 64K memory and is expandable to 256K. Multi dual printer function switch, Copy pause and reset functions. INCREDIBLE VALUE—Until stocks run out!
\$299 (inc) Save \$170
Prod. No. A111



NEW EPSON EX/800

* Full Colour option
* Hi Speed 300 CPS
* Serial or Parallel
* 8K input buffer
* Totally new soft selection controls
Only \$1,186.00

QUALITY JOYSTICKS

IBM model only **\$39** Save **\$10**
Apple model 2C or 2E only **\$34** Save **\$5**

C ITOH PRINTER

Demo models, 6 only 1500 SR 15" carriage.
From only \$495.00

APPLE COMPATIBLE

New release for 2E
TEAC **\$179** INC
CHINON **\$199** INC
TEAC **\$199** INC
CHINON **\$218** INC



OR HOW ABOUT THE BEST JAPANESE CHINON
\$218 (inc) complete — (2E)
\$249 (inc) complete — (2C)
Prod. No. A114B

PHONE FOR OUR PRICE ON APPLE COMPATIBLE PRODUCTS

COMMODORE "AMIGA" SPECIAL INCLUDES
Supra Hi-Res Monitor
\$2395.00

C12B Only \$599
Plus cashback offer.
Phone for our unbeatable prices on all Commodore products.

QUALITY DRIVES BY MITSUBISHI

* High precision * High quality * High durability * You name it. Top range of disk drives ideal for use with TRS 80, Microbee, IBM, BBC, etc.
* Mitsubishi
—DSDD slimline drive—4853
\$169 (ex)
Prod. No. A116A
—DSDD slimline drive—4851—80 track 1 meg formatted
\$199 (ex)
Prod. No. A116B
—4854—80 track, 1.6 meg formatted
\$249 (ex)
Prod. No. A116C

VERBATIM DISKETTES

Prod. No. A118
10+ 100+
5 1/4" **SSDD \$2.98 \$2.68**
5 1/4" **DSDD \$3.88 \$2.98**
3 1/2" **SSDD \$6.98 \$5.98**
3 1/2" **DSDD \$7.98 \$6.98**

DATAPARTS DISKETTES

* Lifetime Warranty
* Plastic Library Boxes
Prod. No. A117
Famous brand manufacturer
10+ 100+ (inc tax)
SSDD \$2.48 \$1.98
DSDD \$2.98 \$2.68

BBC SPECIALS

3 1/2" 720K Drives for BBC or Electron
\$499 (inc)
Prod. No. A119

SOLIDISK FOR BBC

RAM expansion cords
64K=**\$139**
256K=**\$199**
Prod. No. A120

JOYSTICKS

All our new joysticks are designed around the famous American Kraft joystick.
Prod. No. A121
Commodore **\$19** each
Apple **\$34** each
BBC **\$39** each
IBM **\$39** each
All self-centering, high quality.

ADD ONS

STORAGE BOXES
* DX 65—stores 100 diskettes (with steel lock) **\$26.95 (inc)**
* DX 65 (with steel lock) **\$26.95 (inc)**
* DX 50—for 3 1/2" disks **\$29.95 (inc)**
* DX 50 w/o lock **\$14.95**
Prod. No. A122



APPLE OR IBM MOUSE

Includes software
IBM Now only **\$149**
Apple Now only **\$99**
Prod. No. A123

APPLE SUPER FANS — NEW RELEASE

Plugs directly to side of Apple II, IIE and compatible. Save on costly repairs.
\$39.50
Prod. No. A124

NEW APPLE FANS

* 2E and compatibles
* Super quiet
* High precision
* Reduces heat
* Conserves power supply

CREDIT CARDS ACCEPTED

"APPLE-TYPE" CARDS

While stocks last, so hurry! Order now.
* Apple-Type Mouse **\$99**
* Pal Colour Cards **\$59**
* Speech **\$49**
* Z-80/CP/M Cards **\$59**
* ICE Parallel Printer **\$95**
* ICE Serial Printer **\$95**
* Drive Card **\$58**
* 2E Extended Card **\$99**
64K/80col
Prod. No. A126

DTX MONITORS

IBM Quality 2001
Only **\$495.00**
Apple or BBC quality
Only **\$399.00**



COMPONENTS

RAM	10+	100+
4116	\$1.49	\$1.29
4164/4864	\$2.40	\$1.99
41256	\$8.95	\$6.95
2114	\$1.49	\$1.29
6116	\$2.80	\$2.50
EPROMS		
2732	\$3.90	\$3.50
2764	\$5.90	\$5.00
27128	\$6.50	\$6.20

Prod. No. A126

MAKE US AN OFFER

SAVE \$10,000

3 ONLY ONYX MULTI-USER COMPUTERS FULL MULTI USER CAPABILITIES
* 3 TERMINAL PORTS
* 20 Mg Hard Disk
* 20 Mg Streaming Tape back up
* Full suite of software
OUR SUPER SPECIAL PRICE **\$3995**
Save **\$10,000**.

SLAVE SCOOP!

Famous Alloy PC slaves suitable for networking. Compatible with IBM PC, XT or compatibles
Normal price **\$3850**
OUR SPECIAL PRICE **\$1998**
Includes Full Warranty.

IBM COMPATIBLE CARDS

* Multifunctional 364K **\$299**
* 512K Memory Cards **\$249 inc**
* Colorgraphics card **\$199 inc**
* Serial/Async comms adaptor **\$99 inc**
* 64K ramkits **\$29 inc**
* 9x164 ram **\$199 inc**
* Hard disk controller **\$39 inc**
* Games adaptor **\$39 inc**
SUPER SPECIAL Prod. No. A130
Hercules Graphix Compatible Card Complete **\$380 (inc)** Other Cards **SP.O.A.**

Mail order now! Call direct! Call today! Shepparton (058) 21 7155

DataParts
The best computer people in the country.

Available from these outlets—

ALBURY: 518 Macauley Street (060) 21 8088
BALLARAT: 307 Mair Street (053) 31 3399
BENDIGO: 419 Hargreaves Street (054) 43 4866
CAMBERWELL: 519 Burke Road (03) 20 7897
SHEPPARTON: 11 Edward Street (058) 21 7155
WOLUNDRY COMPUTERS: Wagga (069) 21 6466

FREE DELIVERY ANYWHERE IN AUSTRALIA
(minimum order \$100)
CALL NOW AND SAVE!
YOU WON'T BEAT OUR QUALITY OR PRICES!

DATAPARTS

Fully authorised IBM dealers.
If you think these prices are competitive, wait until you see what we can do with IBM PCs and other IBM products. Don't buy any IBM gear until you talk to DataParts. We've got the works, from complete systems to the widest range of IBM software and compatible products.
* Prices advertised must be quoted
* Prices subject to change without notice. MFA DS PO47

Trade Enquiries Welcome

Chances are when you get your new computer, there'll be something missing.

Whaddya mean, no paper?

It can take over six weeks for custom produced stationery to arrive.


So you won't be able to compute on day one.

Rediform instant computer stationery complements all of the popular business accounting packages for micro's, covering everything you're likely to need from "pre-set" invoices, remittance advices and statements to plain print out paper.

Rediform "pre-sets" have space for your company name, address, phone number and other necessary identification so they're particularly suitable for the small computer user. In the interim or long term.

Clip the coupon for further information or your nearest supplier. And remember, don't leave the computer store without Rediform.

Then you can start on day one.



REDIFORM

Instant Computer Stationery.

Please send me more information on Rediform. Please let me know where my nearest dealer is.

NAME _____

To: Sales Promotion Manager
Rediform
PO. Box 180
RICHMOND VIC 3121

COMPANY _____

ADDRESS _____

POST CODE _____

PHONE _____

ANG/RA/841

DATASHEET 2

: NAME SOUNDX		Letter sequence to 4 character SOUNDEX code.	
: JOB To encode a letter sequence as a single upper case letter followed by 3 decimal digits such that phonetically similar sequences produce identical codes.			
: ACTION Read 1st (upper-case) source character. IF character is letter (A to Z) [Write letter to result. WHILE result < 4 bytes AND digit > NULL. [Save last digit (or 1st letter). Read (upper-case) source character. Convert to Soundex code digit. IF digit <> last digit [Write digit to result.]] IF result < 4 bytes [Pad result with '0's.]			
: CPU Z80		: HARDWARE Source memory. Destination RAM.	
: SOFTWARE None.			
: INPUT DE addresses 1st byte of source string. Source string should terminate with a null byte. HL addresses 1st byte of 4-byte SOUNDEX destination.			
: OUTPUT All registers and flags unchanged. Destination contains 4-byte SOUNDEX code of source.			
: ERRORS None.			
: REG USE DE HL		: STACK USE 10	
: RAM USE None.		: LENGTH 93 (code: 70, appended table: 25).	
: CYCLES Depends on source contents.			
: CLASS 2 *discreet *interruptible *promable			
: ***** *reentrant -relocatable *robust			
SOUNDX	PUSH AF	: Save registers and flags	F5
	PUSH DE	: saved in SOUNDX.	D5
	PUSH HL	:	E5
	PUSH BC	:	C5
	LD B,4	: Count for 4 SOUNDEX characters.	06 04
	LD A,(DE)	: Get 1st source character,	1A
	AND 0DFH	: ensure upper case,	E6 DF
	CP 'A'	: and test for letter (A to Z)	FE 41
	JR C,PADEND	: skipping to pad out with	38 2F
	CP 'Z'+1	: '0's if not letter.	FE 5B
	JR NC,PADEND	:	30 2B
	JR STORE	: Else save initial letter	18 22
	SAVOLD LD C,A	: Save copy of last char/code.	4F
	NEXTCH INC DE	: Address next source character	13
	LD A,(DE)	: and get it.	1A
	AND A	: Test for source string end	A7
	JR Z,PADEND	: skipping to '0' pad if so.	28 23
	AND 0DFH	: Ensure upper case and test	E6 DF
	CP 'B'	: for within table range (B to Z)	FE 42
	JR C,NEXTCH	: looping to get next character	38 F5
	CP 'Z'+1	: if non-letter or 'A' (vowels	FE 5B
	JR NC,NEXTCH	: have no SOUNDEX code).	30 F1
	PUSH HL	: Save destination pointer and	E5
	LD HL,SNDTAB	: 'B' uses HL to address table at	21 10 hi
	ADD A,L	: offset allowing for ASCII codes.	85
	LD L,A	: Add source upper-case letter	6F
	LD A,0	: code to index corresponding	3E 00
	ADC A,H	: SOUNDEX code in HL.	8C
	LD H,A	:	67
	LD A,(HL)	: Get SOUNDEX code and	7E
	POP HL	: restore destination pointer.	E1
	AND A	: Test for null code and go get	A7
	JR Z,NEXTCH	: next source char if so.	28 E2
	CP C	: Test for repeat of last code	B9
	JR Z,NEXTCH	: and get next char if so.	28 DF
	STORE LD (HL),A	: Write char/code to destination	77
	INC HL	: and index next dest. byte.	23
	DJNZ SAVOLD	: Repeat for 4 SOUNDEX bytes.	10 DA
	JP SXEXIT	: Go exit.	C3 10 hi
	PADEND LD (HL),'0'	: Write '0' to destination and	36 30
	INC HL	: index next destination byte.	23
	DJNZ PADEND	: Repeat for 4 SOUNDEX bytes.	10 FB
	SXEXIT POP BC	: Restore registers and flags	C1
	POP HL	: used in SOUNDX and exit	E1
	POP DE	: with pointers unchanged.	D1
	POP AF	:	F1
	RET	:	C9
	SNDTAB DEFB 123	:	BCD 31 32 33
	DEFB 0,12	:	EFG 00 31 32
	DEFB 0,0,2	:	HIJ 00 00 32
	DEFB 245	:	KLM 32 34 35
	DEFB 5,0,1	:	NOP 35 00 31
	DEFB 0,62	:	QRS 00 36 32
	DEFB 3,0,1	:	TUV 33 00 31
	DEFB 0,2,0	:	WXY 00 32 00
	DEFB 2	:	Z 32

8086 SOUNDEX

NAMEX (Datasheet 3), from Finbarr Murphy, is a SOUNDEX routine for the 8086. Finbarr wrote it after reading an article by Bob Chappel in *Microcomputer Printout* (August 1982) and says that he has used it successfully with dBasell on his IBM PC. As written, the routine can cope only with strings up to 11 letters in length, assumed to be surnames. These must be preloaded into the routine's workspace terminated with a carriage return character.

One aspect of SOUNDEX coding missed by all of John Hardman, James Day and myself is that (rarely) the initial letter may be repeated, as in the names FFOULKES and LLOYD. Both SOUNDX routines will erroneously include the code for the repeated occurrence after the letter — for example, LLOYD will be encoded as L430 when it should be L300. Finbarr's NAMEX guards against this happening by always encoding the initial letter as

the first SOUNDEX byte, so allowing repetition testing on it, and replaces it by the actual letter only after the full code has been found.

NAMEX makes fairly good use of the 8086 string processing instructions, both as simple primitives and with the REPEAT prefixes for iterative processing. The sequential table search is performed by the combined instruction 'REPNE SCASB' which utilises the auto-incrementing address in register DI and alphabet length count in CX. The corresponding code is then read from the location 25 bytes greater than the value in DI after a match is found.

Were BX not being used as count register, a far quicker method of table lookup, making better use of the 8086 instructions is suggested by James Day's SOUNDX. After validating the character in AL as a letter, load BX with a value 41 less than the address of the codes table (so the offset 'A' indexes the first entry) and use 'XLAT' to read into AL the value contained in location [BX+AL].

END

DATASHEET 3

: NAMEX		11-letter name to 4 character SOUNDEX code.	
: JOB To encode a sequence of up to eleven letters as a single upper case letter followed by 3 decimal digits such that phonetically similar sequences produce identical codes.			
: ACTION Set result to default '0000'. Read 1st (upper-case) character. IF character is letter [Write character to firstchar store. WHILE character NOT terminator AND count <=4 [Read (upper-case) character. IF character is letter [Convert to SOUNDEX code. IF code NOT '0' [IF count=0 OR code<>lastcode [Write code to result. Increment count.]]] Move firstchar to result.]			
: CPU 8086/8088		: HARDWARE Possible storage and table use of memory if not appended to program.	
: SOFTWARE None.			
: INPUT Name of 1 to 11 letters, terminated by carriage-return (0DH), must be in NAME storage.			
: OUTPUT SOUNDEX code in CODE storage terminated by '\$'. ('0000's' output for invalid name).			
: ERRORS None if input conditions observed.			
: REG USE F		: STACK USE 10	
: RAM USE		Input and output storage and conversion table is directly addressed.	
: LENGTH 169 (code: 99, table: 52, storage: 18).		: CYCLES Not given.	
: CLASS 2 *discreet *interruptible *promable			
: ***** *reentrant -relocatable *robust			

XENIX SYSTEM V

The Unix for Business & Commerce

NOW AVAILABLE

- XENIX 286: IBM AT & close compatibles, TI PRO, Olivetti M28. Compaq, NCR PC8, Mitsubishi 286, Corona ATP, Sperry PCIT.
- XENIX 86: IBM XT & close compatibles, ITT, Olivetti M24, Sperry, Wyse, Compaq, Ericsson, Leading Edge, Mitsubishi, NCR PC86, Tandy 1200.
- XENIX 68K: Macintosh XL.
- XENIX 11: PDP-11/23, PDP-11/73, Pro 350, Pro 380. (Note: XENIX 11 is not System V).

WHY XENIX?

- Full commercial support and training.
- Wide and local area networking.
- Multi-user, Multi-tasking.
- User access controls.
- Enhancements: File and record locking; Shared Data, Automatic File System, check and recovery.
- Inter-process communications — signals, pipes, print spooler and semaphores.
- Xenix is an entire software family.
- Xenix lets users tailor their environments.
- Electronic mail.
- Small, fast kernel — Full Unix System V optimised for speed on micro-computers.
- Xenix has been installed on more microprocessor-based computers than all other UNIX based operating systems combined.
- Expanded and improved documentation.
- Xenix is full UNIX system V, only better.
- Xenix has superior multi-tasking design.
- Xenix is tuned for the micro-computer environment.

WHY BLUE SKY?

- We have been in business since 1978.
- We have been involved with computers since our inception.
- First Xenix sold in 1982.
- We know Xenix.
- Some of our customers include: NCR — Health Commission — Commonwealth Bank — Westpac — Telecom Australia — Philips — TAFE — WICAT — Dept. Science & Technology — University of New South Wales — University of Sydney.

MEDIA TRANSFER

Blue Sky Industries designed and developed the extremely versatile system now marketed by NASHUA as the NASHUA DATA CONVERTER. • We provide a disk-to-(& from)-magnetic tape transfer bureau. • MAGTAPE — FLOPPY * UNIX — MSDOS — CP/M — CP/M-86 — PCDOS. 8" — 5.25" — 3.5"

SOFTWARE

	APPLE II	APPLE IIe & IIx	APPLE MACINTOSH	CP/M-86	PC-DOS	MS-DOS	Xenix V.86	Xenix V.286
TYPEQUICK	•	•	•	•	•	•		
AZTEC 'C' personal compiler	•	•	•	•	•	•		
<i>developer</i>	•	•	•	•	•	•		
<i>commercial</i>	•	•	•	•	•	•		
AZTEC 'Z' editor	•	•	•	•	•	•		
T/MAKER III integrated office		•	•	•	•	•		
MULTIPLAN spreadsheet					•	•		
INFORMIX relational database					•	•		
FOX-BASE					•	•		
LYRIX word processing					•	•		
LEVEL 2 COBOL Ansi 74 standard					•	•		
FORMS 2 Cobol Development Tool					•	•		
ANIMATOR Cobol Symbolic debugger					•	•		
C-ISAM					•	•		
IBM MAINFRAME COMMUNICATIONS					•	•		
MS-NET MSDOS/PCDOS Networking					•	•		

HARDWARE

- Winchester disk controllers for S-100, IBM PC, stand-alone.
- 8 Port intelligent communications board for S-100, IBM PC, IBM AT.
- Statistical Multiplexers 8-16-24 ports with error correction.

BLUE SKY INDUSTRIES PTY. LTD.
 2a Blakesley St., Chatswood, N.S.W. 2067.
 P.O. Box 131, Lindfield NSW 2070. National: (02) 419-5579. International: +612 419 5579.
 Telex: 74994.

BLUE SKY

```

1
NAMEX  PUSH AX           :Save registers used      50
        PUSH BX           :in NAMEX.                  53
        PUSH CX           :                               51
        PUSH DI           :                               57
        PUSH SI           :                               56
        CLD               :Clear for auto-increment.  FC
        XOR  BX,BX        :Clear result counter.    33 DB
        LEA  DI,[FCHAR]   :Address result storage,  8D 3E 10 hi
        MOV  CX,5         :count for 5 bytes,      8B 05 00
        MOV  AL,'0'       :using AL='0', initialise 8D 30
        REP  STOSB        :result store to        F2
        LEA  SI,[NAME]    :to '00000'.           AA
        LEA  SI,[NAME]    :Address input source name 8D 36 10 hi
        LODSB             :and get 1st character,  AC
        AND  AL,0DFH      :ensuring upper-case.   24 DF
        CMP  AL,'A'       :Test for character is   3C 41
        JL  ERROR        :letter (A to Z) and    7C 3F
        CMP  AL,'Z'       :skip out in error      3C 5A
        JG  ERROR        :if not.                   7F 3B
        MOV  [FCHAR],AL   :Save 1st character and  A2 10 hi
        JMP  FIRST        :go get its SOUNDEX code.  EB 07

;
AGAIN  LODSB             :Get next character and  AC
        CMP  AL,0DH       :test for <CR> terminator, 3C 0D
        JZ  EXIT         :ending if so, else       74 2B
        AND  AL,0DFH      :ensure upper-case.     24 DF

;
FIRST  MOV  CX,26        :Set table letter count,  89 1A 00
        LEA  DI,[LTAB]   :address letter table   8D 3E 10 hi
        REPNE SCASB      :and search until match  F2
        JCXZ AGAIN       :if character or CX=0    56
        MOV  AL,[DI+25]   :in which case, get next. E3 EE
        CMP  AL,'0'       :Get corresponding code  8A 45 19
        AND  AL,0         :and test for '0', go   3C 30
        JNZ  EXCEPT    :write code if not, else  75 06
        CMP  BX,0         :if not 1st character   81 F8 00 00
        JG  AGAIN        :go get next one.       7F E1

;
EXCEPT LEA  DI,[BX+CODE] :Address current result  8D BF 10 hi
        CMP  AL,[DI-13]  :byte and if repeat, go  3A 45 FF
        JZ  AGAIN        :get next character.    74 DB
        STOSB           :Else write code digit  AA
        INC  BX          :and point to next.     43
        CMP  BX,4        :if not end then go   81 F8 04 00
        JL  AGAIN        :process next character.  7C DB

;
EXIT  MOV  AL,[FCHAR]   :Finally, transfer 1st  A0 10 hi
        MOV  [CODE],AL   :letter to SOUNDEX code. A2 10 hi

;
ERROR  POP  SI           :Restore registers      5E
        POP  DI           :used in NAMEX.        5F
        POP  CX           :                               59
        POP  BX           :                               5B
        POP  AX           :                               58
        RETF            :Long return.          CB

;
FCHAR  DB  0             :1st letter storage.    00
CODE   DB  4 DUP(0),'s' :SOUNDEX code result  00 00 00 00
        :storage.      24
NAME   DB  12 DUP(13)   :Input name space.    0D 0D 0D 0D
        :              0D 0D 0D 0D
        :              0D 0D 0D 0D
LTAB   DB  'ABCD'       :Letter to SOUNDEX code 41 42 43 44
        DB  'EFGH'       :conversion table.     45 46 47 4B
        DB  'IJKL'       :                          49 4A 4B 4C
        DB  'MNOP'       :                          4D 4E 4F 50
        DB  'QRST'       :                          51 52 53 54
        DB  'UVWX'       :                          55 56 57 58
        DB  'YZ'        :                          59 5A
        DB  '0123'       :SOUNDEX code digits  30 31 32 33
        DB  '0120'       :in alphabetic order.  30 31 32 30
        DB  '0224'       :                          30 32 32 34
        DB  '5501'       :                          35 35 30 31
        DB  '0623'       :                          30 36 32 33
        DB  '0102'       :                          30 31 30 32
        DB  '02'        :                          30 32
    
```



'They may not be able to read and write but they certainly know how to push buttons by the time they leave here.'

What do the Australian National University, Sydney University and the Bank of New Zealand have in common?

AN IBM COMPATIBLE FOR \$999*!



- 256KB Ram Standard
- IBM Style Keyboard
- 360KB Floppy Disk Drive
- Multi I/O Board with clock, floppy Disk
- Controller, parallel and serial port
- 8 expansion slots

JUST LOOK AT THESE OPTIONS!

Upgrade to 640Kb Ram	\$ 98*	Colour monitor, 14 inch	\$510*
Upgrade to 512Kb Ram	\$ 80*	Monochrome monitor (green),	\$160*
Second floppy disk drive	\$170*	high resolution TTL and	
10 MB hard disk drive with controller	\$840*	monographics card.	
20 MB hard disk drive with controller	\$980*		

ADD THE PORTABLE OFFICE!

Tandon DiskCard


Take it ANYWHERE!
Plug it into any IBM PC
or Compatible Computer to
access your data.



21 MB Capacity

SECURITY!
Take it out and lock it away.
STOP unauthorised use
of YOUR Hard Disk.

*** SPECIAL OFFER: \$1450**



69 Oxford Street
Bondi Junction
N.S.W. 2022
(02) 389 4922



76 St Kilda Road
St Kilda,
VICTORIA. 3182
(03) 537 1722



* Ex Tax. IBM, IBM PC are registered trademarks of IBM Corporation.

A version of Enable for

\$99



Enable/learn is a version of Enable with which you can save and print files — indeed you have at your fingertips all the power and functions of the full Enable integrated package which has a recommended retail price of \$1100 — for only \$99.

You can save up to 10 pages of text in the Word Processing Module; 50 rows by 50 cells in the Spreadsheet Module; 50 records in any number of databases in the the Data Base Module; and the Graphics and Telecommunications Modules are fully operative.


Your 5 disk set arrives complete with a 138 page Student Workbook and a \$100 voucher redeemable at any participating Enable Dealer should you decide to purchase the full Enable package.

ATTACH THIS COUPON TO YOUR BUSINESS CARD,
LETTERHEAD OR A PIECE OF PAPER ON WHICH IS
CLEARLY SHOWN, YOUR ADDRESS & PHONE NO.

To: OptSoft Pty Ltd, P.O. Box 558, Castle Hill N.S.W. 2154
Please send me a complete copy of Enable/learn
Enclosed is my cheque for \$99, or please
charge my Bankcard/MasterCard
Number _____ until end:
Valid from: _____
Name on card: _____
Signature of cardholder _____



If you're in the mood for cybernetic music or a look at Sir Clive Sinclair's life history, this month's book review is for you. David Taylor is your host.



Art'll fix it

Art says you need to have mastery over your machine. It's not enough, Art says, to run your software, maybe program some; you gotta understand what's cooking in there.

It isn't any kind of manual or analogue machine you have with a micro. It's a digital electronic entity. To figure it, you should learn electronics from the bottom up. That way you'll appreciate what the machine does much better, so you'll use it better. And if it malfunctions, why — maybe you can fix it. Art, by the way, is himself a service technician.

Well. If you can take the gee-whiz presentation, this is a lively and fast-moving introduction to computer electronics. You get a pretty detailed picture of how the MPU chats up the RAM, ROM and I/O chips, get to know analogue from digital and how interface circuits perform the switch. In no time the motherboard seems like one of the family. Art's a good teacher.

But. I'd hesitate to endorse Art's gung-ho approach to trouble-shooting faults. He makes it all sound a cinch, but computers aren't only delicate, they're potentially deadly besides. Remember: all of Art's mains voltages are the US's 120 volts. Make a single mistake with Australian's 240 volts and the chances are that will be that.

I'm all for absorbing the theoretical know-how of the digital world, but extremely cautious of hands-on tinkering until you know precisely what you're at. Art's book, good as it is, is not enough. If you're determined to lay spanners on any micro's innards, first get thoroughly trained.

Title: Computer User's Guide To Electronics
Author: Art Margolis
Publisher: Tab (Thomas Nelson Aust.)
Price: \$30.90

Musical chores


Symphony is a kind of Lotus 1-2-3 with knobs on — a monster spreadsheet with such integrated goodies as a straightforward word processing, hard-to-grasp database service, limited business graphics and a communications set-up. Packages like this (and such big rivals as Framework and Open Access) have lately enjoyed fashionable success as all-in-one solutions to the bore of switching between popular applications, and fans like the authors here can soon become bemused by their power and versatility (the program's that is).

Yet these two want more — such as a desk-top calculator or a pop-up diary, and suggest that instead of pre-loading the likes of Spotlight or Sidekick, you set up Symphonic macros. Then they seek to encourage you to stir Symphony's 'sleeping giant' comms to access Viatel, they

devise a neat ledger to compare your bank's statements with your cheque stubs, and they hold hands through a series of off-the-shelf Symphony tutorials.

It's all right as far as it goes, but it isn't all that far and I'd hesitate to endorse the authors' claim that here is 'an essential add-on to the *Symphony User's Manual*. That, you may have discovered, is a small plastic suitcase of instruction which is quite enough to digest. If Symphony is at all times music to your ears, then I dare say you'll enjoy fiddling about with this book's DIY modules. If not, I shouldn't worry.

Title: Symphony: An Applications Guide
Authors: Geof Wheelwright
and Ian Scales
Publisher: Papermac/Macmillan
Price: \$29.95



With a one and a two . . .

As a Buddy Holly and/or Mozart man myself, I'm not about to argue with this:

'STRUC and associated globals. At S-time for the next two harmonizations (I=1 and I=2), the function keeps only those chords in the array of harmonic alternatives whose structure indices (row numbers in SIGMA) are in the right argument. By establishing global variables such as MA, MI and M17 to be used for that argument, the user needn't remember how to associate particular chords with row indices, i.e., MA can contain the proper index for THE major structure, MI for the minor, and M17 for the minor seventh.'

As Jaxitron himself is quick to acknowledge, the concept of cybernetic music is heady stuff, and 'contrapuntal mixing of tradition and unorthodoxy introduces overtones that will not reverberate satisfactorily for all readers at all times.' Too right, Jaxitron. The brief here is to use the principles of AI modelling and expert systems to help compose original music or perform such time-consuming tasks as transposing or orchestrating.

As you might guess, the music is not of the *tum-ti-tum* kind, but of the avant-garde kind which, to the untutored ear, tends to sound like what you'd hear were you to sit with your ear pressed to the side of your Hotpoint Jaxitron twin-tub on a boil wash, while friends whacked the other side with bin lids.

If you warm to the notion that rhythmic, harmonic and melodic elements in music — or even musical idiom, style or form — can be usefully set down as complex mathematical vectors, arrays and matrices; and if, moreover, you are at home with the APL programming language, you will no doubt find this a fascinating work.

If not, on the other hand, you won't.

Title: Cybernetic Music
Author: 'Jaxitron'
Publisher: Tab (Thomas Nelson Aust.)
Price: \$36.90

Clive who?

I dare say that the PC fraternity roughly divides between those who think the sun shines out of Sinclair, and those who dismiss him as a pain in the operating system. Either way, there's no doubt that charismatic Sir Clive can claim an extraordinary string of legendary successes, nor that he has suffered some equally spectacular failures.

Mr Dale's attempt is a let-down. What he does, more or less *all* that he does, is plod past the well-known milestones of Sir Clive's career, from the first stirrings of scribbling radio circuits in his school exercise books and contributing to *Practical Wireless*, up until The Great C5 Farce and very recent Maxwellian manoeuvres, by way of Sinclair Radionics and the mighty Micro-6, the hi-fi boom, the world's first pocket calculators, the long struggle to perfect a pocket TV the bedevilled Black Watch, the NEB saga, and of course his cheap and cheerful home computers from the ZX-80 to the QL.


All interesting stuff, as far as it goes. Trouble is, it only goes as far as setting out the bare facts of Sinclair's commercial history. We get no clues as to what makes the maestro tick, no revealing insight into

his character or temperament, few hints of the extraordinary force of his personality which superficially seems so shy, yet which has such relentless determination, a breathtaking gift for self-promotion, plus a quality of almost mystical wonder when Sir Clive chooses to indulge his popular public image as the bearded, bespectacled, brain-storming boffin.

Mr Dale claims to have known Sinclair for over 20 years, and yet from this account seems scarcely to know him at all. He's clearly kept meticulous tabs on what Sinclair produced when, but seems loath ever to criticise objectively, or even to stop and analyse what prompted or sustained the flood of Sir Clive's invention and his policy of bash-on regardless — sometimes inspired, at other times apparently reckless. One day I'd imagine a gripping book could be written around the Sinclair phenomenon. Regrettably, this isn't it.

Title: The Sinclair Story
Author: Rodney Dale
Publisher: Duckworth/Cambridge University Press
Price: \$30.00

Don't Be Fooled By Expensive Imitations



It's easy to be confused. After all, there are a lot of *beige* PCs on the market. The **KAYPRO PC**, however, has some very distinctive features. For starters, a monochrome monitor and *two* disk drives are standard. In addition, the **KAYPRO PC** boasts the best of both worlds – perfect high-resolution text and built-in color graphics capability. And, unlike the competition, the **KAYPRO PC** has a keyboard just like the expensive IBM PC AT – security lock and all.

The KAYPRO PC, with its 8088 CPU and 256KB RAM (expandable to 768KB) delivers 100% IBM PC or PC XT compatibility. It's got nine slots for easy expandability and service. Plus, every KAYPRO PC buyer gets a generous collection of quality business software, including WordStar, absolutely free. Finally, the KAYPRO PC is easily distinguished from the others by the sticker on the box that says "Made in the U.S.A." See the KAYPRO PC difference at your Kaypro dealer. You'll know that **Kaypro Means Business** – and business computers.

PRICE: \$2195.*

WITH 20 MEG **\$2995.***

Trademarks: IBM, International Business Machines; WordStar, MicroPro International

(Prices do not include monitor)

KAYPRO[®]
CORPORATION

*Suggested Retail Price

Innovators of Electronic Products for Over 33 Years

For more information on the Kaypro product line call: **(02) 542 3866**

DEALER ENQUIRIES WELCOME

Packaged complete with:

Mailmerge, CorrectStar, StarIndex, PolyWindows, Mite, GW-Basic, MS-DOS, RAMDisc



BENCHMARKS

*A list of Benchmarks used when evaluating micros is given below.
An explanation can be found in the February '84 issue.*

<pre>100 REM Benchmark 1 110 PRINT "S" 120 FOR K=1 TO 1000 130 NEXT K 140 PRINT "E" 150 END 100 REM Benchmark 2 110 PRINT "S" 120 K=0 130 K=K+1 140 IF K<1000 THEN 130 150 PRINT "E" 160 END 100 REM Benchmark 3 110 PRINT "S" 120 K=0 130 K=K+1 140 A=K/K*K+K-K 150 IF K<1000 THEN 130 160 PRINT "E" 170 END</pre>	<pre>100 REM Benchmark 4 110 PRINT "S" 120 K=0 130 K=K+1 140 A=K/2*3+4-5 150 K<1000 THEN 130 160 PRINT "E" 170 END 100 REM Benchmark 5 110 PRINT "S" 120 K=0 130 K=K+1 140 A=K/2*3+4-5 150 GOSUB 190 160 IF K<1000 THEN 130 170 PRINT "E" 180 END 190 RETURN 100 REM Benchmark 6 110 PRINT "S" 120 K=0</pre>	<pre>130 DIM M(5) 140 K=K+1 150 A=K/2*3+4-5 160 GOSUB 220 170 FOR L=1 TO 5 180 NEXT L 190 IF K<1000 THEN 140 200 PRINT "E" 210 END 220 RETURN 100 REM Benchmark 7 110 PRINT "S" 120 K=0 130 DIM M(5) 140 K=K+1 150 A=K/2*3+4-5 160 GOSUB 230 170 FOR L=1 TO 5 180 M(L)=A 190 NEXT L 200 IF K<1000 THEN 140 210 PRINT "E"</pre>	<pre>220 END 230 RETURN 100 REM Benchmark 8 110 PRINT "S" 120 K=0 130 K=K+1 140 A=K 2 150 B=LOG(K) 160 C=SIN(K) 170 IF K<1000 THEN 130 180 PRINT "E" 190 END</pre>
---	--	---	--

CALCUTRONIC PTY. LTD.
THE CALCULATOR & COMPUTER CENTRE.

CALCUTRONIC

ATARI	520ST	SYSTEM
\$	1695	GOOD RANGE ATARI ST SOFTWARE
ATARI	1040 ST	AVAILABLE NOW

CALCUTRONIC

ATARI 130XES NEW IN STOCK AND AVAILABLE.
AUSTRALIA'S FIRST & MOST EXPERIENCED ATARI DEALER
797 Glenferrie Rd, Hawthorn Victoria 3122 Phone (03) 818 6631

The Original
Mac-Modem

The Original
Modem II

The Original
PC Modem

NOW ONLY \$299
LIMITED OFFER
ORDER NOW

THREE MODELS - ONE TO SUIT EVERYONE

Mac-Modem suits Apple Macintosh 128/512, Macintosh XL, Lisa, and the new Macintosh Plus.
Modem II suits Apple II, II+, IIe, IIc, III and all compatibles including Cat and Wombat etc.
PC Modem suits IBM PC/XT, AT, JX and all compatibles or any terminal with an RS232 serial port.

FEATURES

12 modes of operation including CCITT (Aust, Euro) and Bell (US) 1200 and 300 Baud standards - all you need.
Viatel, Midas, Minerva & Austpac and other Australian and international communication services for business or home just a keystroke away - electronic mail, telebanking, stock market, bookings, games, and more!!
Digital mode indicator, pushbutton telephone included, ergonomic design, digital line filters, auto answer/connect/disconnect, advanced technology circuitry, expansion bus, easy to operate, reliable, power supply built in, cables included, plugs straight in! 200x160x70mm size.

SAVE NOW AT ONLY \$299 & \$8.00 p&p

EXCLUSIVELY FROM

island

HI-TEK ELECTRONIX

3 CALNAN COURT, P.O. BOX 337.
KINGSCOTE, 5223 S.A.
PHONE 08 482 2752

PLEASE SPECIFY COMPUTER MODEL WITH ORDER

Can't decide?

A.T.S. make it easy . . . with a

FREE PRINTER, MEMORY BOARD AND SOFTWARE

That's right! Buy an NEC 10 or 20 Megabyte system with S.L.E. card (to make it compatible with industry standard software) ... pay only the recommended price and receive at no extra cost . . .

- BROTHER M1509 PRINTER • 512K MEMORY BOARD
- PERFECT SERIES W.P., DATA BASE or SPREADSHEET

Disc Drives	Mono	Colour
10Meg/720K	\$5,244	\$5,944 (inc.
20 Meg/720K	\$5,694	\$6,344 tax)

or, for just a little more, you may have the new NEC P7 printer with 24-pin 77 c.p.s. letter quality/216 c.p.s. draft speeds, 19 fonts, 8K buffer, automatic justification and a quiet mode of only 53 decibels. An on-site service contract for an NEC computer and printer is \$175 per year.



OLIVETTI M24 20 Megabyte 640K

Yes! This includes a bus board, keyboard and Olivetti monitor.

10 Megabyte ex bus board: \$4,395
 33 Megabyte with bus board: \$5,200

\$4,740
inc. tax



OSBORNE AT

"Look no further" said the May '86 issue of "Australian Computing". Save over \$1,000 on R.R.P. and get a high resolution green or amber screen and a full 1 Megabyte of R.A.M.

\$5,930
inc. tax

SYDNEY: Phone (02) 858 5999
 1039a Victoria Rd., West Ryde 2114
 All mail orders and other State enquiries to Sydney office.

MELBOURNE: Phone (03) 690 9196
 7th Flr, 96 Albert Rd., South Melbourne

A.T.S. COMPUTING
 "Advanced Technology + Service"



1200/75 BAUD SMART MODEM: \$395

A revolutionary, new, Australian-made modem for IBM, Apple //c, etc.

"1200/75 Baud, Hayes-compatible, auto-answer, auto-dial, auto-disconnect, auto-Baud rate select, fully software controlled, VIATEL, RS232 connection, optional V.22 1200 Baud full duplex, mains powered, microprocessor controlled, intelligent standalone modem for IBM, Apple IIc, Macintosh, MicroBee and any computer with a serial port for under \$400....."

That was my shopping list when I went looking for a modem for my IBM. I needed a standalone modem that I could leave connected to the phone logging data while the IBM was disconnected, and that could be connected to a variety of other computers. And I didn't want to pay over \$1000.

A fully-featured IBM modem for under \$400.



George Perry Micro-Ed & Dan & Chris Darling - Maestro 2/L


It seemed an impossible task. The available modems were all over \$1000 or too dumb. So I rang Chris & Dan who had designed and built the Micro-Ed Apple modem and put the proposition to them. Now, these guys are very bright software engineers and they just said, "No, it can't be done." But to humour me they sat down at the CAD/CAM and clicked out a rudimentary design on smArtWorks. Which is when a few "maybe"s started drifting into their conversation and after a few rewrites they put together a working prototype.

And it worked! The features were right, the software was right, the costings were right. Not only could it be done, IT HAD BEEN DONE!

So we built a few. Thousand.

And for the technical, here is what we ended up with:

- * Standalone, direct-connect serial modem
- * 6809 microprocessor controlled
- * Auto-answer, auto-dial, auto-disconnect
- * CCITT V21 and V23
- * V22 option, 1200 baud full dup available soon for \$160.
- * VIATEL software available \$25 (Apple/IBM)
- * Plugs into any serial port
- * Automatic Baud rate selection
- * Mains powered & onboard speaker
- * Meets Telecom approval specs
- * Fully software controllable
- * Internal expansion slot
- * Computer cables (specify) \$30



Supermodem connects to any RS232 plug and to your phone socket.

"That's all very well, but what do I DO with a modem?"

* **WORK FROM HOME:-** Interrogate your office computer. Send and receive messages, text for typesetting, price list updates, contracts, advertising drafts etc. Interrogate databases worldwide, e.g. MIDAS, DIALOG, LEXIS, MEDLINE etc.

* **RECREATION:-** VIATEL, BULLETIN BOARDS, USER GROUPS. etc.

* **VIATEL:-** Electronic mail, Instant telex at a fraction of the cost. Instant price updates as they occur on the stockmarket. Buy & sell. Home banking. Instant gambling on any race in Australia through VIATAB. Shop from home. Airline and hotel bookings. Home education courses. The possibilities are limitless and exponentially expanding. The modem adds a third dimension to your computer that opens up as you explore it. You have to experience for yourself the magic of clicking between Sydney, Los Angeles, New York, Mexico City by modem.

Instantly, transparently and cheaply. Culling obscure facts. Interrogating mighty databases. Buying. Selling. Dazzling.

10 DAY FREE TRIAL

This really is a brilliant modem, but the only way you will ever find out for yourself is to order one. But you don't have to take my word for it. You can order a gpa SuperModem, try it out, and if it doesn't live up to your expectations send it back within a fortnight for a FULL REFUND. NO QUESTIONS ASKED. I could go on but the answer is to try it for yourself. We showed this ad to some of our best customers and they were sceptical that a \$395 modem could do everything we claimed. But when we loaned them a gpa SuperModem they were ECSTATIC. It really is that good.

TO ORDER: Ring me now on (049)26 4122 and quote your credit card number for overnight delivery. Or mail your cheque, purchase order or credit card number on the enclosed order form. Mail to Micro-Educational Pty Ltd, 8/235 Darby St NEWCASTLE 2300

ORDER FORM

Micro-Educational
8/235 Darby St
NEWCASTLE 2300

Dear George,

Please rush me _____

GPA SuperModem/s @ \$359 ex/ \$395 inc plus cable for my IBM PC/ Apple IIc/ OTHER _____ on 10 day approval. If I am not delighted with it I will send it back within a fortnight for a FULL REFUND. Please do/ do not include Viatel software for IBM/Apple (\$25 extra)

NAME: _____

ADDRESS: _____

P/CODE: _____

Enclosed please find cheque/ purchase order/ Bankcard/ VISA/ Mastercard

_____ for \$ _____

Add \$6 per modem for insured overnight KWIKASAIR courier.

DIARY DATA

Readers are strongly advised to check details with exhibition organisers before making travel arrangements to avoid wasted journeys due to cancellations, printers' errors, etc.

Sydney	Videotex '86 Contact: Riddell Exhibition Promotions (03) 429 6088	July 1-3, 1986
Sydney	Ausgraph '86 Contact: Robyn Hughes (02) 266 9711	July 7-11, 1986
Sydney	New Product and Technology Expo Contact: Park Productions (02) 439 7738	July 17-21, 1986
Gold Coast	ACC '86 Contact: Riddell Exhibition Promotions (03) 429 6088	September 16-20, 1986
Melbourne	ACC '86 Contact: Riddell Exhibition Promotions (03) 429 6088	September 23-26, 1986
Adelaide	Electronics '86 Contact: Australian Exhibition Services Pty Ltd Suite 3.3, 424 St Kilda Road Melbourne 3004 (03) 267 4500	October 7-9, 1986

DE DIRECT ERGONOMICS
FURNITURE THAT WORKS FOR YOU

JULY SPECIAL
FOR MAIL & TELEPHONE SALES

FREE POST NO. 4, PO BOX 540,
NEWPORT BEACH 2106.
Telephone: (02) 969 4080

ORGANISE YOUR OFFICE AND SAVE \$\$\$\$\$\$


SAVE \$80 — NORMAL RETAIL \$450



\$368

SYLÉX 'Workhorse'
OPTIONAL BASKET \$30 EACH

SAVE \$50 — NORMAL RETAIL \$300



\$250

Counter Balanced SPERRY Monitor Arm

Simply phone to order on **BANKCARD/VISA** or send Cheque/Postal Order.
Add \$5.00 per \$100 for Sydney delivery, ring for quote elsewhere.
Brochure available for our full range — *just phone us.*

STOP PRESS

XyWrite III

Word Processing is here....

- **Multi-Column Documents**
 - Word Wrap within columns
 - Ideal for scriptwriters, translators, calendars
- **Windows**
 - Edit (nine) 9 files simultaneously
- **Full Proportional Spacing**
 - multiple font widths even in the same line
 - Word Wrap based on line width
- **Newspaper Column Printing**
- **Automatic Paragraph Numbering**
- **Styles**

Word Processing with exceptional **SPEED, FLEXIBILITY, and FUNCTION**

For more information or a demonstration diskette call:

Kowhai Systems

165 Queens Road, Connells Pt. N.S.W. 2221 Australia
Phone: (02) 546 6499

Dealer Enquiries welcome

Requirements IBM PC or Compatible with 256K memory DOS 2.0 or higher



Communicate with RELAY GOLD

- **PC to PC**
- **PC to Mainframe**
- **Access databases, Minerva**
- **Simultaneously** Send and Receive Files and Run another program
- **Fast** supports all speeds up to 9600 bps (at continuous send/receive not just short bursts)
- **Macro Language**
 - unmatched power and flexibility
- **VT100/VT52/APL/TTY** terminal emulation
- **3270** Asynchronous emulation for VM systems
- **Kermit, Xmodem** (checksum & CRC) support
- **Unattended Mode**
- **Learn** feature for logon-sequences
- **Menu and/or command driven**
- **Supports all popular modems**
- **Customiser's Toolbox** available for the sophisticated user/developer

Also available Relay 2.3, Relay/VM, Relay/3270

For more information call:

Kowhai Systems

165 Queens Road, Connells Pt. N.S.W. 2221 Australia
Phone: (02) 546 6499

Dealer Enquiries welcome

RELAY is published by VM Personal Computing and distributed in Australia by Kowhai Systems.
Requirements IBM PC or Compatible with 256K memory DOS 2.0 or higher.



NUMBERS COUNT

Mike Mudge deals with PAPs (Primes in Arithmetic Progression), and presents the winning solution to Euler's Constant problem.

Definitions (i) A prime number is a positive integer which is only exactly divisible by itself and unity (one): for example, 2, 3, 5, 7, 11, 13, 17, 19, 23, ...

(ii) A palindromic number is a number which reads the same backwards as forwards: for example, 1234321, 78000087.

(iii) An arithmetic progression is a sequence of numbers, each member differing from the previous one by the same constant quantity: for example, 7, 10, 13, 16, ... or, in general, $a, a + d, a + 2d, a + 3d, \dots$. We ask the question: how long can an arithmetic progression be, which consists only of prime numbers (a PAP)?

It is conjectured that a PAP can be as long as we wish. The truth of this conjecture would readily follow from an improvement to a theorem of Endre Szemerédi (see *Acta Math Acad Sci Hungar*, vol 20 1969, pp 89-104).

Sierpinski defines $g(x)$ to be the maximum number of terms in a PAP not greater than x . The least x , $1(x)$, can then be regarded as a function of $g(x)$ yielding the following table:

$g(x)$	2	3	4	5	6	...
$1(x)$	3	7	23	29	157	...

The first column refers to the PAP 2, 3, while the fifth column refers to the PAP 7, 37, 67, 97, 127, 157.

It has been conjectured that there are arbitrarily long PAPs of: (a) consecutive primes such as 251, 257, 263, 269, and 1741, 1747, 1753, 1759; and (b) palindromic primes such as 13931,

14741, 15551 and 16361.

Paul Erdos has broadened the problem by conjecturing that if (a_i) is any infinite sequence of integers for which the sum of the reciprocals is divergent, then the sequence contains arbitrarily long arithmetic progressions. He offers a prize of \$3000 for a proof or disproof of this conjecture.

Problem A List all the PAPs of a given length contained within a given table of prime numbers.

Tabulate separately those consisting of: (a) consecutive primes; and (b) palindromic primes.

Problem B Extend Sierpinski's table of $1(x)$ as a function of $g(x)$, printing the PAP to which each entry corresponds.

Problem C Investigate the Erdos conjecture for various sequences (a_i) whose reciprocals have a divergent sum.

Readers are invited to submit their attempts at some (or all) of the above problems to: Mike Mudge, C/- APC, 2nd Floor, 215 Clarence Street, Sydney 2000.

Submissions which must reach me by 25 August 1986, will be judged using suitably vague criteria, and a prize will be awarded to the 'best' contribution received by the closing date.

January review

Euler's Constant, defined as the limit as n , tends to infinity of $(1/1 + 1/2 + 1/3 + \dots + 1/n) - \log_e n = 0.57721566490153286060651209 \dots$ (see for this, and many other interesting num-

bers. A *Handbook of Integer Sequences* by NJA Sloane, Academic Press 1973).

The conjecture that $4/n = 1/x + 1/y + 1/z$ could be solved in positive integers for all n greater than 1, has been verified for n less than or equal to 10^8 by Nicola Franceschini; the corresponding result for $5/n$ is explored up to $n = 1057438801$ by Stewart, who covers all n not of the form $278460k + 1$.

There are many other problems — for example: 'What is known about sets of unequal, odd integers whose sum is unity, such as 3, 5, 7, 9, 15, 21, 27, 35, 63, 105, 135?' The interested reader is referred to *Diophantine Equations* by LJ Mordell, Academic Press 1969, and also to *Unsolved Problems in Number Theory* by RK Guy, Springer 1981.

The prize-winner this month is Henry Ibstedt who, in addition to suggesting that Folkman's Number is probably bigger than Skewes' Number, used his IBM PC with 256k RAM in Basic to discover 14 140-digit equal denominators in the sums S_{317} to S_{337} , and extended the search to S_{457} . No equal numerators exist between S_1 and S_{457} .

Henry implemented two methods of representing integers with different terms from the harmonic series, expressing 5 as the sum of 1920 such terms and 6 as the sum of 1658880 such terms.

Many other results and investigations were detailed in an extremely well-documented submission, resulting in a most worthy prize-winner.

Well done, Henry.

END

USER GROUPS INDEX

Below is a list of updates and additions to the full User Group Index published in the June issue of APC. The next full listing will appear in the December issue of APC.

NEW SOUTH WALES

The President Computers User Group has recently been formed and caters for President and other IBM PC/AT compatibles. Meetings are held on the last Tuesday of each month (except December), at the Hornsby Inn, (Claude Fays Hotel), 29 Florence Street, Hornsby, commencing at 8pm. For more details contact Raymond or Tricia Toms (02) 456 3756 or Rick West (02) 872 4177.

QUEENSLAND

For details about The Brisbane Apple User Group write to the Secretary, The Brisbane Apple User Group, PO Box 721, South Brisbane Qld 4101.

Details of the Ad Lib VeeZed Micro Club may be obtained by writing to Gordon Browell, Ad Lib VeeZed Micro Club, 13 Brookes Street, Biggenden Qld 4621.

The Queensland Atari Computer Enthusiasts (QACE), has recently

changed its mailing address to PO Box 17, Acacia Ridge, Qld 4169. The Club meets on the third Wednesday of each month at the Yeronga State School, Park Road, Yeronga, commencing at 7.30pm.

END

FREE SOFTWARE

SPECIAL SELECTIONS FROM THE PUBLIC DOMAIN (02) 29 2866

Well, almost free. We don't charge for the public domain software but there is a small service charge of \$15 per disk to cover promotion costs, selection, testing, copying, etc. Disks are available for CP/M, MS-DOS and APPLE. Mail and telephone order only.

The programmes have been carefully selected, tested and documented. They'll run on a wide variety of computers that accept 5¼" disks. We have tried to choose programmes as machine-independent as possible. However we cannot guarantee the suitability of programmes for your particular machine. Wherever possible we include source-code.

MS-DOS programmes are aimed at the IBM-PC and close compatibles. The NEC APC III will often require the software library extension card to be able to execute these programmes. Documentation is included on the disks where required — often it is very extensive. Unfortunately, we are unable to provide telephone tutorials on using the programmes.

MS-DOS disks are formatted for standard MS-DOS 2.11 360K. Testing has been carried out for CP/M disks on a Z80 Kaypro II. About 120 different formats are supported, including Kaypro, Osborne, Tandy, Microbee, Bondwell, Commodore 128, Tele-video and Apple II, but not Commodore 64.

CP/M

DISK No.

- CP1** **GAMES.** Menu-driven, compiled games, including an excellent one that prints bio-rhythm charts, a clever horse race, and a space trader programme for the wheelers and dealers.
- CP2** **GAME.** A 191k version of Adventure, the classic game which can absorb your attention for days at a time. This is a 550 pt version with an expanded cave and smarter creatures.
- CP3** **GAMES.** More fascinating games to absorb time you can't spare — such as a six level chess game, Othello, a well-written multi-level version of Pacman and an extensive Wumpus adventure game.
- CP4** **GAMES.** Some outstanding games written in Mbasic, with source. Includes golf, a hunting game (like space invaders) called Duck where the ducks fight back, and a super adventure game where you can choose your personal strengths. Also contains a keyboard translator like Smartkey.
- CP21** **UTILITIES.** A whole heap of useful programmes to catalogue your files, arrange the directory display, make emergency alterations to the disk, allow printing and computing at same time, count words, print the screen, copy better, erase, unerase, delete, make batch commands, etc.
- CP28** **UTILITIES.** A super collection of some of the best utilities available, such as NEWSWEEP, NULU (file library), SUPERZAP and VDO-KP.
- CP62** **GRAPHICS BAR-GRAPH GENERATOR.** Provides 3-D graphs using ASCII (non-video) for screen and printer. (A video version (CP62B) is also available set up for recent Kaypros).
- CP81** **LANGUAGE — FORTH.** This is the famous F83, which adopts the latest Forth standard. Has built-in editor, compiler, etc.
- CP82A** **LANGUAGE — SMALL C COMPILER, VERSION 2.1.** Inexpensive way of learning to use C. A published handbook is widely available.
- CP83** **LANGUAGE — SMALL C LIBRARY.** Contains 105 C functions, many described in Jim Hendrix's "Small C Handbook". A lot are written in assembler and most are OK for any CP/M system.
- CP84** **TURBO PASCAL UTILITIES.** Enhance your programming with listing, sorting, printing, auto-menu and mathematical functions, etc.
- CP85** **TURBO PASCAL SCREEN GENERATOR.** Simplifies development of screens for menus, data, forms, etc. Concentrate on presentation rather than programming.
- CP101** **COMMUNICATIONS. TURBO PASCAL BULLETIN BOARD.** A complete bulletin board package that has been highly praised by users.
- CP102** **COMMUNICATIONS. MDM730.** A popular and widely used system. Easily adapted to different machines. Source code and extensive documentation is included. An Apple/CPM version is also available.
- CP141+** **DBASEII APPLICATIONS.** A powerful collection of 5 disks with fully developed applications packages, programme extensions, and algorithms. Includes super mail-management, inventory control, phone tracking, budgeting, graph-making facilities, patches, checking for duplicate entries, menu creation, and many more. \$50 the set instead of \$75.
- CP501+** **MICROBEE SELECTION.** A set of three disks of utilities and games that have been tested on the Microbee. Dozens of utilities. Dozens of games, including Adventure. Many with source code. \$30 for 3 disks instead of \$45.

MS/DOS

- M5** **GAMES. SUPER COMPILED GAMES.** Eight arcade games for those with colour graphics adaptor. Very absorbing. Includes Pango, Gold, Pyramid, 3-Demon, etc.
- M6** **GAMES CHESS.** Several extensive compiled versions of this well-written game are on the disk. Easy to use, with good documentation and attractive graphics.
- M7** **GAME/EDUCATION. PIANO COMPOSER AND GAME.** Allows you to compose music at the keyboard and playback songs on the disk. Good graphics. Requires IBM or close compatible.
- M21** **UTILITIES.** These are essential and include file maintenance superstars like SWEEP and WASH as well as library and squeeze/unsqueeze programmes. Lots of them.
- M22** **UTILITIES WITH ASSEMBLER/DISASSEMBLER.** Has a ramdisk programme, print while you work spooler, wordstar converter, as well as assembler/disassembler.
- M23** **UTILITIES.** Make life easier for yourself with programmes like Util, Z, Vtype, ST, Protect, Unprotect.
- M24** **UTILITIES.** Ultra Utilities can unerase files, patch, optimise Basic source code, generate Basic code for custom data bases, and more.
- M26** **UTILITIES FOR PERSONAL MANAGEMENT.** Similar to Sidekick, these are background utilities that provide calculator, notepad/editor, phone index, alarm clock, calendar, printer controls, typewriter simulator, window access to directory, display/remove/copy/rename files, etc.
- M41** **WORD PROCESSOR.** Considered at least as good as the commercial programmes. Contains PC-Write latest version (2.55) plus extensive manuals. For editing and formatting.
- M42** **EDUCATION. TYPING TUTOR.** Also includes some fine programmes for maths/finance/physics calculations, showing formulae and results.
- M61** **GRAPHICS.** A selection of some of the best programmes in the public domain, including an extensive picture-graphics set of commercial standard).
- M82** **LANGUAGE. SMALL C:PC VERSION 1.1.** Ron Cain's compiler for those interested in learning the C language.
- M85** **LANGUAGE — PASCAL.** One of the most popular languages for general programming. Well documented. A very good choice for learning to programme.
- M101** **COMMUNICATIONS. MODEMS.** Two major communication programmes — Qmodem and Kermit. Lots of bells and whistles.
- M102** **COMMUNICATIONS. SINGLE-USER BULLETIN BOARD.** Source included. Set up your own message service.
- M121** **GENERAL LEDGER ACCOUNTING.** A small-business recording system.
- M125** **PROJECT/TIME MANAGEMENT.** Improving organisation and goal accomplishment. Arranges information, prompts for action.
- M128+** **INTEGRATED SPREADSHEET.** A two disk set of a comprehensive spreadsheet programme. Has Basic and compiled versions with documentation. \$30 for two disks.
- M142+** **DBASE II/III APPLICATIONS.** Extensive group of Dbase applications, programme extension and algorithms. Includes cheque programme, mail management, inventory control, budgeting and accounting, memo maker, phone index, menu drive, typewriter simulation, depreciation, automatic formatting, search for duplicate entries, Spanish lessons, runtime decoder, graphics and other utilities. Set of 5 for \$50 instead of \$75.
- M143** **FAMILY TREE/GENEALOGY.** Extensive programme in Basic for recording, tracing, grouping, printing, etc., family relationships.
- M147** **DBASE III SCREEN/CODE GENERATOR.** Greatly reduces the amount of programming you need to do. Much of the coding is generated to include in your own programme.

APPLE II

Ring or write for free catalogue.

PUBLIC DOMAIN NEWSLETTER

For news, reviews, views and how to use public domain software subscribe to our bi-monthly newsletter and keep informed on the free programmes that help your computer to serve you. Only \$15 per annum. Includes updates to catalogue.

ORDERS:

*Each disk costs \$15. Add \$3 postage to your total order.

*The Public Domain Newsletter costs \$15 per annum and is issued bi-monthly.

PAYMENT BY MAIL TO: Box C343 Clarence St. PO, Sydney NSW 2000.

TELEPHONE ORDERS: Pay by Bankcard, Mastercard or Visa. (02) 29 2866.


OFFICE: 3 Barrack St., Sydney NSW. (02) 29 3810

PLEASE INDICATE THE DISK FORMAT REQUIRED WITH AN ALTERNATIVE FORMAT IF POSSIBLE.

SELECT SOFTWARE

Mail And Telephone Order Only.

We cannot guarantee the suitability of public domain/user-supported software for users' needs or equipment.




Kevin O'Connell describes some of Hitech's subtle moves.

I have featured Hitech in this column before. This program/machine from Carnegie-Mellon University in the US is making great strides in the field of computer chess, and is almost certain to emerge victorious in the World Computer Championship, which is being played in Cologne from 11-15 June.

In the 1985 Fredkin Masters Invitational Tournament, played in Hitech's home-town of Pittsburgh, Hitech fared very well indeed in the first allmaster tournament that a program has ever played in. The results were: 1 Rao 8 out of 8; 2 Szmétan 6½; 3 Hitech 5½; 4 Leveratt 5; 5-6 Magar, Nowe 3; 7 Martinak 2½; 8 Eidemiller 1½; 9 Nedved 1. This result was especially impressive as almost all the players had competed against computers before, and several of them had experience of playing Hitech itself.

The following game, from the Fredkin competition, shows Hitech demonstrating some surprisingly subtle positional understanding.

White: Charles Nowe. **Black:** Hitech.
Opening: Italian Game.



Chessboard 1

- | | | |
|---|--------|--------|
| 1 | e2-e4 | e7-e5 |
| 2 | Ng1-f3 | Nb8-c6 |
| 3 | Bf1-c4 | Bf8-c5 |
| 4 | 0-0 | Ng8-f6 |
| 5 | d2-d3 | d7-d6 |
| 6 | c2-c3 | Bc5-b6 |
| 7 | Bc4-b5 | |

An unusual move, allowing the game to transpose into a kind of Spanish Opening.

- | | | |
|---|-----|--------|
| 7 | ... | Bc8-d7 |
|---|-----|--------|

- | | | |
|---|--------|--------|
| 8 | Rf1-e1 | a7-a6 |
| 9 | Bb5-a4 | |
| 9 | ... | Bb6-a5 |

A surprising move from a computer program. The bishop's mobility is reduced, but the positional thinking is very subtle, freeing the b-pawn and leaving the black bishop on what will be a good square in the kind of position that will arise.

- | | | |
|----|--------|-------|
| 10 | Nb1-d2 | b7-b5 |
| 11 | Ba4-b3 | 0-0 |



Chessboard 2

PURSUIT

COMPUTER SYSTEMS

TAKE ADVANTAGE OF OUR INTRODUCTORY PRICES AND SAVE A BUNDLE!

DEALER ENQUIRIES WELCOME!



PACKAGE DEALS

PD1

- ▶ PC/XT* compatible
- ▶ 640K RAM
- ▶ Dual 360K floppy drives
- ▶ RGB color monitor
- ▶ Dot matrix printer
- ▶ only **\$2,298**

PD2

- ▶ PC/XT* compatible
- ▶ 640K RAM
- ▶ 360K floppy drive
- ▶ 20 Mbyte Hard Disk
- ▶ Monochrome Monitor
- ▶ only **\$2,399**

PD3

- ▶ YOUR CHOICE
- ▶ \$ CALL

COMPUTERS

IBM* Compatibles from **\$999**

MONITORS

- Composite Mono Hi-Res **\$179**
- TTL Mono Hi-Res **\$249**
- 14" RGB Color Hi-Res **\$749**
- Taxan Monitors **\$ CALL**

PRINTERS

— Many brands available **\$ CALL**

ADD-ONS

- 20Mb Hard Disk **\$999**
- Multi function cards **\$175**
- Colorgraphics card **\$135**
- Monographics card **\$165**
- Dual Display cards **\$ CALL**
- Magic Video card **\$ CALL**
- RS232 Asynch. card **\$ 70**
- Printer Port card **\$ 59**
- Joystick **\$ 39**
- Diskettes **\$ 19**
- Printer cables **\$ 19**
- Mouse & software **\$149**

BONDWELL MODEL 8 LAPTOP



ONLY **\$1890**

Features include:

- Fully IBM* PC Compatible
- 512K RAM
- 720K 3.5" Floppy Drive
- VDU, Printer, Communications & External drive ports.
- Rechargeable battery powered & AC to DC Power Adapter.
- Backlit LCD 80x25 display
- MS-DOS 2.11, GWBasic
- Bundled Software
- Plus more...

ST. KILDA EXECUTIVE CENTRE

Level 7, 608 St. Kilda Road, Melbourne, Vic. 3004

Phone: (03) 51 2353

* IBM, XT and AT are Registered Trademarks of International Business Machines

All prices subject to change without notice.

MICROCHESS

12 Nd2-f1 b5-b4
 Again, remarkable play by the computer, consistently following a good positional plan.

13 Bc1-d2 b4xc3
 14 b2xc3 Ba5-b6

I am inclined to believe that Hitech played this move to tempt its opponent into what follows.

15 Bd2-g5 h7-h6
 16 Bg5-h4 Bb6-a5
 17 Ra1-c1 Nc6-a7

To pile up on White's c-pawn.

18 Nf1-e3
 Re1-e2 or Bb3-a4 would have been more prudent.

18 ... Na7-b5
 19 Qd1-d2 Nb5-d4!

Another excellent positional stroke, since 20 Qd2-d1 would permit Black to eliminate White's light-squared bishop.

20 Nf3xd4 e5xd4
 21 Ne3-d5 g7-g5
 22 Bh4xg5

22 Bh-g3 would be met simply by 22 ... Nf6xd5 23 e4xd5 Ba5xc3, winning an exchange as well as the pawn.

22 ... d4xc3
 Not 22 ... h6xg5 23 Qd2xg5+, and 24 Nd5xf6 forces mate or wins the queen.

23 Rc1xc3
 If the queen moves along the diagonal, then Black can take on d5.

Nd5xc3 would permit Black to take the bishop on g5.

23 ... Ba5xc3
 24 Qd2xc3 Nf6xd5
 25 Bb3xd5 Qd8xg5

Black emerges comfortably with some extra material, and still has plenty of positional pressure.

26 Bd5xa8 Bd7-h3
 27 e4-e5 Rf8xa8
 28 Qc3-c6 Ra8-b8
 29 Kg1-f1 Bh3-f5
 30 Qc6xc7 Rb8-c8
 31 Qc7xd6 Qg5-d2

White has picked up two pawns for the piece, but this is killing.

31 Re1-b1 Bf5xd3+
 0-1 (White resigns) **END**

LAZING AROUND

Brain-teasers courtesy of JJ Clessa.

Quickie

Which temperature reads the same in degrees Celsius as it does in Fahrenheit? (No postcards, please).

Prize puzzle

Consider the sequence of prime numbers: 3, 31, 431, 5431, 54319, and so on.

Each successive prime number is formed by adding one digit to the front or to the end of the preceding number. Each

digit added is different from those already present.

What is the largest possible prime number that can be obtained by this procedure?

Leading zeros are not permitted, so it should be clear that the largest prime possible cannot contain more than nine digits.

Answers (including the sequence used) on postcards only please, to reach APC, 2nd Floor, 215 Clarence Street Sydney 2000, not later than 15 August 1986.

April prize puzzle

A good entry for this puzzle — 125 in all, of which 71 had the correct solution which is 8, 4, 2.

I did ask for three different digits, which accounts for why almost 25 per cent of the entries were incorrect.

The winning entry came from Hazel Green of Oakey, Queensland. Congratulations, Ms Green, your prize is on its way.

END

Coloured Computer Paper

Now available in 3 different colours, yellow, pink and blue.

11 x 9 1/2 /70 WORD PROC. PAPER

W250 Pack 7.85
 W500 Pack \$15.39
 W1000 Pack \$29.50

Also available in boxes of 2,000 & 2,500

A4 WORD PROC. PAPER

A-4250 Pack \$8.28
 A-4 500 Pack \$18.20
 A-4 1000 Pack \$35.80

Also available in boxes of 2000

(Also pre printed STD inv/stat formats.)

All prices include S.T. Plus packing & postage)

11 x 15 PLAIN OR B.H.S

LP 250 Pack \$8.45
 LP 500 Pack \$16.60
 LP 1000 Pack \$31.50

Also available in boxes of 2,500

COMPUTER ADDRESS LABELS

37x102—2000 Labels \$35.00
 24 x 89—2000 Labels \$23.15

Also available in boxes of 10,000

11 x 9 1/2 Coloured computer paper

One Colour Pack \$13.50
 (250 sheets)
 Candy Pack \$19.50
 (100 sheets each colour, plus white)



In mini & micro packs available from leading computer stores now.

PHONE (03) 584 5488

DEALER ENQUIRIES WELCOME

**96B Herald Street,
Cheltenham 3192**

All prices R.R.P.

NEED MORE WORD PROCESSING POWER FOR YOUR APPLE*? THEN CHOOSE



STEMWRITER

Check the following comparison of features, check the price, then call us!

Feature	Stemwriter	Appleworks	Zardax
On Screen:			
Underline	YES	NO	NO
Superscript	YES	NO	NO
Subscript	YES	NO	NO
Overstrike	YES	NO	NO
Bold	YES	NO	NO
Auxiliary Characters	YES	NO	NO
Horizontal Scrolling	YES	NO	NO
Split Screen Viewing	YES	NO	NO
Multiple Documents in Memory	YES	YES	NO
Column Copy/Move/Wipe	YES	NO	NO
Column Alignment	YES	NO	NO
Max size of Document in 128k Apple //	52k**	55k	30k
User Definable keys	YES	NO	YES
Word Search:			
Bounded	YES	NO	NO
Bi-directional	YES	NO	NO
Wildcard	YES	NO	NO
Form Letters	YES	NO	YES
Label Printing	YES	NO	NO
List Management:			
Mail	YES	NO	YES
Reference Standard Paragraphs	YES	NO	NO
Sort	YES	NO	YES***
Select	YES	NO	NO
Interactive page preview	YES	NO	NO
Hyphenation	YES	NO	NO
Footnotes	YES	NO	NO
Multi-column text	YES	NO	NO
Printing:			
Background	YES	NO	YES
Nominated Pages	YES	NO	NO
File Management:			
Automatic backup	YES	NO	NO
Encryption	YES	NO	NO
Capture Directory list	YES	NO	NO
Word Count	YES	NO	NO

* Apple //c, Apple //e with extended 80 col card, Apple ///
 ** Max size with RAM-disk 256k
 *** Mail List only.

STEMSPELLER //

- * Automatically checks Stemwriter, Appleworks, Zardax, and ASCII files.
- * 30,000 word dictionary.
- * Ability to add a further 3000 words of your choice.
- * Requires only a single pass through a file.

STEMFONTS //

- * Allows you to design and download your own character sets to suitable dot matrix printers.
- * Permits you to match Stemwriter screen display to printer output.

ORDER FORM

ITEM	PRODUCT	QTY	SPECIAL PRICE	TOTAL
1	STEMWRITER // WORD PROCESSOR		\$130	
2	STEMSPELLER // SPELLING CHECKER		\$ 50	
3	STEMFONTS // FONT DESIGNER		\$ 30	
4	ITEMS 1 TO 3 INCLUSIVE		\$195	
5	STEMWRITER /// WORD PROCESSOR		\$130	
6	AIR FREIGHT		\$ 7	

TOTAL ORDER

NAME

ADDRESS: POSTCODE

CHEQUE MONEY ORDER BANKCARD MASTERCARD

SIGNATURE EXPIRY DATE

POSTAL ADDRESS: **STEMSOFT, GPO BOX 1280 BRISBANE, QLD 4001** STREET ADDRESS: **31 CHISWICK RD, BARDON, QLD 4065 PHONE (07) 369 1515**

NOTE: THIS IS A SPECIAL OFFER AVAILABLE DIRECTLY FROM STEMSOFT ONLY. FREE BROCHURES AVAILABLE ON REQUEST. APPLE AND APPLEWORKS ARE REGISTERED TRADEMARKS OF APPLE. ZARDAX IS A REGISTERED TRADEMARK OF COMPUTER SOLUTIONS

VIDEO LIBRARIES

SMILE!



Our VIDEO MANAGER package has been installed all over Australia and provides a COMPLETE and LOW COST solution to managing YOUR Video Library.

Ring for details.

KCS COMPUTERS
(058) 52 3523



BARCODE READER

- IBM PC/XT & clones
- Connects between keyboard & PC
- No software drivers needed
- Automatic code distinction
- Australian made
- Includes WAND

\$649 plus ST

ALSO AVAILABLE: RS232 Readers, Readers/Printers, Label printing software \$90, OEM Modules.

ASP MICROCOMPUTERS
P.O. Box 259, Caulfield East 3145
(03) 500 0628

MAC PLUS

8 pin circular connector cable assemblies now available.

MADE IN AUSTRALIA

by

KENT DESIGN

(03) 509 8751

10 Claremont Avenue,
Malvern 3144



TANDY 1000

Everything for the 1000!

- COMBI/1000 - single slot memory to 640K, RS232, DMA
- Internal 10 & 20 Meg Hard Drives
- Floppy Drives
- Barcode Reader
- Supercharger!
- COMPLETE SYSTEMS

Ring for brochure/price list

ASP MICROCOMPUTERS
P.O. Box 259, Caulfield East 3145
(03) 500 0628

KAYPRO PC

2 x 360K Drives
640K RAM
Multivideo Board
Serial & Parallel Outputs
Bundled Software
Retail \$2,395 incl. ST

KAYPRO PC20


20 Meg Hard Disk
Bundled Software
Retail \$2,995 incl. ST
PC20 Multivideo \$210

RING FOR OUR GREAT PRICES!

COMPUTER REALM
(03) 781 4661 (03) 29 2600

NEW QUARK/PC

IBM PC Compatible
Single Board Computer




- HALF the size of this page!
- Colour & Mono Output
- Includes Disk Controller
- Legal BIOS, Boots MSDOS
- Printer Port, 2 x RS232 Ports
- PC Keyboard Port
- 256K or 512K RAM
- High Speed Version available

ONLY \$760 (plus ST)

ASP MICROCOMPUTERS
P.O. Box 259, Caulfield East 3145
(03) 500 0628

brother



M1509


- 180cps plus NLQ matrix printer
- RS232 & Parallel Interface
- Full 15" wide
- EPSON/IBM compatible
- Optional 16K buffer
- QUIET & low profile
- \$299 Cut Sheet Feeder

\$899 Retail - ring for ASP's great price!

BROTHER Printers start at only \$249!

ASP MICROCOMPUTERS (03) 500 0628
P.O. Box 259, Caulfield East 3145

PORT SWITCH



Share a printer. Up to 5 PC's can share one printer. Serial or Parallel.
Made in Australia.

KENT DESIGN (03) 509 8751
10 Claremont Avenue, Malvern 3144

LOW COST MULTI - USER COMPUTERS


- High speed AMPRO boards
- Record & File Locking
- Concurrent PCDOS, Turbodos, MSDOS 3.1
- Ring for complete Price List
- DEALER ENQUIRIES WELCOME!






EXAMPLE: **4 USER!**
under \$10,000 incl. ST.

- ★ 16 bit 8Mhz/80186 1 Meg RAM
- ★ 20 Meg HD/FLOppy
- ★ Concurrent PCDOS
- ★ 4 Video Terminals
- ★ 15" Printer

ASP MICROCOMPUTERS
(03) 500 0628

PROGRAM FILE



-  **Games**
-  **Scientific/mathematic**
-  **Business**
-  **Toolkit/utilities**
-  **Educational/Computer Aided Learning**

**Owen Linderholm selects the best of readers' programs.
For details on submitting your own, see the end of
this section.**

I have received a huge number of submissions for the Amstrad computers, both the CPC range and the PCW8256. The more interesting programs are for the CPC range, but I expect this will change as PCW8256 owners get to grips with their machines.

The Program of the Month is for the CPC 464, and is a Basic Compiler by Stephen Devine. It has not been tested on the 664 or the 6128, but should work without modification. Although the program only compiles a subset of Basic, it is extremely worthwhile for speeding up your programs. It compiles the code fairly quickly, and produces machine code programs which run at least six times as fast as the original Basic. While testing the program, I tried the APC Benchmarks to get some idea of how much the compiler speeded them up (Fig 2). As I was using a watch that only counted seconds, times are approximate. It was not possible to run Benchmarks six through eight because the compiler does not handle arrays.

Stephen Devine's compiler is a marvel of brevity and efficiency. It does not really compare with the better commercial compilers, but for many purposes it will

work superbly. Although it omits many of the functions and commands in Basic, so do most commercial compilers, but this does not detract too much from its usefulness. Many Basic programs can be compiled with no modification; many will only require minor changes to variable names, and the like. Exact details of what is necessary are given in the program instructions.

No Basic compiler can compare with the performance that can be achieved from a language that is *meant* to be compiled, such as Pascal or C. Nevertheless, most people using micros learn programming in Basic and stay with it. There seems little point in rewriting a program in another language in order to compile it, if a Basic program need only be slightly changed in order that a Basic compiler can work on it.

Stephen Devine's program is quite compact and looks undecipherable, but on closer inspection it should be possible to understand how it works and even improve on it, to support features that Stephen hasn't included.

For the BBC, there is a program to provide alternative fonts or typefaces for display and printing. These can be

accessed by the function keys while you are doing other things. The program is only 512 bytes long, and achieves this facility by dynamically redefining each character as it is about to be printed. It should be possible to incorporate this program into other programs so that the typefaces are permanently available. As the typefaces are changed as required, rather than being stored in memory, they are limited to incorporate simple but effective changes to the standard BBC font.

Following on from last month's Spectrum animation program, this month there is another program concerned with graphics and animation. The program is called Globeplotter, and it transposes a Spectrum screen onto the surface of a sphere. In fact, it transposes half the screen onto the surface of a sphere and then repeats, moving a predetermined step across the screen, producing the effect of a spinning globe. The main routine of the program is in machine code, but uses look-up tables calculated by the Basic part of the program. The author has used the program with other Z80-based machines. Example output from Spectrum Globetrotter is shown at the end of the listing.

Other listings include a generic Basic logarithmic plotting routine, a useful tip for CP/M users, an Amstrad 'fill' subroutine and a stock market analyser for the Commodore 64 from the ever-productive Kevin Riordan.

Benchmark	Compiled version	Basic version
1	<1 sec.	>2 sec.
2	<1 sec.	4 sec.
3	1 sec.	10 sec.
4	1 sec.	11 sec.
5	<2 sec.	12 sec.

Fig 2 Results of APC Benchmarks for Amstrad Basic Compiler

SPECIAL INTRODUCTORY OFFER FOR COMMODORE 64/128 OWNERS

CHOOSE 1 TO 3 ITEMS FROM AS LITTLE AS \$6 EACH

PLUS POSTAGE & PACKING *

**SEND IN THE COUPON NOW AND JOIN
*** A GREAT CLUB *****

There couldn't be a better time to join. This is a special introductory offer to join The Australian Home Computer Club. A club that will cater for every piece of 64 software or book you ever wanted or will ever need, and all at a saving of up to 25% off recommended prices. Just fill in the coupon provided, then from all the items listed, choose any three (3) you want, it's up to you! The prices start from \$6.00 (+ post and packing *). If you decide to take the three (3) highest value items, you could save over 42% on recommended and publishers prices.

HERE'S WHAT YOU DO.

Choose your items from the list, add them together with the post and packing * and fill in the application to join coupon telling us how you wish to pay for them and where to send them to.

Then mail to:—

THE AUSTRALIAN HOME COMPUTER CLUB. BOX 48, CHARLESTOWN, 2290 N.S.W. You will then receive the items you have chosen at the **SPECIAL INTRODUCTORY PRICE** (plus post & packing *) followed shortly after by your first **FREE CLUB NEWSLETTER**. This will be posted to you every two (2) months and will contain clear and helpful descriptions of all the books and software offered. These items will be specially chosen from the finest books and software available today from both Australia and overseas and will be at a saving of up to 25% off recommended and publishers prices. Your only commitment is to take at least one (1) item every two (2) months for the first year of your membership.

ALL ITEMS ORDERED FROM THE CLUB NEWSLETTER WILL BE SENT ON INVOICE.

If you don't wish to damage this magazine by cutting out the coupon, a photocopy will do. **DON'T DELAY — JOIN TODAY.**



- | | | |
|---------------------------------------|---------|--------------|
| 1. Revs (Firebird) | \$28.95 | Save \$11.00 |
| 2. Fourth Protocol (Hutchinson) | \$29.95 | Save \$10.00 |
| 3. Machine Lightning (Oasis) | \$59.95 | Save \$20.00 |
| 4. 747 Simulator (Doc Soft) | \$27.95 | Save \$ 7.00 |
| 5. Thunderbirds (Firebird) | \$10.95 | Save \$ 4.00 |
| 6. Phantom of the Asteroid (M-Tronic) | \$ 6.00 | Save \$ 2.00 |
| 7. Skool Days (Microsphere) | \$18.95 | Save \$ 6.00 |
| 8. C64 Head Align Kit (Interceptor) | \$22.95 | Save \$ 7.00 |
| 9. BMX Races (Mastertronic) | \$ 6.00 | Save \$ 2.00 |
| 10. U.K. Trivia (Anirog) | \$19.95 | Save \$15.00 |

APPLICATION TO JOIN:

THE AUSTRALIAN HOME COMPUTER CLUB. Pty.Limited.
P.O. BOX 48, CHARLESTOWN, 2290 N.S.W.
PHONE (049) 43 6398

Please accept my application and enrol me as a member of The Australian Home Computer Club. Send me the introductory items the numbers I have indicated in the boxes below.

The club's FREE newsletter 'asSYstance', describing the featured selection of the month and alternative choices will be sent to me about every two months. If I wish to purchase the featured selection, I need do nothing and it will be sent to me automatically. If I prefer any of the alternative choices in addition to, or instead of, the featured selection I will advise the Club by returning the order form provided by the date it specifies. I understand that as a member of the Club I need to purchase only 6 more items during the next 12 months in addition to my introductory items and I may resign my membership anytime thereafter. If I am under 18 years of age membership must be in the name of a parent or guardian and their signature is required. The software offered to me will be up to 25% off recommended prices.

OFFER APPLIES IN AUSTRALIA ONLY.
 LIMITED TO ONE PER HOUSEHOLD.

MR/MRS/MISS DATE

BLOCK LETTERS

ADDRESS

POSTCODE

I am over the age of 18. SIGNATURE

Total of software and/or books chosen \$

Add postage and packing \$ 3.50 *

Total payable \$

Payment of introductory software and/or books is to be made by (Place ✓ in appropriate box)

CHEQUE ENCLOSED M.O. ENCLOSED

BANKCARD VISA

MASTERCARD Do you own a disk drive

CARD NUMBER EXPIRY DATE

PHONE NUMBER DATE

Please charge to my card. SIGNATURE



Program of the Month

Amstrad Basic Compiler

by Stephen Devine

This Basic compiler enables programs written in Amstrad Basic to be compiled directly into machine code. This invariably results in faster and more compact programs.

Over 50 Basic keywords are supported by the compiler (including those dealing with sound and graphics), but there are some restrictions on the use of variables and expressions.

To use the compiler, type in the listing exactly as shown (except that all REM statements may be omitted if desired) and save it to tape or disk. (If saving to disk on the CPC464, be sure to save it as an ASCII file — otherwise you will not be able to merge it later.) Next, load or type in the program you wish to compile, and test it thoroughly under Basic.

When you are satisfied with the program's performance, you should then save it in case you wish to modify it at a later date. You must now renumber it so that the last line number is less than 1000, and ensure that the last line of the program terminates with an END statement.

Now merge in the compiler itself (if you don't still have it in memory) and run it using RUN 1000; this may take a few minutes if your program is very long, but the compiler will keep you informed of its progress at each stage. If any errors are reported, you should correct the offending line and re-compile from the beginning.

When your program has been successfully compiled, you may save it to tape or disk as a binary file (using

the addresses generated at the end of the compilation) or run it immediately by CALLING the start address.

The accepted commands, together with any limitations, are shown below:

BORDER As Basic.

CALL No parameters allowed — only the address to call.

CLEAR No parameters allowed — simply clears all variables to zero.

CLG As Basic.

CLS As Basic.

DRAW/DRAWR As Basic.

END As Basic.

ENT/ENV As Basic.

FOR...NEXT As Basic, except that the loop must not be jumped out of, and each NEXT (which must *not* be followed by a variable) will always refer to the most recent FOR.

GOTO/GOSUB As Basic, except that the ON...GOTO and ON...GOSUB structures are not supported.

IF...THEN As Basic but no ELSE statement allowed, and statements such as IF...THEN (line number) must be written as IF...THEN GOTO (line number).

INK As Basic.

LET As Basic — that is, optional.

LOCATE As Basic.

MODE As Basic.

MOVE/MOVER As Basic.

ORIGIN As Basic — that is, both ORIGIN x,y and ORIGIN x,y,l,r,t,b are supported.

PAPER As Basic.

PEN As Basic.

PLOT/PLOTR As Basic.

POKE As Basic.

PRINT As Basic, except only one argument allowed (number, variable or quoted string) per PRINT statement. A semi-colon may be appended as in Basic, but not a comma. If the argument is preceded by #n, (where n is a number between 0 and 8), output will be directed to the appropriate screen window (or to the printer if #8 is used).

REM As Basic — the remainder of the line is entirely ignored by the compiler.

RELEASE As Basic.

RETURN As Basic.

RUN As Basic, but no line number allowed. To simulate RUN 100, use **CLEAR : GOTO 100**.

SOUND As Basic.

TAG/TAGOFF As Basic.

WHILE/WEND As Basic, but loop must not be jumped out of.

WINDOW As Basic, including **WINDOW SWAP**.

The following Basic functions are also supported:

ABS As Basic.

CHR\$ As Basic, but only accepted in PRINT statements.

INKEY\$ Used in the form **I = INKEY\$** — equivalent to Basic **I = ASC(INKEY\$)**. Note that if no key is pressed, **INKEY\$** returns a value of -1.

JOY As Basic.

NOT Argument must be enclosed in parentheses.

PEEK As Basic.

POS/POS As Basic.

RND No argument permitted. Returns an integer result between -32768 and +32767.

SGN As Basic.

TEST/TESTR As Basic.

XPOS/YPOS As Basic.

Where appropriate, statements may also include #n, (where n is a number between 0 and 7) to specify a particular screen window.

Only simple integer variables are supported, and these should consist

of a single letter (A . . Z) or two identical letters (AA . . ZZ). Lower-case letters may be used if desired, but the compiler makes no distinction between these and capitals. Any numbers used must be integers between -32768 and +32767.

All the standard arithmetic and relational operators may be used (with the exception of ^), but note that all expressions are evaluated from left to right, with no precedence of operators. This system may take some getting used to — especially if you are familiar with the method used by Basic — and care must be taken in formulating expressions to ensure that you achieve the desired result. For example, the expression **A = 2 + 4 * 3** will yield a result of 14 in Basic, as it is evaluated as **2 + (4 * 3)** (because * has a higher priority than +), but when compiled, the result would be 18, as by evaluating from left to right, the expression becomes **A = (2 + 4) * 3**.

To obtain the same result in Basic, the expression must be re-written as **A = 2 + 4 (4 * 3)** or **A = 4 * 3 + 2**.

Expressions of this kind will probably be easy to cope with, but it is all too easy to be misled by relational expressions such as **IF A > B + 3** which will *not* be compiled as **IF A > (B + 3)**, which is the case with Basic, but would yield the nonsensical result of **IF(A > B) + 3**.

As a general rule, expressions of this type should have the right-hand side of the inequality enclosed in parentheses.

Note also that where a minus occurs in an expression, it must be enclosed in brackets if it occurs immediately after another arithmetic or relational operator. Thus the statement **PRINT -2 * 3** will correctly evaluate to -6, but the statement **PRINT 3 * -2** should be written as **PRINT 3 * (-2)**.

As an example of the speed im-

provement which can be obtained when using the compiler, try out the following one-line Basic program:
 100 MODE 0 : WHILE b(400) : WHILE a(640 : PLOT a,b : a=a+4 : WEND : a = 0 : b=b+2 : WEND : END

This program fills up the screen by plotting every individual point in the current pen colour. When run under Basic, it takes over three minutes to run, while the compiled version takes less than 20 seconds!

```

1 REM *****
2 REM * Amstrad Basic Compiler *
3 REM * (C) 1986 Stephen Devine *
4 REM *****
5 REM
1000 GOSUB 5140: 'Initialize
1010 GOSUB 1060: 'Compile
1020 GOSUB 5250: 'Terminate
1030 END
1040 '
1050 'Compile
1060 GOSUB 4610:a=&170: 'Intialize machine code
1070 n=256*PEEK(a+1)+PEEK(a):IF n=0 THEN 1140
1080 n=a+n:1=256*PEEK(a+3)+PEEK(a+2):IF 1>999 THEN 1140
1090 x=2*1+i:POKE x,m-256*INT(m/256):POKE x+1,INT(m/256)
1100 IF m>(HIMEM-200) THEN ee=9:GOTO 5430: 'Error
1110 LOCATE 1,6:PRINT"COMPILING LINE:";PRINT 1
1120 GOSUB 4320:b=PEEK(p): 'Pre-process line
1130 WHILE p<q:GOSUB 1180:p=p+1:WEND:a=n:GOTO 1070
1140 IF e=0 THEN PRINT:PRINT"No END statement before Line 1000":GOTO 564
0
1150 RETURN
1160 '
1170 'Compile statement
1180 e=0:b=PEEK(p):IF b=1 THEN p=p+1:GOTO 1100
1190 IF b<12B THEN 2360
1200 IF b=165 THEN 2350 ELSE IF b=158 THEN 2410: 'LET,FOR
1210 IF b=176 THEN 2520 ELSE IF b=214 THEN 2550: 'NEXT,WHILE
1220 IF b=213 THEN 2600 ELSE IF b=161 THEN 2630: 'WEND,IF
1230 IF b=191 THEN 2690 ELSE IF b=204 THEN 2960: 'PRINT,SOUND
1240 IF b=153 OR b=154 THEN 3090: 'ENT,ENT
1250 IF b=192 OR b=197 THEN p=q+1:RETURN: 'REM
1260 GOSUB 4170:IF y>1 THEN 1420: 'Get no. of parameters
1270 IF b<>135 THEN 1300: 'CLG
1280 IF v=1 THEN GOSUB 3270:x=&CD7D:GOSUB 3230:x=&BBE4:GOSUB 3230
1290 POKE m,&CD:m=m+1:x=&BBDB:GOTO 3230
1300 IF b<>136 THEN 1340: 'CLS
1310 IF v=1 THEN GOSUB 3270:x=&CD7D:GOSUB 3230:POKE m,&B4:m=m+1:x=&F5BB:GOSUB 3230
1320 POKE m,&CD:m=m+1:x=&BB6C:IF v=1 THEN GOSUB 3230:x=&CDF1:GOSUB 3230:x=&BBB4
1330 GOTO 3230
1340 IF y=1 THEN 1420
1350 IF b=201 THEN x=&C9:GOTO 3200: 'RETURN
1360 IF b=20B THEN x=&FF3E:GOSUB 3230:POKE m,&CD:m=m+1:x=&BB63:GOTO 3230: 'TAG
1370 IF b=209 THEN x=&CDAF:GOSUB 3230:x=&BB63:GOTO 3230: 'TAGOFF
1380 IF b=152 THEN ee=-1:POKE m,&C3:m=m+1:x=c+&30:GOTO 3230: 'END
1390 IF b=134 THEN POKE m,&CD:m=m+1:x=c+&18:GOTO 3230: 'CLEAR
1400 IF b=202 THEN POKE m,&21:m=m+1:x=c+&220:GOSUB 3230:POKE m,&C3:m=m+1:x=c+&10:GOTO 3230: 'RUN
1410 ee=1:GOTO 5430: 'Error
1420 IF y>2 THEN 1720
1430 IF b<>130 THEN 1470: 'BORDER
1440 GOSUB 3270:IF y=1 THEN x=&4D45:GOSUB 3230:GOTO 1460
1450 POKE m,&E5:m=m+1:GOSUB 3270:x=&45C1:GOSUB 3230
1460 POKE m,&CD:m=m+1:x=&BC38:GOTO 3230
1470 IF b<>186 THEN 1530: 'PAPER
1480 GOSUB 3270:IF v=1 THEN 1500
1490 x=&CD7D:GOSUB 3230:x=&BBB4:GOSUB 3230:POKE m,&F5:m=m+1:GOSUB 3270
1500 x=&CD7D:GOSUB 3230:x=&BB96
1510 IF y=2 THEN GOSUB 3230:x=&CDF1:GOSUB 3230:x=&BBB4
1520 GOTO 3230
1530 IF b<>187 THEN 1590: 'PEN
1540 GOSUB 3270:IF y=1 THEN 1560
1550 x=&CD7D:GOSUB 3230:x=&BBB4:GOSUB 3230:POKE m,&F5:m=m+1:GOSUB 3270
1560 x=&CD7D:GOSUB 3230:x=&BB90

```

```

1570 IF y=2 THEN GOSUB 3230:x=&CDF1:GOSUB 3230:x=&BBB4
1580 GOTO 3230
1590 IF y=2 THEN 1730
1600 IF b<>131 THEN 1620: 'CALL
1610 GOSUB 3270:x=&21E5:GOSUB 3230:x=m+4:GOSUB 3230:x=&E9E3:GOTO 3230
1620 IF b<>173 THEN 1640: 'MODE
1630 GOSUB 3270:x=&CD7D:GOSUB 3230:x=&BC0E:GOTO 3230
1640 IF b<>160 THEN 1670: 'GOTO
1650 p=p+1:GOSUB 40B0:IF x<1 OR x>999 THEN ee=6:GOTO 5430: 'Error
1660 POKE m,&C3:m=m+1:GOTO 3230
1670 IF b<>159 THEN 1700: 'GOSUB
1680 p=p+1:GOSUB 40B0:IF x<1 OR x>999 THEN ee=6:GOTO 5430: 'Error
1690 POKE m,&CD:m=m+1:GOTO 3230
1700 IF b<>196 THEN ee=1:GOTO 5430: 'RELEASE
1710 GOSUB 3270:x=&CD7D:GOSUB 3230:x=&BCB3:GOTO 3230
1720 IF y>3 THEN 2200
1730 IF b<>162 THEN 1770: 'INK
1740 GOSUB 3270:POKE m,&E5:m=m+1:GOSUB 3270: 'Evaluate
1750 IF y=2 THEN x=&4D45 ELSE POKE m,&E5:m=m+1:GOSUB 3270:x=&45C1
1760 GOSUB 3230:x=&7DE1:GOSUB 3230:POKE m,&CD:m=m+1:x=&BC32:GOTO 3230
1770 IF b<>169 THEN 1840: 'LOCATE
1780 IF y=2 THEN 1800
1790 GOSUB 3270:x=&CD7D:GOSUB 3230:x=&BBB4:GOSUB 3230:POKE m,&F5:m=m+1
1800 GOSUB 3270:POKE m,&E5:m=m+1
1810 GOSUB 3270:x=&61C1:GOSUB 3230:POKE m,&CD:m=m+1:x=&BB75
1820 IF y=3 THEN GOSUB 3230:x=&CDF1:GOSUB 3230:x=&BBB4
1830 GOTO 3230
1840 IF b<>148 THEN 1890: 'DRAW
1850 GOSUB 3270:POKE m,&E5:m=m+1:GOSUB 3270:IF y=2 THEN 18B0
1860 POKE m,&E5:m=m+1:GOSUB 3270
1870 x=&CD7D:GOSUB 3230:x=&BBDE:GOSUB 3230:POKE m,&E1:m=m+1
1880 x=&CDD1:GOSUB 3230:x=&BBF6:GOTO 3230
1890 IF b<>149 THEN 1940: 'DRAWR
1900 GOSUB 3270:POKE m,&E5:m=m+1:GOSUB 3270:IF y=2 THEN 1930
1910 POKE m,&E5:m=m+1:GOSUB 3270
1920 x=&CD7D:GOSUB 3230:x=&BBDE:GOSUB 3230:POKE m,&E1:m=m+1
1930 x=&CDD1:GOSUB 3230:x=&BBF9:GOTO 3230
1940 IF b<>188 THEN 1990: 'PLOT
1950 GOSUB 3270:POKE m,&E5:m=m+1:GOSUB 3270:IF y=2 THEN 19B0
1960 POKE m,&E5:m=m+1:GOSUB 3270
1970 x=&CD7D:GOSUB 3230:x=&BBDE:GOSUB 3230:POKE m,&E1:m=m+1
1980 x=&CDD1:GOSUB 3230:x=&BBEA:GOTO 3230
1990 IF b<>189 THEN 2040: 'PLOT R
2000 GOSUB 3270:POKE m,&E5:m=m+1:GOSUB 3270:IF y=2 THEN 2030
2010 POKE m,&E5:m=m+1:GOSUB 3270
2020 x=&CD7D:GOSUB 3230:x=&BBDE:GOSUB 3230:POKE m,&E1:m=m+1
2030 x=&CDD1:GOSUB 3230:x=&BBED:GOTO 3230
2040 IF y<>2 THEN ee=1:GOTO 5430: 'Error
2050 IF b<>174 THEN 2080: 'MOVE
2060 GOSUB 3270:POKE m,&E5:m=m+1:GOSUB 3270
2070 x=&CDD1:GOSUB 3230:x=&BBC0:GOTO 3230
2080 IF b<>175 THEN 2110: 'MOVER
2090 GOSUB 3270:POKE m,&E5:m=m+1:GOSUB 3270
2100 x=&CDD1:GOSUB 3230:x=&BBC3:GOTO 3230
2110 IF b<>190 THEN 2140: 'POKE
2120 GOSUB 3270:POKE m,&E5:m=m+1:GOSUB 3270
2130 x=&E17D:GOSUB 3230:x=&77:GOTO 3200
2140 IF b<>184 THEN 2170: 'ORIGIN x,y
2150 GOSUB 3270:POKE m,&E5:m=m+1:GOSUB 3270
2160 x=&CDD1:GOSUB 3230:x=&BBC9:GOTO 3230
2170 IF b<>216 OR b<>231 THEN ee=1:GOTO 5430: 'WINDOW SWAP
2180 GOSUB 3270:POKE m,&E5:m=m+1:GOSUB 3270
2190 x=&45C1:GOSUB 3230:POKE m,&CD:m=m+1:x=&BBB7:GOTO 3200
2200 IF y=5 THEN 2290
2210 IF b<>216 THEN ee=1:GOTO 5430: 'WINDOW
2220 GOSUB 3270: 'Evaluate
2230 IF y=5 THEN x=&CD7D:GOSUB 3230:x=&BBB4:GOSUB 3230:POKE m,&F5:m=m+1
2240 GOSUB 3270:x=&E52B:GOSUB 3230:GOSUB 3270:x=&E52B:GOSUB 3230
2250 GOSUB 3270:x=&E52B:GOSUB 3230:GOSUB 3270:x=&D12B:GOSUB 3230
2260 x=&61C1:GOSUB 3230:x=&51C1:GOSUB 3230:POKE m,&CD:m=m+1:x=&BB66
2270 IF y=5 THEN GOSUB 3230:x=&CDF1:GOSUB 3230:x=&BBB4
2280 GOTO 3230
2290 IF y<>6 THEN ee=1:GOTO 5430: 'Error
2300 IF b<>184 THEN ee=1:GOTO 5430: 'ORIGIN
2310 GOSUB 2150:GOSUB 3270:POKE m,&E5:m=m+1:GOSUB 3270
2320 x=&CDD1:GOSUB 3230:x=&BBCF:GOSUB 3230
2330 GOSUB 3270:POKE m,&E5:m=m+1:GOSUB 3270

```



```

2340 x=&CDD1:GOSUB 3230:x=&BBD2:GOTO 3230
2350 p=p+1: 'LET
2360 IF PEEK(p)<>14 THEN ee=10:GOTO 5430: 'Error
2370 p=p+1:b=PEEK(p):IF b<&41 OR b>&74 THEN ee=3:GOTO 5430: 'Error
2380 v=2*(b-&41)+c+&150:p=p+1:IF PEEK(p)>239 THEN ee=11:GOTO 5430: 'Err
or
2390 GOSUB 4170:IF y<>1 THEN ee=2:GOTO 5430: 'Error
2400 GOSUB 3270:POKE m,&22:m=m+1:x=v:GOTO 3230
2410 p=p+1:IF PEEK(p)<>14 THEN ee=12:GOTO 5430: 'FOR
2420 p=p+1:b=PEEK(p):IF b<&41 OR b>&85A THEN ee=3:GOTO 5430: 'Error
2430 v=2*(b-&41)+c+&150:p=p+1:IF PEEK(p)>239 THEN ee=11:GOTO 5430: '
2440 GOSUB 3270:IF PEEK(p)<>236 THEN ee=15:GOTO 5430: 'TO
2450 x=&222B:GOSUB 3230:x=v:GOSUB 3230
2460 x=m:POKE m,&21:m=m+1:GOSUB 3230:POKE m,&E5:m=m+1
2470 GOSUB 4170:IF y<>1 THEN ee=2:GOTO 5430: 'Error
2480 GOSUB 3270:x=&5BBD:GOSUB 3230:x=v:GOSUB 3230
2490 POKE m,&13:m=m+1:x=&53ED:GOSUB 3230:x=v:GOSUB 3230
2500 POKE m,&B7:m=m+1:x=&52ED:GOSUB 3230:x=&DAE1:GOSUB 3230
2510 u=u+2:POKE u,m-256*INT(m/256):POKE u+1,INT(m/256):m=m+2:x=&E5:GOTO
3200
2520 POKE m,&C9:m=m+1:x=256*PEEK(u+1)+PEEK(u):u=u-2: 'NEXT
2530 IF u<pp+500 THEN ee=17:GOTO 5430: 'Error
2540 POKE x,m-256*INT(m/256):POKE x+1,INT(m/256):RETURN
2550 GOSUB 4170:IF y<>1 THEN ee=2:GOTO 5430: 'WHILE
2560 x=m:POKE m,&21:m=m+1:GOSUB 3230:POKE m,&E5:m=m+1
2570 GOSUB 3270:x=&B57C:GOSUB 3230:x=&CAE1:GOSUB 3230
2580 w=w+2:POKE w,m-256*INT(m/256):POKE w+1,INT(m/256)
2590 m=m+2:x=&E5:GOTO 3200
2600 POKE m,&C9:m=m+1: 'WEND
2610 x=256*PEEK(w+1)+PEEK(w):w=w-2:IF w<pp+500 THEN ee=18:GOTO 5430: 'Er
ror
2620 POKE x,m-256*INT(m/256):POKE x+1,INT(m/256):RETURN
2630 GOSUB 4170:IF y<>1 THEN ee=2:GOTO 5430: 'IF
2640 GOSUB 3270:IF PEEK(p)<>235 THEN ee=16:GOTO 5430: 'THEN
2650 x=&B57C:GOSUB 3230:x=&320:GOSUB 3230:POKE m,&C3:m=m+1
2660 x=256*PEEK(n+3)+PEEK(n+2):GOTO 3230
2670 '
2680 'PRINT
2690 f=0:p=p+1:IF PEEK(p)<>35 THEN 2750: '#'
2700 GOSUB 3270:x=&FE7D:GOSUB 3230:x=&2008:GOSUB 3230
2710 x=&3E06:GOSUB 3230:x=&3201
2720 GOSUB 3230:x=c+&141:GOSUB 3230:x=&CDAF:GOSUB 3230
2730 x=&BBB4:GOSUB 3230:POKE m,&F5:m=m+1
2740 f=-1:IF PEEK(p)=44 THEN p=p+1: '
2750 IF PEEK(p)=34 THEN 2830
2760 p=p-1:GOSUB 4170:IF y=0 THEN 2810
2770 IF y<>1 THEN ee=2:GOTO 5430: 'Error
2780 IF PEEK(p+1)<>255 OR PEEK(p+2)<>3 THEN 2800: 'CHR$
2790 p=p+2:GOSUB 3270:x=&CD7D:GOSUB 3230:x=c+&140:GOSUB 3230:GOTO 2810
2800 GOSUB 3270:POKE m,&CD:m=m+1:x=c+&F8:GOSUB 3230
2810 IF PEEK(p)<>59 THEN POKE m,&CD:m=m+1:x=c+&130:GOSUB 3230:p=p+1: 'C
RLF
2820 GOTO 2910
2830 POKE m,&CD:m=m+1:x=c+&D0:GOSUB 3230
2840 p=p+1:b=PEEK(p):IF b=34 THEN 2870
2850 IF b=1 OR b=0 THEN 2900
2860 POKE m,b:m=m+1:GOTO 2840
2870 p=p+1:b=PEEK(p):IF b=59 THEN 2900
2880 IF b<>1 AND b<>0 THEN ee=5:GOTO 5430: 'Error
2890 x=&A0D:GOSUB 3230
2900 x=0:GOSUB 3200
2910 IF f=0 THEN RETURN
2920 x=&32AF:GOSUB 3230:x=c+&141:GOSUB 3230
2930 x=&CDF1:GOSUB 3230:x=&BBB4:GOSUB 3230:f=0:RETURN
2940 '
2950 'SOUND
2960 GOSUB 4170:IF y<2 OR y>7 THEN ee=2:GOTO 5430: 'Error
2970 POKE m,&CD:m=m+1:x=c+&1D0:IF v<4 THEN x=c+&1D0
2980 GOSUB 3270:GOSUB 3270:x=&327D:GOSUB 3230:x=c+&20B:GOSUB 3230
2990 GOSUB 3270:POKE m,&22:m=m+1:x=c+&20B+3:GOSUB 3230
3000 IF y>2 THEN GOSUB 3270:POKE m,&22:m=m+1:x=c+&20B+7:GOSUB 3230
3010 IF y>3 THEN GOSUB 3270:x=&327D:GOSUB 3230:x=c+&20B+6:GOSUB 3230
3020 IF y>4 THEN GOSUB 3270:x=&327D:GOSUB 3230:x=c+&20B+1:GOSUB 3230
3030 IF y>5 THEN GOSUB 3270:x=&327D:GOSUB 3230:x=c+&20B+2:GOSUB 3230
3040 IF y>6 THEN GOSUB 3270:x=&327D:GOSUB 3230:x=c+&20B+5:GOSUB 3230
3050 POKE m,&21:m=m+1:x=c+&20B:GOSUB 3230
3060 POKE m,&CD:m=m+1:x=&BCAA:GOTO 3230

```

```

3070 '
3080 'ENT or ENV
3090 GOSUB 4170:IF y<4 OR y>16 THEN ee=2:GOTO 5430: 'Error
3100 IF (y-1) MOD 3 <>0 THEN ee=2:GOTO 5430: 'Error
3110 POKE m,&3E:POKE m+1,y\3:m=m+2:POKE m,&32:m=m+1:x=c+&20B:GOSUB 3230
3120 bb=b:GOSUB 3270:POKE m,&E5:m=m+1
3130 FOR k=0 TO (y\3)-1:FOR kk=1 TO 3
3140 GOSUB 3270:x=&327D:GOSUB 3230:x=3*k+kk+c+&20B:GOSUB 3230:NEXT:NEXT
3150 x=&7DE1:GOSUB 3230:POKE m,&21:m=m+1:x=c+&20B:GOSUB 3230:POKE m,&CD:
m=m+1
3160 IF bb=153 THEN x=&BCBF ELSE x=&BCBC: 'ENT or ENV
3170 GOTO 3230
3180 '
3190 'Compile single byte
3200 POKE m,x:m=m+1:RETURN
3210 '
3220 'Compile double byte
3230 IF x<0 THEN x=x+65536
3240 POKE m,x-256*(INT(x/256)):POKE m+1,INT(x/256):m=m+2:RETURN
3250 '
3260 'Compile expression
3270 ff=-1:s=pp+700:POKE s,0
3280 p=p+1:b=PEEK(p):IF b=35 THEN p=p+1:b=PEEK(p): '#'
3290 IF b=28 THEN ff=0:GOSUB 4080:POKE m,&21:m=m+1:GOSUB 3230:GOTO 3530
3300 IF b=14 THEN ff=0:GOSUB 4120:POKE m,&2A:m=m+1:GOSUB 3230:GOTO 3530
3310 IF b=40 THEN ff=-1:s=s+1:POKE s,0:GOTO 3280
3320 IF b=254 THEN 3350
3330 IF b<>255 THEN 3420
3340 p=p+1:b=PEEK(p)
3350 ff=-1:IF PEEK(p+1)=40 THEN 3410: 'I
3360 IF b=67 THEN POKE m,&CD:m=m+1:x=c+&1C0:GOSUB 3230:GOTO 3280: '1NK
EY$
3370 IF b=69 THEN POKE m,&CD:m=m+1:x=c+&40:GOSUB 3230:GOTO 3280: 'RND
3380 IF b=71 THEN x=&C6CD:GOSUB 3230:x=&EBBB:GOSUB 3230:GOTO 3280: 'XP
OS
3390 IF b=72 THEN x=&C6CD:GOSUB 3230:x=&BBB:GOSUB 3200:GOTO 3280: 'YPOS
3400 ee=7:GOTO 5430: 'Error
3410 s=s+1:POKE s,b:s=s+1:POKE s,40:p=p+1:GOTO 3280
3420 IF b<>245 OR ff=0 THEN 3440
3430 ff=0:POKE m,&21:m=m+1:x=0:GOSUB 3230:p=p-1:GOTO 3530
3440 IF b>23B AND b<253 THEN 3470
3450 IF b<>44 THEN 3480
3460 IF PEEK(s)<>40 THEN 3510
3470 ff=-1:POKE m,&E5:m=m+1:s=s+1:POKE s,b:GOTO 3280
3480 IF b<>41 THEN 3510
3490 ff=0:s=s-1:IF PEEK(s+1)=0 THEN 3530
3500 b=PEEK(s):s=s-1:GOSUB 3800:GOTO 3530
3510 IF b<>0 AND b<>1 AND b<>44 AND b<>59 AND b<>235 AND b<>236 THEN ee=
5:GOTO 5430: 'Error
3520 IF s=(pp+700) THEN RETURN ELSE ee=4:GOTO 5430: 'Error
3530 IF PEEK(s)=0 OR PEEK(s)=40 THEN 3280
3540 IF PEEK(s)=44 THEN IF PEEK(p+1)<>41 THEN 3280
3550 POKE m,&D1:m=m+1:b=PEEK(s):s=s-1:GOSUB 3580:GOTO 3530
3560 '
3570 'Compile arithmetic or relational operator
3580 IF b=44 THEN RETURN: '
3590 IF b<23B OR b>253 OR b=24B THEN 3610
3600 ON b-23/ GOTO 3620,3640,3660,3670,3680,3690,3700,3710,3720,3730,361
0,3730,3740,3750,3760,3770
3610 ee=14:GOTO 5430: 'Error
3620 POKE m,&AF:m=m+1: '
3630 x=&52ED:GOSUB 3230:x=&6F17:GOSUB 3230:x=&26:GOTO 3230
3640 POKE m,&AF:m=m+1:x=&52ED:GOSUB 3230:x=&120:GOSUB 3230: '
3650 x=&6F3C:GOSUB 3230:x=&26:GOTO 3230
3660 x=&AF13:GOSUB 3230:GOTO 3630: '
3670 x=&AFEB:GOSUB 3230:GOTO 3630: '
3680 POKE m,&AF:m=m+1:x=&52ED:GOSUB 3230:x=&128:GOSUB 3230:GOTO 3650: '
3690 POKE m,&EB:m=m+1:GOTO 3660: '
3700 x=&19:GOTO 3200: '
3710 x=&B7EB:GOSUB 3230:x=&52ED:GOTO 3230: '
3720 POKE m,&CD:m=m+1:x=c+&70:GOTO 3230: '
3730 POKE m,&CD:m=m+1:x=c+&A0:GOTO 3230: ' / or \
3740 x=&A47A:GOSUB 3230:x=&7B67:GOSUB 3230:x=&6FA5:GOTO 3230: 'AND
3750 POKE m,&CD:m=m+1:x=c+&A0:GOSUB 3230:x=&EB:GOTO 3200: 'MOD
3760 x=&B47A:GOSUB 3230:x=&7B67:GOSUB 3230:x=&6FB5:GOTO 3230: 'OR
3770 x=&AC7A:GOSUB 3230:x=&7B67:GOSUB 3230:x=&6FAD:GOTO 3230: 'XOR

```

```

3780 '
3790 'Compile function
3800 IF b<>254 THEN 3830: 'NOT
3810 x=&B57C:GOSUB 3230:x=&228:GOSUB 3230
3820 x=&FF3E:GOSUB 3230:x=&6F2F:GOSUB 3230:x=&26:GOTO 3230
3830 IF b<>30 THEN 3870: 'ABS
3840 x=&7CCB:GOSUB 3230:x=&728:GOSUB 3230
3850 x=&111:GOSUB 3230:x=&EB00:GOSUB 3230
3860 x=&EDB7:GOSUB 3230:x=&52:GOTO 3200
3870 IF b<>13 THEN 3910: 'JOY
3880 x=&CD5D:GOSUB 3230:x=&B824:GOSUB 3230
3890 x=&43CB:GOSUB 3230:x=&120:GOSUB 3230
3900 x=&266F:GOSUB 3230:x=0:GOTO 3200
3910 IF b=18 THEN x=&266E:GOSUB 3230:x=0:GOTO 3200: 'PEEK
3920 IF b<>20 THEN 3970: 'SGN
3930 x=&B57C:GOSUB 3230:x=&D28:GOSUB 3230
3940 x=&7CCB:GOSUB 3230:x=&620:GOSUB 3230
3950 x=&26:GOSUB 3230:x=&12E:GOSUB 3230
3960 x=&318:GOSUB 3230:x=&FF21:GOSUB 3230:x=&FF:GOTO 3200
3970 IF b<>120 AND b<>127 THEN 4020: 'POS or VPOS
3980 x=&ACD7D:GOSUB 3230:x=&BBB4:GOSUB 3230
3990 x=&CDF5:GOSUB 3230:x=&B78:GOSUB 3230
4000 x=&E5F1:GOSUB 3230:x=&B4CD:GOSUB 3230
4010 x=&E1BB:GOSUB 3230:IF b=120 THEN POKE m,&6C:m=m+1:x=&26:GOTO 3230
4020 IF b<>124 AND b<>125 THEN 4050: 'TEST or TESTR
4030 x=&F0CD:IF b=125 THEN x=&F3CD
4040 GOSUB 3230:x=&6FBB:GOSUB 3230:x=&26:GOTO 3230
4050 ee=7:GOTO 5430: 'Error
4060 '
4070 'Fetch Number
4080 IF PEEK(p)<>2B THEN ee=13:GOTO 5430: 'Error
4090 x=256*PEEK(p+2)+PEEK(p+1):p=p+2:RETURN
4100 '
4110 'Fetch Variable Address
4120 IF PEEK(p)<>14 THEN ee=12:GOTO 5430: 'Error
4130 x=PEEK(p+1):IF x<&41 OR x>&74 THEN ee=3:GOTO 5430: 'Error
4140 x=2*(x-&41)+c+&150:p=p+1:RETURN
4150 '
4160 'Count number of parameters
4170 y=0:x=p:z=0
4180 x=x+1:t=PEEK(x)
4190 IF t<>0 AND t<>1 THEN 4220
4200 IF p+1=x THEN RETURN
4210 ee=2:GOTO 5430: 'Error
4220 IF t=44 THEN ee=2:GOTO 5430: 'Error
4230 IF t=28 THEN x=x+2:GOTO 4280: 'number identifier
4240 IF t=&28 THEN z=z+1:GOTO 4280: '
4250 IF t=&29 THEN z=z-1:GOTO 4280: '
4260 IF t=0 OR t=1 THEN 4290: 'eol or ;
4270 IF z=0 THEN IF t=&2C THEN y=y+1:GOTO 4180
4280 x=x+1:t=PEEK(x):GOTO 4230
4290 IF z=0 THEN y=y+1:RETURN ELSE ee=4:GOTO 5430: 'Error
4300 '
4310 'Pre-process line
4320 p=pp:e=0:f=0:POKE p-1,0
4330 FOR i=a+4 TO n-1
4340 b=PEEK(i):IF PEEK(i-1)=255 THEN IF b=0 THEN b=30:GOTO 4570 ELSE 4
570
4350 IF b=34 THEN f=-1:f:GOTO 4570
4360 IF b=1 THEN f=0:GOTO 4570
4370 IF f=-1 THEN 4570
4380 IF b=32 THEN 4580 ELSE IF b=3 THEN b=2
4390 IF b=2 OR b=13 THEN 4410
4400 IF b<>11 AND b<>12 THEN 4470
4410 i=i+3:b=PEEK(i):IF b=128 THEN t=0:GOTO 4440
4420 i=i+1:b=PEEK(i):IF b-128<>PEEK(i-1) THEN ee=3:GOTO 5430: 'Error
4430 t=26
4440 POKE p,14:p=p+1:b=b-128:IF b>&5A THEN b=b-&20
4450 b=b+t:IF b<&41 OR b>&74 THEN ee=3:GOTO 5430: 'Error
4460 GOTO 4570
4470 IF b<14 OR b>31 THEN 4570
4480 IF b>26 THEN 4520
4490 IF b<25 THEN x=b-14:GOTO 4560
4500 IF b=25 THEN i=i+1:x=PEEK(i):GOTO 4560
4510 b=28
4520 IF b<27 OR b>30 THEN ee=8:GOTO 5430: 'Error

```

```

4530 i=i+1:x=256*PEEK(i+1)+PEEK(i):i=i+1
4540 IF b=29 THEN x=256*PEEK(x+4)+PEEK(x+3)
4550 IF x(-32768) OR x>32767 THEN ee=8:GOTO 5430: 'Error
4560 POKE p,2B:p=p+1:POKE p,x-256*INT(x/256):p=p+1:b=INT(x/256)
4570 POKE p,b:p=p+1
4580 NEXT i:POKE p,0:q=p-1:p=pp:RETURN
4590 '
4600 'Initialize machine code
4610 PRINT:PRINT"Initializing Machine Code..."
4620 m=c
4630 x=&73ED:GOSUB 3230:x=c+&3C:GOSUB 3230:x=&DCD:GOSUB 3230:x=&22BD:GOS
UB 3230
4640 x=c+&3E:GOSUB 3230:x=&21:GOSUB 3200:x=c+&220:GOSUB 3230
4650 m=c+&10:x=&7BED:GOSUB 3230:x=c+&3C:GOSUB 3230:POKE m,&E5
4660 m=c+&18:x=&21:GOSUB 3200:x=c+&150:GOSUB 3230:x=&11:GOSUB 3200:x=c+&
151
4670 GOSUB 3230:x=&36:GOSUB 3230:x=&6701:GOSUB 3230:x=&ED00
4680 GOSUB 3230:x=&C9B0:GOSUB 3230
4690 m=c+&30:x=&7BED:GOSUB 3230:x=c+&3C:GOSUB 3230:POKE m,&C9
4700 m=c+&40:x=&2A:GOSUB 3200:x=c+&3E:GOSUB 3230:x=&29E5:GOSUB 3230:x=&2
929
4710 GOSUB 3230:GOSUB 3230:x=&D129:GOSUB 3230:x=&1119:GOSUB 3230:x=&29
4720 GOSUB 3230:x=&2219:GOSUB 3230:x=c+&3E:GOSUB 3230:POKE m,&C9
4730 m=c+&58:x=&7CCB:GOSUB 3230:x=&C4:GOSUB 3200:x=c+&60:GOSUB 3230:POKE
m,&C9
4740 m=c+&60:x=&4D44:GOSUB 3230:x=&21:GOSUB 3230:x=&B700:GOSUB 3230
4750 x=&42ED:GOSUB 3230:x=&C937:GOSUB 3230
4760 m=c+&70:x=&AC7A:GOSUB 3230:x=&CDF5:GOSUB 3230:x=c+&58:GOSUB 3230:x=
&CDEB
4770 GOSUB 3230:x=c+&58:GOSUB 3230:x=&7D4C:GOSUB 3230:x=&21:GOSUB 3230:x
=&600
4780 GOSUB 3230:x=&CB10:GOSUB 3230:x=&1F39:GOSUB 3230:x=&130:GOSUB 3230:
x=&EB19
4790 GOSUB 3230:x=&EB29:GOSUB 3230:x=&F510:GOSUB 3230:x=&17F1:GOSUB 3230
4800 x=&DC:GOSUB 3200:x=c+&60:GOSUB 3230:POKE m,&C9
4810 m=c+&A0:x=&AC7A:GOSUB 3230:x=&CDF5:GOSUB 3230:x=c+&58:GOSUB 3230:x=
&CDEB
4820 GOSUB 3230:x=c+&58:GOSUB 3230:x=&4D7C:GOSUB 3230:x=&21:GOSUB 3230:x
=&600
4830 GOSUB 3230:x=&CB10:GOSUB 3230:x=&1711:GOSUB 3230:x=&A6AED:GOSUB 3230
:x=&52ED
4840 GOSUB 3230:x=&130:GOSUB 3230:x=&3F19:GOSUB 3230:x=&F310:GOSUB 3230:
x=&11CB
4850 GOSUB 3230:x=&5717:GOSUB 3230:x=&F159:GOSUB 3230:x=&DC17:GOSUB 3230
4860 x=c+&60:GOSUB 3230:x=&DCEB:GOSUB 3230:x=c+&60:GOSUB 3230:POKE m,&C9
4870 m=c+&D0:x=&7EE1:GOSUB 3230:x=&CD23:GOSUB 3230:x=c+&140:GOSUB 3230
4880 x=&20B7:GOSUB 3230:x=&E9F8:GOSUB 3230
4890 m=c+&E0:x=&2F3E:GOSUB 3230:x=&EDB7:GOSUB 3230:x=&3C42:GOSUB 3230:x=
&FB30
4900 GOSUB 3230:x=&FE09:GOSUB 3230:x=&2030:GOSUB 3230:x=&1502:GOSUB 3230
:x=&CDC0
4910 GOSUB 3230:x=c+&140:GOSUB 3230:x=&116:GOSUB 3230:POKE m,&C9
4920 m=c+&F8:x=&7CCB:GOSUB 3230:x=&B28:GOSUB 3230:x=&CD:GOSUB 3200:x=c+&
58
4930 GOSUB 3230:x=&2D3E:GOSUB 3230:x=&CD:GOSUB 3200:x=c+&140:GOSUB 3230:
x=&16:GOSUB 3200:x=&100
4940 GOSUB 3230:x=&2710:GOSUB 3230:x=&CD:GOSUB 3200:x=c+&E0:GOSUB 3230:x
=&EB01
4950 GOSUB 3230:x=&CD03:GOSUB 3230:x=c+&E0:GOSUB 3230:x=&6401:GOSUB 3230
4960 x=&CD00:GOSUB 3230:x=c+&E0:GOSUB 3230:x=&A01:GOSUB 3230:x=&CD00
4970 GOSUB 3230:x=c+&E0:GOSUB 3230:x=&101:GOSUB 3230:x=&1600:GOSUB 3230:
x=&CD01
4980 GOSUB 3230:x=c+&E0:GOSUB 3230:x=&203E:GOSUB 3230
4990 x=&CD:GOSUB 3200:x=c+&140:GOSUB 3230:POKE m,&C9
5000 m=c+&130:x=&D3E:GOSUB 3230:x=&CD:GOSUB 3200:x=c+&140:GOSUB 3230:x=&
3E:GOSUB 3200
5010 x=&CD0A:GOSUB 3230:x=c+&140:GOSUB 3230:POKE m,&C9
5020 m=c+&140:x=&1E:GOSUB 3230:x=&1BCB:GOSUB 3230:x=&5AD2:GOSUB 3230:x=&
F5BB

```


Hales & Rogers

HALES & ROGERS PTY. LIMITED
 9 Mobbs Lane, Carlingford NSW 2118
 Sydney NSW Australia
 Telex AA73870 (ALTYPE) Ph: (02) 858 5322, 85 7540

Established since 1977 as innovators in the scientific instrument field, today Hales & Rogers can supply the depth of micro-computer experience so necessary for our customers' needs . . . and at value for money prices.

SOFTWARE

Ancient Art of War	58.00
Copyright	85.00
Crosstalk	150.00
DBase III+	735.00
Disk Explorer	90.00
Flight Simulator	85.00
Framework ver II	730.00
Gato	58.00
Hitch Hikers	58.00
Jet	79.00
King's Quest	58.00
Lotus ver3	500.00
Norton Utilities	115.00
Open Access	650.00
PC Tutor	65.00
Print Shop	69.00
Quick Basic	138.00
Reflex	155.00
Sargon III	65.00
Sidekick	72.00
Superkey	95.00
Symphony	780.00
Turbo Lightening	118.00
Turbo Pascal	84.00
Windows	160.00
Wizardry	68.00
Word	480.00
Wordperfect	450.00
Wordstar 2000+	480.00
Wordstar	299.00
Zork I, II or III	58.00

ACCESSORIES

8087 5MHz	248.00
Microsoft Mouse	255.00
PC IN Modem	495.00
Seagate 20M byte with controller	990.00
Qubie 20m byte with controller	1080.00
NEC 20M byte with controller	1150.00

** NAKAJIMA AP650 **

Daisy wheel Printer 13cps 132 col with tractor feed and cable.	
For this month only	490.00

PRINTERS

Brother M1109	400.00
Brother M1509	750.00
Nakajima NP2200	517.00

Printer prices include an IBM to
Centronics cable and a tractor feed.

** FLOPPY DISCS **

Quality HILITE 5¼" 40 track DSDD floppies for Chendai or compatible	
box of 10	26.00
10 boxes of 10	235.00

*Above is only a sample of the products we stock and can source.
Call or write for a free copy of our latest catalogue.*

CHENDAI

We are the NSW distributors for the superb Chendai PC. We offer Chendai's professional quality with sales and service expertise at prices everyone can afford. Units priced from \$1250.00 incl. tax. Call for full details and pricing.



TO ORDER:

Phone your Bankcard or Mastercard order for overnight delivery from our stock to (02) 85-7540. We confirm receipt of your order by mail on the day we receive it.

OR



Mail your order to:

Hales & Rogers Pty Limited, 9 Mobbs Lane, Carlingford NSW 2118.
Money orders and cheques should be payable to Hales & Rogers P/L.

Delivery: \$5.00 per ORDER anywhere in Australia by overnight courier.

Warranty:

All products sold are covered by the manufacturer's warranty.

Sales Tax:

All prices include sales tax. We can supply tax free, please call for prices.

Prices:

Are subject to change without notice. Please check before ordering.

Sources:

All products are sourced from the authorised Australian distributor and carry their full support.

Stock:

We endeavour to keep stocks of the more popular items at all times. Delivery from our suppliers is usually overnight. Please check our stock first if calling in to purchase.

```
5030 GOSUB 3230:x=&2BCD:GOSUB 3230:x=&F1BD:GOSUB 3230:POKE m,&C9
5040 m=c+&1C0:x=&9CD:GOSUB 3230:x=&38BB:GOSUB 3230:x=&2105:GOSUB 3230:x=
&FFFF
```

```
5050 GOSUB 3230:x=&31B:GOSUB 3230:x=&266F:GOSUB 3230:x=&C900:GOSUB 3230
5060 m=c+&1D0:POKE m,&21:m=m+1:x=c+&1F8:GOSUB 3230:x=&61B:GOSUB 3230
5070 m=c+&1DB:POKE m,&21:m=m+1:x=c+&1FB:GOSUB 3230:POKE m,&11:m=m+1:x=c+
&20B
```

```
5080 GOSUB 3230:x=&901:GOSUB 3230:x=&ED00:GOSUB 3230:x=&C9B0:GOSUB 3230
5090 m=c+&1EB:FOR k=m TO m+8:POKE k,0:NEXT:m=c+&1EE:x=&1404:GOSUB 3230
5100 m=c+&1FB:FOR k=m TO m+8:POKE k,0:NEXT:m=c+&1FE:x=&140C:GOSUB 3230
5110 m=c+&220:RETURN
5120 '
5130 ' Initialize
5140 MODE 2:BORDER 13:INK 1,0:INK 0,13
5150 PRINT"Amstrad BASIC Compiler V1.0"
5160 PRINT"=====
5170 a=&170:n=256*PEEK(a+1)+PEEK(a+1):m=256*PEEK(a+3)+PEEK(a+2)
5180 IF n<0 OR l>=1000 THEN PRINT:NO PROGRAM IN MEMORY":GOTO 5640
5190 c=HIMEM-FRE(")+8000:IF c>(HIMEM-1000) THEN ee=9:GOTO 5430: 'Error
5200 pp=c-4000:p=pp:w=pp+500:u=pp+600:s=pp+700:)=pp+1000
5210 FOR i=w TO c+&30:POKE i,0:NEXT
5220 RETURN
```

```
5230 '
5240 ' Terminate
5250 IF u<>pp+600 THEN PRINT:PRINT"ERROR: FOR without NEXT":GOTO 5640
5260 IF w<>pp+500 THEN PRINT:PRINT"ERROR: WHILE without WEND":GOTO 5640
5270 PRINT:PRINT"Setting Jumps..."
5280 FOR i=c+&220 TO m-1
5290 b=PEEK(i):IF b<>&C3 AND b<>&CD THEN 5340
5300 l=256*PEEK(i+2)+PEEK(i+1):IF l<1 OR l>999 THEN 5340
5310 x=2*1+i:t=256*PEEK(x+1)+PEEK(x)
5320 IF t<(c+&220) OR t>=m THEN 5400
5330 POKE i+1,PEEK(x):POKE i+2,PEEK(x+1):i=i+2
5340 NEXT i
5350 PRINT:PRINT"Compilation completed.":PRINT
5360 PRINT" START:":HEX$(c),c
5370 PRINT" END:":HEX$(m-1),m-1
5380 PRINT"LENGTH:":HEX$(m-c),m-c
5390 PRINT:RETURN
5400 PRINT:PRINT "ERROR: Line";l;"does not exist":GOTO 5640
5410 '
```

```
5420 'Error routine
5430 PRINT:PRINT "ERROR: ";
5440 IF ee=1 THEN PRINT"Illegal Command";
5450 IF ee=2 THEN PRINT"Too many or insufficient arguments";
5460 IF ee=3 THEN PRINT"Illegal variable";
5470 IF ee=4 THEN PRINT"Incomplete expression";
5480 IF ee=5 THEN PRINT"Syntax error";
5490 IF ee=6 THEN PRINT"Line number out of range";
5500 IF ee=7 THEN PRINT"Illegal function";
5510 IF ee=8 THEN PRINT"Number out of range";
5520 IF ee=9 THEN PRINT"OUT OF MEMORY!";
5530 IF ee=10 THEN PRINT"Command or variable expected";
5540 IF ee=11 THEN PRINT"= expected";
5550 IF ee=12 THEN PRINT"Variable expected";
5560 IF ee=13 THEN PRINT"Number expected";
5570 IF ee=14 THEN PRINT"illegal operator";
5580 IF ee=15 THEN PRINT"TO expected";
5590 IF ee=16 THEN PRINT"THEN expected";
5600 IF ee=17 THEN PRINT"NEXT without FOR";
5610 IF ee=18 THEN PRINT"WEND without WHILE";
5620 IF ee<1 OR ee>18 THEN PRINT"Unknown error";
5630 PRINT" in line";l
5640 PRINT:PRINT"COMPILATION ABORTED":PRINT
5650 END
```


**MICROTEX
666**

This program is available electronically through Microtex 666's software downloading service. It is accessed through Viatel page *66637#.

BBC Function Key Fonts

by John Campbell

This program has been tested on a standard BBC B with DFS version 1.2. It has also been run, but not thoroughly checked, on an Electron. The program produces bold, italic, underline, super and subscripts, block, thin, narrow, wide, and inverse video fonts. These may all be combined, except for block, thin and narrow.

The fonts can be switched on and off by using a function key together with Shift or Ctrl, or by VDU codes 128 to 148. The unshifted function keys can thus be used for whatever other program is running. All effects can be cancelled by Shift-Ctrl-f0. User-defined characters, apart from 158 and 159, may be used in conjunction with the program. Instead of characters 128 to 148, which switch fonts, use 160 to 180.

When run, the program produces two pages of machine code and performs a checksum to test for errors in entry. The program then performs a demonstration of each of the fonts and asks whether you want to save the machine code, to which you should answer yes, and whether you want to print a keystrip. The saved machine code can then be used by *RUNning FONTS, or just *FONTS

for disk users.

The Break key is set up to perform an Old command, and then re-sets the function key fonts.

The program intercepts the OSWRCH call which would normally write a character to screen, and copies the character into the space for character 158; this is then altered to produce the desired effect. Teletext graphics and colours operate normally, as the program does not work in mode seven. The machine code fits between &900 and &B00, and is used by the cassette filing system and the RS423 as the program has been written for disk systems with a parallel printer. Cassette users will have to reload the program after using the cassette or a serial printer; alternatively, the code could be relocated. Disk users with serial printers should relocate the code to &1600.

Note that printing when in modes other than seven will only work if the fonts are turned off by VDU 148. Similarly, cursor screen editing will only work in mode seven or if all the fonts are turned off.

Changes required for the Electron and for the BBC+/128/Master series are given after the program.

LIST

```
100REM FUNCTION KEY FONTS SOURCE
110REM Save as FONTS1
120REM Produces code "FONTS" to *RUN
130REM (c) John Campbell
140
150MODE 5
160osword=&FFF1:osbyte=&FFF4:oscli=&FFF7
170FS="Function Key Fonts"
180PRINT'FS;
190DIM font$(10)
```


ACCESS VIATEL NOW!!

with


VIATERM

Software for the APPLE II series



VIATERM Features

- ease of use
- screen save, print, load
- auto logon
- fast disk access
- ANY 1200/75 modem



VIATEL FINANCE

• written by Paul Zabrs
author of TERMINAPPLE



VIATEL TRAVEL

VIATERM from BIZAP

AVAILABLE NOW AT

AUTHORISED

APPLE DEALERS



VIATEL GAMES

or enquire on 02 646 1497

♦ printed using VIATERM

```

200
210oswrchtarg=(!&20E)AND&FFFF
220IF oswrchtarg<&8000 oswrchtarg=0% ELSE 0%=oswrchtarg
230REM Checks if altered already
240REM Ensure source program can run twice!
250?&20E=oswrchtarg MOD 256
260?&20F=oswrchtarg DIV 256
270
280start=&900:REM Can alter to assemble elsewhere (eg &1600) -- alter
line 2360 also
290code=&CF8
300
310FOR pass=0 TO 2 STEP2
320F%=start
330[OPT pass
340\ Alter OSWRCH vector
350LDA#(doit DIV 256):STA &20F
360LDA#(doit MOD 256):STA &20E
370
380\ Setup CTRL/SHIFT + Fn keys
390\ or FUNC+Letter keys (Electron)
400LDA #226:LDX #128:JSR setkeys
410LDA #227:LDX #138:JSR setkeys:LDA #228:LDX #148:JSR setkeys\ *** BB
C
420
430\ Setup BREAK key
440LDX #code end MOD 256
450LDY #code end DIV 256
460JSR oscii
470
480.clear LDA #1:LDY #9:.clr STA Font0,Y:DEY:BPL clr
490RTS
500
510.setkeys LDY #0:JMP osbyte \ and return
520
530\ Flags for fonts
540.Font0
550.ItalicFont NOP
560.BoldFont NOP
570.UnderlineFont NOP
580.BlockFont NOP
590.ThinFont NOP
600.NarrowFont NOP
610.SuperFont NOP
620.SubscriptFont NOP
630.WideFont NOP
640.InverseFont NOP
650.scratch NOP
660
670.delete LDY WideFont:BNE exit:JSR oswrchtarg
680
690\ Exit if Fonts not required
700.exit LDA code-1:JMP output
710
720\ Action here
730\ Save registers
740.doit:PHA:STA code-1:TYA:PHA:TXA:PHA
750\ Check for MODE 7
760LDA &355 \ what mode?
770AND#7:CMP #7:BEQ exit \ allows for shadow mode
780
790\ Test VDU queue
800LDX #0:LDY #255:LDA #218:JSR osbyte:TXA:BNE exit
810
820\ Test character values
830LDA code-1
840CMP #32:BCC exit \ control code
850CMP #127:BEQ delete \ delete
860BCC isiton \ standard character
870CMP #148:BCC fontcode \ font controlcode
880BNE isiton \ user-defined character
890\ Must be greater than 148, (158 & 159 won't work)
900JSR clear \ 148 clears all fonts
910
920\ Set the font flags (ON=0)

```

```

930.fontcode
940LSR A:TAY:LDA #0:ROL A:STA Font0-64,Y:JMP clearup
950
960\ Printable character -- test all flags
970.isiton
980LDY #9:TYA:.isit AND Font0,Y:DEY:BPL isit:TAY:BNE exit
990.FontON
1000
1010\ Transfer character to CHR$159
1020.char:LDX #&F7:LDY #&C:LDA #&A:JSR osword
1030
1040\ Modify CHR$159 as needed
1050
1060LDY#7
1070.nextY LDA code,Y
1080
1090\ Is it block
1100LDX BlockFont:BNE NotBlock
1110LSR A:TAX:AND #&F0:ORA code,Y:STA scratch:TXA:ORA #&F0:AND scratch
1120JMP NotThese \ Block, Thin, Narrow fonts incompatible
1130.NotBlock
1140
1150\ Is it thin
1160LDX ThinFont:BNE NotThin
1170ASL A:AND code,Y
1180JMP NotThese
1190.NotThin
1200
1210\ Is it narrow
1220LDX NarrowFont:BNE NotNarrow
1230ASL A:ORA #&F8:AND code,Y:STA scratch:LSR A:ORA #&F:AND scratch
1240
1250.NotNarrow
1260.NotThese
1270
1280\ Is it bold
1290LDX BoldFont:BNE NotBold
1300LSR A:ORA code,Y
1310.NotBold
1320
1330STA code,Y:DEY:BPL nextY
1340
1350\ Is it italic
1360LDX ItalicFont:BNE NotItalic
1370LSR code:LSR code+1:LDX #3
1380.shift ASL code+4,X:DEX:BPL shift
1390.NotItalic
1400
1410\ Is it super or sub
1420LDA SuperFont:AND SubscriptFont:BNE NotScript
1430TAX:TAY \ both =0
1440LDA code:ORA code+1:STA code
1450.comp LDA code+2,Y:STA code+1,Y
1460INY:CPY #3:BNE comp
1470LDA code+5:ORA code+6:STA code+4
1480LDA code+7:STA code+5
1490STX code+6:STX code+7
1500
1510\ Is it sub
1520LDA SubscriptFont:BNE NotSubscript
1530LDY #5:.sub LDA code,Y:STA code+2,Y:DEY:BPL sub
1540STX code:STX code+1
1550.NotSubscript
1560.NotScript
1570
1580\ Is it underline
1590LDX UnderlineFont:BNE NotUnderline
1600LDA code+7
1610ASL A:STA scratch:ROR A:LSR A:ORA scratch:EOR code+7:EOR #255
1620STA code+7
1630.NotUnderline
1640
1650\ Is it inverse
1660LDA InverseFont:BNE NotInverse
1670LDY #7:.inv LDA #255:EOR code,Y:STA code,Y:DEY:BPL inv


```




IBM XT compatible computer (GCS). 16 bit, 8 slots expandable to 640K, 8088, MP, 8087 optional, serial, parallel, game ports, colour graphics board, clock, 640K RAM, 1 FDD, \$1300. 2 FDD, \$1450. 2 FDD.



Printers
 Bidirectional printing logic-seeking programmable
 CPA 80 clmn 100cps - \$397.50; CPB 80 clmn 130cps - \$397.50; CPB 136 clmn, 130cps - \$797.50



IBM & Apple compatible
 FDD (Shinon, Teac or Sanyo),
 80 trac d/s d/d \$235; 40 trac
 s/s s/d \$220; HDD 5 1/4 (NEC,
 Teac) 10Mb \$840; 20Mb
 \$1120; 40Mb \$1900; HDD
 controller DTC5150BX \$340



Monitors
 Monochrome swivel base 12"
 composite video, green or amber
 20MHz \$170; Monochrome swivel
 base 12" TTL high-res graphic,
 amber 20MHz \$197; Colour RGB 14"
 switchable to green or amber,
 resolution 720x480 with interlaced
 definition 0.31mm dot trio pitch \$697.

Computer Hardware
 Cases for Apple & IBM
 \$50 \$90
 Keyboards for Apple & IBM
 \$120 \$167
 Power supplies for Apple 7A IBM 150W
 \$75 \$185
 Joy sticks for Apple & IBM
 \$25 \$37

G.C.S. Diskette
 S/S S/D \$1.80
 D/S D/D \$2.00

ICs 8087 \$240; 4164 \$2.20; 41256 \$5.50, 2764 \$4.50; I/F boards for IBM, Super XT boards, Turbo boards, multi-function cards, expansion CDS, 1/0 + 2 CDS disk drive cds, hard disk controller cds, colour graphics cds, printer cds, AD/DA, cds, Eprom cds, modems & many more at Australia's best prices.
 I/F boards for Apple 6502, Z80 mother boards, disk drive cds, printer cds, grappler cds, grappler buffer cds, printer buffer cds, 80 column cds, 16K RAM cds, 128K RAM cds, RS 232 cds, speech cds, Eprom programmer cds, wild card RGB CAD, super serial cds, Pal cds, IC tester cds, & many more at Australia's best prices.



**TRADE ENQUIRIES
 INVITED**

GCS 67 Blackshaw Ave, Mortdale 2223 NSW
 Ph 570 1225, 570 1215 TLX AA71318

```

1680.NotInverse
1690
1700\ Is it wide
1710LDA WideFont:BNE NotWide
1720JSR double:JSR double:JMP clearup
1730
1740.double LDX #7
1750.nextline LDA code,X:LDY #3
1760.nextbit ASL A:ASL A:ASL code,X
1770BCC test:ORA #3
1780.test DEY:BPL nextbit
1790STA code-8,X
1800DEX:BPL nextline
1810\ Output half a character
1820LDA #&9E:JMP oswrchtargt
1830.NotWide
1840
1850\ Now output modified character
1860LDA#&9F
1870.output JSR oswrchtargt
1880.clearup PLA:TAX:PLA:TAY:PLA:RTS
1890.code_end
1900)
1910
1920%=&90A
1930REM Do NOT omit the REM in the next line!
1940$code_end = "K.100.1K1MCA."+STR$(start)+":REM"+STRING$(12,"H")+ "Fu
nction Key Fonts;JIM"
1950end=code_end + LEN($code_end)
1960
1970NEXT pass
1980
1990J%=&0:FORI=start TO end:J%&=J%+?1:NEXTI
2000IF J%<>55400 PRINT""Checksum error":END
2010CALL start
2020
2030REM Main program is finished
2040REM Part2 is demonstration etc.
2050
2060MODE6
2070
2080FOR I=0 TO 10:READ font$(I):NEXT I
2090DATA Italics,Bold,Underline,Block,Thin,Narrow,Superscript,Subscript
,Wide,Inverse,Normal
2100abc$=FNadd(126):half$=FNadd(77)
2110
2120VDU144:PRINT'F$:VDU145
2130VDU134:PRINT"Ten extra fonts are available":VDU135
2140PRINT"H"CHR$142"ERE THEY ARE -":VDU148
2150FOR I=0TO9
2160ch=128+2*I:PRINT TAB((I*15)MOD45)CHR$ch;font$(I);CHR$148;
2170NEXT I
2180PRINT TAB(15);VDU134,140,132:PRINT"and COMBINATIONS":VDU148
2190PRINT TAB(0,23)CHR$136"Press spacebar to exit"CHR$137
2200
2210I=0
2220REPEAT
2230ch=128+2*I
2240PRINT TAB(0,13)SPC(14);TAB(0,13)CHR$(ch);font$(1);" -"CHR$148
2250PRINT"Turn on by ";FNK(2*I);" or VDU";ch;SPC(18)
2260IF I<10 PRINT"and off by ";FNK(2*I+1);" or VDU";ch+1;" or VDU148 "
ELSE PRINTSPC(38)
2270PRINT TAB(0,18)CHR$(ch)
2280IF ch=144 PRINT half$ ELSE PRINT abc$
2290PRINT "
2300IF I<10 VDU(ch+1)
2310I=(I+1)MOD11
2320UNTIL INKEY(100)=32
2330FOR I=0TO10:PRINT TAB(0,13+I)SPC(40);:NEXT
2340VDU134
2350PRINT TAB(0,16);
2355*DIR$
2356REM Above line for PCW demo prog only
2360IF F%yes("Save code") THEN *SAVE"FONTS" 900+200
2370VDU135,130
2380

```

```

2390PRINT'
2400IF F%yes("Print keystrip") PROCkeystrip
2410VDU131
2420PRINT'
2430END
2440
2450REM Error in printing
2460*FX3
2470REPORT
2480END
2490
2500DEF F%yes(A$)
2510LOCAL Y%
2520PRINT A$ (Y/N);";
2530*FX15 1
2540REPEAT
2550Y%=GET AND &5F:REM Force upper case
2560UNTIL Y%=78 OR Y%=89
2570VDU Y%
2580IF Y%=89:=TRUE ELSE=FALSE
2590
2600DEF FNinv(A$)=CHR$146+A$+CHR$147
2610DEF FNblock(A$)=CHR$142+FNinv(A$)+CHR$143
2620
2630DEF FNadd(J)
2640LOCAL A$,I
2650FOR I=33 TO J
2660A$=A$+CHR$I
2670NEXT
2680=A$+" "+FNgreek
2690
2700DEF FNgreek
2710VDU23,160,126,48,24,12,24,48,126,0:REM sigma
2720VDU23,161,0,0,102,102,102,124,64,192:REM mu
2730VDU23,162,56,108,12,12,28,54,102,0:REM lambda
2740=CHR$160+CHR$161+CHR$162
2750
2760REM *****
2770REM *** The following section is for all BBC models ***
2780REM *****
2790
2800DEF FNK(J):LOCAL K$:REM BBC only
2810IF J<10 OR J=20 K$=FNblock("SHIFT")+ "+"
2820IF J>9 K$=K$+FNblock("CTRL")+ "+"
2830=K$+FNf(J MOD10)
2840
2850DEF FNf(A%)=FNinv("f")+FNblock(STR$A%)
2860
2870DEFPROCkeystrip
2880VDU148
2890ONERRORGOTO2460
2900*FX3 10
2910VDU27,64,15,27,48,27,85,1,27,71,1
2920REM Codes for Epson compatible printers
2930PRINTSTRING$(132,"-")
2940PRINT"CTRL+";:PROCfkey(0,"Normal ON"):PROCrest(1)
2950PRINT"SHIFT";:PROCfkey(0,"A11 OFF-148"):PROCrest(1)
2960PROCrest(0)
2970PRINT"CTRL";:FOR I=0TO9:PROCfkey(I,font$(1 DIV 2 +5)):NEXT:PRINT
2980FOR I=0TO9STEP2:PROCfkey(I,"ON--"+STR$(138+I)):PROCfkey(I+1,"OFF--"
+STR$(139+I));NEXT.PRINT
2990PROCrest(0)
3000PRINT"SHIFT";:FOR I=0TO9:PROCfkey(I,font$(1 DIV 2)):NEXT:PRINT
3010FOR I=0TO9STEP2:PROCfkey(I,"ON--"+STR$(128+I)):PROCfkey(I+1,"OFF--"
+STR$(129+I));NEXT.PRINT
3020PRINTSTRING$(132,"-")
3030VDU27,64
3040*FX3
3050ENDPROC
3060
3070DEFPROCfkey(I,A$)
3080LOCAL A%
3090A%=6-LENA$/2:A$=STRING$(A%,"")+A$
3100PRINTTAB(I*12.8+6)"|A$;
3110ENDPROC

```


IBM PC AND APPLE SOFTWARE SELLOUT!

Tim Hartnell's company, Interface Publications, which pioneered quality, low-priced software in Australia, now has a host of new programs for the IBM PC family (and close compatibles) and the Apple. In keeping with what Tim grandly calls the 'Interface philosophy' on software, all the software is well below the recommended retail price, all of it is non-copy-protected, and all of it is good!

IBM PC/compatibles

- [] **SPRITE MAKER** — action and animation the easy way (disk APDL-24) — **\$17.00**
- [] **THE JOHNSON UTILITIES** — Mark Johnson's acclaimed 2-disk set from Oakland, California of PC tools and utilities, including: enlarge keyboard reassignment buffer; initialise custom boot sector on disk; encrypt files; remove unnecessary line numbers from BASIC programs; redefine keyboard; and much more, with 64-page manual — **\$74.95**
- [] **ASSEMBLY LANGUAGE TUTORIAL & ROUTINES** — If you want to master assembly language programming on the PC, this is for you (APDL-27) — **\$17.00**
- [] **THE DYNADESK SUITE** — database, notebook, mailing/directory system, text processor, calendar, 30K print spooler, 127-key keyboard buffer, detailed manual — **\$49.95**
- [] **THE DYNADESK SUITE** — as above, plus source code — **\$69.95**
- [] **FAST TYPING COURSE** — if you can't type, you can't compute. but now you can! (APDL-30) — **\$17.00**
- [] **THE IBM PC PROGRAMMER'S TOOLKIT** — incredibly useful collection of programs and routines, with detailed operating manual, to assist you in developing programs and using your disks. Contains AUTODEX to allow you to copy, modify, rename, run and otherwise manipulate disk contents, SECTSAVE to salvage bad sectors, and much, much more — **\$69.95**
- [] **THE RAMDISK** — to be your system's 3rd and 4th drive, size of disk is variable up to limit of onboard RAM — **\$29.95**
- [] **LEDGER** — a sophisticated, yet easy to use, general ledger program, together with on-disk tutorial on its use (APDL-15) — **\$17.00**
- [] **EXPERT SYSTEM SHELL** — create expert systems on any subjects you choose, full instructions, fascinating to run — **\$39.95**
- [] **THE FORTH TUTOR** — 3-disk set, full tutorial on FORTH, plus complete implementation of Fig-FORTH — **\$49.95**
- [] **THE LISP TUTOR** — full LISP tutorial, plus complete implementation of XLISP — **\$45.95**
- [] **THE PROLOG TUTOR** — full PROLOG tutorial, plus complete implementation of PDPROLOG — **\$45.95**
- [] **GRAPHICS LOGO, LOGO-K** — now experience the fascination of turtle graphics for yourself and your kids, needs graphics board — **\$39.95**
- [] **TURBO PASCAL UTILITIES** — 3-disk set, packed full of value, to make the most of Borland's incredible Turbo Pascal — **\$39.95**
- [] **EPISTAT v3.0** — comprehensive statistical package (APDL-22) — **\$17.00**
- [] **THE CASINO BUSTER!** — can your PC help you beat the casino rules, try out the systems described, disk plus fully detailed manual — **\$49.95**
- [] **THE SOFTWARE ESSENTIALS** — an incredibly valuable 4-disk set, together with operating manual, containing all the programs you need for a complete small business, or home office, operation. Disks include PC-WRITE (word processor), PC-YEARBOOK (electronic diary), PC-FILE (database), PORTWORTH (portfolio management), PC-DIAL (communications), NEWKEY (works like 'PROKEY'), FREECALC (spreadsheet), complete ACCOUNTING SYSTEM (sophisticated, yet easy to use program, designed for a small business which can just use a cheque-register for its accounting), and more! — **\$84.95**

APPLE

- [] **THE PERSONAL ACCOUNTANT** — get your financial life in order with this easy to use program (APDL-1005) — **\$17.00**
- [] **BUSINESS BASICS I AND II** — 2-disk set containing indispensable small business and home office programs including ADDRESS LIST DATABASE and GENERAL LEDGER (APDL-1193/1104) — **\$34.00**
- [] **GAMES FOR THINKERS** — includes hi-res graphics Chess and more (APDL-1010) — **\$17.00**
- [] **ROHAN COOK'S APPLE TOOLBOX** — The most useful collection of Apple programming tools on the market, supplied with a comprehensive, easy-to-follow manual. Manipulate your disk contents and DOS with ZEP; convert binary machine code programs into DATA and POKE statements; change DOS commands to whatever you want; use DRAW to take any lo-res screen and automatically write a BASIC program to draw it precisely, and much more — **\$45.94**
- [] **THE INTELLIGENT TYPEWRITER** — easy-to-use word processor — **\$24.95**
- [] **THE ARIZONA APPLE UTILITIES DISK A** — a host of incredibly useful utility programs, to make programming your Apple and managing your disks, as simple as possible. Includes SCREEN PRINTER to dump screen, DISPLAY ASC to dump memory, SECTOR LIST to read a file and provide details such as track and sector status, RECOVER to recover deleted lines, EDITOR to edit sequential text files with insert, move, delete, modify, replace, copy and print, and much more — **\$39.95**
- [] **THE APPLE DATABASE** — APDL-1007 — **\$17.00**
- [] **THE APPLE SPREADSHEET** — APDL-1009 — **\$17.00**
- [] **THE FORTH TUTOR** — 2-disk set, detailed tutorial plus complete implementation of Fig-FORTH — **\$39.95**
- [] **THE LISP TUTOR** — now get to grips with LISP, the most important non-numeric programming language — **\$34.95**
- [] **THE PROLOG TUTOR** — PROLOG is one of the main languages used by the Japanese fifth-generation computer project — **\$34.95**
- [] **TOM'S ART TOOLKIT** — acclaimed hi-res characters graphics kit, with 7 new typefaces, Apple Calligraphy and Edu-Paint — **\$17.00**
- [] **ADVENTURE DOUBLE** — Two major text adventures on one disk: COLDITZ, and THE NIELSON PAPERS — **\$25.95**

Both APPLE and IBM PC:

- [] **THE SIGNWRITER** — produce great big advertising signs, greetings, posters and more on any printer — **\$24.95**
- [] **ADVENTURE SHELL** — creates your own text adventures which you can even sell without paying a cent in royalties — **\$24.95**
- [] **WAKE UP YOUR FINANCIAL GENIUS** — four 'real-world' financial simulations: THE CORPORATION, WALL STREET TRADER, THE ORE-SEEKERS and FOREIGN EXCHANGE — **\$25.95**
- [] **THE WINNING EDGE** — improve your betting chances on the track next weekend — **\$34.94**
- [] **MACHINE CODE ELIZA** — new implementation of the classic 'psychiatrist' program — **\$25.95**

Rip this ad out, send us a copy or a note, together with your cheque or credit card (BANKCARD or VISA) details, after adding \$3.00 to the total of your order for post and packing, and we'll get your software to you.

To: **Interface Publications (Australia) Pty. Ltd.,**
Chelsea House, 34 Camp Street,
Chelsea, Vic., 3196, Australia

[] Please send me the software indicated for my [] Apple
 [] IBM PC/compatible.

I enclose a cheque for \$ _____, or charge my

[] BANKCARD [] VISA _____

Name

Address

Phone Postcode

```

3120
3130DEFPROCrest(I)
3140LOCAL J
3150FOR J=I TO 9:PROCfkey(J,""):NEXT
3160PRINT
3170ENDPROC

```



Spectrum Globeplotter

by G Wearmouth

This program transposes any Spectrum screen onto the surface of a sphere and replots it at intervals shifted by a number of pixels. This produces the effect of spinning globe animation at a speed dependent on the radius of the sphere. The program installs various machine code routines, and produces a menu allowing the user to select parameters and load in source and background screens. The program can handle mercator or sinusoidal projections. With mercator projections, the material at the equator of the sphere will be enlarged and chunky, while material at the poles will be reduced. Sinusoidal projections retain detail to a greater extent.

The machine code plotting routines rely on a table produced by the Basic program which starts at location 64256 and grows upwards. For each line of the globe there are three addresses — six bytes in high-low order. The table is terminated by a zero end marker. The first address is of the cosine table to be used; the second is where plotting is to start; and the third is the left-hand location of the screen line to be used as data. Both the source and background screens are located above RAM-top.

The cosine table begins at 64255 and grows downward. There is a separation table for each line of a hemisphere. The same tables are

used to plot both hemispheres and both right and left halves, so each cosine table is used four times and the number of tables needed will be equal to the radius.

The machine code can be disassembled at 3900. Interrupts are disabled to gain speed and to free the IY register. The HL' register is preserved on the machine stack. Register use is as follows:

HL — vector. H will hold either testing or plotting page.

DE — plotting address on background screen.

BC — cosine table.

A — pixel count.

A' — if H holds plot page, then point page is stored here, and *vice versa*.

HL' — point address on source screen.

DE' — constants to speed up comparison.

BC' — unused.

IX — return address from POINT routine, constant.

IY — return address from PLOT routine, constant.

Save the program before testing. Before running or saving, GOTO 9900 will checksum the data.

When the program is running, if you type GOTO 9999 to save everything above RAM-top, then this block of code will work independently. If using a tape recorder, change line 6550 to 6550 LOAD t\$ SCREEN\$.

```

10 REM      Globeplotter.
20 REM
30 REM
40 REM Geoffrey Wearmouth.
50 REM      1986.
60 REM
70 REM
80 CLEAR 38999
85 REM IF PEEK 39000<>58 THEN LOAD "example"CODE : RANDOMIZE USR 39000
90 IF PEEK 39000<>58 THEN GO SUB 9000: REM install m=code.
100 REM      MENU
110 REM
120 BORDER 7:CLS
130 PRINT AT 1,12:"OPTIONS"
140 PRINT :PRINT
150 PRINT " 1)-- View."
160 PRINT
170 PRINT " 2)-- Alter radius"
180 PRINT
190 PRINT " 3)-- Vary speed."
200 PRINT
210 PRINT " 4)-- Change border"
220 PRINT
230 PRINT " 5)-- Load source screen. **"
240 PRINT
250 PRINT " 6)-- Load backdrop screen. **"
260 PRINT :PRINT
270 PRINT " * "default" may be used."
280 PRINT
290 PRINT "Controls -"
300 PRINT "Q-Quit P-Printout"
310 FOR i=0 TO 2:PRINT AT 6+i*2,6;(";"PEEK (39418+i);) "i NEXT i: REM print
current values
500 REM get keypress
510 REM
520 LET a=CODE INKEY$-48
530 IF a<1 THEN GO TO 500
540 IF a>6 THEN GO TO 500
550 GO SUB a*1000
560 GO TO 100
1000 REM      VIEW.
1010 REM
1020 IF NOT PEEK 39418 THEN PRINT 0:"Data absent - Use 2": PAUSE 0: RETURN
1030 RANDOMIZE USR 39000
1040 RETURN
2000 REM INSTALL LOOK-UP TABLES
2010 REM      PDR NEW RADIUS.
2020 REM
2030 REM
2040 INPUT "Radius (10-96) "r
2050 IF r<10 THEN GO TO 2040
2060 IF r>96 THEN GO TO 2040
2070 POKE 39418,r
2080 INPUT " Mercator/Sinusoidal (m or s)? "m$
2090 PRINT 0:"Wait "r/6;"mins"
2100 BORDER 4
2110 LET a=64255: REM grows down
2120 DIM c(192,3)
2130 FOR i=1 TO r
2140 LET sr=SQR (r^2-i^2)
2150 IF NOT sr THEN LET sr=1
2160 DIM b(sr+1)
2170 FOR j=1 TO 64
2180 LET angle=PI/2*j/64
2190 LET x=COS angle*sr
2200 LET x=x+1
2210 LET b(x)=b(x)+1
2220 NEXT j
2230 LET c(97-i,1)=a
2240 LET c(96+i,1)=a
2250 FOR j=1 TO sr+1
2260 LET b(j)=b(j)*2
2270 IF b(j)=0 THEN LET b(j)=1
2280 POKE a,b(j): LET a=a-1
2290 NEXT j
2300 POKE a,255: LET a=a-1
2310 NEXT i
2400 REM Set up table of screen
addresses.
2410 REM
2420 REM
2430 LET p=1
2440 FOR i=0 TO 2
2450 FOR j=0 TO 7
2460 FOR k=0 TO 7

```



```

2470 LET c(p,2)=16384+i*2048 +j*32+k*256
2480 LET p=p+1
2490 NEXT k
2500 NEXT j
2510 NEXT i
2600 REM Set up scource address.
2610 REM
2620 FOR i=1 TO r
2630 LET angle=ASN (i/r)
2640 LET y=angle*2/PI*87
2650 IF CODE m$=115 THEN LET y=i/r*87
2660 LET c(97-1,3)=c(89-y,2)
2670 LET c(96+1,3)=c(88+y,2)
2680 NEXT i
2700 REM Add offsets
2710 REM
2720 FOR i=1 TO 192
2730 LET c(i,2)=c(i,2)+33292
2740 LET c(i,3)=c(i,3)+27136
2750 NEXT i
2800 REM Install address table.
2810 REM
2820 LET a=64256: REM grows up
2840 FOR i=1 TO 192
2850 IF NOT c(i,1) THEN GO TO 2920
2860 FOR j=1 TO 3
2870 LET h=INT (c(i,j)/256)
2880 LET l=c(i,j)-h*256
2890 POKE a,h: LET a=a+1
2900 POKE a,l: LET a=a+1
2910 NEXT j
2920 NEXT i
2930 POKE a,0: REM end marker.
2940 RETURN
3000 REM SPEED
3010 REM
3020 INPUT " Speed (1-255) ":s
3030 IF s<1 THEN GO TO 3020
3040 IF s>255 THEN GO TO 3020
3050 POKE 39419,s: RETURN
4000 REM BORDER
4010 REM
4020 INPUT " Border (0-7) ":b
4030 IF b<0 THEN GO TO 4020
4040 IF b>7 THEN GO TO 4020
4050 POKE 39420,b: RETURN
5000 REM SCOURCE SCREEN
5010 REM
5020 GO SUB 6500
5030 IF d THEN GO SUB 5500
5040 RANDOMIZE USR 39205
5050 RETURN
5500 REM default scource
5510 CLS : FOR i=1 TO 704: PRINT ;CHR$(128+RND*15):; NEXT i: PRINT AT 11,0;"PRE
SS Q TO QUIT": RETURN
6000 REM BACKDROP.
6010 REM
6020 GO SUB 6500
6030 IF d THEN RANDOMIZE USR 39220: BEEP .1,1: RETURN
6040 RANDOMIZE USR 39260
6050 RETURN
6500 REM title input
6501 REM
6510 LET d=0
6520 INPUT "Title ";t$
6530 IF LEN t$>10 THEN GO TO 6520
6540 IF t$="default" THEN LET d=1: RETURN
6550 LOAD t$SCREENS
6560 RETURN
9000 REM MACHINE CODE.
9010 REM
9015 PRINT "Initialisation"
9020 POKE 39418,0: REM radius
9030 POKE 39419,2: REM speed
9040 POKE 39420,1: REM border
9050 REM 32 Plot Routines
9060 REM
9070 FOR i=41472 TO 43456 STEP 64
9080 LET a=i
9090 IF i<43264 THEN POKE a,36: LET a=a+1: GO TO 9110
9100 POKE a,38: POKE a+1,162: LET a=a+2
9110 POKE a,235: LET a=a+1
9120 IF i=41536 OR i=41664 THEN POKE a,44: LET a=a+1
9130 POKE a,203: LET a=a+1


```

```

9140 READ b: POKE a,ABS b: LET a=a+1: IF b<0 THEN GO TO 9140
9150 POKE a,235: POKE a+1,253: POKE a+2,233
9160 NEXT i
9170 DATA 134,190,198,254,142,182,206,246,150,174,214,238,158,166,222,230,166,15
8,230,222,174,150,238,214,182,142,246,206,-190,45,134,-254,45,198
9200 REM 32 Point Routines.
9210 REM
9220 FOR i=39424 TO 41408 STEP 64
9230 POKE i,36: POKE i+1,221: POKE i+2,233
9240 NEXT i
9250 FOR i=1 TO 10: READ b
9260 FOR j=39424 TO 41408 STEP 256
9270 POKE i+j,b: POKE i+j+64, b+(b=128)*64
9280 NEXT j
9290 NEXT i
9300 DATA 217,203,70,217,40,2,46,128,221,233
9310 FOR i=39424 TO 41216 STEP 256
9320 READ b: POKE i+3,b
9330 READ b: POKE i+67,b
9340 NEXT i
9350 DATA 70,0,78,70,86,78,94,86,102,94,110,102,118,110,0,118
9360 FOR i=39488 TO 41408 STEP 128
9370 POKE i,37
9380 NEXT i
9400 REM loader
9410 REM
9420 READ b: IF b>255 THEN LET a=b: GO TO 9420
9430 IF b<0 THEN RETURN
9440 POKE a,b: LET a=a+1
9450 GO TO 9420
9500 REM Main Routine.
9510 REM
9520 DATA 39000
9530 DATA 58,252,153,230,7,211,254,58,0,218,167,40,11,33,0,194
9540 DATA 17,0,64,1,0,27,237,176,243,221,33,252,152,253,33,240
9550 DATA 152,217,229,22,31,30,32,217,205,23,153,62,251,219,254,31
9560 DATA 14,253,33,58,92,6,192,205,175,14,243,253,33,240,152,58
9570 DATA 255,153,33,251,153,150,245,50,255,153,230,7,238,7,198,154
9580 DATA 50,253,153,241,203,63,203,63,50,254,153,33,0,251
9590 DATA 229,225,126,254,0,40,177,71,35,78,35,86,35,94,35,126
9600 DATA 35,8,58,254,153,182,35,229,217,111,8,103,229,217,213,197
9610 DATA 46,0,58,253,153,8,38,162,124,8,103,10,11,203,63,56
9620 DATA 10,203,189,233,61,32,252,124,8,103,233,32,4,124,8,103
9630 DATA 233,203,117,194,201,152,193,209,217,225,217,203,245,24,211,0
9640 DATA 33,0,194,17,0,64,1,0,24,237,176,201
9650 REM store scource.
9660 DATA 39205
9670 DATA 33,0,64,17,0,170,1,0,24,237,176,201
9680 REM store backdrop.
9690 DATA 39260
9700 DATA 33,0,64,17,0,194,1,0,27,237,176,201
9710 REM default backdrop.
9720 DATA 39220
9730 DATA 33,0,194,17,1,194,1,0,24,54,85,237,176,1,255,2,54,14,237,176,62,1,50,2
52,153,201
9740 REM 4 point routines.
9750 DATA 39488
9760 DATA 38,161,217,245,44,125,162,40,10,241,203,126,217,40,2,46,192,221,233,12
5,147,111,241,203,126,217,40,2,46,192,221,233
9770 DATA 39616
9780 DATA 38,161,217,245,44,125,162,40,4,241,217,221,233,125,147,111,241,217,221
,233
9790 DATA 41216
9800 DATA 38,154,217,203,126,245,45,125,162,170,40,8,241,217,40,2,46,128,221,233
,125,198,32,111,241,217,40,2,46,128,221,233
9810 DATA 41344
9820 DATA 38,154,217,245,45,125,162,170,40,4,241,217,221,233,125,131,111,241,217
,221,233
9830 DATA -999
9900 REM checksum
9910 RESTORE : LET s=0
9920 FOR i=1 TO 412: READ b: LET s=s+b: NEXT i
9930 PRINT "Checksum is ";s
9940 PRINT "Should be 369277"
9998 STOP
9999 SAVE "example"CODE 39000,26536

```

Example output from Spectrum Globeplotter



Amstrad CPC464 Fill Subroutine by Rudi Way

This fill subroutine will fill any shape, including ones with holes and dangling lines. It can fill with any colour, and will work on shapes with multi-coloured outlines. It also works in all three screen modes with only minor modification.

It works by looking for the largest block in the shape. While filling it, it detects spaces around this block which need to be filled, and pushes these onto a stack.

When the block is filled, the stack is popped and the next block is filled, following the same process. This

continues until the stack is empty.

To use the utility, enter seed coordinates (starting point to fill from) as xseed% and yseed%, background colour as bacol%, and fill colour as incol%, and then GOSUB the line where the subroutine starts.

The program consists of three parts. The first is an example of filling a shape with a multi-coloured outline; the second is a routine to generate random shapes and fill them — this part can be stopped by pressing ESC twice; and the third part is the routine itself (2.5k long).

```

10 *****
20 #
30 #           FILL SUBROUTINE for CPC 464
40 #
50 #           by Rudi Way
60 #
70 *****
    
```


**GAULFIELD
TYPEWRITER
SERVICE PTY. LTD.**



For Commodore Computer Owners

The BROTHER HR10C Personal Daisy Wheel Printer is Interfaced for the following:— COMMODORE 64, COMMODORE 16, COMMODORE PLUS 4 and COMMODORE VIC 20. (The Brother HR10 is also available in a choice of either CENTRONICS Parallel or RS-232C interfacing).


The user friendly, budget friendly BROTHER HR10C personal Printer is able to adapt to virtually any system at a price that's more than reasonable. An easy-to-read front panel makes control of the HR10C as simple as pressing a key.

Compact and lightweight, the HR10C even has a carrying handle which means that you can take it along wherever it's needed.

For further information contact:—

KEN FORSHAW


(Caulfield Computers)
874 Glenhuntly Road, Caulfield South, Vic.
Telephone 528 4555



computer enhancements pty. ltd.
9th Floor, 505 St Kilda Road, Melb. 3004, Aust.
Telephone (03) 267 7829, (03) 267 4755.

**COMPUTER TOO SLOW?
THINKING OF UPDATING TO AN PC/AT**

but can't afford the change-over: we have the solution for you.
for less than 1/3 of the price of the cheapest AT clone.
(never mind the real thing)



SpeedPac-286 will breathe new life into your IBM-PC or clone. SpeedPac-286 will make your PC or close lookalike run at over SIX TIMES FASTER than it's normal speed, and that does not include a co-processor.

You will have all the power of an AT at your fingertips at a fraction of the cost. at 8MHz the SpeedPac-286 makes your existing PC/XT system run even faster than the IBM-PC/AT's 80286 processor.

The SpeedPac-286 works with your existing software — and it is easy to install. Just slot it in — at only 5 inches it occupies only a "half slot", leaving your long slots free to accept other add-on boards.

**NO-FUSS COMMUNICATION FOR THE PC
MODEMS FOR VIATEL, AUSPAC & BULLETIN BOARD**

INTRODUCTION

\$395

COMPUTERS SUPPORTED

With this EASY TO INSTALL package the user can access almost all TEXT and VIDEOTEX based databases.

for instance, you can:

- Capture messages or files from OTC's MINERVA or TELECOM's AUSPAC at 1200bps direct to disc.
- Download programs from VIATEL using the TELESOFTWARE facility at 1200bps direct to disc.
- Communicate at 300bps with bulletin board services.

A selection of computers supported includes:

TANDY	:	Model 1000
NEC	:	APC III
APRICOT	:	PC
OLIVETTI	:	M24/21
IBM	:	PC/JX
PRESIDENT	:	16

The package contains:

MULTI-FUNCTION COMMUNICATION SOFTWARE
DATASAT's V1275 MODEM AND PHONE
ADAPTOR RS-232 CABLE

The V1275 modem is available separately.

DATA SAT MODEMS — the intelligent connection
Phone: (02) 525 6688

```

80 '
90 '
100 ' PROGRAM DRAWS CONE + RANDOM SHAPES
110 '
120 RANDOMIZE TIME
130 MODE 1
140 INK 0,26:INK 1,13:INK 2,2:INK 3,1
150 BORDER 26:CLG 0
160 PAPER 0:PEN 1
170 ORIGIN 320,130
180 '
190 'shadows
200 MOVE 160,60:DRAW 26,-14,1
210 MOVE 160,60:DRAW 34,28,1
220 MOVE 26,-14:DRAW 2,148,3
230 '
240 'half ellipse
250 ellip=2:n%:=24:r%:=20
260 s=SIN(-PI/n%)
270 c=COS(-PI/n%)
280 odx=r%
290 ody=0
300 MOVE ellip*r%,0
310 FOR t%=1 TO n%
320 dx=odx*c-ody*s
330 dy=ody*c+odx*s
340 odx=dx
350 ody=dy
360 IF t%<=7 THEN col%=3 ELSE col%=2
370 DRAW ellip*dx,dy,col%
380 NEXT t%
390 '
400 'cone
410 DRAW 0,150,2
420 MOVE 2,150:DRAW ellip*r%,0,3
430 '
440 'fill in cone and shadows
450 bacol%=0
460 incol%=2:xseed%=-38:yseed%=0 :GOSUB 1080
470 incol%=3:xseed%=38 :yseed%=0 :GOSUB 1080
480 incol%=3:xseed%=-6 :yseed%=128:GOSUB 1080
490 incol%=1:xseed%=36 :yseed%=26 :GOSUB 1080
500 '
510 WHILE INKEY$<>"":WEND
520 LOCATE 1,25:PRINT"press any key to continue";
530 WHILE INKEY$="" :WEND
540 '
550 '
560 'next frame
570 CLG 0
580 INK 0,0:INK 1,26:INK 2,6:INK 3,2
590 ORIGIN 245,125
600 BORDER 0
610 '
620 'box
630 w%=150
640 MOVE 0,0
650 DRAW w%,0,1
660 DRAW w%,w%,1
670 DRAW 0,w%,1
680 DRAW 0,0,1
690 '
700 'random outlines
710 MOVE 10,10
720 FOR i%=1 TO 10
730 DRAW w%*RND,w%*RND,1
740 NEXT i%
750 DRAW 10,10,1
760 '
770 'fill in random generated shape
780 xseed%=w%\2:yseed%=w%\2
790 incol%=2:bacol%=0
800 GOSUB 1080
810 '
820 'fill box, if possible
830 incol%=3:bacol%=0
840 xseed%=w%-2:yseed%=2 :GOSUB 1080
850 xseed%=w%-2:yseed%=w%-2:GOSUB 1080
860 xseed%=2 :yseed%=2 :GOSUB 1080
870 xseed%=2 :yseed%=w%-2:GOSUB 1080
880 '
890 t=TIME
900 WHILE TIME-t<300:WEND

```

```

910 CLG 0:GOTO 640
920 'end of program
930 '
940 '
950 '-----
960 ' FILL SUBROUTINE
970 'enter: seedcoordinates xseed%,yseed%
980 ' backgroundcolour bacol%
990 ' fillcolour incol%
1000 '
1010 'real variables regain their value after returning from FILL.
1020 '
1030 'changes for mode 0 & 2:
1040 'mode 2: left=1, all x-stepvalues=1
1050 '( for instance line 1140: x2=x2+1 )
1060 'mode 0: left=4, all x-stepvalues=4
1070 '
1080 DEFINT a-z
1090 DIM stack(1,100)
1100 ptr=0
1110 hole=0
1120 '
1130 x2=xseed%
1140 WHILE TEST(x2,yseed%)=bacol%:x2=x2+2:WEND
1150 '
1160 x1=xseed%
1170 IF TEST(x1,yseed%)=bacol% THEN WHILE TEST(x1-2,yseed%)=bacol%:x1=x1-2:WEND
1180 '
1190 y1.old=yseed%
1200 y2.old=yseed%
1210 '
1220 FOR x=x1 TO x2 STEP 2
1230 '
1240 y1=yseed%
1250 IF TEST(x,y1)=bacol% THEN WHILE TEST(x,y1-2)=bacol%:y1=y1-2:WEND
1260 '
1270 y2=yseed%
1280 IF TEST(x,y2)=bacol% THEN WHILE TEST(x,y2+2)=bacol%:y2=y2+2:WEND
1290 '
1300 IF x<x2 THEN MOVE x,y1:DRAW x,y2,incol%
1310 '
1320 IF ABS(y1-y1.old)<=2 AND y2-y1>2 AND x<>x1 THEN 1400 'ELSE
1330 IF y1.old>y1 THEN left=2:stp=-2 ELSE left=0:stp=-2
1340 FOR y=y1 TO y1.old STEP stp
1350 tst=TEST(x-left,y)
1360 IF NOT hole AND tst=bacol% THEN hole=-1:ytemp=y
1370 IF hole AND tst<>bacol% THEN hole=0:stack(0,ptr)=x-left:
stack(1,ptr)=(ytemp+y-stp)\2:ptr=ptr+1
1380 NEXT y
1390 IF hole THEN hole=0:stack(0,ptr)=x-left:
stack(1,ptr)=(ytemp+y1.old)\2:ptr=ptr+1
1400 ' FI
1410 '
1420 IF ABS(y2-y2.old)<=2 AND y2-y1>2 AND x<>x1 THEN 1500 'ELSE
1430 IF y2.old<y2 THEN left=2:stp=-2 ELSE left=0:stp=2
1440 FOR y=y2 TO y2.old STEP stp
1450 tst=TEST(x-left,y)
1460 IF NOT hole AND tst=bacol% THEN hole=-1:ytemp=y
1470 IF hole AND tst<>bacol% THEN hole=0:stack(0,ptr)=x-left:
stack(1,ptr)=(ytemp+y-stp)\2:ptr=ptr+1
1480 NEXT y
1490 IF hole THEN hole=0:stack(0,ptr)=x-left:
stack(1,ptr)=(ytemp+y2.old)\2:ptr=ptr+1
1500 ' FI
1510 '
1520 y1.old=y1
1530 y2.old=y2
1540 '
1550 NEXT x
1560 '
1570 'pop stack and fill
1580 IF ptr<>0 THEN ptr=ptr-1:xseed%=stack(0,ptr):yseed%=stack(1,ptr):GOTO 1130
1590 '
1600 ERASE stack
1610 DEFREAL a-z
1620 RETURN

```




MBasic Logarithmic Plotting

by John Rait

The author of this routine uses it in his work as a consulting engineer, as a great deal of his work involves exponential and power relationships when calculating the flow of pulp suspensions through pipes. (Analysis

of liquid flow in pipes is one of the hardest problems in applied mathematics.)

LOG-PLOT carries out the necessary calculations to scale and plot graphs, using logarithmic scales.

```

10 REM LOG-PLOT.BAS
15 REM MBASIC/BASIC-80 for CP/M Z80 CPU
20 REM By John M. Rait - May 1984.
25 REM
30 REM
100 WIDTH LPRINT 79 ' OMIT WHEN RE-TYPING THE PROGRAM
110 DEFINT V-Z
120 DEFSTR A,E,I,O,U
200 GOSUB 10000
210 PRINT"LOGARITHMIC SCALE CALCULATIONS - J.M. Rait 840501"
220 PRINT:PRINT"This program calculates the plotting positions for the drawing
of logarithmic graphs to any scale and between any values."
230 PRINT:PRINT"You require to know the chosen scale length in millimeters and
the maximum and minimum values of the range to plot."
240 PRINT:INPUT"SCALE LENGTH IN MM."ICSL%
250 INPUT"MAXIMUM VALUE";MAX;INPUT"MINIMUM VALUE";MIN
255 IF MIN=0 THEN PRINT"YOU MAY NOT HAVE ZERO AS MINIMUM ":GOTO 250
260 TSL=CSL%/(100-(LOG(MIN)/LOG(MAX)*100))*100
270 PRINT"THEORETICAL SCALE LENGTH " TSL
280 FACTOR=TSL/LOG(MAX);PRINT"FACTOR " FACTOR*LOG(10)
290 CONSTANT=TSL-CSL%;PRINT"CONSTANT " CONSTANT
300 PRINT:PRINT"NOTE THESE FIGURES FOR LATER REFERENCE."
310 PRINT" HIT ANY KEY TO GO ON";GOSUB 10100
320 GOSUB 10000;PRINT"CALCULATION ROUTINES.":PRINT
325 INPUT:" HIT <1> TO PLOT - <2> TO BACK CALCULATE - <3> TO QUIT";V;ON V GOTO
330,400,9999
330 GOSUB 10000;PRINT"ENTER <0> TO QUIT";PRINT
335 INPUT:" PLOT VALUE";PV; IF PV=0 THEN GOTO 320
340 MM=LOG(PV)*FACTOR-CONSTANT
350 PRINT TAB(25) USING " SCALE PLOT POSITION ###.###"; MM;GOTO 335
400 GOSUB 10000;PRINT"BACK CALCULATION ROUTINE. <99999> TO QUIT";PRINT
410 INPUT:"SCALE PLOT POSITION";MM; IF MM=99999; THEN GOTO 320
420 PV=EXP((MM+CONSTANT)/FACTOR)
430 PRINT TAB(30) USING" PLOT VALUE #####.#####";PV
440 GOTO 410
9999 END
10000 PRINT CHR*(27);CHR*(69);RETURN 'CLS SUBR.
10100 I=INKEY*;IF I="" THEN GOTO 10100 ELSE RETURN 'INKEY* SUBR.

```



CP/M STAT Command Tip

by Thomas Hardy

The STAT command can be used to hide disk files from prying eyes. When you type in STAT *.* \$SYS on CP/M systems, all disk files are com-

pletely hidden.

To see them again through the use of the DIR command, type STAT *.* \$DIR.



Share Trader

by K Riordan

MICROTEX
666

This program is available electronically through Microtex 666's software downloading service. It is accessed through Viatel page *66637#.

Anyone wanting to plot the recent boom in share prices (or the predicted catastrophic crash) will find Kevin's latest

work immensely useful. Full details and program description are in the listing.

```

1000 REM *****
1001 REM **
1002 REM ** "SHARE TRADER" **
1003 REM **
1004 REM ** A SHARE PRICE MOVEMENT HISTORY STORAGE **
1005 REM ** AND RETRIEVAL SYSTEM WRITTEN FOR **
1006 REM ** COMMODORE 64 WITH 1541 DISK DRIVE **
1007 REM **
1008 REM ** (KEVIN RIORDAN 1986) **
1009 REM **
1010 REM *****
1011 :
1012 REM 'SHARE TRADER' IS DESIGNED TO ASSIST STOCK MARKET INVESTORS TO KEEP
1013 REM TRACK OF THE PRICE MOVEMENTS AND DAILY SALES VOLUMES OF UP TO 100
1014 REM STOCKS FOR A 12-MONTH TRADING PERIOD. IT CREATES TWO PRE-EXTENDED
1015 REM FILES ON EVERY DATA DISK WHICH IT FORMATS ON USER DEMAND FOR ITS
1016 REM OWN USE. SINCE THE USER MAY WISH TO WRITE ROUTINES TO EXTRACT
1017 REM STATISTICAL INFORMATION FROM HIS/HER DATA BASE, THE FOLLOWING IS A
1018 REM DESCRIPTION OF EACH DATA FILE AND ITS RECORD STRUCTURE:
1019 :
1020 REM THE FIRST FILE IS CALLED 'INDEX'. AS ITS NAME SUGGESTS, IT CONTAINS
1021 REM A LEXICOGRAPHICALLY-ORDERED LIST OF STOCKS, TOGETHER WITH LINKAGE
1022 REM POINTERS. THE RECORD LENGTH IS 20 CHARACTERS, OF WHICH THE FIRST
1023 REM 16 COMPRISE THE NAME OF A STOCK LEFT-JUSTIFIED WITH TRAILING
1024 REM SPACES. THE REMAINING 4 CHARACTERS COMPRISE A LINKAGE FIELD HELD
1025 REM IN STANDARD NUMERIC ASCII FORMAT RIGHT-JUSTIFIED WITH LEADING
1026 REM SPACES. THIS FIELD CONTAINS THE RECORD NUMBER OF THE FIRST ENTRY
1027 REM FOR THIS STOCK IN THE 'HISTORY' FILE.
1028 :
1029 REM THE INDEX ENTRY FOR THE BHP $1 SHARE, FOR EXAMPLE, WOULD LOOK LIKE
1030 REM THIS (USING '*' AND '0' TO DENOTE TRAILING AND LEADING SPACES):
1031 :
1032 REM BHP $1*****@27
1033 :
1034 REM THIS INDICATES THAT THE FIRST ENTRY FOR THE BHP $1 SHARE APPEARS
1035 REM AT THE 27TH RECORD OF THE 'HISTORY' FILE.
1036 :
1037 REM AS INFERRED, THE SECOND FILE IS CALLED 'HISTORY'. ITS RECORDS ARE
1038 REM 21 CHARACTERS LONG AND THE FIELD CONTENT IS AS FOLLOWS:
1039 :
1040 REM CHARACTERS CONTENT
1041 :
1042 REM 1-3 TRADING DATE HELD IN 'YMD' FORMAT WHICH MAY BE
1043 REM READ BY THE 'ASC' FUNCTION (SEE 2010-2014).
1044 REM 4-8 OPENING TRADING PRICE EXPRESSED AS ##.CC IN
1045 REM NUMERIC ASCII FORMAT RIGHT-JUSTIFIED.
1046 REM 9-13 CLOSING TRADING PRICE EXPRESSED AS ##.CC IN
1047 REM NUMERIC ASCII FORMAT RIGHT-JUSTIFIED.
1048 REM 14-17 VOLUME OF DAILY SALES IN 100S. THIS IS HELD AS A
1049 REM NUMERIC ASCII STRING RIGHT-JUSTIFIED WITH
1050 REM LEADING SPACES.
1051 REM 18-21 LINK FIELD CONTAINING A FORWARD POINTER TO THIS
1052 REM STOCK'S NEXT ENTRY IN THE 'HISTORY' FILE.
1053 :
1054 REM THE DATA LINES BELOW CONTAIN MACHINE CODE ROUTINES TO FACILITATE DISK
1055 REM FILE ACCESS (A FULL DISCUSSION OF THESE FEATURES APPEARS IN THE
1056 REM NOTES TO MY PROGRAM 'PITTSBURGH PHIL', APC, APRIL 1986). THE USER

```

```

1057 REM WHO WISHES TO DEVELOP HIS/HER OWN DATA EXTRACTION/INTERPRETATION
1058 REM PROGRAMS FOR THE DATA BASE WHICH 'SHARE TRADER' CREATES MAY LIKE
1059 REM TO RETAIN THIS CODE, SINCE IT CERTAINLY REDUCES DISK ACCESS TIME
1060 REM AND GREATLY INCREASES DISK FILE CAPACITY.
1061 :
1062 REM PLEASE NOTE THAT IT IS NOT POSSIBLE TO USE THE EDIT OPTION TO CHANGE
1063 REM THE NAME OF A STOCK DIRECTLY. THIS IS A DELIBERATE OMISSION WHICH
1064 REM TAKES ACCOUNT OF THE FACT THAT THE INDEX FILE IS NEVER SORTED BUT
1065 REM ACQUIRES ITS LEXICOGRAPHIC ORDER BY MERGING ENTRIES AS THEY ARRIVE
1066 REM FROM THE KEYBOARD. WHEN IT BECOMES NECESSARY TO RENAME A STOCK,
1067 REM THE USER SHOULD FIRST RAISE AN ENTRY FOR THE STOCK UNDER ITS NEW
1068 REM NAME AND THEN USE THE 'MERGE RECORDS' OPTION TO LINK BOTH STOCKS'
1069 REM HISTORIES INTO A SINGLE CHRONOLOGICAL CHAIN OF RECORDS AND DELETE
1070 REM THE OLD STOCK NAME FROM THE INDEX FILE AUTOMATICALLY.
1071 :
1072 REM THE REMARKS ABOVE ALSO APPLY TO 'PITTSBURGH PHIL'. IN THE NOTES THAT
1073 REM WERE PUBLISHED WITH THAT PROGRAM, I IMPLIED THAT THE EDIT OPTION
1074 REM COULD BE EMPLOYED TO ALTER A HORSE'S NAME DIRECTLY; THIS IS INDEED
1075 REM NOT THE CASE. 'PITTSBURGH PHIL' USERS SHOULD ADOPT THE METHOD I
1076 REM HAVE DESCRIBED IN THE PRECEDING PARAGRAPH TO ALTER AN INDEX ENTRY.
1077 :
1078 OPEN15,8,15:OPEN2,8,2,"-SHARE TRADER,P,W":INPUT#15,A:IFA=63THEN1081
1079 PRINT#2,CHR$(0)CHR$(192)::FORX=49152050243:READH#:=D:=FORX=102
1080 A=ASC(MID$(H#,Y,1))-48:D=D#16+A*7*(A>9):NEXT:PRINT#2,CHR$(D)::NEXT
1081 CLOSE2:CLOSE15:IFB=0THEN1196
1082 GOTO1197
1083 :
1084 REM FAST IN-MEMORY SORT (SEE 'ZIPSORT', APC MARCH 1986, PAGE 203) -----
1091 DATA#9,00,85,02,20,FD,AE,C9,41,F0,07,C9,44,F0,06,4C
1092 DATA#0,AF,A9,00,2C,A9,00,0D,B6,C2,20,73,00,20,FD,AE
1093 DATA#9,30,F0,0C,C9,31,00,E7,A9,40,00,B6,C2,80,B6,C2
1094 DATA#9,B7,85,FD,A9,C2,85,FE,20,73,00,20,79,00,F0,60
1095 DATA#9,2C,00,C8,20,73,00,20,8B,00,38,A5,47,E9,07,85
1096 DATA#71,A5,48,E9,00,85,72,A0,04,B1,71,C9,01,F0,00,A2
1097 DATA#0,2C,A2,16,4C,73,C2,C8,B1,71,A6,02,F0,05,C0,B5
1098 DATA#2,D0,EF,0D,05,C2,C8,B1,71,A6,02,F0,05,C0,B4,C2
1099 DATA#0,E0,8D,B4,C2,A0,03,B9,45,00,91,FD,00,10,F8,10
1100 DATA#5,FD,69,04,05,FD,A5,FE,69,00,85,FE,E6,02,D0,9B
1101 DATA#D,B4,C2,D0,03,CE,B5,C2,CE,B4,C2,AD,B4,C2,80,B2
1102 DATA#2,AD,85,C2,8D,B3,C2,AD,B2,C2,C9,02,AD,B3,C2,E9
1103 DATA#0,00,01,60,4E,B3,C2,6E,B2,C2,38,AD,B4,C2,ED,B2
1104 DATA#2,8D,AC,C2,AD,B5,C2,ED,B3,C2,8D,AD,C2,A9,00,85
1105 DATA#02,A2,FF,2C,B6,C2,50,01,E0,8E,00,C2,8E,B1,C2,EE
1106 DATA#0,C2,D0,03,EE,B1,C2,AD,AC,C2,C2,8D,00,C2,AD,AD,C2
1107 DATA#E,B1,C2,00,06,A5,02,D0,D4,F0,AC,A2,03,8D,B7,C2
1108 DATA#5,45,CA,10,F8,A5,47,85,58,A5,48,85,59,AD,00,C2
1109 DATA#5,71,AD,B1,C2,85,72,20,2A,B3,85,F8,84,FC,18,AD
1110 DATA#0,C2,6D,B2,C2,8D,AE,C2,AD,B1,C2,6D,B3,C2,80,AF
1111 DATA#2,A2,03,8D,B7,C2,95,45,CA,10,F8,A5,47,85,58,A5
1112 DATA#0,85,59,AD,AE,C2,85,71,AD,AF,C2,85,72,20,2A,B3
1113 DATA#2,B4,C2,30,51,24,45,30,C,24,46,30,27,A5,FB,A4
1114 DATA#C,20,A2,00,85,47,A4,48,20,5B,BC,F0,02,10,03,4C
1115 DATA#E,C0,4C,04,C2,A0,01,B1,47,D1,FB,00,B1,47,F1,FB
1116 DATA#0,ED,90,EE,A0,02,B1,FB,99,4E,00,B1,47,99,51,00
1117 DATA#8,10,F3,C0,C4,4E,00,D7,C4,51,00,D3,B1,4F,D1,52
1118 DATA#0,CD,F0,EF,00,C0,24,45,30,18,24,46,30,23,A5,47
1119 DATA#A,48,20,A2,00,85,47,85,58,A5,48,85,59,AD,00,C2
1120 DATA#10,32,A0,01,B1,FB,D1,47,88,B1,FB,F1,47,00,A0,90
1121 DATA#23,A0,02,B1,FB,99,4E,00,B1,47,99,51,00,88,10,F3
1122 DATA#C,C4,4E,00,0C,C4,51,00,00,B1,52,D1,4F,F0,F1,00
1123 DATA#03,4C,EF,C0,A9,01,85,02,A9,87,85,14,A9,C2,85,15
1124 DATA#0,03,B1,14,99,45,00,00,10,F8,A5,47,85,58,A5,48
1125 DATA#5,59,AD,00,C2,85,71,AD,B1,C2,85,72,20,2A,B3,85
1126 DATA#22,04,23,AD,AE,C2,85,71,AD,AF,C2,85,72,20,2A,B3
1127 DATA#24,45,30,07,24,46,30,06,A0,04,2C,A0,01,2C,A0,02
1128 DATA#1,22,AA,B1,47,91,22,8A,91,47,88,10,F3,18,A5,14
1129 DATA#69,04,90,02,E6,15,85,14,C5,FD,A5,15,E5,FE,90,A0
1130 DATA#4C,EF,C0,8D,B1,C2,F0,06,20,D2,FF,E8,00,F5,4C,74
1131 DATA#A,00,54,4F,4F,20,4D,41,4E,59,20,44,49,40,45,4E
1132 DATA#53,49,4F,4E,53,00,00,0D,41,52,52,41,59,29,53,49
1133 DATA#A,45,53,20,44,49,46,46,45,52,00,00,00,00,00,00
1134 DATA#00,00,00,00,00,00,00,00,00,00,00,00,00,00,00
1135 :
1160 REM CODE TO TEST FOR 'RESTORE', 'READ' AND 'MID#' -----

```

```

1161 DATA#0,73,00,00,C9,8C,F0,0C,C9,87,F0,2C,C9,CA,F0,70,28,4C,E7,A7
1162 :
1163 REM CODE TO PERFORM 'RESTORE' (OLD AND NEW VERSIONS) -----
1164 DATA#20,20,73,00,00,06,20,1D,AB,4C,AE,A7,20,9E,AD,20,F7,B7,20,13,A6
1165 DATA#A4,60,A6,5F,00,01,8B,CA,86,41,84,42,4C,AE,A7
1166 :
1167 REM CODE TO PERFORM 'READ' AND 'READ#' -----
1168 DATA#20,20,73,00,C9,23,F0,06,20,06,4C,AE,A7,20,9B,B7,20,1E,E1,20
1169 DATA#FD,AE,20,9E,87,8A,48,20,FD,AE,20,8B,80,85,49,84,4A,20,A3,86,60
1170 DATA#20,75,84,00,82,B9,61,00,91,49,8B,10,FB,C8,20,12,E1,91,62,C8,C4
1171 DATA#1,D0,F6,20,CC,FF,4C,AE,A7
1172 :
1173 REM CODE TO ENABLE 'MID#' AS BOTH FUNCTION AND KEYWORD -----
1174 DATA#20,20,73,00,20,FA,AE,20,8B,80,85,64,84,65,85,49,84,4A,20,A3,86
1175 DATA#0,00,B1,64,48,F0,2E,20,52,AA,A0,01,B1,49,85,05,C8,B1,49,85,06
1176 DATA#0,FD,AE,20,9E,87,8A,F0,17,CA,86,04,20,79,00,C9,29,D0,04,A9,FF
1177 DATA#D,0C,20,FD,AE,20,9E,87,8A,D0,03,4C,48,82,85,03,68,36,E5,04,C5
1178 DATA#03,B0,02,85,03,20,F7,AE,A9,B2,20,FF,AE,20,9E,AD,20,A3,86,00,02
1179 DATA#1,64,85,51,88,B1,64,85,50,88,B1,64,F0,D3,C5,03,80,02,85,03,85
1180 DATA#05,18,65,04,85,05,90,02,E6,06,A4,03,88,B1,50,91,05,C0,00,00,F7
1181 DATA#4C,AE,A7
1182 :
1183 REM CODE TO PERFORM 'ESTR#' (SIMULATES MICROSOFT 'STRING#' FUNCTION) ----
1184 DATA#9,00,85,00,20,73,00,C9,5C,F0,06,20,79,00,4C,8D,AE,20,73,00,C9
1185 DATA#4,F0,03,4C,00,AF,20,73,00,20,FA,AE,20,9E,87,8A,48,20,FD,AE,20
1186 DATA#9E,AD,24,0D,30,0C,20,AA,B1,45,64,0B,24,A5,65,4C,16,C2,82,B7
1187 DATA#F0,1A,A0,00,B1,22,85,03,68,20,7D,B4,AB,F0,05,AS,03,88,91,62,D0
1188 DATA#F0,20,CA,B4,4C,F7,AE,4C,48,B2
1189 :
1190 REM CODE TO ENGAGE THE FOREGOING FEATURES -----
1191 DATA#9,BA,00,C2,8D,00,03,8C,09,03,A9,D1,A0,C3,8D,0A,03,8C,00,03,60
1192 :
1193 REM ENGAGE MACHINE CODE ROUTINES -----
1194 :
1195 REM ENGAGE MACHINE CODE ROUTINES -----
1196 IFB=0THENB=1:LOAD"-SHARE TRADER",B,1
1197 SYS0223:GOSUB2050
1198 :
1199 REM DISPLAY MENU -----
1200 CLR:PRINTCHR$(142):OPEN1,0
1201 PRINT"CLS11. INPUT AND FILE NEW DATA":PRINT"2. VIEW A STOCK'S HISTORY"
1202 PRINT"3. EDIT A STOCK'S RECORD":PRINT"4. FORMAT NEW DATA DISK"
1203 PRINT"5. MERGE RECORDS":PRINT"6. DISPLAY INDEX":PRINT"7. EXIT PROGRAM"
1204 PRINT"CD1(CDIENTER REQUIRED OPERATION (1-7)): INPUT#1,OP#:PRINT
1205 CLOSE1:ONOP#GOTO1300,1400,1500,1600,1700,1800,1900
1206 GOTO1200
1207 :
1208 :
1209 REM INPUT AND FILE NEW DATA -----
1300 CLR:GOSUB2030:GOSUB2000
1301 INPUT"HOW MANY STOCKS DO YOU WISH TO FILE TODAY";N#:DIMSH$(N#)
1302 OPEN1,0:FORX=1TON#:PRINT"CD1]STOCK#X:PRINT:SH$(X)=ESTR$(41," ")
1303 PRINT"STOCK NAME :":INPUT#1,SN#:PRINT
1304 IF LEN(SN#)>16THENPRINT"NAME MUST NOT EXCEED 16 CHARACTERS!!!":GOTO1303
1305 PRINT"OPENING PRICE : #":INPUT#1,OP:PRINT"=OP:GOSUB2150:OP#=#T#
1306 PRINT"CLOSING PRICE : #":INPUT#1,CP:PRINT"=CP:GOSUB2150:CP#=#T#
1307 PRINT"SALES VOLUME IN HUNDREDS:":INPUT#1,SV#:PRINT
1308 MID$(SH$(X),1,16)=SN#:MID$(SH$(X),21,3)=DT# :REM THESE LINES SIMULATE
1309 MID$(SH$(X),24,5)=OP#:MID$(SH$(X),29,5)=CP# :REM THE 'LSET' AND 'RSET'
1310 MID$(SH$(X),34,4)=RIGHT$( " "+STR$(SV#),4):REM COMMANDS OF STANDARD
1311 :
1312 NEXT:CLOSE1:SYS49152,A,1,SH$(0):Z#=#STR$(16,"Z")
1313 FORX=1TON#:SN#=#LEFT$(SH$(X),16):DT#=#DT%+1:DS=#RIGHT$( " "+STR$(DT#),4)
1314 GOSUB2000:GOSUB2070:IFFLX#THEN#GOSUB2110:GOTO1316
1315 MID$(SH$(X),17,4)=DS:GOTO1318
1316 P#=#N#:GOSUB2100:READ#3,21,K#:GOSUB2110:IFNDX#THEN#D16
1317 MID$(K#,18,4)=D#:GOSUB2100:PRINT#3,K#
1318 P#=#DT#:GOSUB2100:PRINT#3,RIGHT$(SH$(X),21):IFFLX#THEN#SH$(X)=Z#
1319 CLOSE3:CLOSE15:NEXTX:P#=#:GOSUB2080
1320 SYS49152,A,1,SH$(0)
1321 IFSH$(1)=Z#ORASC(SH$(1))=255THEN1325
1322 P#=#P#+1:GOSUB2100:READ#3,20,K#:IFK#<SH$(1)THEN1322
1323 GOSUB2100:PRINT#3,LEFT$(SH$(1),20):SH$(1)=K#:IFN#=#THEN1321
1324 GOTO1320
1325 CLOSE3:CLOSE15:IFP#%THEN#P#
1326 GOSUB2070:GOTO1200
1327 :
1328 :
1329 :

```



```

1399 REM VIEW A STOCK'S HISTORY -----
1400 CLR:GOSUB2140:GOSUB2130:GOSUB2090:GOSUB2110
1401 P%=NDX:GOSUB2100:READ#3,21,K#:GOSUB2120:PRINTTAB(4)DT#;
1402 PRINTTAB(15)OP#TAB(23)CP#TAB(32)SV#:GOSUB2110:IFND%THEN1401
1403 CLOSE3:CLOSE15:GOSUB2051:GOTO1200
1498 :
1499 REM EDIT A STOCK'S HISTORY
1500 GOSUB2140:GOSUB2090:GOSUB2110:LD%=NDX
1501 P%=NDX:GOSUB2100:READ#3,21,K#:GOSUB2120:SL%=SL%+1:IFSL%=1THENGOSUB2130
1502 IFSL%/20=INT(SL%/20) THEN1505
1503 Z=SL%:GOSUB2060:PRINTTAB(4)DT#;
1504 PRINTTAB(15)OP#TAB(23)CP#TAB(32)SV#:GOSUB2110:IFND%THEN1501
1505 PRINT"(CD)ENTER RECORD NUMBER AS SHOWN OR ZERO FORNEXT PAGE:";K%=0
1506 OPEN1,0:INPUT#1,K#:CLOSE1:PRINT:IFK%=0ANDNDX=0THENCLOSE3:CLOSE15:GOTO1200
1507 IFK%=0THEN1501
1508 NDX=LDX:FORX=1TOK%:P%=NDX:LD%=P%:GOSUB2100:READ#3,21,K%
1509 GOSUB2110:NEXT:GOSUB2120:PRINT"(CLS)(CD)(CD)(CD)(CD)1. DATE : "
DT#
1510 PRINT"2. OPENING PRICE: "OP#:PRINT"3. CLOSING PRICE: "CP#
1511 PRINT"4. SALES VOLUME : "SV#:K%=STR$(17," ") +RIGHT$(K%,4)
1512 INPUT"(CD)(CD)EDIT WHICH FIELD (1-4) (CL)(CL)(CL)(CL)(CL);K%
1513 IFK%<1OR%>4THENPRINT"(CU)(CU)(CU)(CU)";GOTO1512
1514 FL%=1:ONK%GOSUB2000,1517,1519,1521:IFFL%THENSV%=LEFT$(SV%,LEN(SV%)-2)
1515 GOSUB2004:MID$(K%,1,3)=DT#:MID$(K%,4,5)=OP#:MID$(K%,9,5)=CP#
1516 MID$(K%,14,4)=SV#:P%=LDX:GOSUB2100:PRINT#3,K#:CLOSE3:CLOSE15:GOTO1200
1517 OPEN1,0:PRINT"OPENING PRICE: $ ";INPUT#1,OP:CLOSE1:PRINT
1518 T=OP:GOSUB2150:OP#=T:RETURN
1519 OPEN1,0:PRINT"CLOSING PRICE: $ ";INPUT#1,CP:CLOSE1:PRINT
1520 T=CP:GOSUB2150:CP#=T:RETURN
1521 OPEN1,0:PRINT"VOLUME (100S): ";INPUT#1,SV#:CLOSE1:PRINT
1522 SV%=RIGHT$( " " +STR$(SV%),4):FL%=0:RETURN
1598 :
1599 REM FORMAT NEW DATA DISK -----
1600 GOSUB2050:PRINT"(CD)THIS TAKES SEVERAL MINUTES - PLEASE STAND BY..."
1601 OPEN15,8,15,"N0:SHARE TRADER,ST":GOSUB2081:P%=100:GOSUB2100
1602 PRINT#3,CHR$(255):CLOSE3:GOSUB2091:P%=7700:GOSUB2100:PRINT#3,CHR$(255)
1603 INPUT#15,EM#:CLOSE3:CLOSE15:GOTO1200
1698 :
1699 REM MERGE RECORDS (SEE PROGRAM HEADER NOTES)
1700 CLR:OPEN1,0:FL%=1:GOSUB2030
1701 SN#=#STR$(16," "):PRINT"(CD)(CD)CORRECT NAME : ";
1702 INPUT#1,K#:PRINT:MID$(SN#,1,16)=K#:GOSUB2020:IFFL%THEN1704
1703 PRINT"(CD)NO RECORD OF THAT NAME - TRY AGAIN.":GOTO1701
1704 GOSUB2110:C1%=P%:OC%=NDX:GOSUB2090
1705 CT%=CT%+1:P%=NDX:GOSUB2100:READ#3,21,K#:GOSUB2110:IFND%THEN1705
1706 CLOSE3:CLOSE15
1707 SN#=#STR$(16," "):PRINT"(CD)INCORRECT NAME: ";
1708 INPUT#1,K#:PRINT:MID$(SN#,1,16)=K#:GOSUB2020:IFFL%THEN1710
1709 PRINT"(CD)NO RECORD OF THAT NAME - TRY AGAIN.":GOTO1707
1710 CLOSE1:GOSUB2110:I1%=P%:O1%=NDX:GOSUB2090
1711 CT%=CT%+1:P%=NDX:GOSUB2100:READ#3,21,K#:GOSUB2110:IFND%THEN1711
1712 DIMK$(CT%),PTX(CT%):NDX=OC%
1713 P%=NDX:GOSUB2100:AP%=AP%+1:READ#3,21,K#:K%(AP%)=K%:PTX(AP%)=NDX
1714 GOSUB2110:IFND%THEN1713
1715 ND%=O1%
1716 P%=NDX:GOSUB2100:AP%=AP%+1:READ#3,21,K#:K%(AP%)=K%:PTX(AP%)=NDX
1717 GOSUB2110:IFND%THEN1716
1718 CLOSE3:CLOSE15:SYS49152,A,1,K%(0):SYS49152,A,1,PTX(0)
1719 GOSUB2080:P%=C1%:GOSUB2100:READ#3,20,K%
1720 MID$(K%,17,4)=RIGHT$( " " +STR$(PTX(1)),4):P%=C1%:GOSUB2100
1721 PRINT#3,K#:FORX=1%+1TOITX:P%=X:GOSUB2100:READ#3,20,K#:P%=X-1:GOSUB2100
1722 PRINT#3,K#:NEXT:P%=ITX:GOSUB2100:PRINT#3,CHR$(255);CLOSE3:CLOSE15
1723 ITX=ITX-1:FORX=1TOCTX-1:MID$(K%(X),18,4)=RIGHT$( " " +STR$(PTX(X+1)),4)
1724 NEXT:MID$(K%(CTX),18,4)= " ":GOSUB2090:FORX=1TOCTX
1725 P%=PTX(X):GOSUB2100:PRINT#3,K%(X);NEXT:CLOSE3:CLOSE15:GOSUB2070:GOTO1200
1798 :
1799 REM DISPLAY INDEX FILE IN SEQUENCE -----
1800 CLR:FL%=1:GOSUB2030:PRINT"(CLS)":GOSUB2080:FORX=1TOITX:P%=X:GOSUB2100
1801 READ#3,20,K#:PRINTRIGHT$( " " +STR$(P%),4),LEFT$(K%,16)
1802 NEXT:CLOSE3:CLOSE15:GOSUB2051:GOTO1200
1898 :
1899 REM EXIT PROGRAM, LEAVING EVERYTHING AS WE FOUND IT -----
1900 SYS64738
1998 :

```

```

1999 REM CONVERT 'DDMMYY' TO Y-M-D VALUES -----
2000 PRINT"(CLS)TRADING DATE (DDMMYY): ";OPEN1,0:INPUT#1,DT#
2001 CLOSE1:PRINT:IFLEN(DT#)<>6THEN2000
2002 YY%=VAL(RIGHT$(DT#,2)):MM%=VAL(MID$(DT#,3,2)):DD%=VAL(LEFT$(DT#,2))
2003 IFDD%=0ORMM%=0ORYY%=0THEN2000
2004 DT%=CHR$(YY%)+CHR$(MM%)+CHR$(DD%):RETURN
2008 :
2009 REM CONVERT Y-M-D TO DD MMM YY FOR SCREEN OUTPUT -----
2010 DD%=ASC(MID$(K%,3,1)):MM%=ASC(MID$(K%,2,1)):YY%=ASC(K%)
2011 RESTORE2012:FORV=1TODM%:READM%:NEXT
2012 DATAJAN,FEB,MAR,APR,MAY,JUN,JUL,AUG,SEP,OCT,NOV,DEC
2013 DT%=RIGHT$(STR$(DD%),2) + " " +MM% + " " +RIGHT$(STR$(YY%),2)
2014 RETURN
2018 :
2019 REM PERFORM BINARY SEARCH ON INDEX FILE -----
2020 FL%=0:HI%=ITX:LO%=1:GOSUB2080
2021 P%=(HI%+LO%)/2:GOSUB2100:READ#3,20,K%
2022 IFSN%=LEFT$(K%,16)THENFL%=1:GOTO2026
2023 IFHI%<LO%THEN2026
2024 IFSN%<LEFT$(K%,16)THENHI%=P%-1:GOTO2021
2025 LO%=P%+1:GOTO2021
2026 CLOSE3:CLOSE15:RETURN
2028 :
2029 REM FETCH FILE TOTALS FROM BAM SECTOR -----
2030 OPEN15,8,15:OPEN3,8,3,"#":PRINT#15,"UA:3 0 18 0"
2031 PRINT#15,"B-P:3:248:READ#3,8,K#:CLOSE3:CLOSE15
2032 IT%=VAL(LEFT$(K%,4)):DT%=VAL(RIGHT$(K%,4)):IFFL%THENRETURN
2033 PRINT"(CD)(CD)INDEX FILE HAS"100-IT%"RECORDS FREE":PRINT"HISTORY FILE ";
2034 PRINT"HAS"7700-DT%"RECORDS FREE":PRINT"(CD)IS THIS SUFFICIENT FOR THE ";
2035 PRINT"CURRENT RUN (Y/N)?":GOSUB2040:IFK%="N"THENCLEAR:GOTO1600
2036 RETURN
2038 :
2039 REM FETCH Y/N RESPONSE -----
2040 GETK%:IFK%<>"Y"ANDK%<>"N"THEN2040
2041 RETURN
2048 :
2049 REM PROMPT FOR DATA DISK, ETC. -----
2050 PRINT"(CD)(CD)INSERT DATA DISK AND PRESS <RETURN>":GOTO2052
2051 PRINT"(CD)(CD)PRESS <RETURN> TO CONTINUE..."
2052 POKE198,0:WAIT198,1:POKE198,0:RETURN
2058 :
2059 REM FORMAT OPTION NUMBERS -----
2060 PRINTRIGHT$(STR$(2),2) " " +STR$(21):RETURN
2068 :
2069 REM WRITE FILE TOTALS ON BAM SECTOR -----
2070 OPEN15,8,15:OPEN3,8,3,"#":PRINT#15,"UA:3 0 18 0"
2071 K#=#STR$( " " +STR$(IT%),4)+RIGHT$( " " +STR$(DT%),4)
2072 PRINT#15,"B-P:3:248:PRINT#3,K#:PRINT#15,"UB:3 0 18 0"
2073 CLOSE3:CLOSE15:RETURN
2078 :
2079 REM OPEN INDEX FILE -----
2080 OPEN15,8,15
2081 OPEN3,8,3,"INDEX,L,"+CHR$(20):RETURN
2088 :
2089 REM OPEN HISTORY FILE -----
2090 OPEN15,8,15
2091 OPEN3,8,3,"HISTORY,L,"+CHR$(21):RETURN
2098 :
2099 REM ALL-PURPOSE 'POSITION' COMMAND -----
2100 PRINT#15,"P"CHR$(3+96)CHR$(P%AND255)CHR$(P%/256)CHR$(1):RETURN
2108 :
2109 REM DECODE LINK TO NEXT RECORD -----
2110 ND%=VAL(RIGHT$(K%,4)):RETURN
2118 :
2119 REM UNPACK INCOMING HISTORY RECORD -----
2120 GOSUB2010:OP#=MID$(K%,4,5):CP#=MID$(K%,9,5)
2121 SV#=MID$(K%,14,4)+"00":IFVAL(SV#)=0THENSV#=" "
2122 RETURN
2128 :
2129 REM PRINT HEADING -----
2130 PRINT"(CLS)"TAB(6)"DATE"TAB(15)"OPENED"TAB(23)"CLOSED VOLUME"
2131 FORJ=1TO39:PRINTCHR$(163);NEXT:PRINTCHR$(163):RETURN
2138 :
2139 REM FETCH AND FORMAT STOCK'S NAME FOR INDEX FILE SEARCH -----

```


CHIP CHAT



Award 1

This month's 'clutching at straws' award goes to Bordon Tkachuk for this quote, justifying the Atari's place in business, which appeared in *Business Review Weekly* recently: "It (the Atari 520 ST — Ed) meets a number of industry standards: it will connect to a standard IBM printer, it uses a standard communications port, and it supports the standard musical instrumentation digital interface." Bordon forgot to mention it also plugs into a standard power-point.

Brick-bats to *BRW* for printing this drivel.

Award II

We have two awards this month. The second — for the hyperbolic press release of the month — goes to Epson for its announcement of the Epson PC+, headed "Giant Leap in PC Technology". According to Epson, its "extremely advanced specifications" include a "powerful 360k floppy disk drive". Wow! And other features are an 8086 compatible micro-

processor! Cor! It doesn't stop there, though: there are even five full length expansion slots. And so the statement goes on.

Yes, the Epson PC+ is a very nice machine; but a "Giant Leap"? No way.

Bad workmen blaming tools:

Now it can be told; the slump in the home micro market was all due to the customers, who were too stupid to know what they were doing and refused to buy home computers when they didn't know what to use them for.

This conclusion, very comforting for those many micro makers who have total contempt for their customers, is drawn by research firm Mintel in a recent report.

"Fuelled by media enthusiasm and a certain amount of hype, sales grew rapidly," says the report. "But little notice was taken of consumer needs."

Absolutely, and whose fault was that? The greed-obsessed manufacturers or retailers?

- Faster Than a Speeding Pen
- More Powerful Than an Electric Typewriter
- Able to Leap Tall Letters and Wide Reports



Yes when you learn Microwriter (in less than an hour) you'll throw away that old fashioned pen and paper forever. Never again will you need to laboriously key in that hand written copy. Just write it all on your Microwriter (much faster than pen and paper) and later plug into your computer or printer for revision and printout.

LOOK! LOOK! ITS MICROWRITER, THE MOST POWERFUL WORD PROCESSOR YOU CAN HOLD IN YOUR HAND. \$595. for limited time.
Call now for your nearest Microwriter dealer.

PHM microwriter

Sydney. 977 6600 Brisbane. 854 1110
Perth. 444 0233 Melbourne. 572 2133

MINITAB

DATA ANALYSIS SOFTWARE

A very user friendly program widely used by Colleges and Universities throughout Australasia and America. Fast becoming the most popular data analysis software ever developed. Mainframe Mini and Microcomputer versions available.

Contact: Andrew Cogar,
Siromath Pty Ltd,
31 Market Street,
SYDNEY NSW 2000
Phone 29 5352



SIROMATH

"Providing innovative
software for the
future"

CHIP CHAT
CHIP CHAT
CHIP CHAT
CHIP CHAT

No. "Consumer ignorance" is to blame for the downward slide of home computers.

However, later in the report, 64 per cent of these ignorami disagreed with the Mintel suggestion that

"home computers are a flash in the pan," and 58 per cent of them also disagreed with the statement that "home computers are only useful for playing games."

So what do we conclude? That the customers are really keen on home computers, and want to use them for useful work at last.

And what does Mintel conclude? That "manufacturers and retailers will still face resistance from the consumer as long as they continue to remain ignorant." Market research, yes. But logic?

A retinal reader writes:
"Sir, I hope your columnist's report of advances in "rectal pattern recognition" ("Chip-Chat", APC May) is a Freudian slip for "retinal pattern recognition", although the former would clearly be of fundamental importance. Mind you, the way the late 20th Century is turning out, I was inclined to take the author at face value on first reading.

Yours faithfully, M Daplyn.
A retinal columnist replies: Sorry. I must have been talking out of my retina.

APOLOGY

On page 162 of the latest DSE Catalogue, we published a full Public Access Message Systems (PAMS) listing. But in our eagerness we included two services that had undergone some changes. We apologise to both the operators concerned for any inconvenience that may have resulted from these errors.

Also, elsewhere in the catalogue, we actually managed to print our own Bulletin Board number incorrectly. The correct number is (02) 887 2276, as shown on page 162.

Zeta RTRS
Sysop: Nick Andrew
Phone: (02) 627 4177
24 hours (weekdays)
7pm — 7am (weekends)

Contact BBS
Sysop: Steve Williams
Phone: (02) 550 1004
24 hours, 7 days
Visitors welcome




PTY LTD

B.214

DS BACKUP™
A HIGH SPEED DISK BACKUP UTILITY FOR IBM PC & COMPATIBLES

**NOW EVEN FASTER... UP TO 1 MEG/MIN.
COMPARE FOR YOURSELF**

"Ease of use, for example, was what made AT&T's Jim Murphy switch from Software Integration's Backup to Design Software's DS Backup. "My pick now is DS Backup," he said."



"DS Backup also has won a convert in Donovan Kuhn, an engineer at US Robotics, in Lombard, Ill. "DS Backup is quick and so easy," Kuhn said."

PC WEEK

PC WEEK

COMPARE OUR CAPABILITIES	DSBACKUP™ V 2.3	MS-DOS™ V 2.11	BAKUP™ V 3.02	FASTBACK™ V 5.0
NOT COPY PROTECTED	✓	✓	✓	✓
Formats floppy during backup process	✓	✓	✓	✓
Backup up to 100MB disk	✓	✓	✓	✓
Estimates total No. of floppies to complete backup	✓	✓	✓	✓
On-line help	✓	✓	✓	✓
Command window for help	14	15	10	1

**Aardvark Utilities,
P.O. Box 133,
HAWTHORN, VIC, 3122,
(03) 819 1996.**

MASTER DISTRIBUTOR. DEALER ENQUIRIES WELCOME



Memo from Marketing

To: The chairman

From: Marketing director (retired)

Re: Resignation

Well, sir, the rumours are true. It is no use shaking the golden handcuffs in my direction, no use whipping the md into rare activity to talk me out of it. I am sorry to say that I am leaving your employment forthwith, or even sooner.

It would be nice to say that it has been a pleasure to hawk your machines round the gaggle of sycophants and green-maddened no-hopers who comprise our dealer network. However, it has not.

Nor has it been unalloyed joy convincing our chinless salesmen to repeat, word-for-word, the script that I cobbled up in a Kings Cross drinking club one afternoon — a script whose contents could have won the Australian prize for fiction, by the way.

The advertising agency will not be missed, nor will its denizens' pink spectacle frames and red Kickers. And as for the computer press, one remembers the immortal lines:

*One cannot hope to bribe or twist,
Thank God, the Aussie journalist.
But seeing what the man will do
Unbribed, there's no occasion to.*

I still think, though that it was worth a couple of lunches at Glo Glo's to get compliments about our case colour and powercord placement into the colour pages of the print press (the expenses claim will be in the post).

But as you trudge towards the Job Centre, sir, before you get your quango surprise at the Egg Marketing Board or wherever, I trust you will remember me with affection.

*Remember that you are not so much losing a marketing director as gaining a bankruptcy hearing, and comfort yourself with the thought that microcomputers' loss is the pet food business' gain.
Yours in perpetuity and Snappy Tom,
James*

END

SUPER XT TURBO

[... the perfect IBM clone ... the most compatible ...]

Western Mail 7th December

- * 4.77/8 MHz switchable processor
- * 640K RAM on motherboard
- * 100% Japanese components
- * Parallel, Games and 2 serial (1 imp) ports
- * Permanent clock/calendar
- * Colour or mono graphics (Hercules compatible) card
- * 150W power supply
- * 8 slot motherboard with 8087 socket
- * 15 disks containing all the legitimate software you are ever likely to need.

Fully warranted

\$1,250 *ex*
\$1,380 *inc*

As above with additional 20MB hard disk and controller	\$1,945 <i>ex</i>
	\$2,250 <i>inc</i>
Green monitors from	\$150
TVM MD3 hi-res colour monitor	\$470 <i>ex</i>
	\$550 <i>inc</i>
Olympia NP 165 printer	\$390 <i>ex</i>
	\$468 <i>inc</i>
Rodime 20 MB 3.5" hard disk with 1/2 length controller	\$800 <i>ex</i>
	\$900 <i>inc</i>

LYSCO

P.O. Box 265
Bunbury. W.A. 6230
Ph (097) 26 3009

Prices subject to fluctuation

SELF-TEACHING COMPUTER VIDEO COURSES

The fast, easy and low cost way



A **Self-Teaching Video Course** is like having your own private trainer at your elbow and it will make you productive within hours. The courses, which generally include a video cassette, a reference guide and student diskette, are easy to use and comprehensive covering basics to the more advanced features. Ideal for beginners and even for experienced users who want to learn a new program or revise specific segments quickly.

You learn faster and remember more by seeing, hearing and doing, at your own pace and convenience. This new video-based training makes learning far easier and more effective than using a book or diskette alone. The watch-then-practice format of interactive video gets people productive fast. Because the courses are entirely self teaching, managers don't have to take time to train employees on a one-to-one basis.

It is very cost effective and saves you money. A video course has a one time fixed cost. As you use the course again and again to train new employees, or to revise specific segments, the training cost per employee decreases. It can also be more effective than classroom courses as students learn at their own pace and therefore retain more.

Courses Available:

• Lotus 1-2-3	\$395	• Wordstar	\$295
• Advanced Lotus	\$695	• Multimate	\$295
• Multiplan	\$295	• Using Your Apple IIE	\$195
• dBaseII	\$395	• Using Your IBM PC	\$195
• dBaseIII	\$345	• Mastering MS DOS	\$245
• Symphony	\$795	• Display Write	\$795

Micro Management Services is the Australasian distributor for the Arthur Young Self-Teaching Video courses.

Buy Combined Lotus 123 and Advanced course and SAVE \$100. Rental from \$49.00 per week. Fully credited to purchase price if purchased within one week. Prices are for VHS and Beta format. Delivery cost extra.

ORDER THIS MONTH AND OBTAIN FREE DELIVERY
by quoting this advertisement (3% discount for cash with order)

For further information or to order call:

Micro Management Services Pty Ltd
15 Woolrych Crescent, Davidson NSW. Ph: (02) 452 5966
(Dealer inquiries welcome)

COMPUTER TOO SLOW?

Don't get mad — get

PC-SPEED-ed

For as little as **\$455**

PC-SPEED will breathe new life into your IBM-PC or clone.

PC-SPEED will:

- increase PC's processing speed by over 200%
- features 4KB high-speed cache memory
- includes ultrafast 10MHz 8086 CPU
- has no effect on existing system memory
- transparent to existing software
- easy to install into expansion slot
- network compatible
- now comes with "ZAP" included in price

IF YOU HAVE AN IBM-PC OR CLONE AND DON'T HAVE PC-SPEED YOU MUST LIKE WASTING TIME AND MONEY



computer enhancements pty ltd
9th Floor, 505 St Kilda Road
Melbourne Vic 3004
Telephone: (03) 267 7829

ADVERTISERS INDEX

A

Aardvark Utilities 104,198
 ACD 157
 Addison Wesley 148
 A.E.D. 68
 Alloy 119,121
 American Express INSERT
 Amust IBC
 Anitech 100
 Apple IFC,1
 Archives 30
 ASP Microcomputers 174
 Atlantis International 108,109
 A.T.S. 163
 Attache 60
 Aust. Home Computer 176
 AWA Thorn 64

B

Bizap 173
 BJE 200
 B&E 145
 Blue Sky 156
 Brainstorm 76,77

C

Caulfield Typewriter 191
 Calcutronics 162
 Computer Enhancements 54,148,191,196
 Compak 114,115
 Computer Print & Paper 172
 Computhink 120
 Computer Realm 174
 Commonwealth Bank 41
 Computer Haven 140
 Computing Australia 62
 Custom Made 148

D

Daneva 4
 Dataflow 168
 Dataparts 66,153
 Datasat 191
 D.C.S. 24
 Dick Smith 132,198
 Direct Ergonomics 166
 Discware 81

E

Eastern Micro Electronics 82
 E.C.P. 105
 Electromark 110
 Elmeasco 135

F

F.M.S. 54,55,71
 Fugimex 90

G

G.C.S. 185
 Gumtree Computers 63
 Griffith Holding 92

H

Hales & Rogers 181
 Help on Tap 34
 High Technology (Communications) 40
 High Technology 42
 Hypertech 39

I

Independant Micro 40
 Interface Publications 187
 Information Unlimited 61
 Intouch 11,53,72
 Island Hi Tek 162
 Ipex 21
 I.S.D. 20

J

JRT Software 123

K

Kaypro 161
 KCS Comp. 174,174
 Kent Design 174
 Kowhai 167

L

Logo Computer 127
 Lotus Computers 110
 Lysco 54

M

Mac Bureau 151
 Memorex 9
 Minicom 126
 Microbee 14,15
 Micro Computer Spot 128
 Micro Educational 164,165
 Micro Imports 124
 Micromania 143
 Micro Management 54
 Microsoft OBC
 Micron 113
 Micropro 130
 Mobex 86,87
 Modem Technology 42
 Multisoft 10

N

Neil Carpenter 196
 Netcomm 99
 Nu Soft 196

O

Opsoft 158

P

PC Accessories 145
 PC Plus 52
 Perfect Information 78
 P.H.M. 197
 Porchester 75
 Proware 43
 Pursuit 171

Q

Qld Amstrad Users 196
 Qubie 118

R

Rediform 154
 Robs Computer Centre 138,139
 Rod Irving Electronics 103

S

Select Software 170
 Sendata 91
 Sharp 29
 Siromath 197
 Software to Go 129
 Sony 31
 Sourceware 36
 Sperry 27
 Stemsoft 173
 Super 5 94

T

Telecom 85
 Tech Pacific 19
 Tech Rentals 102
 The Computer House 59
 The Computer Trader 50
 The Mac Centre 96
 The T.A.B. 7
 The Wordworks 56
 Thinking Systems 146
 Tully Compuprint 116

V

Viatel Computers 92

W

Word Comm 150
 Wilbro Print INSERT



LOGITECH MODULA-2/86

From \$145

The professionals choice of programming language.

B.J.E. ENTERPRISES
 35 West Parade,
 Eastwood NSW 2122
 (02) 858 5611



“Microsoft’s programs are so popular you’d think they wrote the operating system for the IBM PC.”

Indeed, we did.

The “MS” in MS-Dos[®] stands for Microsoft.

What’s more: we have recently signed a long-term agreement with IBM that means we will continue the joint development of operating systems and other systems software for the industry’s most successful PC.

Microsoft is to software what IBM is to hardware: The industry standard.

Microsoft Word[®]

The industry standard word processor (comes with Spell[™]).

Microsoft Multiplan[®]

The industry standard spreadsheet.

Microsoft Chart[®]

The industry standard graphics application.

Microsoft Rbase[®]

The new industry standard relational data base.

Microsoft Project[®]

The industry standard project management tool.

Microsoft Windows[®]

The industry standard you’ve all been waiting for.

Microsoft Mouse[®]

The industry standard pointing peripheral.

Microsoft Flight Simulator[®]

The industry standard – *period* (voted Your Computer’s Software Product of the Year for 1984).

For any information call us on (02) 452 5088 or toll free on (008) 22 6850.

MICROSOFT[®]

Microsoft is to software what IBM is to hardware. The industry standard.

John Berens

HERE'S PROOF!

Samsung is tops



Korea's largest computer manufacturer, now proves its superiority. Just compare the data in the chart below.

Feature-Wise Price-Wise Samsung is the best!

Model	RRP (ex Tax)	Tilt Swivel Base Inc.	Anti-Glare Screen Inc.	New Look Flat Screen	Video Band Width	Scan Freq.	Operating Temp.	Weight	Hidden Front Cont.	Heavy Duty Cabinet	Active Display Area
SAMSUNG GR2F	\$225.00	✓	✓	✓	20 Mhz	18.432 Khz	-10°C to +50°C	8.1 kg	✓	✓	210 mm x 160 mm
TAXAN KX1212	\$335.00	✗	✓	✗	20 Mhz	18.432 Khz	-10°C to +40°C	6.8 kg	✗	✗	205 mm x 150 mm
ROLAND MA-122	\$262.50	✗	✓	✓	20 Mhz	18.432 Khz	0°C to +40°C	7.0 kg	✗	✗	195 mm x 146 mm
QUBIE HR39	\$320.00	✓	✓	✗	20 Mhz	18.432 Khz	-10°C to +50°C	9.8 kg	✗	✗	204 mm x 135 mm

For all your computer needs, we're a must.

Amust

350 South Road, Moorabbin, Victoria 3189. (03) 555 3644.

Proven Japanese Quality Control

Samsung has been working together with NEC since 1977, and with the strictest Japanese quality control, they're rapidly becoming Australia's number one monitor. Small wonder, with a price 20% below that of their nearest competitor.

IBM Compatibility

There are a number of models to choose from in a choice of flat, anti-glare screen with tilt and swivel base or standard screen. Most models come in either green or amber screen and are compatible with IBM, Apple and most types of computers.

Australia's Sole Distributor

For further details, just call Amust - Australia's sole distributor for the Dealer closest to you. In Queensland call **Datalog, 3 Arkana Street, The Gap, (07) 300 5463**