

Practical Computing

50p

July 1979

An ECC Publication Volume 2 Issue 7

**Microcomputer
Show Issue**


**Two reviews:
Aim-1 & Sol-20**

**The Nascom
Story**

**Computing history
in school**

**Going on-line
with Pet**

**Choosing your
first computer—
eight-page guide**



EUROC

-Simplicity is the watchword



EUROC is a new, simple to use, fast, powerful micro-computer system for business. It's British, the programme tried and tested.

EUROC is already being talked about by bankers, accountants and businessmen. See it on Stands 1 & 2 at the Micro Computer show - Bloomsbury Centre, July 5th to 7th.

EUROC hardware is manufactured exclusively for Euro-Calc Ltd., by Plessey Micro Systems Ltd. EUROCC will be on permanent display at Euro-Calc's branches at 55, High Holborn, London, W.C.1., and at 224, Tottenham Court Road, London, W.1.

For further information and trade-distribution enquiries, talk to Peter Ingoldby, Managing Director, Euro-Calc Ltd., 55, High Holborn, London, W.C.1., telephone 01-405 3223 or Anthony Manton, Sales Director at Tottenham Court Road on 01-636 5560.

EUROC

Managing Editor
Dennis Jarrett

Editor
Peter Laurie

Features Editor
Robert Walczyk

Computabits Editor
Nick Hampshire

Staff Writer
Kay Floyd

Production Editor
Harold Mayes

Advertisement Manager
Erica Gibson

Advertisement Department
Tom Moloney
Tina Roberts

Subscription Manager
Annabel Hunt

Publisher
Wim Hoeksma

Company-Secretary
Carole Fancourt

Managing Director
Richard Hease

Editorial: 01-359 8451
Advertising: 01-359 8151

Production and Subscriptions: 01-359 7481

Practical Computing is published by ECC as a subsidiary of WHICH COMPUTER? Ltd at its registered office, 30-31 Islington Green, London N1 and printed by Eden Fisher Ltd, Southend-on-Sea.

Distributed to newsagents by Moore Harness Ltd., 31 Corsica Street, London N5 and to specialist shops by Practical Computing Ltd.

Subscription rates:
Single copy: 50p.
Subscriptions: U.K., £6 per annum (including postage); overseas: £12 (including airmail postage).

© Practical Computing 1979
ISSN 0141-5433.

Every effort has been made to ensure accuracy of articles and program listing. Practical Computing cannot, however, accept any responsibility whatsoever for any errors.

CONTENTS

MICROCOMPUTER SHOW GUIDE

The official stand-by-stand guide to what can be seen and heard at the Microcomputer Show, July 5-7 ... 63

REVIEW I - AIM-65

Full review of another microprocessor which has just been introduced to the market 38

REVIEW II - SOL-20

Full review of this microprocessor which just been introduced to the market 38

GOING ON-LINE WITH PET

The first of two articles on how to get even more from your Pet 99

THE NASCOM STORY

We look at the leading British manufacturer which has just introduced the Nascom-2 76

TEACHING HISTORY WITH A COMPUTER

The winner of the Research Machines computer in our Christmas competition shows how computers can be used innovatively in school 80

CHOOSING YOUR FIRST COMPUTER

Eight pages of advice on what to look for when making the great decision 53

DESIGNING A SMALL BUSINESS APPLICATION

Part two of our three-part series 44

BIORHYTHMS - COMPLETE PROGRAM

Now you can use your computer to forecast your good and bad days by charting cycles 103

LOW-COST WORD PROCESSING

We complete our two-part review on word processing systems available on micros 47

MICROCOMPUTER BUYERS' GUIDE

Our invaluable guide to the microcomputers available on the market 125

GLOSSARY OF COMPUTER TERMS

Our popular series explaining what the words mean 131

ALL THIS AND MORE

FEEDBACK 33 Your letters and our replies	APPLE PIE 97 More to do with your Apple
PRINTOUT 36 All the news and the views	MICRO MEDITATIONS 107 Nick Laurence formulates an idea
CASSETTE SOFTWARE REVIEW 84 Our views on ready-to-run programs	DIARY 109 Key future events
ILLUSTRATING BASIC 87 Teach yourself programming, continued	SHOP 111 We look at Rostronics
BOOK REVIEWS 93 All about what to read	COMPUTABITS 113 More articles for computer enthusiasts
TANDY FORUM 95 Tips and ideas for the TRS-80	ADVERTISEMENT INDEX 133

AUGUST ISSUE ON SALE JULY 11 - ORDER NOW

Thinking Computers?



Then come to the number one micro-computer centre

If you're wondering if a micro-computer can help you, we are here to advise you. At Lion House—London's leading centre for micro-computers—you'll find:

- * Experts who'll explain the equipment in a way you can easily understand, showing how and where it applies to *your* work.

- * Demonstration areas where you can get immediate experience of using micro-computers yourself.

- * Probably the biggest range of software in the UK.

- * Programmes can be tailored for your particular commercial needs by our In-House Analysts and Programmers.

- * Total service—including the availability of full maintenance after you've bought an installation.

- * Leasing and H.P. facilities immediately available.

- * A computer book section with publications that give you new insight into the world of micro-computers.

How will micro-computers help you? In thousands of ways—only a few can be mentioned here...

MICRO-COMPUTERS FOR BUSINESS



For business and professional, the versatility of compact micro-computers means that all the benefits of big computers are made available to **all** at low cost. The businessman can now computerise his accountancy, his stock control, his records and much more—cutting his overheads and improving his efficiency.

For the home, micro-computers have innumerable uses and considerable value too—sometimes in unexpected ways.

MICRO-COMPUTERS FOR THE HOME



Budgeting . . . investments . . . controlling heating or security . . . storing information on things like recipes . . . designing complex and fascinating games . . . education . . .

Come and see. We invite you to visit us and investigate the possibilities and the potential. If you're too far away, phone or write and we'll send you more information. **You need a micro-computer. We can supply it.**



LION MICRO-COMPUTERS

SMALL COMPUTERS—TO MAKE YOUR BUSINESS BIGGER

Lion Computer Shops Ltd, Lion House, 227 Tottenham Court Road, London W1 (First Floor). Telephone: 01-637 1601. Telex: 28394 Lion G.

Open 9 to 6, Monday to Saturday (Thursday to 7).



● Circle No. 102

PRACTICAL COMPUTING July 1979

GRAMA (WINTER) LTD

This is how your business appears on the screen

A complete Business Program Package free with the purchase of a 32-40K computer system. At stand 46 Microprocessor Show only.

Approx 60 entries * updates require only 1-2 hours weekly and your entire business is under control.

* PROGRAMS ARE INTEGRATED

- 1=ENTER NEW NAMES/ADDRESSES
- 2=* ENTER/PRINT INVOICES
- 3=* ENTER PURCHASES
- 4=* ENTER A/C RECEIVABLES
- 5=ENTER A/C PAYABLES
- 6=ENTER/UPDATE STOCKS REC'D
- 7=ENTER ORDERS REC'D
- 8=EXAMINE/UPDATE BANK BALANCE
- 9=EXAMINE SALES LEDGER
- 10=EXAMINE PURCHASE LEDGER
- 11=EXAMINE ORDER BOOK
- 12=EXAMINE PRODUCT SALES WHICH ONE (ENTER 1 TO 24)

SELECT FUNCTION BY NUMBER

- 13=PRINT CUSTOMER STATEMENTS
- 14=PRINT SUPPLIER STATEMENTS
- 15=PRINT AGENTS STATEMENTS
- 16=PRINT VAT STATEMENTS
- 17=PRINT WEEK/MONTH SALES
- 18=PRINT WEEK/MONTH PURCHASES
- 19=PRINT YEAR AUDIT
- 20=PRINT PROFIT/LOSS ACCOUNT
- 21=UPDATE ENDMONTH FILES
- 22=PRINT CASHFLOW ANALYSIS
- 23=ENTER PAYROLL
- 24=RETURN TO BASIC

EACH PROGRAM GOES IN DEPTH TO FURTHER EXPRESS YOUR REQUIREMENTS.

FOR EXAMPLE (9) ALLOWS: a. list all sales; b. monitor sales by stock code; c. invoice search; d. amend ledger files; e. total all sales.

THINK OF THE POSSIBILITIES, AND ADD TO THOSE HERE IF YOU WISH

Note programs 19, 20, 22, 23 not linked at time of going to press; estimated completion July. Price for current package £275 plus VAT, improved version - inc aged debtors analysis etc. £375, or full listing plus manual to be typed-in on most computer systems £150. Barclaycard enquiries welcome.

Hardware systems tailored to your requirements (SWTP and PET) from £600 to £5,000 approx. Above package is intended to work with processor, twin-floppy and printer.

LIST OF FUNCTIONS AND FILES IN THIS PACKAGE

Program 1	BUS	display above options
Program 2	TRANSAC1	creates invoice file containing all sales information
Program 3	TRANSAC2	creates accounts received file
Program 4	TRANSAC3	prints sales invoices and credits
Program 5	TRANSAC4	enters invoice details to monthly ledger
Program 6	TRANSAC5	enters invoice details to 2nd ledger for payment
Program 7	TRANSAC6	links current invoice files to old file for third copy purposes
Program 8	TRANSAC7	updates payment ledger with monies received and rejects discrepancies
Program 9	TRANSAC8	prints final total outstanding and enters to liquidity
Program 10	PURCHAC1	enters purchases made and creates ledger file
Program 11	PURCHAC2	enters monies to be paid out, with a check against discrepancies
Program 12	PURCHAC3	updates purchase ledger file with new entries
Program 13	PURCHAC4	evaluates old creditors balances and updates to include purchases
Program 14	PURCHAC5	updates creditors balance to include payments made out
Program 15	PURCHAC6	evaluates and prints new ledger balances and gives final liquidity balance
Program 16	ADDRESS	examines, adds, amends, prints lists of address files (up to 999)
Program 17	STOCK	examines, adds, amends, prints lists, gives valuations of stocks on hand
Program 18	ORDER	examines, adds, amends, prints lists, valuations and confirmations to clients
Program 19	TRANSPRT	examines, adds, amends, prints lists of ledger entries and stocks sold
Program 20	PURCHPRT	examines, adds, amends, prints lists of ledger files
Program 21	VATPRT	lists ledgerfiles for three months and prints vatform entries
Program 22	CUSTPRT	prints customer statements with aged debtor analysis for 1 or all clients
Program 23	AGENTPRT	prints agent statements for 1 or all, with 4 commission rates presented
Program 24	SUPPRT	prints suppliers statements
Program 25	ENDMTH	updates all files for month end, to clear files to another disc
Program 26	BANK	examines, adds, amends, totals bank transactions
Program 27	AUDIT	(in work) prints years audit
Program 28	PROFIT	(in work) prints years profit/loss account
Program 29	CASHFLOW	(in work) prints years calendar of cashflow to include standing orders etc
Program 30	PAYROLL	(in work) evaluates weekly payroll and taxation applied to record files

FINAL 4 OPTIONS WILL ADD APPROX. £200 TO ABOVE

Please telephone for appointment - Tony Winter on 01-636 8210

GRAMA (WINTER) LTD 21B Dryden Chambers,
119 Oxford St., London W1.

● Circle No. 103

***** COMMODORE BASIC *****
31743 BYTES FREE
READY.

PAM is a self-contained add-on memory unit for PET computers. It is available in 8K, 16K, 24K and 32K versions. 8K cards are available to augment all but 32K versions at a later date.

Operation is simply by plugging-in to PET's memory expansion port, using the high-quality, protected connector provided, and to the mains. PET power consumption, temperature and warranty are unaffected.


The standard, 24K version upgrades PET's memory to the full 32K addressable in BASIC, giving over 4 times the capacity of the standard 8K PET.

All units are guaranteed for 6 months and are supplied with full instructions

PRICES—8K £154
(ex VAT) 16K £232 plus £4.50 carr.
24K £310 and insurance
32K £367
8K plug-in card £78 plus £2.50 carr. and insurance

Prices are correct at time of going to press—subject to change without notice.

OMB electronics, Riverside, Eynsford, Kent DA4 0AE
Tel: Farningham (0322) 863567



● Circle No. 104

Sumlock Sumlock Electronic Services (M/cr) Ltd.
Manchester

Announcing the opening of our new showrooms at 198 Deansgate.

Your North-West stockist of
Adler—Brinlock—Busicom—Casio—
Commodore—Cannon—Sharp calculators.

Over-the-counter repairs to all makes of equipment


Commodore PET main agents
Programs written to customer specifications

Royal London House
196–198 Deansgate
MANCHESTER
M3 3WE

Tel: Sales/Software 061-834 4233
Tel: Service 061-834 4234

● Circle No. 105

KIM 1
New Low Price



Marshall's
for
Microprocessors
and associated
components

We distribute the fabulous KIM System – the ready to use microprocessor system – a new concept in microcomputers. Not a kit but supplied fully tested, wired and guaranteed. Expandable memory that grows with your system – not just an evaluation kit. Starting with KIM 1 at £108.00 VAT incl. you get immediate capability which can be expanded to a complete system capable of addressing up to 65K bytes of memory.

We also stock PET and a comprehensive range of ROMS, RAMS, PROMS, EPROMS, 74LS series, 74C series, microprocessor support components, the National SC/MP Microprocessor and the MEK 6800 DII kit. In addition to these we stock an extensive range of discrete semiconductors, passive components and DIL switches, etc.

Send for details to: MARSHALL'S ELECTRONICS Kingsgate House, Kingsgate Place, London NW6 4TA Tel: 01-624 0805
Retail Sales London: 40 Cricklewood Broadway, NW2 3ET. Tel: 01-452 0161/2. Telex: 21492
London: 325 Edgware Road, W2. Tel: 01-723 4242. Glasgow: 85 West Regent Street, G2 2QD.
Tel: 041-332 4133. Bristol: 1 Straits Parade, Fishponds Road, BS16 2LX. Tel: 0272 654201.

NEW 1979 CATALOGUE NOW AVAILABLE 50p post paid or 40p to callers.

● Circle No. 106

L.P. ENTERPRISES

Room PC
313 Kingston Road, Ilford,
Essex, IGI 1PJ, England
01-553 1001

A COMPREHENSIVE SELECTION OF MICROCOMPUTER BOOKS AND MAGAZINES
FOR THE HOBBYIST, EDUCATIONALIST, PROFESSIONAL AND RETAILER.

Introduction to Microcomputers:			Microprocessor Interfacing Techniques	£8.75
Vol 0: Beginners Book	£5.95		Z80 Microcomputer Handbook	£7.50
Vol 1: Basic Concepts	£6.30		TV Typewriter Cookbook	£7.50
Vol 2: Some Real Microprocessors (without binder)	£18.95		T.T.L. Cookbook	£7.50
Vol 2: Some Real Microprocessors (with binder)	£24.70		CMOS Cookbook	£7.95
Vol 3: Some Real Support Devices (without binder)	£11.95		IC OP-AMP Cookbook	£9.50
Vol 3: Some Real Support Devices (with binder)	£17.70		RTL Cookbook	£4.25
Updating subscription (6 issues) for Vol 2	£18.95		IC Timer Cookbook	£7.50
Updating subscription (6 issues) for Vol 3	£18.95		The Cheap Video Cookbook	£4.30
Updating subscriptions for Vol 2 & 3	£30.00		Introduction to Personal and Business Computing	£4.95
1 Updating issue (specify for Vol 2 or 3)	£4.00		Getting Involved with your Own Computer	£4.75
1 Binder (Specify for Vol 2 or 3)	£5.75		Your Home Computer	£5.95
			How to Profit from Your Personal Computer	£6.50
6800 Programming for Logic Design	£6.30		Hobby Computers are Here	£3.95
8080 Programming for Logic Design	£6.30		New Hobby Computers	£3.95
Z80 Programming for Logic Design	£6.30		Understanding Microcomputers and Small Computer Systems	£6.50
			Instant BASIC	£7.50
BASIC Computer Games	£5.50		Basic BASIC	£6.50
What To Do After You Hit Return	£8.95		Advanced BASIC	£6.00
8080 Galaxy Game	£6.95		My Computer Likes Me . . . When I Speak in BASIC	£2.75
			Introduction to PASCAL	£3.95
Computer Rage (A Board Game)	£6.95		Accounts Payable and Accounts Receivable	£10.95
Artist and Computer	£3.95		Payroll with Cost Accounting:	£10.95
			General Ledger	£10.95
Games, Tricks and Puzzles for a Hand Calculator	£2.49		Basic Software Library:	
			Vol 1: Business and Games Programs	£17.50
Z80 Instruction Handbook	£2.95		Vol 2: Maths, Engineering and Statistical Programs	£17.50
8080 Programmers Pocket Guide	£1.95		Vol 3: Advanced Business Programs	£26.95
8080 Hex Code Card	£1.95		Vol 4: General Purpose Programs	£7.95
8080 Octal Code Card	£1.95		Vol 5: Experimenters Programs	£7.95
			Vol 6: Miniature Business System	£32.50
Dr Dobbs Journal Vol 1	£10.00		Vol 7: Chess/Medbil/Wdproc Programs	£26.95
Best of BYTE			Some Common BASIC Programs	£6.30
Scelbi BYTE Primer	£9.95		Computer Programs that Work (in BASIC)	£2.55
Best of Creative Computing Vol 1	£6.95		First Book Of KIM	£7.00
Best of Creative Computing Vol 2	£6.95		8080 Standard Monitor	£9.95
Best of MICRO-6502 Journal	£5.50		8080 Standard Editor	£9.95
			8080 Standard Assembler	£9.95
8080A/8085 Assembly Language Programming	£6.45		Special Package: 8080 Assembler, Editor, Monitor	£20.00
6800 Assembly Language Programming	£6.45		Bar Code Loader for 6800, 8080, Z80 and 6502	£1.75
8080 Software Gourmet Guide and Cookbook	£6.95		Tiny Assembler for 6800 Systems	£5.75
8080 Software Gourmet Guide and Cookbook	£6.95			
Magazine Subscriptions:	UK Price	Overseas Price	Magazine Back Issues:	
Subscriptions start within 3 weeks			Micro-6502 Journal	£1.50
MICRO-6502 Journal (12 issues)	£14.50	£15.00	Personal Computing	£1.75
Personal Computing (12 issues)	£16.00	£17.00	Interface Age	£2.25
Interface Age (12 issues)	£20.00	£21.00	ROM	£1.75
Dr Dobbs Journal (10 issues)	£13.00	£13.50	Dr Dobbs Journal	£1.75
Computer Music Journal (4 issues)	£10.50	£11.00	Computer Music Journal	£3.75
Recreational Computing (6 issues)	£8.00	£8.50	People's Computers (recent issues called Recreational Computing)	£1.75
BYTE (12 issues)	£21.00	£21.00	BYTE	£2.25
Creative Computing (12 issues)	£16.00	£16.50	Creative Computing	£1.75
			Calculators and Computers	£1.75
Kilobaud (12 issues)	£20.00	£21.00	Kilobaud (reprints only)	T.B.A.
			73	£2.25
Microprocessors from Chips to Systems	£7.95		Magazine Storage Box (Holds 12)	£1.25

THIS LIST CANCELS ALL PREVIOUS PRICE LISTS: EFFECTIVE APRIL 1979
DUE TO FLUCTUATIONS OF THE DOLLAR, PRICES SUBJECT TO CHANGE WITHOUT NOTICE

HOW TO ORDER

Please note our prices include postage and packing, but not insurance, if wanted add 12p for every £10 of books ordered. Make cheques, PO's etc. payable to:-
L.P. Enterprises.
CREDIT CARDS accepted
BARCLAYCARD VISA/ACCESS
DINERS CLUB/AMERICAN EXPRESS
N.B. Diners Club orders cannot be accepted by telephone.
Phone: 01-553 1001 for Credit Card orders (24-hr answering service)

Send to address above	All Orders must be Prepaid
Indicate Payment Method:	Total Enclosed £.....
.....My cheque, P.O., I.M.O. is enclosed in Sterling on U.K. Bank	
.....Charge to Barclaycard/Visa/Access/Diners/American Express	
Credit Card No.....	Expiry Date.....
Name.....	
Address.....	
	POSTCODE.....
Signature.....	

All publications are published in U.S.A. and shipped air-freight by L.P. Enterprises. In unusual cases, processing may exceed 30 days.
Prices subject to change without notice.

TRADE ENQUIRIES WELCOME

● Circle No. 107



THERE'S MORE TO LUTON THAN CAMPARI AND THE AIRPORT

There's the Commodore PET, the APPLE II, the North Star Horizon, Processor Technology's Sol, Cromemco's Z2, Z2D and System 3. Together with disc drives and terminals and printers and VDUs and all manner of accessories and books and magazines. Almost everything the Personal Computer lover could wish for. So put away the holiday brochures and come along to—

 **sher-woods**

PERSONAL COMPUTER SYSTEMS

110 Leagrave Road - Luton - Tel (0582) 424851 - Just off the M1.


With acknowledgements to David Campari and Luton Airport.

● Circle No. 108

ALMARC PRESENTS:

MORE FROM VECTOR GRAPHIC

Now Vector Graphic give you more for your money with the 48K dynamic ram board and the System B



THE VECTOR GRAPHIC MZ

- * 4MHZ Z80A CPU
- * 48K ram
- * 630K Bytes disk storage
- * Serial port and two parallel ports
- * Prom/ram Board with monitor
- * MDOS Operating system
- * Z80 Assembler
- * Basic Interpreter

Price £2300.00 plus VAT

THE VECTOR GRAPHIC SYSTEM B

- * Complete Vector MZ system plus:-
- * Vector Mindless terminal
- * Flashwriter 2 video board (24 x 80)
- * Software driver on prom
- * MZOS North Star compatible DOS
- * CP/M configured by Almarc

Price £2850.00 plus VAT

Plus a large range of CP/M compatible software including Fortran, Cobol, Macro assemblers etc.

Contact: ALMARC DATA SYSTEMS LTD.
29 Chesterfield Drive, Burton Joyce, Nottingham.
Telephone 0602 248565

● Circle No. 109

PRACTICAL COMPUTING July 1979

The microcomputer for those who need more than the minimum. The right processor for business, scientific and educational use. Proven applications include Games • Educational • Word Processing • Invoicing • Stock Control • Sales Ledger • Purchase Ledger • Mailing • Scientific.

THE NEW HORIZON

Languages

Powerful Basic including sequential and random access disc files • formatted output • strings • line editor • machine language CALL • many other facilities. Optional additional software (under CP/M operating system) includes BASIC

The Horizon computer includes:-

Specification

Zilog Z80A MPU • S-100 bus (12 slots) • Solid well-built case • Up to four Shugart mini-floppy disc drives, 180KB each • Serial port for CRT or Teletype • Real-time clock on motherboard • Optional additional serial port and parallel port • Powerful operating system and monitor • Access to wide range of S-100 special application boards.



compiler, FORTRAN and COBOL.

Horizon Z80A computer with 2 double-density disc drives and 24K RAM £1,823 (exclusive of VAT and carriage).

Equinox Computer Systems Ltd.
"Kleeman House"
16 Anning Street,
New Inn Yard,
London EC2A 3HB.
Tel: 01-739 2387/9.
01-729 4460.

For North Star Horizon systems and software contact the people with experience:

LONDON

Equinox Computer Systems Ltd.,
16 Anning Street, New Inn Yard,
London. EC2A 3HB.
(Tel: 01-739 2387/9-01-729 4460)

SCOTLAND

Scotia Software Services,
95 Woodfield Avenue, Edinburgh.
(Tel: 031-441 603).

DEVON

J.A.D. Integrated Services
(Plymouth) Ltd.
21 Market Avenue, City Centre,
Plymouth, Devon.
(Tel: 0752-62616).

HUNTS

Paxton Computers, 26 High Street,
Great Paxton, Huntingdon, Cambs.
PE19 4RF. (Tel: 0480-213785).

SURREY

Radix 2 Technology J.™,
92 Wimbledon Hill Road, Wimbledon,
S.W.19. (Tel: 01-946-8887).

MIDDX

Jacobs Computer Systems Ltd.,
36 Bengeworth Road, Harrow, Middx.
HA1 3SE. (Tel: 01-908-1134).

HANTS

Claisse-Allen Computing, 5 Upper
High Street, Winchester.
(Tel: 0962-69368).

DORSET

Blue Chip Microsystems, Market
Place, Sturminster, Newton, Dorset.
DT10 1BB. (Tel: 0258-72946).

SOUTH WALES

Micro Media Systems, 12 Clarence
Place, Newport, Gwent.
(Tel: 0633-50528).

LANCS & NORTH WALES

Cortex Computer Centre, 25/35 Edge
Lane, Liverpool. (Tel: 051-263 5783).

CAMBS

Wisbech Computer Services Ltd.,
10 Market Street, Wisbech, Cambs.
(Tel: 0945-64146).

LINCS

Loveden Computer Services,
167 Bartowby High Road, Grantham,
Lincs. (Tel: 0476-72000).

KENT

Microtek Computer Services, 50 Chislehurst Road, Orpington,
Kent. (Tel: 66-26803).
Tor Business Systems, 83 Timberbank, Vigo Village, Meopham,
Kent. (Tel: 0732-822956).

ESSEX

Micro Software Systems Ltd., Stanhope House, High Street,
Stanford-le-Hope. (Tel: 03756-41991/2).

EQUINOX

COMPUTER SYSTEMS LTD.

"Kleeman House" 16 Anning Street,
New Inn Yard, London EC2A 3HB.
Tel: 01-739 2387/9. 01-729 4460.

Your Own Complete

PERSONAL MICRO COMPUTER

for only **£305.00** (VAT £24 extra 8%)

THESE ARE THE FEATURES

- Standard Keyboard (ASCII Encoded)
- Ready Built 12" VDU Monitor (uncased)
- Complete Kit of Parts to construct a powerful Microcomputer
- Full Documentation
- On Board PROM Programmer
- Tiny Basic Interpreter
- Programmable in Machine Code or Basic
- Powerful Motorola Software Available
- Additional options available as standard without obsoleting any previous purchases

Such as: More Memory both ROM and RAM, Hard Copy Printer, Floppy Discs, I/O User Ports and Software for the above, i.e. Disc Operating System and Disc Interactive Extended Basic.

ORDER NOW!! We take plastic or real money!!

CROFTON

Electronics Limited

35 Grosvenor Road, Twickenham
Middlesex • Tel: 01-891 1923

● Circle No. 111

SUPERBOARD II

4K - £263*, 8K - £299*

(Modulator included)

FIBRE GLASS CASE £24.95

TRS - 80 KEYBOARD

4K LEVEL II - £390*, 16K - £490*

(Modulator included)

POWER SUPPLY £9.90*

ATARI VIDEO COMPUTER

VCS - £139*, CARTRIDGES £12.95*

NEW - CODE BREAKER, BRAIN GAMES
HUNT & SCORE

SOFTY EPROM DEVELOPMENT

BURNER SYSTEM

(Kit) - £79.50*

*PRICES EXCLUDE 8% VAT - FULL DETAILS ON REQUEST

VIDEOTIME PRODUCTS

56 Queens Rd, Basingstoke
Hants RG21 1REJ

Tel: (0256) 56417. Telex: 858747

● Circle No. 112

NORTH STAR COMPATIBLE SOFTWARE

MODULE	FUNCTION	REQUIREMENTS	£
ALLEN ASHLEY ENTERPRISES			
PDS Program Development System for 8080 or Z80 computers PDS is an exceptionally powerful assembly language development package. PDS includes a unified assembler/editor, a macro assembler with a relocating linking loader, a string oriented text editor and trace debugger/disassembler. PDS supports full Z80 code. The following is a list of source modules compatible with PDS:			75.00
MATPRO	Matrix Product	FPPACK	7.50
RATPOL	Rational function and utilities	FPPACK	5.00
SQRT	Squares root	FPPACK	5.00
TRIGS	Sine, cosine, TAN, ATAN	FPPACK, RATPOL	10.00
LOGEXP	Exponential, logarithm	FPPACK, RATPOL	10.00
FPIOP	Floating point I/O	None	10.00
FORMAT	For formatted floating point output	None	7.50
INFILES	North Star disk handler	None	10.00
INOPS	Integer multiply/divide	None	5.00
The complete set of modules (listed above)			59.00
THE BYTE SHOP OF WESTMINSTER			
NORTHSHARE North Star BASIC timesharing package. Supports two to four terminals. Each terminal shares the same copy of BASIC simultaneously; but independent of the other users). All book-keeping is done by a separate task supervisor.			37.00
DIGITAL RESEARCH			
CP/M Disk Operating System. Includes an 8080 assembler, general purpose text editor and an advanced debugger with HORIZON customisation.			90.00
DESPOOL - Permits simultaneous printing of data from disk while user executes another program from the console.			45.00
MAC - Macro Assembler, features include an assembly-time expressions, conditional assembly, page formatting and a powerful macro assembler.			65.00
SID - Symbolic Instruction Debugger			60.00
TEX - Text formatter.			60.00
INFORMATION UNLIMITED			
WHATSIT - Data Base Management System. Supports a disk-resident data base and processes enquiries (as well as updates) in a real-time conversational mode.			55.00
MICRO MIKES			
4/5SHARE - Interrupt Driven Bank Switching Timesharing Software for the North Star HORIZON computer. Timesharing executive resides in the first 8K of RAM.			37.00
MICROSOFT			
FORTRAN-80 - ANSI '66 (except for COMPLEX), plus many extensions. Includes relocatable object compiler, linking loader, library with manager, Z80 assembler and cross reference utilities.			245.00
Disk Extended BASIC - New version, ANSI compatible with long variable names, WHILE/WEND, chaining and much more.			
ORGANIC SOFTWARE			
TEXTWRITER II - Affords word processing capability for North Star systems under the CP/M Operating System.			59.00

INTERAM Computer Systems Ltd.,
59 Moreton Street, Victoria, London SW1V 2NY
01-834 0261/2733

NORTH STAR COMPATIBLE SOFTWARE

MODULE	FUNCTION	REQUIREMENTS	£
NORTH STAR			
PASCAL Development System - Includes an editor, compiler, debugger and file handler (requires 48K RAM).			37.00
PAS-AUX - Auxiliary package for the above. Includes an assembler and utilities.			27.00
NSSE DISKS 1-12 - North Star Software Exchange volumes one to twelve. Each disk generally contains a specific set of programs; whether games, mathematical routines, PILOT System, utilities or various applications software.			
Each volume (disk) is priced at			6.00
The complete set of twelve disks is priced at			49.00
Special versions of North Star BASIC (please supply serial no. of your present copy). That is either 10, 12 or 14 DIGIT PRECISION BASIC.			15.00
STRUCTURED SYSTEMS			
CBASIC-2 - Commercial BASIC Pseudo Compiler.			65.00
All the above software is normally supplied on North Star compatible media. Please specify when ordering whether software is for a North Star single (Releases 1, 2, 3 and 4) or dual (Release 5) density system. Coming soon ... Accounting software, ie. Inventory, General Ledger, Payroll etc. Software products are being continually added to our range so please enquire about software not listed here.			

NORTH STAR HARDWARE

MODULE	FUNCTION	REQUIREMENTS	£ Kit	£ Aas.
HORIZON-0-0K				
HORIZON-1-16K-D			475.00	650.00
HORIZON-2-16K-D			995.00	1265.00
HORIZON-1-32K-D			1245.00	1575.00
HORIZON-2-32K-D			1125.00	1445.00
Z80A Processor Card			1375.00	1755.00
Hardware Floating Point Board			145.00	175.00
16K RAM Board			195.00	215.00
32K RAM Board with Parity			225.00	275.00
HRZ-SIO Serial Port			375.00	425.00
HRZ-PIO Parallel Port			29.00	45.00
North Star compatible disk (1-99)			29.00	45.00
North Star compatible disk (100-999)			3.00	
North Star compatible disk (1000+)			2.25	
Library Case for above (holds ten disks)			2.00	
OTHER MANUFACTURERS				
Cromemco TU-ART I/O card			130.00	180.00
Heuristics 20S speech card			n/a	145.00
Heuristics 50S speech card			n/a	225.00
Morrow 8080A CPU/Front Panel			n/a	195.00
Parasitic Engineering Equibox			n/a	495.00
Parasitic Engineering Equinox 100			n/a	625.00
Amp S-100 (IMSAI type) edge connector			n/a	3.25
Eibit DS1920, model 30 VDU			n/a	700.00
All caps mod. for above			n/a	10.00
Page/Scroll software switch mod.			n/a	25.00
Interdec Intertube II VDU			n/a	525.00

All prices given are exclusive of VAT and carriage, and are correct at time of going to press. Educational and OEM terms are available on request. Please send 12p stamp for full details.

INTERAM

● Circle No. 113

PRACTICAL COMPUTING July 1979

O.K. so you've got a computer.



So we've got all the add-ons!

Floppy Disks

Micropolis drives are available in 143K and 315K (formatted) versions expandable from one to four drives in various packaging options. Prices quoted below are for single 143K units including 240V power supply and case.

For S100 computers: Cromemco, Vector, Horizon, SOL, Sourcerer with S100 expansion.

1042-1 Master unit; includes controller card and Micropolis system software	£499	1022-1 Add-on unit	£339
CP/M	£100	COBOL	£400

For NASCOM and other small Z80 configurations:

143BZ Master unit; includes controller card and Raindos system firmware	£499	1022-1 Add-on unit	£339
---	-------------	--------------------	-------------

For Motorola D1/D2, SWTPC MP-68 and other small 6800 configurations:

143BM Master unit; includes controller card and RPDOS system firmware	£499	1022-1 Add-on unit	£339
---	-------------	--------------------	-------------

For TANDY TRS 80 with expansion interface:

1027 (T) Drive 1, 2, 3 or 4	£339
-----------------------------	-------------

Memories

For S100 computers:

Vector 8K Static	£150
Vector 16K Static with bank switching	£300
Vector 48K Dynamic, Z80 refresh	£500

For SS50 (SWTPC, MSI) computers:

4K Static	£ 80
8K Static	£140
32K Dynamic, Onboard refresh	£495


Microspeech

For SS50 (SWTPC, MSI) computers:

Microspeech analogue speech synthesiser converts text strings in phonetic spelling to audio output.

Complete with special BASIC interpreter

£295



SINTROM GROUP

All prices exclude VAT and carriage
 Dealer enquiries welcome
 Please send for complete shortform
 catalogue
 Please enquire for add-ons to computers
 not mentioned above

Sintrom Microshop

14, Arkwright Road,
 Reading Berks, RG2 0LS.
 Telephone Reading (0734) 85464

● Circle No. 114

BUILD THE

12,000 ALREADY SOLD



NASCOM I COMPUTER

★ British Design ★ UK Best Selling Kits
FULL AFTER SALES SERVICE & GUARANTEE

We are the Sole Approved London Stockist and National Distributor

FREE MODULATOR and B-BUG

FEATURES

- ★ Supplied in kit form for self-assembly
- ★ Full documentation supplied
- ★ Fully screened double-sided plated through hole printed circuit board
- ★ Full 48 key keyboard included
- ★ 2K x 8 Ram
- ★ 1K x 8 monitor program in Eprom
- ★ Powerful Mostek Z80 CPU
- ★ 16 x 48 character display interface to std un-modified T.V.
- ★ T.V. display memory mapped for high speed access
- ★ On board expansion to 2K x 8 Eprom



£165 - 8% VAT
POST FREE

- ★ On board expansion for additional 16 I/O lines
- ★ Memory may be expanded to full 60K

EXPANSION

- ★ Expansion buffer board £32.50

MEMORY KITS (inclusive all hardware)

8K	£85
16K	£140
32K	£200

- ★ I/O board with decoders and all hardware except ICS will accept up to 3 PIOs, 1 CTV and 1 UART

OTHER HARDWARE

- ★ 3A power supply for up to 32K expansion
- ★ 3A power supply for up to 32K expansion Mk II
- ★ 8A power supply for larger than 32K expansion
- ★ Expansion card frame
- ★ E PROM programmer
- ★ E PROM Eraser
- ★ Keyboard cabinet
- ★ Programming manual

SOFTWARE

- ★ 1K x 8 monitor program providing
- ★ 8 operating commands, supporting Mem examine/modify, tabulate, copy, break, single step execute tape, load, tape dump
- ★ Reflective monitor addressing for flexible monitor expansion through user programs
- ★ Monitor sub-routines include—delay ASCII coding, binary to hex conversion, clr screen, scroll up, string print, cursor shift and many others

- NEW T-4 operating system in (2) 2708 EPROMS upwards compatible from T2 and B-BUG
- Tiny Basic
- Super Tiny Basic (with editor and machine utility routines)
- Zeap assembler editor

★ VAT 8% ALL ITEMS EXCEPT BOOKS ★ DEMONSTRATIONS CONTINUOUS DAILY ★ WE WELCOME EXPORT—EDUCATIONAL AND INDUSTRIAL ENQUIRIES ★ FREE BROCHURE—SEND SAE 9½ x 6½ STAMP 12½p.



HENRY'S

All mail to:
Henry's Radio
404 Edgware Rd
London W2



Phone (01) 723 1008

● Circle No. 115

DP-1000

Series Printers



Prints 40 cps in 40 columns.
Plain paper, multiple copy.
Data storage—168 characters.
Current Loop, RS.232
Parallel Bit inputs.
Double width printing selection.



Anadex Ltd.

Dorna House, Guildford Road,
West End, Woking, Surrey
GU24 9PW
Phone: Chobham (09905) 6333
Telex: 858762 ANADEX G

OEM quantity price £295

● Circle No. 117

TANGERINE

COMPUTER SYSTEMS LTD.

Introducing our new keyboard, which boasts 71 professional reed switches, & a full upper/lower-case ASCII Output, switchable to Teletype/Telex mode.

Please send for further details.

REMEMBER! Do you need a **GOOD** keyboard, or a cheap one?!!

BASIC KIT PRICE £92.50 + VAT.
Basic Kit + numeric pad £99.50 + VAT.

Special offer to purchasers of 1648 VDU & Keyboard — £212 + VAT, the pair, save £10.

ALSO NEW A complete stand-alone monitor less terminal housed in steel—variants available for OEMS — Please write or 'Phone for details.

1648 VDUs still available in built & Kit versions.
£154.50 & £129.50 + VAT.

TANGERINE COMPUTER SYSTEMS LTD.

Rivermill Lodge, London Rd., St. Ives,
Huntingdon, Cambs. PE17 4BR.

TEL: (0480) 65666.



● Circle No. 116

dam's
Computer Division

PET PERIPHERALS

Pet Peripherals

Internal memory expansion 24K (full instructions included)	£320
External memory expansion (available from 8K to 32K)	from £169
8K Plug in cards for above	£85
Anadex DP-8000 printer (including I/EEE interface for Pet)	£679
Pet 2001 8K	£550
Pet 2nd cassette deck	£55
Kim-1 available ex-stock	£99.95

We also stock a comprehensive range of software for Commodore Pet.

Send for our comprehensive hardware and software catalogue.

Add 8% VAT to all items.

Computer Division

D.A.M.S. (Office Equipment) Ltd.,

30/36 Dale Street,

Liverpool L2 5SF

● Circle No. 118

PRACTICAL COMPUTING July 1979

OHIO SCIENTIFIC

Microcomputers from the world's largest
full-line manufacturer



The C2-4P Mini Floppy

20K RAM

Basic + Assembler

Personal, Games, Small

Business & Educational Disks

90K Mini Floppy Storage

Printer Interface

OS 65D V-30 Operating System

International Distributors:

**American Data-Home and
Office Computer,**

1030-15th Street, N.W., Suite 300,

Washington, D.C., 20005

Tel: (202) 466-6612

Telex 64405

See your nearest auth-
orised dealer for full
price list and
catalogue, of
Challenger I, II, III,
series.

**Abacus
Computers Limited**
62 New Cavendish Street
London W1 Tel: 01-580 8841

The Byte Shop Ltd
426-428 Cranbrook Road,
Gants Hill, Ilford, Essex
Tel: 01-518 1414

**Calderbrook
Technical Services**
1 Higher Calderbrook

Littleborough Lancs
Tel: (0706) 79332

**COMP Computer
Components**
14 Station Road
New Barnet Herts EN5 1QW
Tel: 01-441 2922

Linn Products
235 Drakemire Drive
Castlemilk Glasgow
G45 9SZ Scotland
Tel: 041-634 3860

Mutek
Quarry Hill, Box Corsham
Wiltshire SN14 9HT
Tel: 0225-743289

**Thames Personal
Computers**
13 Wilmot Way Camberley
Surrey Tel: 0276-27860

U Microcomputers
PO Box 24 Northwich
Cheshire CW8 1RS
Tel: 0606-75627

SCOTLAND FOR NASCOM-1 IN SCOTLAND SCOTLAND

COME TO STRATHAND

In stock; Nascom-1 buffer boards 8, 16, 32K RAM boards. Super Tiny Basic zeap on tape.



Callers welcome

STRATHAND

44 St. Andrew's Square, Glasgow G1 5PL
GLASGOW (041) 552 6731


Telephone order welcome with Access and Barclaycard.

BOOKS AND SOFTWARE
IDEAL FOR SCHOOLS
AND COLLEGES NOW
AVAILABLE.

Please note it is not our policy to advertise Nascom products which are not currently available.

● Circle No. 120

VT Monitor & Keyboard Kits



Available now
ex-stock



Keyboard

- *Full 128 character ASCII encoding
- *+5 volt only
- *Positive or negative strobe
- *Circuit, layout and full assembly instructions
- *Two-key roll over
- *Price £28.50 0 50p p/p

Monitor

- *Resolution - 80 charo/line
- *Video response - 20 MHz
- *All inputs TTL compatible
- *9" diagonal high resolution tube, P4 (white) phosphor
- *625 or 525 line standard
- *+11v @ 1A input
- *Price £85 + £2 p/p

Coming soon - boxed, built and tested VDU full cursor control, 16 x 64 format, keyboard & display included - price £280.

All prices include VAT - discounts available

Video Terminals

197 Hornbeams, Harlow, Essex
Tel 0279 30132

● Circle No. 121

PCC 2000 PCC 2000 PCC 2000

Low-Cost Business Computer

£4,500



- Hardworking
- Easy to use
- Designed for the Smaller Business
- Nationwide Field Servicing
- Business Packages available
- Word Processing
- IBM Compatible
- Built and backed by the Pertec Computer Corporation

SOFTWARE

CP/M. BASIC. FORTRAN. COBOL.

FEATURES

64K Bytes RAM: 4 Channel DMA:
Vectored Interrupt Handling:
1.2 Megabytes Disk Storage:
Built-in CRT with forms handling.

 **compelec**

Sole agents

14-15 BERNERS STREET, LONDON W1P 3DE


Telephone 01-636 1392

● Circle No. 122

PRACTICAL COMPUTING July 1979

comart

...the specialists




All the small computers you need!

Micro computers for scientific research, control, educational and commercial applications. Comart have single card computers for control; development systems and interface boards for research; multi-user systems for education and word processing for commercial users.

The computer systems are modular and flexible – you choose only those facilities you need.

Contact us and discover how your application can benefit from cost-effective micro-computing.



- A Cromemco System 3/64 Computer
- B The North Star Horizon
- C Processor Technology's SOL

Contact us direct or call your nearest Comart dealer

The Byte Shop, Ilford, Essex. Tel: 01-554 2177
Cambridge Computer Store, Cambridge. Tel: (0223) 68155
Microcomputermart Ltd., Manchester. Tel: 061-832 2269
Crayworth Ltd., Camberley, Surrey. Tel: (0776) 34044
Digitus Ltd., London W.1. Tel: 01-636 0105
Holdene Ltd., Leeds. Tel: (0532) 459459
Isher-Woods Ltd., Luton, Beds. Tel: (0582) 424851
Newbear Computing Store, Newbury, Berks. (0635) 30505
Xitan Systems Ltd., Southampton. Tel: (0703) 38740



comart specialists in microcomputers

Comart Ltd., P.O. Box 2, St. Neots, Huntingdon, Cambs, PE19 2AF. Tel: (0480) 215005 Telex: 32514

NASCOM FLOATING POINT

BASIC LEVEL C Runs on an 8K system

Full floating point arithmetic
Software compatible with Levels A and B
Contains all features found on A and B Plus more
Line editor, 52 variables
Commands include:- FOR; NEXT; READ; DATA; PEEK;
POKE; IN; OUT;USR; INKEY

BASIC LEVEL A Runs on the minimum Nascom

NO extra memory needed
Fitted in 2 minutes in place of monitor
Integer arithmetic <, >, <=, >=, =
Fast execution time
Keyboard pause and interrupt
Abbreviated commands allow economical use of your
memory, and consist of:- LET; PRINT; IF; GOSUB;
RETURN; INPUT; REM; STOP; GOTO; LIST; NEW; RUN;
SAVE; ABS; RND

BASIC LEVEL B As previously advertised.

LEVEL A or B in 2x2708 PROMS	£21.50
LEVEL B Cassette	£7.50
LEVEL C in 4x2708 PROMS	£42.00
LEVEL C Cassette	£12.50
Partial disassembler/debug	£5.00
Superstartrek for Level BorC	£4.50
Relocator package	£4.00

All products fully documented

CCSOFT (Southfields)

83 Longfield St London SW18
Tel 01-870 4891 (Anytime)

Callers by appointment please

● Circle No. 124

ANNOUNCING A FANTASTIC NEW LOW COST PRINTER

THE TRENDCOM 100 40 COLUMN HIGH PERFORMANCE
SERIAL PRINTER WITH:-

- ★ 40 Characters a second
- ★ 96 Character Set including lower case
- ★ Bi-Directional Look-ahead Printing
- ★ Silent Running
- ★ Low cost White Thermal Paper with Blue or Black Print
- ★ Attractive Casing

THIS PRICE INCLUDES:-

£295 Ex VAT

- ☆ Interface for Pet, Apple 11, TRS 80 or Sorcerer
- ☆ 1 80 ft. Roll of Paper (Blue Print)
- ☆ Delivery UK Mainland

JUST PLUG IN AND START PRINTING!

Cheque with Order
ADD 8% VAT.

WYESIDE COMPUTING
NETHERTON
ROSS-ON-WYE,
HEREFORDSHIRE.

Tel: (0989) 4321

● Circle No. 126

LET'S GET DOWN TO BUSINESS!

**ACCOUNTS RECEIVABLE/
ACCOUNTS PAYABLE,
INVENTORY, LEDGER,
WORD PROCESSING,
INFORMATION HANDLING,
WHATEVER.**

Ohio Scientific's full lineup of small business computer systems can handle any part of your business. Or all of it. Quickly, accurately, and economically. Each model costs less at the start. Nice for small budgets. And using a low-cost building-block approach, Ohio Scientific's computers can grow with your needs. Simply, you get the most for your money, right from the start. There's a full library of easy-to-use business programs, too.

See this **OHIO SCIENTIFIC** dealer today!

MILLBANK COMPUTING
2, EAST LANE, KINGSTON UPON THAMES, SURREY
KT1 2NN ENGLAND TELEPHONE.01 549 7262 TELEX.8951525

● Circle No. 125

KES (Computers)

make little things mean a lot

Consult KES (Computers) before you buy a Microcomputer System or you could make an expensive mistake.

KES (Computers) can give you expert and independent advice to help you make a profitable decision.

KES (Computers) can provide -

- tailored system design of hardware and software for your application.
- Ideas (fully developed) of products for you to produce and/or sell.
- Complete microcomputer systems by OHIO SCIENTIFIC INC. costing from £200 to £12,000 based on 6502, 6800 or Z80.

Contact **KES (Computers),**
4 Summerfields,
Yarnfield,
Stone, Staffs.
ST15 0RH.

Telephone 0785 77 297

● Circle No. 127

If you can buy more on one board for under £300~ buy us one too!

In about the same area as this advertisement, we have designed a microcomputer with 20K of addressable memory ON-BOARD. With Kansas City standard cassette interface ON-BOARD. With TV/monitor interface ON-BOARD. With control decoding ON-BOARD. With all bus lines fully buffered ON-BOARD.

We call this microcomputer **Nascom-2**. And for under £300 this is what it has:



Microprocessor

Z80A. 8 bit CPU. This will run at 4 MHz but is selectable between 1/2/4 MHz.

This CPU has now been generally accepted as the most powerful, 8 bit processor on the market.

The software library for the Z80, with its base around the 8080, has rapidly expanded with the increasing use of its more powerful instruction set.

Hardware

12" x 8" Card

All bus lines are to the Nasbus specification.

All bus lines are fully buffered.

PSU +12v, +5v, -12v, -5v.

Memory

On-board, addressable memory:-

- 2K Monitor - Nas-Sys I (2K ROM)
- 1K Video RAM (MK4118)
- 1K Work space/User RAM (MK4118)
- 8K Microsoft Basic (MK36000 ROM)
- 8K Static RAM/2708 EPROM


INTERFACE

Keyboard

New expanded 57 key Licon solid state keyboard especially built for Nascom. Uses standard Nascom, monitor controlled, decoding.

T.V.

The 1v peak to peak video signal can drive a monitor directly and is also fed to the on-board modulator to drive the domestic TV.



I/O

On-board UART (Int.6402) which provides serial handling for the on-board cassette interface or the RS232/20mA teletype interface.

The cassette interface is Kansas City standard at either 300 or 1200 baud. This is a link option on the NASCOM-2.

The RS232 and 20mA loop connector will interface directly into any standard teletype.

The input and output sides of the UART are independently switchable between any of

the options - i.e. it is possible to use input on the cassette and output on the printer.

PIO

There is also a totally uncommitted Parallel I/O (MK3881) giving 16, programmable, I/O lines. These are addressable as 2 x 8 bit ports with complete handshake controls:

On-board Decoding

The NASCOM-2 makes extensive use of ROMs for on-board control decoding. This reduces the chip count and allows easy changes for specialised industrial use of the board.

Link options are on-board to allow the Reset control to be reassigned to an address other than zero.

Character Generators

The 1K video RAM drives a 2K ROM character generator providing the standard ASCII character set with some additions, 128 characters in all. There is also a socket for an optional graphics ROM on-board.

The PCB is, of course, of industrial standard, through hole plated, masked and screen printed.

Documentation

Full construction article is provided for those who buy a kit and an extensive software manual is provided for the monitor and Basic.

We think no other board has quite so much on it for £295 (plus 8% VAT). If you find a board that has more, buy one for us too!



Nascom Microcomputers
121 High Street Berkhamsted Herts.
(04427) 74343

● Circle No. 128

LINBURG ELECTRONICS LTD

QUALITY SEMICONDUCTORS WITH FULL INDUSTRIAL SPECIFICATION

MOTOROLA		74LS TTL	
MC6800P CPU	£7.10	74LS00	19p
MC6810 RAM	£3.20	74LS01	19p
MC6820 PIA	£4.50	74LS02	19p
MC6850 ACIA	£4.50	74LS03	19p
MC6875 CLOCK	£3.80	74LS04	20p
D2 EVALUATION KIT (MEK 6800 D2)	£176.00	74LS08	20p
		74LS10	20p
		74LS14	74p
ZILOG		74LS20	22p
280 CPU 2.5MHZ	£14.00	74LS27	32p
Z80 CTC	£9.00	74LS30	26p
Z80 PIO	£9.00	74LS32	26p
PROMS		74LS42	88p
2708 1K x 8 EPROM	£6.75	74LS47	£1.00
2716 2K x 8 EPROM (TEXAS TRIPLE SUPPLY VERSION)	£17.00	74LS74	30p
		74LS75	40p
SUPPORT CHIPS		74LS90	54p
MC1488 V24 Tx	£1.40	74LS93	54p
MC1489 V24 Rx	£1.40	74LS155	57p
8216 BUS DRIVER	£3.00	74LS174	80p
AY-5-1013 UART	£4.83	74LS367	54p
8 in. FLOPPY DISCS (SINGLE DENSITY, SINGLE SIDED)	£4.00		

PLEASE ADD 30p POSTAGE AND PACKING AND THEN ADD 8% V.A.T.

LINBURG ELECTRONICS LTD
DEPT PC, MOSS WAY DONIBRISTLE
INDUSTRIAL ESTATE, HILLEND
DUNFERMLINE, SCOTLAND
TEL: (0383) 823222

Linburg

● Circle No. 129

OUR 1979 CATALOGUE

including the first edition of

STOP PRESS

- * LATEST LOW PRICES
- * FASCINATING NEW ITEMS
- * SPECIAL OFFERS a bargain on their own
- * LOWEST PRICES EVER FOR TTL
- * FREE 45p WORTH OF VOUCHERS

RAM
2102A-2
1024 x 1 250ns
1.19
16 For £16.96

CATALOGUE
40p

C.P.U.
8080
£5.49

JUST SEND
S.A.E. FOR
STOP PRESS

E. PROM
1702
£5.57



USE OUR "ORDER-RING" LINES
VAT INCLUSIVE PRICES P + P 25p



CHROMASONIC electronics

56 Fortis Green Road,
Muswell Hill London N10 3HN
Telephone 01-883 3705/2289

● Circle No. 130

SMALL SYSTEMS ENGINEERING LTD.

(Incorporating R. BAILEY ASSOCIATES)

62 New Cavendish Street, London W1M 7LD, Tel: 01-637 0777, Telex: 8813085 Abacus

A MAJOR SUPPLIER OF PET MEMORY BOARDS AND INTERFACES IN EUROPE

PET BOARDS

Sole official U.K. Agent for PME memory boards.
We provide approved technical back-up, up-grade and service facilities for these boards in the U.K.

Internally mounting memory boards available in 2 configurations;

—24K . . . £328 —32K . . . £432

IEEE-488/RS232C SERIAL INTERFACE

—Full IEEE address decoding, RS232C or 20mA loop output,
—Switch selectable Baud Rate, Crystal controlled Baud Rate timing,
—Boxed units complete with connectors, full operating instructions and sample programs supplied

—Lower Case Printing

—Serial Interface B, input and output . . . £186

—Serial Interface A, output only . . . £106

IEEE-488/CENTRONICS TYPE PARALLEL INTERFACE

Low cost unit without IEEE address decoding
Also suitable for Anadex DP-8000 Printer . . . £45

ANALOG INPUT/OUTPUT

—IEEE-488, 16 Channel, 8 Bit A-D . . . Price to be announced

—IEEE-488, 16 Channel, 8 Bit D-A . . . Price to be announced

CUSTOM INTERFACE DESIGN

Interfaces designed for special applications. Interfaces supplied so far include Analogue Input/Output, XY plotter, stepper motor control.

PET INTELLIGENT TERMINAL SOFTWARE PACKAGE

A software package which, in conjunction with an Interface B enables the PET to operate as an intelligent terminal. The software implements full IBM or DEC protocols . . . £100

TV/VIDEO MONITOR INTERFACES

—Video and UHF output (plugs into aerial socket of domestic TV) . . . £35

IEEE-488 TELEX PUNCH AND INTERFACE

—50 chars/sec. Telex punch . . . Price to be announced

NOW AVAILABLE

P & T 488 S-100 IEEE-488 INTERFACE

—Interfaces S-100 computers to the IEEE-488 instrumentation bus.

—Functions as a 488 controller, talker or listener.

—Three software packages available:
North Star DOS/BASIC interface
CP/M interface.

Custom systems interface package . . . £325.

TERMS: All prices EX. VAT. All orders C.W.O. Cheques should be made payable to SMALL SYSTEMS ENGINEERING LTD. Orders should include £2.50 P&P per unit. All goods supplied under 90 days warranty.

● Circle No. 131

PE SINGLE BOARD COMPUTER

In the August issue of PE, we will be presenting *COMPUKIT UK 101*. It compares very favourably with machines three times its price and is similar to Superboard II (recently reviewed by us) using the same *8K Microsoft, full feature, BASIC* which runs faster than other currently available personal computers. Faster than some business computers. Its features are:

- **Up to 8K RAM on board.**
- **Fully expandable via on board sockets.**
- **Cassette interface (CUTS).**
- **VDU — with its own dedicated RAM (1K).**
- **Full ASCII keyboard.**
- **U.H.F. modulator on board.**
- **P.S.U. on board, transformer included in kit.**
- **Full machine code monitor (2K) and I/O utilities in ROM.**
- **Upper and lower case plus graphics and gaming characters.**

It will mate with all Superboard extras.

For example:


- **Expander board for up to 24K static RAM.**
- **Mini-floppy interface.**
- **Port adaptor for printer and modem.**
- **OSI 48 line expansion interface.**

CompuKIT UK 101 will sweep the board in the hobby computer field. It is an excellent design with full feature (not Tiny) BASIC. A complete kit will be available from *Computer Components* for £219+VAT.

FULL CONSTRUCTIONAL DETAILS
STARTING IN

PRACTICAL ELECTRONICS

AUGUST ISSUE ON SALE FRIDAY, 13 JULY



See this Single Board Computer on stand 28 at the Microcomputer Show or on the PE stand at Bazaar, June 28-30 at Alexandra Palace.



NEW DOLPHIN BD 80 PRINTER

Low cost 80 column printer combining simple mechanical design with sophisticated micro-processor control, upper and lower case, 112 c.p.m., many features. Stand, cables, memory buffers available.

E-stock prices from £595.

Dealer enquiries invited.

SPECIAL OFFERS for July only.

CP/M now available on Micropolis Mod II configured for Sorcerer - £98.

C12 Computer Cassettes 42p each - £3.75 for 10.

5" diskettes - £29.50 per box of 10.

2708 EPROMS - £7.99 each.



NEW PRODUCTS

DOLPHIN PRINTER is plug compatible to the Sorcerer's serial and parallel interfaces and is supplied in a beige cabinet - plug in and print.

The EXIDY MONITOR and PROGRAM DEVELOPMENT ROM PACS are on demonstration in our showroom.

SORCERER TECHNICAL Manuals and handbooks are available ex-stock.

A vast amount of software is nearing completion, so please keep in touch for early news of availability.

EXIDY SORCERER - A COMPLETE BUSINESS SYSTEM UNDER £3000 + VAT 32K Machine with Z80 processor and 8K ROM BASIC. 128 character ASC11 keyboard and superb graphics.

DOUBLE DRIVE configured MICROPOLIS DISK SYSTEM with MDOS or CP/M 630Kb. Professional quality monitor, various sizes up to 16". Printer - optional 80 or 132 column printer. Software packages are available or can be written to your own specification.

The system can be expanded to suit your own applications.

UNDER £1000 - BASIC SYSTEM

32K Machine, 10" professional monitor (not a converted TV), quality cassette recorder, necessary cables, manuals etc.

Price £999 + VAT.

Sorcerer Prices from £650 (8K).

OFFICES & SHOWROOM open Monday-Saturday 10.00a.m.-6.00p.m.
Personal callers welcome (Please phone first).

34B London Rd., Blackwater, Camberley, Surrey. Telephone (0276) 34044.

Telex 858893

77/68 BEARBAGS - The well supported 6800 based kit from Newbear. Active user group.

PRINTERS - CENTRONICS, DOLPHIN, OK11.

MONITORS - Professional quality 9", 10", 12", 16" (ideal for teaching).

COMPUTER BOOKS - for professionals, hobbyists, businessmen and newcomers. Catalogue now containing updates - over 500 titles - Micro, Mini and Mainframe. Quantity discounts available.



CROMEMCO Z2 - The powerful one - ASSEMBLER, MACRO ASSEMBLER, FORTRAN, COBOL, DATA BASE MANAGEMENT, WORD PROCESSOR.

Prices from £395 (Z80 Single Board Computer)

NORTH STAR HORIZON - The popular computer for the business user. Expandable to 48K, 3 diskettes and hardware floating point. Basic system 16K. RAM, serial interface. EXTENDED BASIC, DOS, CP/M, mini diskette and power supply.

Prices from £1295.

SOL 20 - The professional terminal computer renowned for its high quality capacitive keyboard and Word Processing application. Minimum 16K RAM, monitor, serial and parallel interfaces. EXTENDED BASIC, FORTRAN, FOCAL, ASSEMBLER, EDITOR, GAMES, mini floppy disks.

Prices from £1785.

SOL* STAR WORD PROCESSOR from £2500.

THE COMPLETE SERVICE

Feasibility studies - undertaken by our senior consultant analysts with long experience of commercial data processing.

Software packages available and/or specially designed and written for your own applications.

We can supply *work stations* for your computer hardware, standard configurations or made to measure. Insurance, maintenance, HP facilities BARCLAY-CARD, TRUST-CARD, ACCESS.

Universities, Colleges and Schools - official orders welcome.

DE BOER

TAKE A NEW LOOK AT SC/MP

Our new SC/MP NIBL-BASIC Microcomputer kit system is available.

This new National Semiconductor SC/MP-based microprocessor is more versatile than many similar systems. The CPU board includes a pre-programmed 4K Nible-Basic interpreter ROM in conjunction with the SC/MP II. The board also incorporates RS232C/V24 input and output buffers.

Full kit price, including PCB and instructions £50.95.


SC/MP microprocessor board plus 4K RAM board. Special Price £139.00

When used with our other kits you will have a useful and reliable computing system with plenty of scope for expansion. To launch this new board we are offering a special package deal on a complete system.

This package includes:

SC/MP Microcomputer Board (79075); ASCII Keyboard (9965); 4K RAM (9885); Power supply (9066); TV Display terminal (9966); BUS Board (9857); TV Modulator (9967) inclusive of VAT £275.00

Compare this to other systems available as KITS. Remember that we sell only first-class components and PCBs. We do not try to cut corners by supplying inferior keys or flimsy unmarked boards. Most of the boards are standard Eurocard size for rack-mounted systems. A cassette interface card with built-in control software will be available shortly.



MODULAR MICROCOMPUTER SYSTEM KITS

These kits are based on the National Semiconductor SC/MP microprocessor. They offer a unique stage-by-stage building and learning system which develops from a simple digital display unit, through a HEX address and display stage, to a complete minicomputer with ASCII Keyboard and TV display. The system is robustly con-

structed, which makes it ideal for use in Schools and Colleges where microcomputer techniques are now part of the syllabus. Many of the kits can be used to supplement other systems.

SC/MP Board and RAM Input/Output Board

These demonstrate the working of the SC/MP chip. Data is fed in using digital switches and read out on LEDs

9846-1/2 £26.75

CPU Board

This is used in conjunction with the RAM board and contains all the devices needed to control the overall system.

9851 £42.90

Memory Extension Board

This contains 3/4K of RAM and 1/2K of PROM. It also houses the multiplexer and the priority decoder. This enables the SC/MP to handle interrupt requests from more than one peripheral device.

9863 £38.50

BUS Board

Simple interconnection system for the Eurocards

9857 £3.00

HEX input/output board

Used in place of the RAM input/output board, this unit enables the SC/MP to be addressed in hexadecimal. The board also displays Hexadecimal output using seven-segment LED displays.

9893 £62.55

ELBUG

Three pre-programmed EPROMS designed to control the system.

9800E £37.00

Power Supply

Designed to power all the units in the system with room to spare to power additional boards. +5 Volts 3 Amps, -12 Volts 0.5 Amps.

9066 £19.50

4K RAM Card

Full 4096 x 8-bit RAM capacity. More than one of these cards can be added to the system using a simple buffer circuit.

9885 £92.55

Cassette Interface

Record and replay your programs using this Kansas City format interface. Transfer rate up to 1,200 baud.

9905 £16.50

ASCII Keyboard

Uses the AY-5-3276 encoder to provide all the alphanumerics and control functions for the microprocessor system. Full-size keyboards.

9965 £46.50

TV Display Terminal board

Used in conjunction with a TV modulator, this board enables a display format of 16 lines of 64 characters per page to be displayed on a normal television set. Cursor and scrolling functions are included. The unit also offers a choice of six baud rates.

9966 £69.00

TV Modulator

For use with the display board

9967 £6.45

Microprocessor Interface

Input/output buffer to interface RS232C and V24 type equipment with either KIM or our SC/MP system.

79101 £6.75

Further details of this system on request.

TV GAMES COMPUTER KIT

Most TV Games fall into one of two categories. Either their programs are fixed by the type of control IC which generates a few simple ball games, or they can be re-programmed by plug-in modules. The modules for the latter type tend to be expensive and it is always uncertain just how long the manufacturer will issue new games.

This TV GAMES COMPUTER overcomes these problems by enabling the owner to take advantage of the software available and to devise new games using the keyboard. These programs are then transferred to tape for future use. The game is controlled by the Signetics 2650 Microprocessor IC and offers up to eight colour variations in the display, together with a score count system and sound effects. The unit also includes joystick control for two players.

Full data supplied with the kits.

Keyboard (79073-2) £26.10; Main Board (79073) £166.40; Power Supply (79073-1) £14.20; Modulator (9967) £6.45; Joystick Controls £5.50 each

Special package price of all these kits plus Software record. £215.00.

Individual components for all these projects are available, send SAE for prices.

All our prices include VAT rate applicable at the present time. We reserve the right to change our prices should this rate be altered.

HOW TO ORDER

U.K. Orders: Send Cheque or Postal Order payable to DE BOER ELEKTRONIKA, 2 Lynn Road, Grimston, Kings Lynn, Norfolk, PE32 1AD. Add 50p for postage and packing. Telephone Hillington (04856) 553. Office hours Mon-Fri 9.00am-5.00pm. Overseas Orders: De Boer Elektronika, Kleine Berg 41, Eindhoven, Netherlands. Telephone 40-448229 Telex 59307.

**de boer
elektronika**

Kleine Berg 39-41 Eindhoven,
Nederland, tel. 040-448229

● Circle No. 134

Which British system can offer the following:

- * **COLOUR.** Aerial Input, Alphanumerics and Graphics
- * **CEEFAX.** BBC Television Teletext service
- * **ORACLE.** IBA Television Teletext service
- * **BASIC.** ROM-Resident Interpreter
- * **MONITOR.** Motorola 6800 Machine Code
- * **VIEWDATA.** Instant Information service

TECS:

TECHNALOGICS
EXPANDABLE
COMPUTER SYSTEM.



Prices start at around £360.

Rack-mounting and Tabletop versions (illustrated)—The Logical Development everyone has been waiting for.

See us on stand 11 at The Microcomputer Show.

Please send large S.A.E. for details to:

TECHNALOGICS (DEPT. PC)
8 Egerton Street, Liverpool L8 7LY

● Circle No. 135

ENTERPRISES

RECENT ADDITIONS TO OUR RANGE OF BOOKS

- RA6800ML** – An M6800 Relecatable Macro Assembler by J. E. Hemenway £15.95
- LINK 68** – An M6800 Linking Loader by Grappel and Hemenway £5.50
- Calculating With BASIC** by R. Guido £4.95
- Users' Guide to North Star BASIC** by R. R. Rogers £10.00
- Programming the 6502** by R. Zaks £7.95
- SCELBAL High Level Language plus Supplements** by Arnold & Wadsworth £20.00
- PIMMS** – A Database Management System £5.95
- Program Design** ed. by Liffick £4.25
- 6800 Tracer** – An aid to 6800 Program debugging £3.95
- MONDEB** – An advanced M6800 Monitor Debugger by D. Peters £3.50
- SUPER-WUMPUS** – A game in 6800 Assembler code and BASIC, by J. Emmericks £4.25

HOW TO ORDER

Send cash with order to L. P. Enterprises, Room NB/PC, 313 Kingston Rd, Ilford, Essex IG1 1PJ. Credit card orders (not Diners Club) accepted by telephone. Tel. no. 01-553 1001. Payment must be in sterling and drawn against a British bank.

● Circle No. 136

Mol MINE OF INFORMATION LTD Mol

1 FRANCIS AVENUE, ST ALBANS AL3 6BL ENGLAND PHONE 0727 52801 TELEX 925859

SELECTED MICROCOMPUTER BOOKS

		PASCAL		
WILSON/ADDYMAN 1978 148pp 0 333 23582 7	£3.50	A Practical Introduction to Pascal Excellent value for money Reprinting in May 1979: reserve your copy now!		
HARTMANN A C 1977 119pp 0 387 08240 9	5.20	Concurrent Pascal Compiler for Minicomputers Describes a seven pass compiler generating virtual code for any 16-bit computer		
JENSEN/WIRTH 1975 167pp 0 387 90144 2	5.20	Pascal User Manual & Report: 2nd Edition Recognised as the international reference work on Pascal		
COLEMAN Derek 1978 222pp 0 333 21943 0	5.50	A Structured Programming Approach to Data		
OGDIN Carol Anne 1978 196pp 0 13 821744 0	6.50	Software Design For Microcomputers How to tackle the software crisis		
BOWLES Kenneth 1977 563pp 0 387 90286 4	7.00	Microcomputer Problem Solving Using Pascal This book teaches the extended Pascal from UCSD which is sweeping the micro community		
GROGONO Peter 1978 359pp 0 201 02473 X	7.50	Programming In Pascal Probably the best American book available for learning Pascal		
KIEBURTZ Richard 1978 365pp 0 13 854869 2	8.00	Structured Programming and Problem Solving With Pascal This book emphasises method more than language		

HOW TO ORDER

Circle the price of each title chosen and indicate quantity required

£ _____ Total value of books chosen
 _____ Extra one percent of value for insurance in transit
 _____ Extra £1 for delivery outside the UK (any quantity)

TOTAL DUE Cheque Bank draft
 ACCESS PO/IMO Please invoice

Make cheques etc payable to "Mol"
 Creditcard number: _____
 Cardholder's signature: _____

Your reference: _____ Mol ref: _____
 Name: _____
 Address: _____

Please phone and complain if books do not arrive within 14 days!
 Prices are subject to change without notice, due to external factors

Mol MINE OF INFORMATION LTD Mol

1 FRANCIS AVENUE, ST ALBANS AL3 6BL ENGLAND PHONE 0727 52801 TELEX 925859

SELECTED MICROCOMPUTER BOOKS

		START HERE!		
Scientific American 1977 145pp 0 7167 0066 2	£3.20	Microelectronics Broad semi technical introduction		
LIPPIATT Arthur 1978 192pp 0 13 044750 1	4.00	Architecture of Small Computer Systems Clear and methodical British textbook		
OSBORNE Adam 1977 300pp 0 931988 08 X	5.40	Volume Zero: The Beginner's Book Gently leads the reader up to Volume One		
OSBORNE Adam 1977 350pp 0 931988 02 0	5.90	Volume One: Basic Concepts One of the world's best selling textbooks enhanced by free Mol list of pedantic corrections.		
BARDEN William 1977 240pp 0 672 21351 6	7.30	How to Buy and Use Mini- and Micro-computers		
ZAKS Rodney 1977 420pp 0 89588 001 8	7.50	C201 Microprocessors: From Chips to Systems Very popular starter book for those with a background in electronics		
BARRON/CURNOW 1979 244pp 0 903804 42 5	8.00	The Future With Microelectronics This powerful new book will almost certainly form the basis of UK Government policy this year		
STOKES Adrian 1979 100pp 0 905897 21 8	10.00	Viewdata: A Public Information Utility		
		BASIC		
ALCOCK Donald 1979 134pp 0 521 21704 0	2.30	Illustrating BASIC Excellent book for novices explains how to write portable programs in BASIC		
LEE/BEECH/LEE 1978 100pp 0 905104 03 X	3.00	Computer Programs That Work! Twenty four educational programs oriented to school science including the game of LIFE		
NEVISON John 1978 151pp 0 201 05247 4	4.50	The Little Book of BASIC Style, or How to write a program you can read With 19 rules and ten complete program examples		
LEWIS T G 1978 256pp 0 8104 5761 X	4.80	How To Profit From Your Personal Computer Ideas on how to make it pay for itself		
AHL David (ed) 1978 185pp 0 89480 052 3	5.90	BASIC Computer Games - Volume 1 Latest revised edition using Microsoft Basic makes this excellent value for money		
BOSWORTH/NAGEL 1977 224pp 0 574 21090 3	6.00	Programming in BASIC For Business Aims to get you writing useful programs quickly		
POOLE/BORCHERS 1978 193pp 0 931988 06 3	6.30	Some Common BASIC Programs Seventy six tested programs in finance, maths, statistics		
POOLE Len 1978 375pp 0 931988 13 6	9.50	Accounts Payable and Accounts Receivable Documented program listings in WANG BASIC make a complete business package		
POOLE/BORCHERS 1979 375pp 0 931988 20 9	9.50	General Ledger Documented program listings in WANG BASIC for another complete business package		

● Circle No. 137

PRACTICAL COMPUTING July 1979

DATA PRECISION (Equipment) Ltd.

proudly present

THE VIDEO KEYBOARD



- 72 key ultra-reliable contactless capacitive keyboard with cursor command keypad
- RS 232/V24 serial I/O up to 9600 bauds
- Composite video output for monitor or modified TV
- Built-in mains power supply

Although low-cost, the Video Keyboard is OEM built in the UK using only top-quality components. Other low-cost products use cheap, low MTBF contact-switch keyboards. The Video Keyboard uses the same professional quality ultra-reliable contactless keyboard used by top-flight UK terminal manufacturers.

DETAILED SPECIFICATION MODEL VDP 10

VIDEO

- One page memory
 - *64 characters per line *16 lines per page
- Full 128 ASCII character set
 - *96 upper and lower case characters *32 control symbols
- Comprehensive cursor controls
 - *Left/right/up/down *CR/LF *Clear/home/line-erase
- PROM translation from inbound characters, giving:-
 - *Programmable coding for cursor commands
 - *Programmable display control for each input code
- Cursor command codes can be displayed using:-
 - *"Display" key for protocol debugging *V28 input bit 8 under remote software control
- European compatible composite video out for:-
 - *TV monitor, or *Modified TV set.

V28 I/O

- High/low rates externally switchable and jumper selectable from:-
 - *9600/4800/2400/1200/600/300/150/75 bits/sec.
 - *220/110 bits/sec. (NOTE: at high receive speeds, remote software should allow 8.3 ms for CR, LF and 132 ms for Clear)
 - *Odd, Even or No Parity *Full duplex or local mode
 - *One or two stop bits *V24 serial I/O using standard 25 pin socket

KEYBOARD

- 72 key ultra-reliable solid state contactless keyboard
- Standard ASCII layout plus programmable cursor control keypad
- QWERTY standard, AZERTY optional extra
- Full N key rollover
- Caps Lock with LED for TTY compatibility
- Repeat key.

MAINS POWER SUPPLY

- Built-in - needs 220-240V 50Hz.

CABINET

- Tailor-made to house all electronics, keyboard, video and V24 sockets, switches and power supply.

SWITCHES

- Power on/off
- On-line/Off-line
- Baud Rate Select
 - *Medium/High/Low *Normally set to 9600/1200/300
- Display Key
 - *Displays control characters for easy protocol debugging

AVAILABLE IN TWO VERSIONS (Monitor/converted TV not included).

Complete Video Keyboard £260+VAT (UK p&p paid)
Stripped Video Keyboard £190+VAT (UK p&p paid)
[stripped version excludes case, case hardware (switches, plugs), 240/9-0-9 VAC transformer but otherwise complete and tested].

Both versions are brand-new with data sheets and 12-month warranty.

DATA PRECISION (Equipment) LIMITED,

81 Goldsworth Road, Woking, Surrey GU21 1LJ

Tel: Woking 64444/67420

Reg. in England No. 913775

Please send me:

- Complete Video Keyboards @ £280.80 each, inc. VAT and UK postage and packing
- Stripped Video Keyboards @ £205.20 each, inc. VAT and UK postage and packing

I enclose my cheque

Charge to my VISA/ACCESS/DINERS Card Not VISA



Name

Address

Signature

GODBOUT Computer Products

Altair/Imsa/Commodore/Polyphonic Etc.
S-100 Bus Computer Compatible Products

LTT ELECTRONICS has the largest stocks of Godbout computer products in the U.K. Only by bulk purchasing direct from the manufacturer can we ensure our prices are at least equivalent to trade prices.

For example:	Kit	Ass.
Econoram II, 2MHz 16K	£135	£ 99
bytes static memory board	£175	£195
Econoram IV, 4MHz 16K	£255	£275
bytes static memory board	£325	£359

All prices include postage and insurance (overseas add £10) - Just add 8% VAT. Further 5% discount for cash with order. Also Education/OEM discounts on application. Please send S.A.E. for full details.

MAIL ORDER ONLY

LTT ELECTRONICS

8 Waldegrave Road, London S.E.19
Telephone: 01-828 1785

● Circle No. 139

Micro Software Systems

DESK TOP COMPUTERS

A really affordable and reliable computing system comprising a commercial microcomputer with dual disc drives, VDU and printer, with accounting and payroll software duties is now available to businessmen for just £4,500 exc. VAT. Full details of this and other systems available.

**Micro Software Systems,
Stanhope House,
Stanford-le-Hope,
Essex**

Tel: Stanford-le-Hope (03756) 41991/2

● Circle No. 140

SIRTON PRODUCTS (SP)

13 WARWICK ROAD
COULSDON
SURREY
Tel: 01-660 5617



Don't Bore your Computer with Data Preparation!

Let it run programs that work for you while the TEXTOR is used to edit programs and data off line.


TEXTOR has 2K of user memory, text editing facilities, and transmits and receives via serial link to your computer.

FROM £485

MIDAS S100 SYSTEMS

Substantial Mainframe to house your S100 system, with optional 5" or 8" disc drives. Special systems built to your requirements from Z80 CPU and other S100 boards held in stock.

MIDAS 1: Z80 System from £625 (built)
MIDAS 2: S80 Disc System from £1100 (built)



Mainframes from £228

DON'T MISS THE
SDS 200 BUSINESS COMPUTER
COMING JULY

JADE • CROMEMCO • S D SYSTEMS • ITHACA AUDIO • GODBOUT • ECT • SSM • Etc

● Circle No. 141

PRACTICAL COMPUTING July 1979

DIODES/ZENERS			
QTY.	Part No.	Specs	Price
	1N914	100v 10mA	.05
	1N4005	600v 1A	.08
	1N4007	1000v 1A	.15
	1N4148	75v 10mA	.05
	1N4733	5.1v 1 W Zener	.25
	1N753A	6.2v 500 mW Zener	.25
	1N758A	10v "	.25
	1N759A	12v "	.25
	1N5243	13v "	.25
	1N5244B	14v "	.25
	1N5245B	15v "	.25

SOCKETS/BRIDGES			
QTY.	Part No.	Specs	Price
	8-pin	pcb .20 ww	.35
	14-pin	pcb .20 ww	.40
	16-pin	pcb .20 ww	.40
	18-pin	pcb .25 ww	.95
	20-pin	pcb .35 ww	.95
	22-pin	pcb .35 ww	.95
	24-pin	pcb .35 ww	.95
	28-pin	pcb .45 ww	1.25
	40-pin	pcb .50 ww	1.25
	Molex pins	.01 To-3 Sockets	.25
	2 Amp Bridge	100-prv	.95
	25 Amp Bridge	200-prv	1.50

TRANSISTORS, LEDS, etc.			
QTY.	Part No.	Specs	Price
	2N2222	(2N2222 Plastic .10)	.15
	2N2222A		.19
	2N2907A	PNP	.19
	2N3906	PNP (Plastic Unmarked)	.10
	2N3904	NPN (Plastic Unmarked)	.10
	2N3054	NPN	.45
	2N3055	NPN 15A 60v	.60
	T1P125	PNP Darlington	1.95
	LED Green	Red, Clear, Yellow	.15
	D.L.747	7 seg 5/8" High com-anode	1.95
	MAN72	7 seg com-anode (Red)	1.25
	MAN3610	7 seg com-anode (Orange)	1.25
	MAN82A	7 seg com-anode (Yellow)	1.25
	MAN74	7 seg com-cathode (Red)	1.50
	FND359	7 seg com-cathode (Red)	1.25

9000 SERIES					
QTY.	Part No.	Price	QTY.	Part No.	Price
	9301	.85		9322	.65
	9309	.35		9601	.20
	9316	1.10		9602	.45

MICRO'S, RAMS, CPU'S, E-PROMS					
QTY.	Part No.	Price	QTY.	Part No.	Price
	8T13	1.50		2107B-4	4.95
	8T23	1.50		2114	9.50
	8T24	2.00		2513	6.25
	8T97	1.00		2708	10.50
	74S188	3.00		2716 D.S.	34.00
	1488	1.25		2716 (5v)	59.00
	1489	1.25		2758 (5v)	23.95
	1702A	4.50		3242	10.50
	AM 9050	4.00		4116	11.50
				6800	13.95
				6850	7.95
	MM 5314	3.00		8080	7.50
	MM 5316	3.50		8212	2.75
	MM 5387	3.50		8214	4.95
	MM 5369	2.95		8216	3.50
	TR 1602B	3.95		8224	3.25
	UPD 414	4.95		8228	6.00
	Z 80 A	22.50		8251	7.50
	Z 80	17.50		8253	18.50
	Z 80 PIO	10.50		8255	8.50
	2102	1.45		TMS 4044	9.95
	2102L	1.75			

C MOS	
QTY.	Price
4000	.15
4001	.15
4002	.20
4004	3.95
4006	.95
4007	.20
4008	.75
4009	.35
4010	.35
4011	.20
4012	.20
4013	.40
4014	.75
4015	.75
4016	.35
4017	.75
4018	.75
4019	.35
4020	.85
4021	.75
4022	.75
4023	.20
4024	.75
4025	.20
4026	1.95
4027	.35
4028	.75
4029	1.15
4030	.30
4033	1.50
4034	2.45
4035	.75
4037	1.80
4040	.75
4041	.69
4042	.65
4043	.50
4044	.65
4046	1.25
4048	.95
4049	.45
4050	.45
4052	.75
4053	.75
4066	.55
4069/74C04	.35
4071	.25
4081	.30
4082	.30
4507	.95
4511	.95
4512	1.10
4515	2.95
4519	.85
4522	1.10
4526	.95
4528	1.10
4529	.95
MC 14409	14.50
MC 14419	4.85
74C151	1.50

LINEARS, REGULATORS, etc.					
QTY.	Part No.	Price	QTY.	Part No.	Price
	MCT2	.95		LM323K	5.95
	8038	3.95		LM324	1.25
	LM201	.75		LM339	.75
	LM301	.45		7805 (340T5)	.95
	LM308	.65		LM340T12	.95
	LM309H	.65		LM340T15	.95
	LM309K (340K-5)	1.50		LM340T18	.95
	LM310	.85		LM340T24	.95
	LM311D	.75		LM340K12	1.25
	LM318	1.75		LM340K15	1.25
	LM320H6	.79		LM340K18	1.25
	LM320H15	.79		LM340K24	1.25
	LM320H24	.79		LM373	2.95
	7905 (LM320K5)	1.65		LM377	3.95
	LM320K12	1.65		78L05	.75
	LM320K24	1.65		78L12	.75
	LM320T5	1.65		78L15	.75
	LM320T12	1.65		78M05	.75
	LM320T15	1.65			
				LM380 (8-14 Pin)	1.19
				LM709 (8-14 Pin)	.35
				LM711	.45
				LM723	.40
				LM725	2.50
				LM739	1.50
				LM741 (8-14)	.35
				LM747	1.10
				LM1307	1.25
				LM1458	.65
				LM3900	.50
				LM75451	.65
				NE555	.45
				NE556	.85
				NE565	.95
				NE566	1.25
				NE567	.95

T T L					
QTY.	Part No.	Price	QTY.	Part No.	Price
	7400	.10		7482	.75
	7401	.15		7483	.75
	7402	.15		7485	.55
	7403	.15		7486	.25
	7404	.10		7489	1.05
	7405	.25		7490	.45
	7406	.25		7491	.70
	7407	.55		7492	.45
	7408	.15		7493	.35
	7409	.15		7494	.75
	7410	.15		7495	.60
	7411	.25		7496	.80
	7412	.25		74100	1.15
	7413	.25		74107	.25
	7414	.75		74121	.35
	7416	.25		74122	.55
	7417	.40		74123	.35
	7420	.15		74125	.45
	7426	.25		74126	.35
	7427	.25		74132	.75
	7430	.15		74141	.90
	7432	.20		74150	.85
	7437	.20		74151	.65
	7438	.20		74153	.75
	7440	.20		74154	.95
	7441	1.15		74156	.70
	7442	.45		74157	.65
	7443	.45		74161	.55
	7444	.45		74163	.85
	7445	.65		74164	.60
	7446	.70		74165	1.10
	7447	.70		74166	1.25
	7448	.50		74175	.80
	7450	.25		74176	.85
	7451	.25		74180	.55
	7453	.20		74181	2.25
	7454	.25		74182	.75
	7460	.40		74190	1.25
	7470	.45		74191	1.25
	7472	.40		74192	.75
	7473	.25		74193	.85
	7474	.30		74194	.95
	7475	.35		74195	.95
	7476	.40		74196	.95
	7480	.55		74197	.95
	7481	.75		74198	1.45
				74221	1.00
				74367	.95
				75108A	.35
				75491	.50
				75492	.50
				74H00	.15
				74H01	.20
				74H04	.20
				74H05	.20
				74H08	.35
				74H10	.35
				74H11	.25
				74H15	.45
				74H20	.25
				74H21	.25
				74H22	.40
				74H30	.20
				74H40	.25
				74H50	.25
				74H51	.25
				74H52	.15
				74H53	.25
				74H55	.20
				74H72	.35
				74H74	.35
				74H101	.75
				74H103	.55
				74H106	.95
				74L00	.25
				74L02	.20
				74L03	.25
				74L04	.30
				74L10	.20
				74L20	.35
				74L30	.45
				74L47	1.95
				74L51	.45
				74L55	.65
				74L72	.45
				74L73	.40
				74L74	.45
				74L75	.85
				74L93	.55
				74L123	.85
				74LS00	.30
				74LS01	.30
				74LS02	.30
				74LS04	.30
				74LS05	.35
				74LS08	.35
				74LS09	.35
				74LS10	.35
				74LS11	.35
				74LS20	.30
				74LS21	.35
				74LS22	.35
				74LS32	.35
				74LS37	.35
				74LS38	.45
				74LS40	.40
				74LS42	.75
				74LS51	.45
				74LS74	.45
				74LS76	.50
				74LS86	.45
				74LS90	.65
				74LS93	.65
				74LS107	.50
				74LS123	1.20
				74LS151	.85
				74LS153	.85
				74LS157	.85
				74LS160	.95
				74LS164	1.20
				74LS193	.95
				74LS195	1.05
				74LS244	1.70
				74LS367	.95
				74LS368	.95
				74S00	.35
				74S02	.35
				74S03	.25
				74S04	.25
				74S05	.35
				74S08	.35
				74S10	.35
				74S11	.35
				74S20	.25
				74S40	.20
				74S50	.20
				74S51	.25
				74S64	.15
				74S74	.35
				74S112	.60
				74S114	.65
				74S133	.40
				74S140	.55

MICROSPEECH

Does your computer speak to you?
'WEHL IHT KAAAN DOO WIHTH MEE!'

Features

- Single PCB plugs directly into an SWPTc 6800 bus.
- 9 parameter vocal tract model.
- Realtime software converts any stored phonetic code to speech.
- Computer Games.
- External input for special musical effects.
- Adds speech output to existing BASIC programs.


Microspeech package

- Speech synthesizer board (*assembled & tested*).
- MSP2 Software on floppy disc or cassette.
- Hardware & Software manual.
- Speaking BASIC software option.

TIM ORR DESIGN CONSULTANT
55 Drive Mansions,
Fulham Road,
London, SW6

Make your computer talk

Just by entering phonetic text (as in the sentence at the top of the page). Microspeech with the MSP2 software can make your computer speak. MSP2 uses only 4K of memory. Every extra 1K of buffer space can store 90 seconds of speech.



It speaks for itself

COSTRONICS ELECTRONICS
13 Pield Heath
Avenue, Hillingdon,
Middlesex

● Circle No. 143

the complete low cost VDU BOARD for only £99 (+VAT)

FEATURES:

- * 16 lines of 64 characters per line
- * On board rectifier and regulator (only needs 12.6V transformer)
- * Full set of 128 ASCII symbols including upper and lower case and Greek characters
- * Full cursor control
- * 8 bit ASCII or 5 bit Baudot operation
- * 20mA loop opto isolated interface
- * Full duplex 110-300 Baud rate interface
- * 625 line 1.5V p-p video (will drive UHF modulator)
- * Board will interface with standard ASCII keyboards

Comes complete and tested, with detailed manual. Please send cheque or P.O. for £108.50 (includes VAT, postage and packing).

7-day money back guarantee, if returned as new.

JILTA MICRO
647 High Road, Seven Kings, Essex IG3 8RA

● Circle No. 144

MATROX FROM SHELTON

TV GRAPHIC AND ALPHANUMERIC VIDEO RAMS

Intel SBC-80, LSI-11, S100 and general purpose cards, modules and LSI ICS. Some can be operated together for colour or TV picture + Alphanumerics or graphics + alphanumerics.


Eg:	£ 1-off
MTX 1632 16 rows 32 chars module	£162.00
ALT 250 x 256 graphics (S100)	£284.00
MSBC—2480 SBC—80 24 row 80 char	£356.00
MDC—512 (PDP-11) 512 x 512 graphics	£995.00
MTX—A1 uPC controller—KBD + LEDs	£ 28.00



SHELTON INSTRUMENTS LTD.,
22/24 Copenhagen Street, London N1 0JD Tel: 01-278 6273


● Circle No. 145

Three Trumps from Acorn



Acorn Controller

Designed as an industrial controller module, it is based on the 6502 CPU with 2K Eprom, 1.25K ram and 32 I/O lines. In eurocard format it is provided with an onboard monitor (2 x 74S571) giving comprehensive development and debugging facilities. Also available in minimum configuration for low cost OEM applications.




The Acorn Microcomputer

The Acorn controller module mounted beneath a matching eurocard with hex keyboard, 8 digit seven segment display and CUTS tape interface requires only a single unswitched power supply to form the powerful Acorn microcomputer.

Although designed for expandability the Acorn Microcomputer is a complete development system for the Acorn controller and together with the Acorn Users Manual provides the perfect introduction to hex programming; the carefully optimised monitor has the following functions:

- System Program
- Set of sub-routines for use in programming
- Powerful de-bugging facility displays all internal registers
- Tape load and store



Acorn Memory

The first in our series of expansion cards is the Acorn 8K + 8K "state of the art" memory module. On a matching eurocard it provides 8K of ram (2114) and 8K of Eprom (2732) or 4K of Eprom (2716). It requires a single 5V rail, is designed for direct connection via a 32 way edge connector to the Acorn bus and is fully buffered for wiring into any system. Two onboard sockets provide independent positioning of Eprom and ram.

All Acorn modules are guaranteed and full after sales and technical advice services are available.



Veroboard is all that is required for a full backplane, a racking system can be made available by Acorn Computers. The rack shown includes the VDU interface, two memory cards and dual floppy disc interface.

Software available soon includes 4K-Editor-Assembler-Disassembler, 4K Proprietary Fast Basic, Disc operating system with full file handling. Although a standard strip of



Order form

Send to: Acorn Computers Ltd. 4A Market Hill, Cambridge, Cambs.

- (qty) Acorn Microcomputer(s) in kit form at £65.00 plus £5.20 VAT
- (qty) Acorn Microcomputer(s) assembled and tested at £75.00 plus £6.00 VAT
- (qty) Acorn controller(s) (minimum configuration) at £35.00 plus £2.80 VAT
- (qty) Acorn Memory(s) assembled and tested at £95.00 plus £7.60 VAT

N.B. Price shown is for full 8K of ram, prices for smaller memory options and Eprom additions available on request.

I enclose a cheque for £..... made out to Acorn Computers Ltd.

Name _____

Address _____

Regd. No
1403810



ELF II



ELF II
BOARD WITH VIDEO OUTPUT

NOW ONLY
£79-95 + £6.40 VAT



THE TRIED AND TESTED
MINICOMPUTER
SYSTEM
THAT EXPANDS
TO MEET
YOUR NEEDS

SPECIFICATION:

- *RCA 1802 8-bit microprocessor, with 256 byte RAM - expandable to 64K bytes
- *RCA 1861 video IC to display program on TV screen via the RF Modulator
- Single Board with:
 - Professional hex keyboard - fully decoded to eliminate the waste of memory for keyboard decoding circuits
 - Load, run and memory protect switches
 - 16 Registers
 - Interrupt, DMA and ALU
 - Stable crystal clock
 - Built in power regulator
 - 5 slot plug in expansion bus (less connectors)

To: **Newtronics**
The personal computer division of HL Audio Ltd 138
Kingsland Road, London E2 8BY 01-739 1582

Please send me the items ticked below:
(Choose either components or wired and tested units)

	INC. VAT £
ELF II KIT COMPLETE WITH FULL WIRING INSTRUCTIONS AND OPERATING MANUAL	86.35
ELF II KIT WIRED AND TESTED	107.95
ELF II DELUXE CABINET	24.85
POWER SUPPLY (6.3V) FOR ELF II	5.40
EXPAND YOUR ELF II with the following hardware, a comprehensive range that is being continually increased through research and development.	
GIANT BOARD KIT - includes a system monitor/editor that works on all 64K bytes of possible memory; a cassette I/O routine for recording programs on an ordinary cassette; two 8 bit parallel I/O ports with handshaking for connecting the ELF II to a printer and ASC II keyboard or any 8 bit parallel interface. The serial RS 232 and 20ma TTY I/O's allow connection to printers, terminals or any serial I/O device	37.50
GIANT BOARD WIRED AND TESTED	59.40
4K STATIC RAM BOARD - Add up to 16K on board. ELF II will accept up to 64K and is addressable to any page to 64K. Requires ELF II expansion power supply	75.60
4K STATIC RAM BOARD WIRED AND TESTED	97.15
EXPANSION POWER SUPPLY - required when adding 4K RAM Boards	20.52
ASC II KEYBOARD - Complete with connector to plug directly into the ELF II Giant Board and is powered by the ELF II Expansion Power Supply. The ASC II Keyboard follows the standard typewriter configuration and generates the entire 128 character ASC II upper/lower case set with 96 printable characters, with onboard regulator, parity logic selection and 4 handshake signals	54.63
ASC II KEYBOARD WIRED AND TESTED	76.22
ASC II DELUX CABINET	16.22
RF MODULATOR to use with TV	3.00
KLUGE PROTOTYPE BOARD - accepts up to 36 IC's in 40, 24, 18, 16 pin formats with space available for an onboard regulator	13.82
86 PIN GOLD PLATED CONNECTORS (One required for each add on Board)	4.32
ELF II LIGHT PEN TO WRITE OR DRAW ON TV SCREEN	7.02
AVAILABLE SHORTLY TO EXTEND THE SCOPE OF YOUR ELF II:	
VIDEO GRAPHICS BOARD	
THE SOFTWARE that makes ELF II an ideal machine with which to learn computer techniques rapidly	
ELF II TINY BASIC CASSETTE TAPE - Makes programming even easier. Commands include: Save, Load, Let, If/Then, Print, Goto, Gosub, Return, End, Rem, Clear, List, Run, Plot, Peek and Poke. TINY BASIC ALSO INCLUDES: 16 bit integer arithmetic $\pm \times \div ()$ and 26 variables A-Z and also comes fully documented with an alphanumeric generator for direct display on your TV	14.58
ELF-BUG Monitor Cassette eliminates the need to single step through a program to find the contents, with the ability to run and edit from any point in the memory	14.58
'SHORT COURSE IN PROGRAMMING' by Tom Pittman. Written specifically for the ELF II as a step-by-step course which fully exploits the potential of ELF II	4.00
'SHORT COURSE IN TINY BASIC' by Tom Pittman teaches how to program in Tiny Basic	4.00
RCA 1802 Users Manual	4.00
AVAILABLE SHORTLY:	
TEXT EDITOR ON CASSETTE, ASSEMBLER ON CASSETTE, DISASSEMBLER ON CASSETTE	
I enclose cheque/PO No. for £	
(Add £2 post and packing for orders over £20) or charge Barclaycard No. Access Card No. Name	
Address	
Signature	
Hours of business: Mon-Fri 9.30-5.30, Sat 9.30-1.00	
Dealer Enquiries Welcome	
Telephone Orders Accepted 01-739 1582	

● Circle No. 147



MULLIONS
YARWELL
PETERBOROUGH

Hardware by

EQUINOX SWTPC TEXAS DIABLO

Software by **SOURCE (UK)**

ACCOUNTS : PARTS : MAIL : SBASIC [FOR SWTPC SYSTEMS]

One Day Courses each Month

- Introduction to Micros.
- Business Applications.

PROTECHNIC

0780- 782746 / 782913

● Circle No. 148

EQUINOX 300

A powerful multi-user
multi-tasking
multi-language

16-bit microcomputer time-sharing system

- supporting
- BASIC
 - LISP
 - PASCAL
 - Floppy discs
 - Hard discs

including a powerful Text Formatter,
Assembly Language Development System
and disc-based Sort utilities.

Priced from under **£5,000**

Write or phone for further information.

EQUINOX COMPUTER SYSTEMS LTD

"Kleman House" 16 Anning Street,
New Inn Yard, London EC2A 3HB.
Tel: 01-739 2387/9. 01-729 4460.

● Circle No. 149

The exciting new
TRITON
 Personal Computer
 exclusively from:

TRANSAM



Complete kit of parts available only £286 (+ VAT)
Basic in Rom: a powerful 2k Tiny basic resident on board, makes Triton unique, easy to use and versatile.
Graphics: 64 Graphic characters as well as full alpha numerics.
Single Board: Holds up to 8k of memory, 4k RAM and 4k ROM, supplied with 3k ROM and 2k RAM.
Memory Mapping: 2 mode VDU I/O or memory mapped for animated graphics.
Cassette Interface: crystal controlled Modern tape I/O with auto start/stop + "named" file search.
UHF TV Interface: On board uhf modulator, plugs into TV aerial socket.

Comes Complete with KEYBOARD, CASE, POWER SUPPLY, THRO-HOLE PLATED QUALITY P.C.B. FULL DOCUMENTATION POWERFUL 1k MONITOR & 2k TINY BASIC PLUS ALL COMPONENTS INCL. IC SOCKETS. NOTE TV SET & CASSETTE NOT INCLUDED.

Expansion: Expand your Triton simply and easily with our new 8-slot motherboard complete with its own P.S.U. takes 8 plug-in Euro cards. Plug-in 8k RAM card now available.

TRITON HUMBUG VS.1.
 Runs in 4K on main board. Extended Basic includes peek, poke, read, write, call and edit. New 1.5K monitor has software mod for printer and much more. You return the eproms from Triton and we supply four new ones, fully programmed and documented. £25 + VAT, for details send £1 and SAE.

All components can be bought separately and eleven packs can be purchased on an easy-to-buy scheme. See catalogue.

- EXPANSION MOTHERBOARD Kit £50**
- 8K STATIC RAM CARD Kit £97**
- 8K EPROM BOARD Kit £97**

Full details available in our brand new 1979 computer products catalogue, so order your copy right now! Don't forget VAT is extra at 8%.
 User club £4 per annum.

I am interested in the Triton

Name _____

Address (please print) _____

BARCLAYCARD, ACCESS, VISA & MASTER CHARGE ARE WELCOME. SEND YOUR CARD NUMBER WITH ORDER

To: TRANSAM COMPONENTS LTD., 12 CHAPEL STREET, NW1
 Please send me the following

- 1 A copy of your latest catalogue I enclose 30p + S.A.E. 9 x 7
- 2 A copy of the Triton Manual I enclose £5 + 70p P & P
- 3 A complete kit of parts for Triton Computer, £286 + VAT + £4 P & P
- 4 A Printed Circuit Board £50 + VAT & £1 P & P

TOTAL ENCLOSED £.
 Cheque, Money Order, etc.

TRANSAM

TRANSAM COMPONENTS LTD.
 12 CHAPEL STREET, LONDON, NW1
 TEL: 402 8137

Next to Edgware Road Tube Station (Met. Line)
 Triton Computer is the Trade Mark of
 TRANSAM COMPONENTS LTD.

● Circle No. 150



CRYSTAL ELECTRONICS
CC ELECTRONICS



8K XTAL BASIC FOR NASCOM I

- Commands:- CALL CLEAR CLOAD CONT CSAVE READ .DATA..RESTORE DEF.FN DIM EDIT END FOR..STEP..NEXT GOSUB..RETURN GOTO IF..THEN INPUT LIST NAS NEW ON..GOTO ON..GOSUB OUT POKE PRINT REM RUN SPEED STOP WAIT SPC() TAB()
- Variables:- Names must start with a letter, but can be up to any length. First two characters used to distinguish one variable from another. Strings of up to 255 characters, also Multi-Dim, Arrays and String Arrays. Numbers range from +/- 1E+/-38, with an accuracy of six significant figures.
- Functions:- ABS ASC ATN CHR\$ COS EXP INP INT LEFT\$ LEN LOG MID\$ PEEK POS RND RIGHT\$ SGN SIN SIZE SIZE\$ SQR STR\$ TAN VAL.
- Operators:-
Arithmetic: + - ** ("To the Power of")
Relational: = < > <> >= <=
Arith-Logical: And Or Not
String: + (Concatenation)
- Cassette commands:- CSAVE CLOAD for saving and loading programs. Also CSAVE@ CLOAD@ for saving and loading of numerical arrays.
- Special Commands: EDIT - Powerful line editor. CALL - Machine-code subroutine call. NAS - Return to 'NASBUG' under software control. OUT, INP & WAIT - for control of I/O ports.
- Compatibility:- Tape routine provided for use with T2 Monitor. Fully compatible with T2, T4 & B-Bug Monitors.
- Size:- Actually fits in 7K of Ram (1000H-2BFFH), But recommend >=16K Expansion Ram in your system.
- Availability:- On C12 cassette tape, with documentation.
- Price £35.00 + VAT.

PROGRAMS BEING WRITTEN NOW READY FOR WHEN THIS ADVERT IS OUT. PLEASE PHONE FOR DETAILS.

NASCOM NATIONAL DISTRIBUTOR TRADE INQ WELCOME.

APPLE

SW AGENTS

COME AND SEE THE APPLE IT'S WORTH IT

APPLE SOFTWARE

MANY GAMES - FROM £5.00 TO £15.00
STOCK CONTROL £100.00 + VAT
MAILING LIST £50.00 + VAT

AVAILABLE
NOW
NOW
NOW

COMPONENT STOCKISTS TO. (VERO STOCKISTS). 74 SERIES, 74 LS SERIES, CMOS, CAPACITORS, RESISTORS, POTS, BOXES, SEMICONDUCTORS, BOOKS, TOOLS, TRANSFORMERS, ETC. ETC. + "BEAR BAGS"

BOOKS

BEST SELLERS	6502 MANUAL	£7.95 + 35p pp
+ MANY MORE	Z80 MICRO HANDBOOK	£6.95 + 35p pp
	BASIC COMP GAMES	£5.95 + 35p pp

NASCOM SOFTWARE

MINIMUM SYSTEM GAMES TAPE £6.00 + VAT
TINY BASIC GAMES TAPE £12.00 + VAT

AVAILABLE
NOW
NOW

C12 TAPES & 5 1/4 in. DISKS STOCKED

SHOP OPEN
0930-1730
EXCEPT
WED & SUN.

40 MAGDALENE ROAD
TORQUAY
DEVON
ENGLAND
Tel: 0803 22699



COMPUTERS
AND
COMPONENTS



● Circle No. 151


AIM 65 £245.50 + VAT

FEATURES INCLUDE:

- * 20 COLUMN PRINTER
 - * 20 CHARACTER ALPHANUMERIC DISPLAY
 - * FULL 54 KEY TERMINAL-STYLE KEYBOARD
 - * TTY INTERFACE
 - * TWIN CASSETTE INTERFACE
 - * RAM - 1K TO 4K OPTIONS
- OPTIONAL EXTRAS INCLUDE:
8K 'BASIC' INTERPRETER ROM

— £70.00
4K ASSEMBLER ROM — £59.50
POWER SUPPLY — £41.83
CASE (Including Power Supply) — £78.00
EXPANSION MOTHERCARD — £136.50

AIM 65 comes to you fully built and tested with a full alphanumeric keyboard, 20 character display and a 20 column printer — for keeping a permanent record of all your work. Available in 1K- and 4K-byte RAM versions, AIM 65 is designed around the 6502 CPU, which has 64K address capability with 13 addressing modes. This is the microprocessor at the heart of many other, more costly, systems such as PET and APPLE. AIM 65 has a 4K ROM-resident monitor program for all peripheral control and user programming functions. Spare sockets are included for expanding on-board program memory via user PROM-based programs and/or Rockwell assembler, text editor and BASIC interpreter plug-in options. AIM 65 has a connector for external access to system bus for memory and



I/O expansion, a separate connector for interfacing a teletype and two cassette recorders. There is a user-dedicated Versatile Interface Adaptor, featuring three 8-bit, bidirectional ports (two parallel, one serial) and two 16-bit interval timer/event counters — thus allowing the user to interface his own system, without extra interface devices in many cases. AIM 65 is probably the most effective, low-cost microcomputer development system available — an invaluable educational aid to first time users and an ideal general purpose micro-computer for the engineer. AIM 65 is available in the UK only from PELCO ELECTRONICS LTD at £245.50 + VAT, complete with User's Manual and Schematic, R6500 Programming and Hardware Manuals and a handy pocket reference card.



Pelco (Electronics) Ltd

Enterprise House 83/85 Western Road HOVE East Sussex BN3 1JB
Tel: Brighton (0273) 722155

Buy it with your Access or Barclaycard.




● Circle No. 152

← COMPUTRADE

**SUPER
PRODUCT
SELECTION**

COMPACT 3

**FANTASTIC
PICTURE QUALITY**



The VDU that fits most micro, mini and main-frame systems—lots of built in features

PRICE FROM: £600

THE CUB

An economic answer to simple VDU needs, 64 x 16ch, cursor control

**LOW
COST**



PRICE: £349

**ASTONISHING
VALUE FOR
MONEY**



INTERTUBE

The feature packed INTERTUBE compares with terminals costing up to three times as much. Protected fields, page editing, self test, cursor control, graphics, 28 programmable function keys—just a few of the many features.

PRICE: £625

COMPACT 1

**TRULY
RELIABLE**



Acoustic data modem speeds up to 300 bauds—works either at the computer or terminal end of a datalink.

PRICE: £185

COMPACT 2

**BUILT TO
TRAVEL**



The portable hard copy terminal that's built to last—thousands of satisfied users.

PRICE: £1,360

SLAVE

Probably the best value 80 col, 112 cps printer on the market

**GREAT
COST
PERFORMANCE**




PRICE: £575

COMPACT 4

**FLEXIBLE
FLOPPY
MICRO SYSTEM**

Provides an economic solution for companies with commercial and data base requirements. Text editor, basic interpreter and commercial packages available, many packages full basic.



PRICE FROM: £2,195

COMPUCORP

A proven range of micro computer systems backed by a wide selection of software packages. Has a choice of floppies or cartridge discs and built-in screen.



PRICE FROM: £3,890

FLOPPY DISCS

Top quality IBM compatible single sided floppies plain label from leading manufacturer.

PRICE: £2.90 EACH

**DRAMATIC
PRICE
CUTS**



Write or call for details:

C Computrade Ltd
Silverwood House, Oxshott Rd.,
Leatherhead, Surrey.
Tel (03723) 79143

or contact your nearest distributor
North 061-477 4960
Midlands 0533-536077
South East 01-658 5906

**CASH 'N' CARRY
PRICES: 50 DISCS
QUANTITY DISC
AVAILABLE**

Jeff Orr and Graham Knott are now trading as :



Dual Drive Floppy Disk £840 +VAT

- * Diskman operating system
- * Random & sequential access
- * 100k on each drive (200 k on double density)
- * ex-stock



Expandamem Memory Expansion

24k - £320 +VAT
16k and 32k also available
All ex-stock

Unidirectional interface I-EEE to RS232 £89 + VAT
Bi-directional interfaces, 1 or 2 port, and A/D convertors
also available.

We also supply:

Commodore Pet complete range. Peripherals software and manuals. Petsoft, CBM and STACK software.

Apple II 16k, 32k or 48k mini-disk drives, interface cards and software.

ITT 2020 16k, 32k or 48k plus all peripherals

Printers Centronics 779, Perkins Elmer Pussycat Teletype 43 etc., including interfaces and stationery.

625 Video Adaptors
for Pet £25 +VAT
Joystick £25 +VAT
Page Printer Interface
(20m A loop) £25 +VAT
ex-stock

PHONE US ON

051-924 1125

for details of our catalogue or write to
Stack Computer Services, 1 Westward View, Waterloo, Liverpool

Stack Computer Services is the trading name of Mardonstar Ltd.
All prices are +VAT at 8%, and include carriage. Please make cheques payable to Mardonstar Ltd.

Publisher's Letter

READERS whose memories stretch for a year – a long time in microcomputers – will recall that what is now the Microcomputer Show was last year the Do-It-Yourself Computer Show. Then, too, *Practical Computing* contained the official Show Guide.


That 60-page issue was sold out very quickly and is now a much-sought-after collectors' item. This year's bumper Show Edition contains 136 pages but the price remains at the original 50p.

It is not just *Practical Computing* which has grown so dramatically in the last year but also, as will be particularly obvious to Show visitors, the whole microcomputer industry.

You will be faced with a tremendous choice of very sophisticated hardware. To some it might seem a bewildering choice, and it would be worthwhile studying our guide to buying your first computer (page 53) before making such a momentous decision.

Assimilating the latest *Practical Computing Buyers' Guide* (page 125) and stand-by-stand review (page 63) should then enable you to focus your attention on where your time, and eventually your money, is best spent at the Bloomsbury Centre from July 5-7.

Enjoy the show, buy wisely, and by all means visit our stand to browse through the back numbers or to talk to the people who make this your magazine.



Our Feedback columns offer readers the opportunity of bringing their computing experience and problems to the attention of others, as well as to seek our advice or to make suggestions, which we are always happy to receive. Make sure you use Feedback—it is your chance to keep in touch.

User groups

WE are aware that there are about 30 members of the ACC in our area but from the regular appearance of your magazine in newsagents we suspect that there are many people "going it alone".

We would find regular exposure in a "User Groups Page" very helpful. If space is a problem a diary would be acceptable.

Our one Tandy owner was pleased to find the TRS-80 Forum in *Practical Computing* and in view of this I am surprised that you do not exploit the 10K or so Nascom owners – not me, I have a 6800 – by having regular programs for them; likewise, the other popular systems.

On the subject of software, would it not be possible to have all machine code cross-compiled to cover all the common processors, and also to detail changes of Basic programs for different machines?

Finally, since several of our members know nothing of the general electronics hobby press, it might be helpful if components suppliers advertised in your magazine.

N. P. Butcher
Bushey Heath, Watford.

Initial system

I WOULD be grateful for your advice on an initial computer system for hobby/scientific/possible commercial use which may be expanded into a multi-user system at a later stage:

Cost, £2,000 including VAT;
Memory initially 32K, expandable to 64K;

Fortran IV, Assembler, Basic, Algol and, eventually Cobol;

Dual floppies, CP/M operating system, file-orientated, IBM-compatible, 8in or 256K to run reasonable-size Fortran programs;

To reduce initial costs, printer and possibly VDU to be added later; if a VDU has to be obtained – no UHF TV output – which ones are best suited to 80-character screen width?

Graphics capability later, high resolution; later, input/output paper tape or cassette; good quality documentation, reliability – little or no maintenance costs; low power consumption – not affected by mains variation;

Where can discounts be obtained?

Summing up, maximum reliability and

expansion, plus performance, for minimum cost.

M. J. Stalker
Farnborough, Hants.

Bank switching

I WAS interested to note Allen Secker's letter in your April issue and your comment concerning the availability of bank switching boards.

I am a main importer for Imsai in South-east England and can confirm that Imsai has now discontinued manufacturing the IMM bank switching board which permitted megabyte addressing.

As I understand it, there was insufficient demand on the American market for such a facility on microcomputers. There are, however, doubtless dealers in the U.S. who have stocks of this board; and if any individual or company requests it, I will gladly attempt to trace one.

Imsai is concentrating on the VDP and PCS microcomputers.

Graham Jenkins
Corner Computing Services
Epsom.

● Apart from that, we hear also that Imsai recently filed for Chapter 11 bankruptcy protection. This is a provision in the U.S. legal code which gives a company a few months to put its affairs into order, if it can.

On the other hand, we have also heard from another Imsai distributor, Computer Mart of Norwich. "In answer to your comments on bank-switched memory boards, we handle all products made by Imsai.

"Bank-switched memories are available in three sizes: 16K @ £500 + VAT; 32K @ £867 + VAT; 64K @ £1698 + VAT. Please check with our office for prices".

Educational software

I AM a psychologist working in the field of employment rehabilitation and am seeking information on educational software packages suitable for commercially-available micros. My interests range from computer-assisted education in simple arithmetical skills to the teaching of basic computer programming. Any information would be most gratefully received.

Peter Spencer
Employment Rehabilitation Centre
Dovedale Avenue
Ingol, Preston.

(continued on page 35)

Pet Expansion



Computhink
Dual drive
minifloppy

Complete with 4K disk operating system in ROM, plugs into Expandapet memory. Adds 15 new commands to Pet's Basic to give full disk extended Basic. Loads 8K in 2.6 seconds. Automatic reorganisation of free space. Utility Disk

£833 + V.A.T.

Expandapet memory

Powered by Pet's own powersupply and mounted internally in 5-10 minutes without special tools.

16K..... **£261** + V.A.T.

24K..... **£320** + V.A.T.

32K..... **£374** + V.A.T.

All units are fully built and tested.

Apple II




Apple II was the original with full colour high resolution microcomputer Basic, and it is still the best. With a very wide range of expansion available, including disk drive, interface cards, voice recognition card, light pen and many others.

Apple II has been well tried and approved by the public (over 200,000 sold) because of its thoroughly professional design and high quality engineering. You cannot get better value for money. Please send us a large s.a.e. for further details.

With 16K user RAM only **£820** + V.A.T.

Super Board II



This 6502 based microcomputer comes with a full 8K Microsoft basic in ROM. Full keyboard. 4K static user RAM (on board expandable to 8K). Kansas City standard interface for use with an ordinary cassette recorder. Machine code monitor and I/O utilities in ROM. Direct Video access with 1K dedicated RAM (besides 4K user RAM) and full graphics set.

Fully built and tested only needs a 5V 3amp power supply and T.V. Monitor or R.F. modulator to be up and running.

£263.84 + V.A.T.

Apple II & TRS80 Memory Expansion



Save Over £100

TRS 80 and Apple II memory expansion kits. Fully guaranteed and with full specification 4116 16K RAMs.

Kits come with full instructions and new jumper sets where necessary. Fitting takes 5-10 minutes, or bring along your Apple or TRS 80 and we will fit it for you for £5.

16K upgrade kit **£85** + V.A.T.

LOTUS SOUND

4 MORGAN STREET
LONDON E3 5AB

TELEPHONE: 01-9813993
TELEX: 261426 ATN.LOTUS SOUND

● Circle No. 155

(continued from page 33)

North Star plea

HAVING had certain problems with understanding North Star Basic manuals, it occurs to me that it would be useful to get in touch with other North Star users so that there may be a pooling of experience and ideas.

If any of your readers would be interested, please could they contact me?

J. L. A. Cary
Venture Capital Report Ltd
2 The Mall
Clifton, Bristol BS8 4DR.

Unsung

THIS neat Basic game arrived without a covering letter but it should help while away the occasional wet evening:

```
10 REM NPBF11 SEQUENCE GAME.
20 PRINT "TYPE ME FIVE NUMBERS IN A SEQUENCE"
30 PRINT "I WILL GUESS THE SIXTH. EXAMPLE 2, 4, 6, 8, 10"
40 DIM X(10)
50 INPUT A, B, C, D, E
60 F=(0-(X(1)*2)+(X(2)*5)+(0-(X(3)*2)))+(0-(X(4)*4)+(X(5)*4)
51 X(1)=A
52 X(2)=B
53 X(3)=C
54 X(4)=D
55 X(5)=E
70 PRINT A; B; C; D; E; " ("F")"
80 PRINT TAB(23); "MY GUESS"; "IS IT RIGHT?"
   TYPE YES OR NO"
90 INPUT AS
100 IF AS = "YES" THEN I 40
110 PRINT
120 PRINT "SORRY YOU ARE TOO CLEVER FOR ME
GOODBYE"
130 STOP
140 PRINT
150 PRINT "THAT WAS EASY"
160 PRINT
170 PRINT "DO YOU WANT ANOTHER GO? TYPE YES OR NO"
180 INPUT AS
190 IF AS = "NO" THEN I 30
200 PRINT
210 PRINT "TYPE ME ANOTHER SEQUENCE"
220 GOTO 50
65 PRINT
35 PRINT
230 END
```

B. H. Field
Fordingbridge, Hants.

Far and wide

HAVING just received a copy of the March, 1979 issue, I decided a personal subscription was essential. I especially enjoyed reading *Tandy Forum*. I have a TRS-80 Level II 16K microcomputer – believe it or not there are three such units in Tripoli.

I have a few comments and questions:

- Is it possible to have a series of articles on assembly language programming for the beginner?
- *Tandy Forum* refers to Optronics and J & J Electronics. For readers outside the U.K. an address or two would be helpful.
- Is an index available for Volume 1 of *Practical Computing*?

Dr Anthony P. Schmitt
Petroleum Research Centre
Tripoli, Libya.

- Having readers in Tripoli must be akin to success. We are considering authors for a series on assembly language programming which we would start in the Autumn. We are also computerising our index and will print a cumulative index soon. We take the point about addresses; in future we will give them.

Bewildered

HAS Commodore boomed? I refer to the new 16K Pet with large keyboard. Cer-

tainly I like the look of the machine, and the resident monitor is most useful for anyone in the machine code environment, although the manual I had with the unit didn't explain how to call Monitor.

I must thank my local supplier, HB Computers of Kettering, for help in finding the magical instruction which is SYS (64785) – and also for explaining that some of the Basic subroutines are different on the new models.

After finding that several programs written for the 8K Pets didn't work on the 16K, however, I looked closer at the memory map to find that most of the zero-page locations have been changed.

Perhaps Commodore was aiming for an improved ROM – but it has proved to be a disaster for me and, I suspect, other users. Any machine code programs which change various pointers in zero-page or programs which make use of free areas of zero-page will almost certainly go haywire. Microchess 2, for instance, does not work.

Another annoying fact is that the upper- and lower-case configuration has been changed. On the 8K models, a POKE 59468,4 will change graphics into lower-case and leave the upper-case characters as they were, but on the new 16K model the same command causes graphics to become upper-case and the upper-case to become lower-case. A program containing lower-case output really looks odd on this machine.

If you are now suitably confused, join the club; I'm still bewildered and would look forward to any comments from Commodore.

V. A. Withnall
Rushden, Northamptonshire.

For new owners

I HAVE recently started a club for owners of SC/MP based machines like the Mk 14. Initially, the club consists of a circulating newsletter to which ideas and programs can be added by members.

For anyone who is interested, I would be glad to add names to the existing circulation list. The object of the newsletter is to help new owners to get to grips with their machine and provide a means of communication between members.

Geoff Philips
8 Poolsford Road
London NW9 6HP.

Suggestions

I WOULD like to suggest two additions to your magazine – a Hardware at Chip Level section for those who wish to build or modify their own computers, and a readers' advertisements section for those

wishing to buy or sell computers, chips or software.

I have a personal interest in both of these since I have acquired for £10 a 16-bit minicomputer complete with high-speed optical paper tape reader but without keyboard, VDU, printer, or other human interfaces. There is one major snag – all the manuals are in Japanese, so I am thinking of taking out the CPU and replacing it with a micro (Z-80) but using the existing power supplies and memory – 12K x 16 bits = 24K x 8 bits of old-fashioned non-volatile core memory.

I have a Honeywell 8100 instrumentation tape deck which needs attention/rebuilding of the signal processing circuits. It is a ½in. wide tape, 10½in. NAB spool capacity, four-speed (1½, 3¼, 15, 30 ips) eight-channel machine with fully working tape transport (three motors), but I haven't the time to do what is necessary.

If anyone would like to take it for the giveaway price of £60, including five tapes, I shall send a donation to *Practical Computing*. Two other damaged tape decks (three motors each) are also available for £15 the pair.

I enjoy the magazine and wish you well in your contribution to smashing the barriers of ignorance and fear about micros.

Finally, I would like to contact Jack Pike (Feedback, May) of Chawston, Bedfordshire about his Adventure II game and to inform him that I am working on a text-packing routine requiring two bytes per written word with automatic spacing and the facility to insert standard ASCII codes at any point in such text, except in mid-word.

John E. Foggitt
Stony Stratford
Milton Keynes, Bucks

Easy solution

IF SOME of your readers are, like myself, fellow Nascom users but are tired of waiting for Nascom to produce a decent-size Basic interpreter, as opposed to its Tiny Basic, they might be interested in an 8K Basic which I have found, available on tape, from my local computer shop – Crystal Electronics of Torquay.

Although not an ideal solution, it eats into RAM – the facilities of an 8K Basic, including extensive string handling and floating point maths, transforms Nascom to bring it on a par with Pet and/or Tandy TRS-80.

M. Dwyer
Malborough, Kingsbridge, Devon

Prepare for arrival of world's fastest eight-bit micro

INTEL is about to announce the 8088, the world's fastest eight-bit microprocessor. 'Fast' refers simply to the amount of work it can accomplish.

The point about the 8088 is that it combines some of the virtues of the Intel 16-bit chip set, the 8086, with many of the more desirable attributes of eight-bit Intel micros.

The 8086 has a 16-bit internal architecture - much faster internal operation than an eight-bit processor, full software compatibility with the 8086, and a clever instruction set which allows programs to be used with other eight-bit machines.

The 8088 can process eight- or 16-bit data in single, string,

or block form; and 20-bit addressing means it can access directly up to one megabyte of memory. There are 24 addressing modes, which will ease the programmer's task and facilitate development of more efficient program code.

The 8088 contains many hardware arithmetic instructions but in addition to its number-crunching capabilities, there are many string operations specifically intended for alphanumeric - block moves, string comparisons, data scans, data translations. Internally, the 8088 looks well set-up for word processing and business equipment applications.

A 16-bit data bus has, in

theory, twice the bandwidth of an eight-bit bus; but, like the 8086, the 8088 has an 'instruction look-ahead' feature, an instruction queue which increases the efficient utilisation of the data bus. Throughout comparisons then become applications-dependent but Intel says that, typically, the eight-bit 8088 will manage 70 percent of the throughput of the 16-bit 8086.

Intel retained an eight-bit bus structure to maintain compatibility with existing hardware; an eight-bit board can be re-designed and upgraded without changing backplanes, connectors, memory structure, or peripheral controllers. A bus eight bits wide also offers savings in drivers, transceivers and board space. You can use the many multiple-function devices already available for the eight-bit family.

Despite the intellectual enthusiasm for 16-bit micros, there are many applications for which they are unnecessarily powerful - personal computing is probably one. On the other hand, it would be pleasant to have 16-bit throughput if you did not have to pay 16-bit prices and wait for the development of 16-bit support chips.

We expect to see the Intel 8088 appearing in many new products.

Infectious enthusiasm

ENTHUSIASM generated for the 6502 from the 6502 Program Exchange is infectious, particularly if you possess a Sym, Kim, Pet, Apple ITT 2020, Jolt, or Ohio Scientific micro-computer.

The Program Exchange lives up to its name. The latest newsletter dwells at length on XPLO, a compiler language which outperformed the Ohio Scientific Basic dramatically in a 1977 Kilobaud test.

We like the look of XPLO because it has many of the virtues of Pascal - intermediate code, simple to understand the principles, highly structured format - without the disadvantages. It is easy to understand the code in XPLO - unlimited procedure names help, too - and in general it looks a friendly language.

Does anyone use it? If not, \$50 buys a cassette and manual.

Other offerings from the Exchange include a kind of super-Focal called FCL-65 - a step up from Basic or Fortran. There is Tiny Basic, of course, for a bargain \$10, and a good-looking *Experimenters Manual* for \$15. There are several games and systems programs at bargain prices, including the classic Wumpus in machine language for Kim or Sym.

The 6502 Program Exchange is at 2920 Moana, Reno, NV89509, U.S. Contact the company before sending money.

Over-the-counter market survey

THE Frost & Sullivan opus *The Over-the-Counter Computer Market* predicts an eight-fold growth in the business done by retail outlets, from \$250 million in 1977 to \$2 billion in 1985.

The researchers reckon that the so-called hobby shop will become the normal mode of distribution to end-users, although the hobbyist component among the customer base is about at its peak.

More growth is due from small business, the educational end, and other establishments; the big boom is forecast in the consumer sector.

This is how F&S sees the revenue split in percentage terms for the immediate future:

1978 1981 1985

Establishments	66	48	55
Hobbyists	22	10	5
Consumer	12	42	40

Add-on purchases run from 1.5 times to twice the initial investment so there's an opportunity for peripheral makers. "Software is the crucial variable" in buying decisions, so there may be scope there, too.

F&S reckons that the aver-

age annual turnover of computer stores is about \$255,000 now. Strategic Business Services agrees, more or less, with a 1977 figure at \$220,000.

SBS isn't afraid to list the restricting factors, like capital limitations, geographic saturation, and the technological developments in distributed computing. It still estimates a 40 percent annual growth rate, to reach total revenues of \$945 million by 1983. That's a little more pessimistic than Frost & Sullivan.

Newsletter for Sorcerer

SUBSCRIPTION orders are being sought for what we understand to be the only independent user newsletter dedicated to the Exidy Sorcerer. The first issue will be available shortly. Its name is *Source* and its contents are promised to be items of general interest to Sorcerer owners, program listings, how-to-do-it articles, hardware and software reviews, and letters from readers.

The publisher is a Michigan firm which already produces *The Paper* for owners of the Commodore Pet, *Rainbow* (for Apple II owners) and *The*

Viper (dedicated to the RCA Cosmac VIP).

"Our intention is to provide useful information at all levels of expertise," Aresco declares. "Many publications offer information incomprehensible to beginners and to intermediate level computerists."

"Aresco policy is that people have to start from the beginning and there's no place for them to obtain beginner-level information. Then the intermediate people are stuck, because the "hacker" information is too technical to be comprehended without an ex-

tensive knowledge of electronics machine language.

Orders for the *Source* should be sent to Aresco, PO Box 1142, Columbia MD 21044. Master Charge (Access) and Visa (Barclaycard) are accepted. Overseas subscriptions are \$25 including airmail postage if desired.

Following our review of the Exidy Sorcerer in May, we hear that S Gimblett of HMS *Neptune*, Faslane, Helensburgh, Dumbartonshire G84 8HL is trying to start a U.K. user's group. Contact him if you want to participate.

All ship-shape and Bristol fashion for Image Data

BRISTOL seems rapidly to be becoming the Tottenham Court Road of the U.K. Image Data has opened a headquarters and manufacturing facility there.

The British-owned company will be manufacturing its Image Data Eight microcomputer and the facility is expected to create more than 100 jobs for electronic assemblers, all to be recruited locally.

The microcomputer was designed and produced originally as a development system for Image Data but it found market appeal, so the company decided to produce it in quantity and is increasing production from 20 to 100 systems a month.

It is built around a series of printed circuit boards and provides Motorola 6800 and Intel 8085 processors compatible with other PCBs in the bus system.

There are two systems accommodating six and 12 boards which offer 4K and 8K RAM, 1K increments of ROM, CRT, keyboard, Teletype I/O, cassette interfaces and line printer output. Maximum storage is 40K RAM and 24K ROM. A floppy disc board will follow.

The Image Data Eight houses the processor in a cage

design which the company believes will appeal to the education market, where it can be sold as a construction kit. The end-user, OEM and "the high end of the hobbyist market" will provide the rest of the customer base.

Software includes 8K Basic, Editor and Assembler programs, resident monitor for all peripherals, and diagnostic support for cassettes. After-sales support is available with

a 24-hour turnaround of replacement boards.

Cost range is from £500 to £2,500, depending on peripherals and model size. Only a few PCBs are needed for a minimum system, and expansion does not enforce scrapping earlier investments.

The Image Data Eight is available only from Image Data at 1-4, Portland Square, Bristol, BS2 8RR. Tel 0272 40248/9. ■

Motorola tests

FIRST successful tests on parts of the Motorola 64K RAM have been carried out at ICL. "The Motorola samples worked perfectly", said Bill Talbot, ICL technical director, who was described by a Motorola spokesman as "a hard man to please".

It looks as though Motorola will be first in the great 64K RAM race but industry pundits believe the device is not as far advanced as Motorola might suggest.

ICL admits that it will take some months before all checks have been carried out and it is totally satisfied with the product.

The Japanese firm, Hitachi, is likely to second-source M68000 microprocessor pro-

ducts. Hitachi will manufacture the range of products which the new processor will create.

The processor is of an advanced 16-bit design for high-level language implementation with 32-bit internal processing capability.

The second Motorola seminar, Microcomputer Forum – last year called Micro Forum until the Business Equipment Trade Association claimed copyright on the name, hence the change – took place last month at the Institution of Electrical Engineers, Savoy Place, London, and the focus of attention was the 6800 processor.

Five top Motorola men discussed all the latest microprocessors and memories, applications of the single chip 6801 microcomputer and the high-level 6809. ■

Pascal developed for SWTP 6800

THERE ARE many very clever and very enthusiastic micro-orientated people in the Netherlands. Some of them are part of Lucidata and they have developed a Pascal for the SWTP 6800.

By popular request, we are preparing an item on the pros and cons of Pascal as a high-level language; it does particularly well as an alternative to Basic, its advocates say.

For this one you need the SWTP system – or an equivalent M6800-based microcomputer – running the TSC FLEX 1.0 operating with a mini-floppy disc and 16KB (more memory means faster execution). ■

The run-time system interfaces with FLEX. It includes a paging facility which is invoked automatically if there is insufficient real memory for a large program.

In a 32KB system with dual floppy discs, Pascal programs can be compiled at more than 80 lines per minute according to Lucidata. With only 16K bytes, compilation is at 35 lines per minute under the paging mode. Programs are claimed to execute "tens of times faster" than with conventional interpreters.

Further details from Lucidata, Oosteinde 223, Vourburg 2271 EG (ZH), Netherlands. ■

Price list

RAPID RECALL has published a comprehensive price list which provides details of microcomputer, memory, analogue and data acquisition equipment from Digital Equipment Corporation, Intel, Intersil, Opto 22 and ITT.

The list is organised by product group rather than by manufacturer, which makes it easy for you to identify the system or component you might be seeking.

The price list is available at £1 from Rapid Recall, 6 Soho Mills, Wooburn Green, Bucks. If you buy something from Rapid Recall it is free. ■

Comart was neglected

OUR review of the North Star Horizon homed-in on one of the major U.K. dealers but neglected the other. Comart in Huntingdon has the Horizon; it also sells the Processor Technology Sol – reviewed in this issue – and the Cromemco range (the Z-2D was reviewed in February). ■

Comart offers nationwide maintenance cover by virtue of its contract with the specialist service organisation CFM. It also has nine distributors. ■

Converting I/O devices

PROLIFERATION of electric typewriters has for some time encouraged people to convert them for use as I/O devices on personal computers.

Now a U.S. company, Rochester Data, has a device, I/O Pak, which fits over a typewriter keyboard – you affix two mountings to hold it in place. The I/O Pak comprises a bank of solenoids mounted in an array which fits directly over the keyboard of the typewriter. Energising a specific solenoid causes a specific typewriter key to be depressed, thus printing a character.

Electrical actuation of the solenoid is done by self-contained drive electronics which operate in response to the selection of a pair of one-out-of-eight control lines.

The unit is claimed to operate virtually any electric typewriter with powered function keys with no mechanical modifications to the typewriter. All adjustments are self-contained in the I/O Pak, for which is claimed easy initial installation, "instant detachability and replacement", "modest power consumption and "high reliability".

The interface appears to be a six-bit parallel one, and naturally you, or your computer, have to provide some external timing.

The I/O Pak cost \$395 from Rochester Data, 3100 Monroe Avenue, Rochester, NY 14618. ■

WITH the introduction of higher-density memory components, a new group of single-board computers is emerging. They do not exactly constitute the method of operation, and designs are not so different from previous boards to justify this label.

The AIM-65, produced by Rockwell and available here from Pelco Electronics, is one of this group. Strangely enough, the newer systems, which include the Ohio Superboard II and the Synertek Sym 1, all use the 6502 micro-processor, as utilised in the Pet and Apple II.

Again, like the Ohio Superboard (reviewed in *Practical Computing*, June, 1979) the reputation of the AIM-65 precedes it to some extent. It has been hailed as "the best-engineered cheap 6502-based system".

Facilities

The AIM-65 is a single-board computer offering as the input device a 54-key alphanumeric keyboard in the standard QWERTY typewriter layout. Also on the board is a 20-character alphanumeric LED strip display and a column thermal printer.

The processor is the Rockwell 6502 running with a clock speed of 1MHz and an 8K monitor in ROM, plus 1KB of user RAM; the user memory is expandable on-board to 4K. An audio cassette interface programmable for two tape recording formats is also provided.

Setting-up

The AIM-65 is a fully-assembled unit. It requires only the connection of the keyboard to the computer board via a ribbon cable and i.c. 'headers' - they did not seem to be very robust and required careful handling.

For power, the AIM-65 requires a single 5V supply at two amps to work; but to have printer operation, a separate 24V supply at 2.5 amps is required, which is not very convenient.

In use

With the 5V supply attached, at switch-on the AIM-65 does a 'power-on re-set'. The display 'ROCKWELL AIM-65' appears momentarily on the LEDs, followed by 'PRINTER DOWN'. At that stage it is ready to accept commands via the keyboard or a Teletype - this is switch-selectable on the computer board.

The 54-key keyboard has a very good feel and because it is separate from the main board it can, in theory, be positioned for fast and comfortable typing. Because the connecting ribbon cable is very short, however, this is not so easy.

The 20-character alphanumeric display is clear in normal room lighting and the

AIM-65 only cheap built-in printer

characters are easy to read, even if a few of them are a little contorted. The display uses 16-segment LEDs and for this reason is upper-case only.

Firmware

Two 4K-byte ROMs of the 2332 type contain the monitor and utility firmware. This monitor is very impressive. It does the usual display/change memory or registers, start execution and tape dump/load.

What makes the AIM-65 outstanding is its powerful debugging package. It allows the user to set up to four software breakpoints and under single-step operation - switch-selectable on the board - it can do an instruction trace and a register contents trace, with automatic disassem-

by Vincent Tseng

bly on the machine code into assembly instruction mnemonics, as the user program is stepped through.

There is also a program counter history command which lists the last four addresses executed. As it does this in the single-step mode and as both the instruction trace command Z and register trace V print the program counter address, it seems a little superfluous.

Entry of a program can be in mnemonics as there is a direct assembler. It makes life easier than entering machine hex code, although this is also available if you feel masochistic. Because it is a direct assembler, labels cannot be used; addresses, therefore, are absolute.

Text editor

To examine a program there is a disassembler, so that instructions can be displayed in the assembler mnemonics. As if all that was not enough, there is also a text editor with a reasonable set of commands. It allows the creation of text and message files, or it can cater for the preparation of assembler programs to use with the optional extra ROM assembler. The commands are limited but are certainly enough for use; there is a powerful 'find string' function, although operation will start only from the current line.

All this can make program preparation hard work - even though the commands worked at a fairly high level - if we were limited to the 20-character LED display. If you want to examine a program and

have it disassembled for 10 instructions, the AIM-65 will do it, but the first nine of them will be flashed on to the display very quickly and only the tenth will be left in view.

To examine 10 instructions in a more leisurely manner you have to use the K command to disassemble and enter the hex address of the instruction; when the monitor returns with the prompt (a slash), you enter 01 for one instruction and repeat all this nine times.

So the AIM-65 really scores when the printer is operational, which means you hear that 24V power supply.

Printer

The 20-column thermal matrix printer uses a roll of 2 in. (50cm) wide paper. The print quality is good, and it can output at approximately 90 lines per minute.

Power consumption we metered was 0.05 amps when idle, peaking to approximately 0.25 amps during a print cycle. The meter may well have been slow in response but there's certainly a discrepancy between this and the Rockwell-specified power rating of 0.5A when idle and 2.5 amps.

Another point worth noting was that the 24V power supply used with the printer was limited by current on our system to 1A and at no time did it look distressed, even during a long print cycle. So the quoted power rating required for the printer may be something of an over-kill in the specifications, or perhaps Rockwell put the decimal point in the wrong place. Certainly a 24V 0.25 amp power supply is much more convenient than a 24V 25amp supply.

Paper loading

Paper loading is easy once you know how, but try to find out how in the users' guide and the roll seems to last and last.

One tends to forget how very useful it is to be able to refer back to what has been done - a printer allows you to do this. Messages and reminders can also be printed by involving the text editor - using a small buffer area if memory space is tight - editing and printing line by line.

The character set available to the printer is small and there is a wraparound. Our demonstration program of the printer output and character set also illustrates the use of the printer for printer comments and messages.

micro with ter

Cassette interface

The audio cassette tape interface boasts two recording formats, one at a standard 1,200 baud and the other a Kim-1 compatible version. The tape recorder has to be connected via the board's 'application' edge connector J1 but sadly no edge connector socket was supplied on our kit, and it is not good practice to solder directly on to the board's edge connector gold-plated fingers. Your reviewer, fortunately, was able to commandeer an edge-connector socket from a Kim-1 and connected the AIM-65 to a cassette recorder.

The AIM-65 does not record and play back well with cassette recorders with automatic recording level controls. This restriction probably covers almost all the current cheap cassette units; it applied to ours, and we confirmed this with other users. Apparently, the AIM-65 needs a manual recording level to overcome the slow time response of the 'automatic level control' recorder.

Inconsistent

The setting-up procedure and 'Sync' program in Section 9 of the *Users' Manual* was tried. This could be set up – adjusting VR1 – so that almost the full range of the playback volume control was accepted by the 'Sync' program.

When data was recorded it was very inconsistent on loading and playback. Data recording was tried with both formats and various impedance-matching resistors were used, but all to no avail.


This was particularly disappointing because the AIM-65 has some file-handling capability we wanted to exercise. A user's file name can be given – up to five characters – and on playback the AIM-65 will search for the file name. At 1,200 baud, recording and playback for 256 bytes was fairly fast.

Two recorders

Remote start/stop controls are also available, so that two recorders can be used – one set to record, one for playback. This is suggested for use with the optional extra assembler in ROM. It is a pity it does not work well with cheap recorders.

The edge connector, incidentally, is the same as for the Kim-1 – a double-sided 44-pin connector with 4mm pitch.

There appears at first sight to be a fairly weighty documentation pack with the AIM-65, but the most useful and



relevant ones are the *AIM-65 Users' Guide* of almost 500 pages, the 6500 programmers' reference card and the *AIM-65 Monitor Listings*.

The two other substantial books are reference manuals for the 6502 and not specifically for the AIM-65.

The *Users' Guide* has all the information, but it is not very well laid-out. For example, to try to find how to load printer paper from the index, you might reach page 1-14 by yourself; on it there are instructions on how to load the paper, but no diagram showing where the relevant parts are located. That is on pages 11-15 in the chapter covering troubleshooting, warranty and servicing.

Similarly for the cassette, Section 2.9 states: "We assume that the cassette recorder has been attached previously in position 1 according to the instruction in section 9".

There are, however, a few examples, but not enough programming examples, and a listing of a useful sub-monitor with many extra facilities, but it uses some 457 bytes; and as the available user's RAM area on a 1K model is only 512 bytes, memory expansion is needed for this to be useful.

Compensation

Overall, the documentation at least has all the relevant information but it is not easy to follow for a first-time user and is a headache for pure reference usage.

It's a pity we were not able to test the AIM-65 with the Basic-in-ROM option because this would have taken the programming to a quicker, higher level.

Ideally, we would prefer to have a TV interface as well, but the printer compensates to some extent for this.

It has been claimed that the AIM-65 is hardware-compatible with the Kim-1 – and therefore the Synertek Sym-1, too. This could mean that a TV interface available for the Kim-1 could be used with the AIM-65 but it is expensive and the software interfacing would be tedious.

The Kim-1 tape format is not that useful, either, because many of the better Kim programs use subroutines in the Kim-1 ROM monitor which is obviously different from the AIM.

Conclusions

● This is the only cheap microcomputer with its own built-in printer. It is a worthwhile microcomputer offering the right types of facilities. As it stands it could do with more RAM (expandable on board); then it becomes a reasonably useful tool to learn assembler programming for the 6502.

● With the Basic, which was not tested, it is certainly worth consideration for home use. The cassette interface could be improved to work with cheap recorders and the manuals could be made more readable, but the AIM-65 is a very pleasant system. ■

GEMSOFT

Programs for the PET, supplied on high quality cassettes. We are pleased to announce our new catalogue, containing over 50 programs, all of them available for the PET, and some for the Exidy Sorcerer and Apple 2. Send SAE for full catalogue. Programs are despatched immediately, and all prices include postage, packing and VAT (except where stated).

GAMES

ZAP THE KLINGONS (S) Fast moving space game with excellent graphics £6:00
 DROPOUT (S) Get the ball through the maze without hitting the sides, good graphics. £6:00
 DOMINOES (S) Our version of the game, unfortunately it has an uncanny knack of winning. See if you can beat it. £6:00
 CROSSWORDS 1-3 A real crossword puzzle on your computer. Excellent graphics, and three programs on one cassette. £6:00
 OIL RUN (S) Fire torpedo's at the enemy tankers, dodge the mines. £4:50
 ARROW (S) An intriguing and fast moving game with excellent graphics and sound effects. £5:00
 INEBRIATED BLACKJACK A very different game of blackjack, one which will keep you amused for a long time. Super graphics. £6:00
 RICOCHET (S) Aim the ball around the screen, and watch it ricochet, a real arcade game with good graphics and sound. £5:00
 X-Wing ATTACK (S) Dogfights in space, with all the drama and sound of S**r,W***.
 STAR TREK Our version of this famous game good graphics.
 PETALS AROUND THE ROSE A real mystery game with a hidden formula. Amaze your friends with your intelligence (once you learn the secret). £4:5
 SCRAMBLE Write your own funny stories with the computer. £4:50
 BATTLESHIPS Destroy your opponents, and out manoeuvre him. £4:00
 NICKY NACKY NOO Every library has a number of guessing games, this is ours. £3:50
 OSC LANDER Land your lunar lander on the moon surface, excellent graphics. £6:00
Other games in preparation include Horse Race, Explore, Bagels x 2, Nim etc.
 MUSIKAL & JIGSAWS (S) Musikal is a continuously moving kaleidoscope, with rhythmic atonal music. Jigsaw reassembles letters on the screen with sound. £4:50
 CALENDAR & DATE CALCULATOR Displays 1979 calendar (can be updated to 1980), and finds any date. £3:50
 JOTTO A five letter usable word guessing game. £3:00
 CRYPTO Helps to break down coded messages. £3:00
 KEYBOARD RECORD (S) Turns your pet into a musical instrument. Stores up to 255 notes, and will play them back at will, from the memory. (S)
 TEACH YOURSELF MORSE (S) The computer generates morse letters and you have to match them, Will also generate morse from typed in messages. £4:50
COMPUTER ART We have a small, but growing section of pictures printed on our Teletype 43. Programs are available for: Nude Lady, Miss Santa, Love, Poster and Calendar. Prices from £2:50 to £4:00. Send for catalogue.

Educational & Scientific Programs
 METRIC TABLES Converts Temperature, Weight Area, Volume, to and from metric.
 CURFIT Fits 6 different types of curves to your data.
 TRIANGLE Solves triangles.
 DISTANCE CALCULATOR Calculates distances between two points from latitude and longitude.
 FACTOR FINDER Breaks down integers into prime factors. £3:00
 MARKS Grades students exam results, stores data on tape for update and future reference


All the above s & e programs are £4 unless stated.
BUSINESS PROGRAMS
 We specialise in writing business programs for the Pet complete with twin floppy disks and large memories. Please contact us for complete hardware and software packages based on the Pet. Programs available and in preparation include Accountancy, Stock control, VAT, Mail lists etc. The programs below, will all run on an 8K Pet.
 MORTGAGE Calculates monthly repayments etc. £4:00
 PORTFOLIO Keeps a file of stocks and shares on tape, calculates buying, selling, evaluation etc. £6:00
 GENPACKS 1-4 A package of four programs on individual cassettes, with full documentation, designed for the small businessman. Together they calculate the VAT, and store results on files, a customer list, cash-flow, debtor/creditor list, and other statistical information. £55 for 4 programs, or £15 each.

PROGRAMMING AIDS
 LINE RENUMBER A new basic/hex subroutine for re-numbering a program in increments of 10. £6:00
 HEXCONV Converts dec to hex and vice versa. Examines single bytes in Hex, decimal, ASCII, and binary. Conversion chart supplied with program. £10:00
 TRACE Shows program working line by line in slow motion. The lines are displayed on the screen in reverse field. £8:00
GS1 SOUND BOX The suffix (S) after a program name denotes that the program has sound effects built into it, and these can be utilised to the full with the GS1 Sound Box. This well designed speaker/amplifier plugs into the user port. It is battery operated (not supplied) and costs £15:50 direct from us (post 50p), or your nearest Gemsoft dealer.

TRADE ENQUIRIES WELCOME.
COMPLETE BUSINESS SYSTEMS AND PACKAGES DESIGNED TO ORDER. SOFTWARE AND HARDWARE SALES. DUPLICATION OF COMPUTER PROGRAMS IN LARGE QUANTITIES. MICRO SOFTWARE CONSULTANCY SERVICE.
 See us at our stand at the 1979 Micro-Computer Exhibition at The Bloomsbury Centre Hotel, July 5-7.

GEMSOFT:- "Alverstone Lodge", Wych Hill Lane, Woking, Surrey (04862) 60268

TEXAS TM990/189M for only £249 + VAT



The new single board computer from Texas Instruments. Designed as a learning aid for hands-on experience plus instruction in microcomputer fundamentals.

Available from **WATFORD ELECTRONICS** for only **£249 + VAT**. Comes complete with a comprehensive users' guide; ideal for colleges and universities as a primary course book for a 16-bit microcomputer class.

For full details contact:

WATFORD ELECTRONICS
 33/35 Cardiff Road, Watford, Herts, England.
 Mail Order, Callers welcome. Tel: Watford 40588/9.

● Circle No. 157

PAXTON COMPUTERS LTD

Computer Systems Specialists

EQUINOX 300

NORTH STAR HORIZON

- Computer Systems Design
- Computer Systems Software

PAXTON COMPUTERS LTD


26 High Street, Great Paxton,
Cambridgeshire

Tel. Huntingdon (0480) 213785.

**BEDS · CAMBS · HERTS ·
NORTHANTS**

● Circle No. 156

● Circle No. 158



Robust SOL-20 becomes competitive for the small business user

THE SOL-20 terminal computer is manufactured by Processor Technology Corporation of California and has been around for some three years. In the U.K. it is available from Comart, whose nine distributors include The Byte Shop, which loaned us the review system.

The system is built around an Intel 8080 microprocessor, with up to 64K bytes of user RAM, 1KB of system scratchpad RAM, another 1KB RAM for the display, and 2K bytes of ROM used for what Processor Technology calls a 'personality module', or monitor.

Personality module

The personality module supplied with our SOL was the SOLUS operating system. It allows the use of a bootstrap disc loader and can run SOL as a stand-alone system. Also available are a cassette-based version and a third alternative for user-programmed ROM applications.

The SOL resembles an enlarged keyboard unit, minus the display but pro-

vided with wooden side panels – they look not unlike teak. The keyboard is a standard QWERTY layout with a separate numeric pad. Built into the side panels are two carrying handles but the

by Jim Wood

unit is still fairly bulky; it is large enough for a display monitor to stand on and it contains a large power supply and a fan.

Interfaces are provided for video output, dual audio cassettes, an eight-bit parallel I/O port, and an RS-232 serial interface. Both parallel and serial ports are 25-pin D-type sockets, the parallel one male and the serial female. All are located at the rear of the unit, easily accessible and marked clearly.

The back of the cabinet also contains a commendably large on/off switch, the small but clearly adequate fan, a power plug socket – it certainly helped being able to unplug the lead at both ends when

moving the SOL – and a socket for the video monitor.

Keyboard

Despite the general air of substance and size of the SOL, the keyboard is a little cramped in its layout. The space bar is not separated but has cursor control keys on either side. The RETURN key is about half the normal size one would expect; it, too, is unfortunately surrounded by keys. It does not protrude enough and it is placed next to the @ key. In the SOLBasic this key has the effect of scratching the line being entered. Hitting it accidentally instead of RETURN happens far too often.

To balance those criticisms there are many good points about the keyboard. For instance, three colours are used to distinguish between the normal alphanumeric keys, the controls, and special keys. The keys to switch on-line/local, upper/lower-case and shift lock each have a small red light which shows when the key is depressed and locked.

(continued on next page)

(continued from previous page)

This is particularly helpful; so is the provision of a separate upper/lower-case key instead of having to use the more common shift operation.

Easy access

Including upper- and lower-case, the keyboard offers 85 standard characters. By the use of the control key, a further 36 Pet-style graphics characters are available.

The cover of the SOL is easy to remove. You slacken two butterfly nuts at the rear and lift the two dove-tailed sections clear. The S-100 bus and the plug-in printed circuit boards are simple to reach; the 22 internal control switches are within the reach of a not over-long fingernail. These switches determine the mode of operation, allowing changes to baud rate, display of control characters, solid or blinking cursor, and normal or inverse video.

Display

The monitor provided by Byte Shop with our SOL was a Sanyo Super 12 portable monochrome TV. It proved to be a rather cheap attachment to a system which otherwise qualifies as more expensive than most. The connectors benefitted frequently from judicious wiggling to find the best quality of display.

The characters are reasonably large, the level of contrast defining the clarity, but they tended to run into each other.

The cursor may be selected as solid or blinking; and the inverse video certainly worked, though with the right-hand side of the characters tending to drift back to normal video.

Fourteen lines of 62 characters are allowed on the monitor. Lower-case characters have true descenders and there is a rub-out key to remove characters from the screen. A cover is also supplied to keep dust from the screen.

Manuals

The documentation supplied with the system was extensive and of high quality. The most important item was the *Systems Manual*. It contains easy-to-follow and well-structured sections covering almost everything the SOL user would require to know about the computer.

There is information on construction, hardware set-up, peripheral connections, wiring diagrams, hardware and software definitions and explanations – even an introductory letter to the (American) SOL users' society. The style is easy to follow and in general the contents are concise and to the point.

The manual we were given for the Basic was the *Users' Guide to North Star Basic* – SOLBasic is almost exactly the same as North Star Basic. It is sold separately and we are reviewing it separately. SOL is not the only computer which can attach North Star discs but the initial impression is that this is a well-written guide to a disc-based Basic.

Prices

These prices were quoted by the Byte Shop, which supplied the test system. All prices are exclusive of VAT.

Hardware	
SOL with 16KB	£1,785
SOL with 32KB	£2,060
SOL with 64KB	£2,610
12in. display monitor included in basic price	
North Star mini-floppy drive (80 or 160KB)	£635
Dual drives	£1,060
Hyterm 1610 printer	£2,220
Hyterm 1620 keyboard/printer	£2,400
Centronics printers	£950 upwards
Software	
SOL disc Basic	Included in the basic price
CP/M disc Basic	£150
Disc	
Word Processor (Electronic Pencil)	£135
APL	Not quoted
Cassette	
Extended cassette Basic	£35
Basic 5	£20
Focal	£25
ALS-8 (Assembly language)	Not quoted

More systems

A number of cassettes and manuals for FOCAL, Extended Cassette Basic and Basic 5 were provided. We could not attach a cassette recorder – we didn't have the proper leads – but we intend to review them at a later date. A cassette-based assembly language, ALS-8, is also available.

Two further disc-based systems are available – CP/M disc BASIC and a version of APL; we had neither for review but any readers with opinions on them are invited to send us a critique.

A single North Star mini-floppy disc drive and a Diablo printer were also supplied with our system. That occasions further criticisms. The on/off switch on the disc drive is not labelled and caused some confusion when switching-on; and we were unable to deduce how to send something to a printer from a SOLBasic program – the *Users' Guide* makes no mention of external printing.

Plus points

Points we liked about the Basic, a 16K version, were:

- string arrays with substrings.
- support for both sequential and random files.
- multiple statement lines.
- string length restricted only by the available memory size.
- a reasonable line editor, based on the use of control keys.
- a line number range up to 65535, with automatic line numbering available along with a simple re-numbering facility.

The Basic is straightforward to use and is definitely helped by the *Users' Guide*, which takes a humane step-by-step ap-



proach to mastering the system, but we have some criticisms:

- there is no PRINT USING statement.
- lack of printer addressing.
- not all errors are notified to the user – using a string variable with a length greater than that defined will cause the disappearance of the extra offending characters.
- Accuracy is limited to eight digits, although the range for a variable is $\pm 10^{62}$.

One pressing criticism of the Basic is that it is fairly slow. A standard simple benchmark, the loop FOR 1=1 TO 1000/NEXT 1, takes 2.4 seconds; that is about the same as our Tandy TRS-80 and seems on the slow side for a considerably more expensive system.

Expansion

A less important and less annoying attribute is the necessity to drop into the operating system to create disc files; you cannot do this from Basic.

The SOL scores well when expansion is considered. Memory may be grown to 64KB – our system had 32KB – and up to four mini-floppy disc drives and two cassette units may be attached. As the system utilises the S-100 bus, there are several compatible devices which can be used. The basic system contains space for five expansion modules.

Conclusions

● SOL is well made and seems robust. The quiet back fan keeps it cool and there is much to be said for using standard technology (S-100 bus). There is a wide range of software, both cassette and disc-based. The 'personality module' is another plus.

● For an expensive personal computer system – £2,700 plus for the basic 32KB configuration and disc drive – the standard of monitor we tested is rather poor. That could easily be altered, of course.

● More important, the keyboard could certainly benefit from a redesign of the layout.

● Standard basic is easy to use, though we bemoan the lack of PRINT USING and an easy access to the printer. The *User Guide* we saw is good and in general the standard of the Processor Technology documentation is excellent, both for a reference user and the beginner.

● At the price, the SOL is moving out of the personal computer market and so must be aimed at the small commercial business user. There its price begins to appear reasonably competitive. In this context, being able to have four disc drives on-line is an advantage and while the Byte Shop doesn't offer 8in. floppies, someone else must do so.

● Even so, the SOL works with dual-density mini-floppies and so can access a minimum of 640,000 bytes of storage.

Practical Computing evaluation

	Yes/No NA	1	2	3	4	5		Yes/No N/A	1	2	3	4	5
Ease of construction (where applicable)	NA						Assembly language				✓		
Quality of documentation					✓		Basic language					✓	
Dealer support/maintenance				✓			Other languages	Y					
Can handle 32K of memory	Y						Compatibility with other systems					✓	
Quality of video monitor (consider resolution and screen size)		✓					Reputation of manufacturer				✓		
SS-50 Bus	N						Appearance			✓			
S-100 Bus	Y						Portability			✓			
Sockets for chips	N						No. of software applications packages available				✓		
Numeric, calculator-type pad on keyboard	Y						Hobby use			✓			
Large amount of removable memory, randomly accessible	Y						Business use					✓	
Cassette tape recorder capability: Own	N						Educational use					✓	
Built-in recorder	N						Suitability for: Commercial applications					✓	
Floppy disc capability	Y						Home applications					✓	
Communications capability (can talk to other computers)	Y						Educational applications					✓	
Speed of instruction cycle	2MHz						Ability to add printer(s)	Y					
Ease of expansion					✓		Ability to add discs	Y					
Lower power consumption					✓		Ability to add other manufacturers' plug-in memory					✓	
							Ratings						
							1 = poor; 2 = fair; 3 = average; 4 = good; 5 = excellent. N/A = not applicable.						

HAVING carefully studied and, it is hoped, understood the requirements of the system being designed, the next step is to decide whether it is worthwhile maintaining a file for each type of information. If so, then we must also decide on the most suitable method of file organisation to use.

In small business systems the two files found most commonly are the product or item file and the customer file. The former will hold all the details of each item stocked or sold – part number, description, price, quantity in stock – and the latter the details of each of the customers or potential customers – address, terms of business.

Other files often will be necessary but all my comments relating to those two can be applied to any file of data.

For an order entry and invoicing system both a product file and a customer file may be needed but, we must not assume automatically that they must exist. A mail order company may have many customers, each one ordering once only with a very low likelihood of repeat business, so in that instance it would be better not to have a customer file but to type-in the customer details with each order.

Besides, it is unlikely that a small, floppy disc-based computer could handle the large volume of data required to create such a customer file – a reasonable size of file to consider handling would have a few hundred customer records rather than a few thousand.

Two approaches

Similarly, a business dealing in specialised, custom-designed products may well not justify the creation and maintenance of a product file. Anyway, for the purposes of this article it is assumed that both a customer file and a product file are needed and that, in addition, each transaction will be recorded for subsequent processing to produce accounting information.

On most small computers with floppy disc of one form or another there will be two possible approaches – sequential or direct files. The choice between them usually will be clear since sequential files, as the name implies, can be written to or read from only by starting at the first record on the file and then progressing to the next and so on.

This is obviously useless if we want rapid access to a particular record – even 10 seconds is a long time to wait when you are sitting in front of a computer terminal with fingers poised for the next entry.

If several hundred records have to be read before the correct one is found the delay could be an order of magnitude greater. Our transaction file would fit well on to a sequential file, though; it will be processed by the accounting program

How to decide on file organisation

only in the same order in which it was written, so there will be no problem in finding records.

Both customer and product files need to be organised so that any record can be found with minimum delay. Direct files allow this and are simple in concept; the problems lie in the ways in which direct files can be used.

Stated simply, a direct file access method requires to be given a record number and will return with the contents of that record. The format of the Basic statement to do this will differ from machine but will probably be of the following form:

```
GET N,R,A£   to read from the file
PUT N,R,A£   to write to the file
where N is the file number and R is the record number
and the contents of the string variable A£ are either read
from or written to the record.
```

each key table entry will be nine characters, and 14 pairs can be stored on a 128-byte record. The entire key table for a file of 280 products will thus occupy 20 records. To find any record will require an average of 10 GETs to find the correct key table entry and one more to read the record from the data file. That is almost the maximum number of GETs which can be tolerated, so for larger files another approach has to be found. For small files this approach is simple to use and simple to program and does not require any sorting of the data file or the key table.

Larger files require a more complex method to keep down response times. If sufficient memory is available the key table could be resident (i.e. in memory). It is important, however, that whenever a new record is inserted, the revised key

Mike Collier's introduction to systems analysis for the small computer user in business now looks at records and files.

The required record can thus be found given its record number, but this is not a complete solution – the record number still has to be found. The user of the system cannot be expected to know the record number of each part or customer and to enter it each time access to a direct file is required.

As you will have read in last month's article, it is unrealistic to expect the person entering data to know any more than the part number or customer code to which he has always been accustomed. What has to be devised is some way of converting, within the computer, the part number into a record number on the product file and the customer code into a record number on the customer file.

There are several possible approaches to performing this conversion, which to choose depends on the circumstances and the size of the file. For reasonably small files – 200 to 300 records – perhaps the best approach is to maintain a 'key table'. That is a list of the cross-references between the 'key' – the part number or customer code – of each record and the record number at which the associated information is stored.

Key table

The 'key table' can be stored on disc either as a separate file or as part of the main data file to which it refers – see "record types" in the next instalment. If each part number is six characters long and the record number three characters,

table should be written on to the disc file; otherwise the location of the added record could be lost in the event of any form of program or mains power failure.

If the simple approach cannot cope with the volume, or if very fast file access times are necessary, there are ways of sophisticating the method. For example, the key table could be held sorted. That would allow a form of binary search to be used on the key table records – i.e., read the middle record, if the required key is below then read the middle record of the lower half, and so on.

Alternative

Alternatively an index of the key table records could be maintained in memory, holding the first key on each key table record. With this method only two GETs will be necessary, one to find the key table record and one to find the record on the data file.

To pay for this efficiency it will be necessary to insert new keys into the table in the correct sequence and re-write any key table records affected by the change – figure 1 illustrates this method.

There is clearly more effort required of the programmer to achieve an efficient technique for reading and writing direct files. In fact, the ultimate extension of the key table approach is sometimes available as proprietary software and is called Indexed Sequential file access – this is the method often used on large computers.

One matter to be resolved is how to

an suitable method

delete records no longer required. It would take too long to shuffle all the records following the deleted one to fill the vacant space while the user is sitting waiting at the computer. It is much easier and quicker to allocate a particular field on each record which can contain a deletion marker.

To delete a record, all that is necessary is to enter a defined value into this field. A special program can then be written to go through the whole file sequentially, dispensing with all records flagged for deletion, printing them out for archiving and shuffling subsequent records to fill the spaces left.

This program would also re-create the key table records and would serve the additional purpose of being able to re-constitute the key table should any error in processing or in the disc drive cause corruption of the file.

A different approach which avoids any need for a key table is that of using a Randomising Algorithm. This complicated-sounding title means using some mathematical rule to convert the key into a record number. Let us consider the requirements of such a rule:

- Application of the rule to any particular key must always yield the same record number.
- Even though the distribution of values for the keys may not be even over the range of possible values, the record numbers must be spread evenly throughout the file to minimise space on the disc.
- Ideally, no two keys should yield the same record number; this is virtually impossible to achieve and there are ways to circumvent it but the possibility of such occurrences should at least be minimised.

Fastest method

The procedure to be described may appear somewhat complex but it can be programmed in only a few lines and is often the fastest method of finding the required record.

The first step is to convert the (probably) alphanumeric key into a pure numerical value. There are many ways of doing this and the method described here is not necessarily the best but it works and it is simple.

Each character of the key is taken in turn and its ASCII value found; the total of all these ASCII values is then the numeric value sought.

```
10 T=0
20 L=LEN(KEY$)
30 FOR I=1 TO L
40 T=T+ASC(MID$(KEY$,I,1))
50 NEXT I
```

This routine will, of course, produce the same value of T for two keys which have the same characters but in a different sequence. To improve matters, line 40 could be changed to:

```
40 T=T+I*ASC(MID$(KEY$,I,1))
```

thus giving different weightings to each character of the key.

Having derived a numeric value it must be modified if it is to become a valid record number which is equally likely to be any value between 1 and the number of records in the file. The 'equally likely' part is to ensure that the whole file space is used rather than having the first half full and the last half empty, since it will become clear that the efficiency of this technique depends on there being only a small probability of more than one key giving the same record number.

The best way to achieve this is to ensure that the whole file space is used. The RND function will give a random value which can be modified easily to give a random value between 1 and N and, what is more, it does so in a predictable way.

Repeatable

Different Basic interpreters have different ways of using the RND function, but most require that it be given a starting value from which to generate its stream of pseudo-random numbers. By using the value of T as obtained for the starting value, the number produced by RND will have the required attributes of being repeatable and of being equally

KEY A	RN 1
KEY G	RN 2
KEY M	RN 3
etc.	

Key Table Index: containing the first Key on each record of the Key Table (held in memory).




Fig. 1 Illustrating the method of using a Key Table together with Key Table Index to find the data relating to KEYD

likely to be anywhere within the prescribed range. Thus:

```
60 X=RND(-T)
70 X=RND(T)*NREC+1
    (Microsoft BASIC on the SORCERER)
    NREC is the number of records on the file.
```

On any other machine the statements may be different but the Sorcerer initialises the random number stream by calling

RND with a negative argument.

X is then the record number where we would like to store this particular item of data. It has been found with only six lines of program and without the need to read disc files. There is, however, one further step which must be carried-out before storing the data there. It is possible that some other key has been entered previously which happened to generate the same record number, so it is necessary to check that the record is not already occupied.

That could be a simple test that the key field on the record is equal to all blanks – any other value signifying that the record has been used previously. If it has, there is no problem; try the next record on the file, and so on, until a vacant one is found.

To retrieve a record, exactly the same calculations are performed and when the record number is found the key field is tested to see if it is the one required. If not, the next record is checked, and so on, until the correct key is found or a key of all blanks is found – signifying an unoccupied record.

In the latter case it is clear that the requested key cannot be on file, since if it was it would have been stored in that vacant slot.

To find the record in which to store a new item, the following program can be used:

```
80 GET N,X,A$
90 IF LEFT$(A$,6)="" THEN 130
100 X=X+1
110 IF X>NREC THEN X=1
120 GOTO 90
130 REM VACANT RECORD FOUND (=X)
```

and to read the file to find the record with the key of KEY\$:

```
80 GET N,X,A$
90 IF LEFT$(A$,6)=KEY$ THEN 150
100 IF LEFT$(A$,6)="" THEN 1000
110 X=X+1
120 IF X>NREC THEN X=1
130 GOTO 90
150 REM FOUND THE RECORD
```

1000 REM NOT ON FILE


The great advantage of this method is that neither key table nor file look-ups are needed. Most accesses will need only one file read, provided a reasonable amount of slack has been allowed in setting-up the file size.

Twenty percent would be a reasonable figure so that if 1,000 records is estimated as the maximum to be stored, the file should be given 1,200. As the file fills the number of reads will increase, so it may be necessary to write a program to extend the file.

That program will restore every record in a new record number since the algorithm with the new value of NREC will give new record numbers for each key.

I hope this rather technical chapter has not deterred you – it sounds more difficult than it really is. Next time I will be looking at the various items of data which can be held on files and at the relevant items of hardware and software which can affect small business systems. ■

THE EXPANDABLE GENERAL-PURPOSE MICROCOMPUTER



THE RESEARCH MACHINES 380Z

A UNIQUE TOOL FOR RESEARCH AND EDUCATION

Microcomputers are extremely good value. The outright purchase price of a 380Z installation with dual mini floppy disk drives, digital I/O and a real-time clock, is about the same as the annual maintenance cost of a typical laboratory minicomputer. It is worth thinking about!

The RESEARCH MACHINES 380Z is an excellent microcomputer for on-line data logging and control. In university departments in general, it is also a very attractive alternative to a central mainframe. Having your own 380Z means an end to fighting the central operating system, immediate feedback of program bugs, no more queuing and a virtually unlimited computing budget. You can program in interactive BASIC or run very large programs using our unique Text Editor with a 380Z FORTRAN Compiler. If you already have a minicomputer, you can use your 380Z with a floppy disk system for data capture.

What about Schools and Colleges? You can purchase a 380Z for your Computer Science or Computer Studies department at about the same cost as a terminal. A 380Z has a performance equal to many minicomputers and is ideal for teaching BASIC and Csil. For A Level machine language instruction, the 380Z has the best software front panel of any computer. This enables a teacher to single-step through programs and observe the effects on registers and memory, using a single keystroke.

WHAT OTHER FEATURES SET THE 380Z APART?

The 380Z with its professional keyboard is robust, hardwearing equipment that will endure continual handling for years. It has an integral VDU interface—just plug a black and white television into the system in order to provide a display unit—you do not need to buy a separate terminal. The integral VDU interface gives you upper and lower case characters and low resolution graphics. Text and graphics can be mixed *anywhere* on the screen. The 380Z also has an integral cassette interface, software and hardware, which uses *named* cassette

files for both program and data storage. This means that it is easy to store more than one program per cassette.

Owners of a 380Z microcomputer can upgrade their system to include floppy (standard or mini) disk storage and take full advantage of a unique occurrence in the history of computing—the CP/MTM* industry standard disk operating system. The 380Z uses an 8080 family microprocessor—the Z80—and this has enabled us to use CP/M. This means that the 380Z user has access to a growing body of CP/M base-software, supplied from many independent sources.

380Z mini floppy disk systems are available with the drives mounted in the computer case itself, presenting a compact and tidy installation. The FDS-2 standard floppy disk system uses double-sided disk drives, providing 1 Megabyte of on-line storage.

Versions of BASIC are available with the 380Z which automatically provide controlled cassette data files, allow programs to be loaded from paper tape, mark sense card readers or from a mainframe. A disk BASIC is also available with serial and random access to disk files. Most BASICs are available in erasable ROM which will allow for periodic updating.

If you already have a teletype, the 380Z can use this for hard copy or for paper tape input. Alternatively, you can purchase a low cost 380Z compatible printer for under £300, or choose from a range of higher performance printers.

*CP/MTM Registered trademark Digital Research.

380Z/16K System with Keyboard £965.00

380Z/56K complete with DUAL FULL FLOPPY DISK SYSTEM FDS-2 £3,266.00

380Z Computer Systems are distributed by RESEARCH MACHINES, P.O. Box 75, Chapel Street, Oxford. Telephone: OXFORD (0865) 49792. Please send for the 380Z information Leaflet. Prices do not include VAT @ 8% or Carriage

● Circle No. 159

Something for everyone

LAST MONTH we surveyed what you can and cannot expect from word processing on a microcomputer. Part two of our review looks at some of the specific products offered for the micro. Some are off-the-shelf applications packages; some are software systems from the hardware vendor. The price range is from £15 for a Pet cassette to more than £300 for a fully-fledged disc word processor. There must be something here for everyone.

Apple II: Word Processor

Cassette systems. Available from Keen Computers. Price: £50.

KEEN COMPUTERS, one of the more active U.K. dealers with the Apple II, is at pains to point out the limitations of this package. For a start, it is intended for writing standard letters – they are typed-in, stored on tape, recalled and amended as required, with new lines and variable information added to personalise them, and then printed.

Commands include insert, delete and change lines; search and replace for specified strings; and line centring. You have to specify approximately how many lines you expect to enter before you start keying, and specific omissions include insert and delete for individual words, left and right justification, and document assembly from standard assembly.

Keen says they will all be featured in a Mark II version which should be available towards the end of the year.

Commodore Pet: MEDIT

Cassette system. Available from Petsoft. Price: £15.

THIS alternative to the CMC word processor in the Petsoft catalogue also has a very good user manual. The introduction makes no bones about the matter: "MEDIT is a very simple and basic editor, designed to run on an 8K Pet with a single cassette". Editing data requires plenty of time and much juggling of cassettes.

MEDIT leaves about 3K in a small Pet and to allow for merging and inserts your cassette files must be less than 1,500 bytes.

You have a total of 18 commands, including those to open and close files. You can read in and store specified members of lines and part of a line, inserting and deleting simply as required. There are no print format facilities and no search and replace functions.

Commodore Pet: CMC Word Processor

Cassette system. Available in the U.K. from Petsoft at £25; also available through Kingston Computers.

CMC in this context is a software house called Connecticut Micro Computer and though this package saw the light of day only this year it already has acquired a good reputation. For a start it has very good documentation considering it is a low-cost cassette.

You can delete and insert lines, edit within a line, replace one line with another, and move text blocks around.

There is no automatic search and replace facility, though. Files may be saved and merged; the left margin can be adjusted for indentation but there is no right-justification. Other print directives set the line length and spacing, and centre headings.

CMC wrote the system for an 8K Pet but that leaves space for only 2,000 characters of text – about 100 lines. You will have to print or save one section before starting another. You might find extra memory handy, and a better keyboard is almost essential.

Petsoft has a version for RS232 printers and direct connections to the IEEE port. We are told a floppy disc version is on the way – price about £30.

Commodore Pet: Word Processor

Cassette system. Available from Costed Automation. Price: £125 (plus software support contract at £125).

THIS is not a load-and-go word processor like most Pet software. Costed says it will have to be "installed" by its own staff, who will also modify print output parameters – such as line length – to suit the printer you have. The price includes training for one person.

Training is essential, because there is no manual for the system. Costed declares that it is "very easy to understand and use" but it "becomes cloudy if on-site training is not given".

The command includes text entry; listing, deletion, inserts and amendment; and saving on to and reading from cassette – there is no disc version. Output formatting commands allow you to define new paragraph, new line, tab positions, and standard parameters for characters per line, line spacing, lines per page, and the position of the left-hand margin. Text can be centred, and indented.

There appears to be no search facility and no right-hand margin functions, like justification and coping with widow lines. The only printers acceptable are those which connect to the Pet IEEE interface.

Compucorp 600: TEXT/ONE

Disc system. Available from Compucorp and its distributors. Price: £1,000.

THE Compucorp 600 is a family of desktop computers starting at about £4,500. The systems combine screen, keyboard and floppy discs in one unit with a printer separate.

TEXT/ONE promises to be "more comprehensive in operation yet simpler to operate than systems costing much more and accomplishing much less".

Functions include addition or deletion of characters, words or lines; block movement of paragraphs, pages and other sections of text; and document assembly from standard paragraphs.

The search-and-replace facility is good and there is a useful mailing list capability which is rare on microcomputers – with it you can insert variable information in standard letters automatically, and the system can select exactly which choice of several options will go in as the variable text.

A significant aspect of this system is the use of single keystrokes for WP functions; there are about 60 of them. The Compucorp 600 has a row of special keys on the keyboard, the functions varying according to what software is running word processing operations. Compucorp provides a strip of key labels to tell you what the keys mean.

CP/M systems: WORD-MASTER

Disc system. Available from several U.K. sources. Price: about £95.

CP/M is a popular operating system now available as standard or an option on many personal computers. Those we know of include Rair Black Box, Exidy Sorcerer, TEI, Cromemco (CDOS is a variant), North Star Horizon, Pertec PCC 2000 and Compelec Series/1, and the Computer Centre disc systems.

Compelec, incidentally, sells WORD-MASTER integrated with the MicroPro mailing list system on both its computers (2000 and Series/1) for £250.


MicroPro is the Californian software house which developed WORD-MASTER. It has a full set of edit commands you can move the cursor left or right by one character, which is normal, or by one word, which is most unusual; you can go to either end of the line or the screen, and you can move the whole file up or down on the screen. Lines, words and characters can be inserted or deleted left or right.

The command mode is equally impressive; it provides for manipulation of stored text. It gives a good variety of search-and-replace options, including a loop facility, so that after a search failure the program can go for some alternative search parameters.

WORD-MASTER has some fairly powerful file management facilities, too; automatic back-up and re-start – the original file is preserved; automatic paging and buffering – to manage the transfer of information between disc and memory; copying and saving any or all of specific text files as required; retrieval

(continued on page 49)

All Systems Are Not Created Equal



Your computer application is unique. It differs from all others. It is because not all applications are equal that MSI has developed a variety of computer systems.

At the heart of every MSI System is the powerful MSI 6800 Computer, one of the fastest and most versatile available. Depending on the System you select, the MSI 6800 has from 16K to 56K of RAM. Mass memory storage in MSI Systems range from 315K bytes in the System 1 to over 10 megabytes in our most powerful System 12.

In addition to the computer and memory subsystem, MSI Systems include a CRT terminal and high speed character printer. The System 12 is housed in a compact desk unit.

● Circle No. 160

As with hardware, computer software is not always created equal. Since there are a myriad of programs available, MSI offers a choice of Operating Systems for use with your MSI Computer System. Of course, our favorite is MSIDOS, but we offer the powerful SDOS operating system as well. All MSI Systems will support the other software products associated with each operating system.

MSI also has a variety of software programs including a complete Accounting Package and a Multi-User Basic program capable of supporting up to four users.

MSI Systems are currently being used in a broad spectrum of personal, scientific, educational, professional and business

situations. In addition to our Systems, we can supply you with individual components for personal and OEM use. All MSI System components are available, some in kit form.

Write or call us for more information about MSI Systems and products and the name of your nearest MSI dealer.

seed

STRUMECH ENGINEERING,
ELECTRONIC DEVELOPMENTS,
PORTLAND HOUSE,
COPPER SIDE, BROWNHILLS.
(0827) 4321 TLX 335243

(continued from page 47)

and merging of files or parts of files in any sequence.

The only obvious weaknesses are in the lack of output formatting facilities.

North Star Horizon: AUTOSCRIBE

Disc system. Available from Equinox and its distributors. Price: £395.

AUTOSCRIBE is from a respected Arizona software house, Microsource. It was developed originally by a lawyer and its bias appears to be towards the creation of documents from a library of standard paragraphs; we have not seen a users' manual.

It appears to require a 32K Horizon system, storing up to 40 documents on each diskette with an index, and allowing up to 70 pages per document. Features listed include automatic formatting of upper-, lower-, right-hand and left-hand margins; horizontal and vertical tabbing; underlining and centring; and, of course, a powerful search mode and 'append' facility for document assembly.

Imsai VDP-40: NED

Disc system. Available from Imsai dealers (Corner Computing and Data Precision Equipment responded to our survey). Included in system price.

THE VDP-40 is a 'videocomputer' combining screen, keyboard, two 345KB floppy disc drives and microprocessor (Intel 8080) in one package for a starting price just below our cut-off point of £5,000. Its operating system IMDOS is a derivative of the popular CP/M and includes a 'context editor' called NED.

It is not a 'true' word processor; as it stands it lacks any real output formatting facilities. A context editor works largely by string searching - you specify the word or name or other character string you require - as opposed to a line editor, where you have to specify a line number.

NED works in one of two modes, command or video. This editor uses an imaginary 'character pointer' and in video mode it is at the same screen location as the cursor; in command mode you can move the pointer independently of the cursor. It is not as complicated as it sounds; command mode seems to be best for editing large blocks of text; video mode is more appropriate for small amendments.

Either way, the usual range of insert, delete and erase operations are alternatives for moving through a text file. String searching and replacement is well provided for. Less usual facilities include a 'loop' function which repeats a sequence of edit commands a specified number of times - probably more useful for editing programs than text.

Microstar 4S: Flexitex

Floppy disc system. Available from Microsolve and its distributors. Price: £300.

MICROSTAR 4S only just gets into our survey with a 64K business computer system plus 1.2 million characters of floppy disc storage priced at £4,950. That excludes VDUs and printer.

Flexitex consists of file utilities - to

create, delete, re-name, and print text files; a text editor; and a text processor, capable of numbering pages and printing headings and footings automatically. It can accommodate any size of paper and it can retrieve information to be included in the printout from disc files or terminal keyboard.

There is no option in the master menu to create a new text file, because there is no distinction to the user between editing text which exists and which does not exist. The user enters some text; if the name of the text is not on the diskette, the user will become aware of it when the directory of the text is displayed on the screen, and at that time the user may enter a name for a new text file. Flexitex will take care automatically of creating whatever files are necessary to accomplish the task.

NASCOM-1: Letter Writer

PROMS for Nascom-1 developed by ICL Dataskil. Price: £70.

AT a personal computing show last year, Dataskil demonstrated a letter-editing system using the Nascom-1 basic board with no memory expansion. Apparently this was no more than a spin-off from "serious development work". Dataskil reports considerable interest in the concept of a low-cost letter editor.

The program required only some 1.5K in EPROM, retaining $\frac{1}{2}$ K of the essential parts of NASBUG monitor. About 700 bytes of RAM was used for the letter text.

Facilities provided include cursor control insert/delete, over-write, scroll line or screen, tabulate, write to standard cassette to store letter and read back, create, amend or edit letter and printout.

Processor Technology Sol: SOL*STAR

Disc system. Available from Comart and its distributors. Price: £85.

SOL*STAR was written by Orange County Computer Centre for a Processor Technology Sol-20 with the North Star mini-floppy drive and the North Star DOS. Comart quotes around £2,750 for a Sol configuration on which it could be used. There are versions of SOL*STAR for the Teletype 43 - a dot matrix printer - and the rather more expensive Diablo daisy-wheel line.

There are 30 keyboard commands. The principal ones are stored conveniently in two 'menu' pages which can be called up at any time without losing all the text you have just typed.

Most of the commands involve holding down the CONTROL key and typing a letter. Functions include cursor movement, control of scrolling - in both directions - insertion and deletion of lines, characters and blocks, search - but not global search and replace - and tab settings.

You can access a third menu of 'sub-system commands', and through this you can reach disc management functions - save, load, delete, append, list disc contents - and print parameters. For output you may select right-justification, line and character spacing, line and page

length, left margin, numbering and titling, and underlining.

RML 380Z: TXED and TEX

Disc system. Available from Research Machines. Price: £77.50 for both.

TXED will run on a 16K 380-Z with a printer and a single minifloppy, but the system really needs 32K, and a second disc would help.

In TXED an editing 'cursor' moves around the text to make changes. You can delete and insert lines and characters, interchange lines, and search through text with replacement if required.

The output formatter TEX is a separate program. As part of the TXED edit process, you must embed formatting commands in the text file you are creating. They include centring, new paragraphs, insertion of blank lines, headings, and automatic page numbering. You can specify margins - left and right - and page and line length. Running the TEX program against your print file then produces the printed version.

TEI Systems: EDIT

Disc system. Available from Abacus. Price: £100.

ABACUS is the U.K. distributor for the £4,000-plus TEI video computer. Its 'dynamic screen editor' approaches the specification of a genuine word processing package, and we are told it is shortly to be upgraded.

The edit mode generally uses CONTROL and single character keys for its functions. They include cursor and page movements - the cursor can tab, pages move 24 lines at a time - limited insert and delete facilities and a powerful search and replace capability.

File handling commands allow you to load a specific amount of text, compress blanks - to maximise disc space - and display carriage returns - so that you can see where they will fall. There are no facilities for automatic assembly of a new document from existing text and there are very few print-formatting facilities.

Tandy TRS-80 and CP/M systems: The Electric Pencil

Cassette or disc. Several suppliers.

THE ELECTRIC PENCIL is another of the 1978 success stories in personal computing. Californian Michael Shrayner wrote it originally for micros with the CP/M operating system. CPOM runs on most 8080 and Z-80 systems and it has also served as the basis for the operating systems on many other microcomputers - Imsai, ADDS, Cromemco and others. Electric Pencil can be used in one form or another on a number of personal computers.

To this list the Tandy TRS-80 was added recently, the first non-CP/M implementation Shrayner has done. You could try Rostronics (01-870 4805), T V Johnson (0276 62506) or Optronics (01-892 8455).

For the CP/M version, U.K. sources of which we know include Digitus (01-636 0105), Byte Shop (01-554 2177) and

(continued on next page)

(continued from previous page)

Computer Workshop in Manchester (061-832 2269). The price for this diskette system seems to be £250-£300.

Even in the minimal TRS-80 version, Electric Pencil has 34 commands; most of them are implemented by holding down CONTROL and typing one other key. The cursor can be moved around on the screen and to the beginning or end of the file; you can scroll backwards or forwards through the file. The usual insert and delete commands operate on characters, lines and text blocks – you have to set 'markers' to indicate the start and end of a block.

String searching allows you to look for strings of up to 40 characters and, if required, replace them. You can also set-up a coded string search, which could be very useful; for example, if you have a coded name and address file you might search for a string "DD# # # 8X" – the characters are ignored and the program picks up any occurrence of the string with the other characters in the position indicated.

Print formatting includes justification, left margin, page and line length, page and line spacing, underlining, titling and numbering.

Adapted to the TRS-80, Electric Pencil loses one or two bells and whistles and you are recommended to buy a lower-case hardware modification – who wants word processing in capital letters only? It will run on a 16K Level I or II. Output is to an RS232 printer.

Tandy TRS-80: Text Editor

Cassette system. Available from A J Harding. Price: £14.95.

NO GREAT claims would be made for this general-purpose text editor, but it has many features found normally only in more expensive programs and it incorporates a 'fix' for the annoying keyboard bounce problem on the TRS-80.

It is fully-compatible with the RS232 printer interface supplied by Small Systems Software, which means it will run on most printer adapters of this type.

There is a simple set of nine commands including clear, delete and insert (characters), print, save and load. No formatting operations are provided.

Tandy TRS-80: WORD I

Cassette system. Available from Micro Architect, 96 Dothan Street, Arlington, MA 02174, U.S.A. Price: \$32 (includes postage. Order with Barclaycard/VISA and quote your number).

THIS is a 16K Level II system which we intend to review. It is cheaper than Electric Pencil, the only real alternative.

WORD I accepts lines of text interspersed with lines of format control information and formats the text into a displayable document. Commands permits you to set page length and width, skip lines or pages, centre text, multi-column output, title headings. Line spacing and adjusting, right-justification and page numbering are all controlled automatically.

Tandy TRS-80: WORD III

Disc system. Available from Micro Architect. Price: \$39 (Barclaycard/VISA)

THIS diskette version of WORD-I offers all the facilities of that package, plus the attractions of floppy disc storage for text (fast access filing). The WORD packages have 20 user commands, most of which concern text formatting on output. You use the normal TRS-80 screen edit functions – like the cursor controls – to alter text.


This system apparently offers no document assembly or search-and-replace facilities. There is no limit, however, to text size. We understand there is an all-singing, all-dancing WORD IV on the stocks.

Zilog microcomputers: ZFORM

Disc system. Available from franchised Zilog dealers. Price: £100.

ZFORM is a powerful-looking output formatter which operates on files produced by any of several available text editor programs for the Z-80.

This is a good example of a text formatter. You can specify length and width of pages, margins and headers and footings – including page numbers; tabs, indents and centring are all available; you can set the spacing and specify justified or unjustified text. Among selectable options are ribbon colour change, bolt print, underlining and sub- and superscripts.



Introducing the personal computer you've waited for.

The Exidy Sorcerer.

LOOK AT THESE FEATURES

16K £760
32K £859
add 8%
VAT

The Sorcerer Computer is a completely assembled and tested computer system ready to plug in and use. The standard configuration includes 63 key typewriter-style keyboard and 16 key numeric pad dual cassette I/O, with remote computer control at 300 and 1200 baud data rates, RS232 serial I/O for communication, parallel port for direct Centronics printer attachment, Z80 processor, 4K ROM operating system, 8K Microsoft BASIC in separate plug-in Rom Pac™ cartridge, composite video of 64 chars · 30 lines, 128 upper/lower case ASCII character set and a 128 user-defined graphic symbols, up to 32K on-board RAM memory, operators manual, BASIC programming manual and cassette/video cables, connection for S100 bus expansion unit giving access to the spectrum of exciting and useful peripheral devices, such as Floppy disk drives, voice recognition/synthesis battery back-up board in case of power failure, additional memory boards, E-PROM cards give you the facility to program and re-program your own ROM memories etc etc. This is the most useable and flexible system that's now available to the home and business user at such a low price.

- * WORD PROCESSING, COBAL, FORTRAN etc
- * PLUG IN ROM CARTRIDGES
- * WORKS WITH NORMAL TV
- * S100 EXPANSION UNIT
- * CASSETTE INTERFACE
- * Z80 CPU
- * 32K RAM ON BOARD
- * A REAL BUSINESS MACHINE

please make cheques and postal orders payable to JADE
phone your order quoting ACCESS or VISA number
for technical information or advice phone 0736 66565

JADE

17 Market Place, Penzance, Cornwall.

Supplied by - Factor One Computers

● Circle No. 161

The Attaché Business System

The only system designed and supported exclusively for business applications



Who but Attaché can offer full supporting software at prices you can afford?

For example—Order Entry, Stock Control £160 the lot.

Basic system: Case + CPU + Turnkey monitor board + 16K RAM (capable of expansion to 64K)	£1,466.00
Video Board	£ 271.00
16KB Static RAM	£ 347.00
Printer Interface Card	£ 208.00
Floppy disc system 2 x 310Kb diskettes + controller + box	£1,701.00
Basic Interpreter	£ 41.00

Attaché business systems can be obtained at the following:—

Alba Computer Supplies & Services Ltd., 8 High Street, Renfrew (see John Coleman)
Computer Hardware Ltd., 113 Clonskeagh Road, Dublin 6 (see Liam McAlasdair)
GBH Data Services Ltd., Dumfries Chambers, St. Mary's Street, Cardiff (see Geoff Higgins)
Keen Computers, 5 The Poultry, Nottingham (see Tim Keen)
Lion House Ltd., 227 Tottenham Court Road, London (see Lawrence Sarkin)
R J Spiers, Computer Contracts, 3 Birch Court, Sprowston, Norwich (see Ray Spiers)

There are still a few more distributors left
Interested? Contact Moncoland 11/12 Pall Mall, London SW1. Tel: 839 3661

Attaché—More than a hobby with us.

Keen Computers take you into the future with the Apple II



Apple II 16K	985.00
Additional 16K Ram	100.00
Applesoft Rom	110.00
RS232 Card	110.00
Printer Card	110.00
Disk Drive and Controller	425.00
Disk Drive W/ Ot Controller	375.00
Speech Lab	165.00
Apple Clock	165.00
Printers from	350.00

Software Packages are available for most business applications. A few are:-
Word Processor, Information Retrieval, Incomplete Records Accounting, Sales Ledger, Order Entry Invoicing, Management Information, and a variety of Statistical Packages, Games, and others.

Keen Computers
5b The Poultry
Nottingham
Tel: 0602 583254
Telex 37297

A practical introduction

THERE ARE too many myths about computers. Too many people hold too many rigid and unsubstantiated beliefs about what computers are, what they can and cannot do, how and why they work. This introduction will change all that. For a start, let us summarise the myths:

- computers can think.
- computers are large.
- computers are bureaucratic.
- computers are expensive.
- most computers are run by government organisations.
- most of the rest are run by large companies.
- computers are electronic brains.
- computers are incomprehensible unless you are some kind of genius.
- computers are best left to someone else.
- computers fail all the time.

They are all fundamentally incorrect. Computers are not necessarily like that, though some people would like you to think so. It's worth looking briefly at how the myths evolved before deciding what is wrong with them.

The whole computer business, like most others, is driven by technological and economic forces. When the components were expensive, not many people could afford computers but for the people who could bear such an outlay, there were considerable benefits of scale, so computers tended to be complicated, expensive and big.


Two reasons

The other main prop of the myth is the need for dedicated acolytes. While computers were complicated, it's true that to understand, organise and manipulate their complexity a bunch of specialised jobs had to be created. The need for computer training and the arrival of computer jargon both served to separate computer people from the rest of us.

Some computers are still big and complicated; they still require specialised staff; they still cost a good deal of money to buy and to run; they still operate at unimaginably fast speeds.

That kind of computer is now in the minority. They are bought for only two reasons – to solve gigantically complex problems or to allow a large number of people to use a little bit of the computer, all at the same time.

Weather forecasting or space explora-



tion are obvious candidates for the first category. The second is called time-sharing and it is an alternative to giving the same number of people a small computer of their own.

A small computer of your own is what *Practical Computing* is about. That mixture of technology and economics has worked to produce a breed of computer which does not differ in kind from the multi-million-dollar megaliths with their over-qualified minions, their impenetrable forests of new and mis-spelt words, their general inaccessibility.

What is a computer?

Technology has provided a cheaper and more compact type of computer. The economic factors dictate that more people can afford them, more individuals want them, more businesses need them; so they can be produced and sold fairly cheaply. Computers are becoming accessible.

A computer is a fast, rule-following idiot machine. It is fast because it is electronic and electrons are speedy. It

follows rules because that is all a computer does; you can alter its set of rules more or less at will, you can add rules, you can complicate rules. It's an idiot because it simply can't think for itself – not in terms of original, creative thought, anyway. It follows those rules.

That applies to all computers irrespective of their size, shape, colour, capacity, nationality or the uses to which they might be put.

The essential element is that you provide rules for it to follow and that you can change them. All talk of 'rules' is a little abstract, so let's give the business a name – *programming*.

A program is a set of instructions for the computer to follow. It will try to follow them blindly, typing errors and all. If you change the program, or substitute another, the fast idiot will go through the new instructions as coldly and as logically as before.

Remember this; the freshly-arrived computer is blank, it has no intrinsic purpose until you give it one, and the

(continued on next page)

(continued from previous page)

word computer is incorrect, a historical accident; it doesn't necessarily do computations at all. It's just that the first computers spent all their time doing calculations – for shell trajectories and census returns, initially.

System mix

It's helpful to start calling the computer a 'system'. Most computer people do and for a change this is a meaningful use of a jargon word. A system is a set of components which can be combined to produce effects none of the individual pieces could manage alone.

The components of the computer system are a mix of *software* – which is a group name for all your programs – and *hardware* – all the pieces you could stub your toes on; literally, everything that is hard, tangible and visible.

You have to relate that to what a computer does when it is computing. Four things happen:

- information (or words, or data, or instructions, or whatever) goes in; and that is *input*.
- the input is decoded, acted upon, massaged, manipulated; that is *processing*
- it may be stored for future use; so may whole programs and any results of processing
- alternatively, or subsequently, the results of that processing may be displayed, printed, or in some other way proclaimed to the outside world, usually you; that is called *output*.

A conventional computer, then, has facilities for:

- input
- processing
- storage
- output.

What happens is that you, or someone else, *inputs* a program which is stored until it is needed. Subsequently some data is input, the program is activated and processes it, and the results are output.

The idiot in the middle

Obviously the piece in the middle of all this computing will be the processing component. It will be no shock to discover that this is called a processor – or central processing unit, or CPU.

Time for technology. What happens inside a processor is that electricity moves down one circuit or the other. The complexity of the alternatives – how fast the choice can be made, how quickly the electrons can follow the chosen route, how small the whole thing can become, is what distinguishes one processor from another.

There are dozens of processors, incidentally, and there are many more products for the end-user which have found ways of incorporating the same processor into identifiably different computer systems.

Computers are really a whole series of electronic switches. Like any switches, they can be ON or OFF. There isn't any other possibility. As it happens, there's a neat way of expressing this ON/OFF business – binary numbering.

Don't be worried by this but there are many numbering systems other than the one we use, which is called decimal, because it uses 10 digits. The binary system uses only two digits, which for the sake of argument are '0' and '1'. If '0' corresponds to 'off' and '1' to 'on', obviously you have a neat way of representing the internal operations of the computer.

The electronics can decode a string of 0s and 1s as a series of off/on combinations and you have a way of communicating with the electronics. You can tell it



that certain types of 0/1 patterns will be program instructions; other binary structures will be information to be processed by programs.

Suspicious characters

It is possible to write programs which give instructions for any computer encoded as 0s and 1s. Provided you and the computer both know what the binary sequence means, it is possible to hold any information in this form, even alphabetic characters.

It is extremely tedious to communicate with the computer in this way, though, not least because any normal person would have to keep checking on the binary codes for alphanumeric characters. You would go out of your mind.

So you give the computer a special manufacturer-supplied program which will convert a more intelligible way of expressing information into the binary digits a computer can use. That way you can give the computer a number or a letter and with a quick piece of internal transformation it can understand what you mean.

Most computers translate characters according to an eight-bit code, a 'bit' being a binary digit. An eight-bit code comprises a string of eight digits, each of which can be 0 or 1. That gives a total of

128 possible combinations, enough to give patterns for each letter of the alphabet, each number, and a few punctuation marks and arithmetic symbols, too.

So if you key-in a particular sequence of characters at your computer keyboard, it will decode them into a group of eight-bit codes, and they are the binary sequences it can understand.

It can hold them in its memory, too. The storage capacity of a computer, the amount of information it can keep in memory, is expressed usually in characters – or bytes. A 'byte' is eight bits, so generally one byte is the equivalent of one character.

You will also encounter the cryptic symbol 'K'. That is shorthand for 1,024 – don't worry about why K means 1,024, it's just one of those things. So '8K' means $8 \times 1,024 = 8,192$ characters.

Chips that pass in the night

Electronics these days is about switching streams of electrons (or electricity) and it is only 60 or 70 years old. In early days a kind of switch called a *relay* was used; they were comparatively slow to operate, though.

'Slowness' here means a few thousandths of a second, which sounds fast until you realise that even a simple internal operation looks complicated when you reduce it to a number of switches opening and closing – and for one operation that typically means several thousand, several million switchings. They all mount up.


So the advent of *vacuum tubes* in the 1950s pleased everyone. They operated rather faster. *Transistors* followed, a few years later, faster still and more reliable. The major breakthrough of the early 1960s was the *integrated circuit*, and that's where we are now.

Even faster and even more reliable, integrated circuits were also considerably cheaper and much more compact. They used the relatively new technology of semiconductor materials to cram an increasingly large number of electronic switches on to a decreasingly small silicon chip.

So you've heard of silicon chips? Silicon materials happen to be the best way at present of putting the maximum number of circuits – at least 100, more usually several thousand – on to a really small area of crystalline material.

That, in turn, is encased in a block of plastic with legs; each leg corresponds to and is connected to one of the circuit ends on the chip. The little lot plugs into, or is soldered into, a socket on a printed circuit card, which is sometimes called a printed circuit board and abbreviated to the PCB.

Those boards are fibre-glass or plastic rectangles with circuit lines printed on to them. The lines are gold or silver or some



other electrically-conductive metal and they run between the socket holes; put the correct semiconductor packages into the correct holes and the chips can pass electronic signals which mean actual data to each other.

You can't put all the chips you need on to a single PCB – yet. So the chips on one board have to have some way of communicating with the chips on another. They also have to have some way of getting information to and from the rest of the system, and they need some electrical power to work in the first place. So a PCB has a line of circuit connectors along one or more edges; they are the other end of the circuit lines which connect the socket holes.

Processor power

You plug the circuit boards into slots in a kind of metal skeleton frame. This has built-in wires connecting one slot with another, and all slots with the electricity supply and the other parts of the system. The connectors along the edge of the PCB mate with connectors in the frame, so there's a way of passing signals to and from the PCB via the frame.

A processor isn't a computer, obviously; it is just one component but it is an important component because it decides

exactly what the computer can and cannot do.

A *microprocessor* is a small processor. That doesn't do it justice – a microprocessor represents a major technological advance, because on one or two chips the designers have managed to cram all the circuits for which conventional computers have several chips.

There are three important implications of this. Microprocessors are cheap to mass-produce, they are fairly small and, for various technical reasons, they can't be as powerful or as fast as their upmarket brethren.

You might meet four names among microprocessors. None is a computer, but they are the most widely-used microprocessors which feature in small computers.

- **Intel 8080** – and some family relations like the 8048. Intel made the world's first microprocessor in 1971, and this is now the most popular micro. It is used, among others, by Processor Technology, the Compelec Altair system, the Heathkit H8 kit computer, the Imsai line, and the Compucolor II.

- **Motorola 6800**: Motorola is probably No 2 in the microprocessor business; like Intel and most of the micro manufacturers, it sells the bulk of its production to industry and other users outside the kind

of computing of which we are talking. The best-known 6800-based system in our field is the SWTP computer sold by Computer Workshop.

- **MOS Technology 6502**: This micro bears a passing resemblance to the 6800 and it is used widely in so-called personal computers. Among those are the manufacturer's own Kim-1, the similar Superboard II from Ohio Scientific – other Ohio computers also incorporate it; and above all the Pet, whose maker, Commodore, owns MOS Technology; and the Apple II.

- **Zilog Z-80**: Zilog was set up by some people who left Intel with the aim of building a similar microprocessor – only better. To some extent they succeeded. The Z-80 is well-liked by those who know about such things and is used by the North Star Horizon, Tandy TRS-80, and the Nascom-1, among others.

Thanks for the memory

A particular arrangement of particular chips will provide the functions of a processor. The same kind of technology is applied differently to provide other parts of the computer system, including the memory.

There are various ways of storing information – especially programs – for future use. They differ primarily in speed of access. You read information fastest from read-only memory or ROM. It is so-called because you can't 'write' new information on to it.

ROM is physically one or more of those plug-in semiconductor packages. Its contents are usually fixed by the manufacturers and consist generally of frequently-used programs without which your system couldn't really operate.

Then there is read/write memory, whose contents you can alter. Sometimes it's called random-access memory, or RAM. This is the main 'user' memory of the system, sitting there waiting for you to fill with your own programs or the data on which your programs will operate.

Finally there are various external storage devices, the slowest for the computer to get at but also the cheapest. These are connected usually by cable to the box which houses PCBs of the processor.

The two external storage media you will encounter are tape and disc and the slowest and cheapest versions of each are cassette and floppy disc.

Cassettes as used with computers are much the same as ordinary audio cassettes; on the cheaper computers they are audio cassettes sometimes. Certainly the cassette units are sometimes off-the-shelf portable tape recorders.

Cassettes are obviously a cheap form of storage; you can buy one of those recorders for well below £30, after all, and the cassettes aren't expensive. They are, however, limited. You can't read from or write to cassette at the speeds

(continued on next page)

(continued from previous page)

possible with disc. More important, cassettes store data serially. That means one piece of data is stored after another and if you want to reach a particular item you have to pass over everything which precedes it on the tape.

You don't have that disadvantage with floppy discs. They are in two sizes, one about the diameter of a 45 rpm record and other around two-thirds of it. They really are discs, and they really are floppy, though to give them at least some rigidity and some protection they arrive in cardboard envelopes. They have slots cut in them to expose the disc surface so that the read/write head can make contact with it.

Faster

Discs are much faster at getting data to and from the processor. They also allow what is called 'random' access to data stored. It isn't really random - it just recognises the fact that you can tell the read/write head to move over the disc before it does any reading or writing.

With audio tape, there is no simple way of getting to the start of a particular taped song on cassette. The same applies to data on a cassette but just as you can move a record arm over an LP to the correct point, so the computer can move the read/write head to the proper point



on a floppy disc. That can be very important, as we shall see later.

There is one other form of storage which you might come across - paper tape. It stores data in a form you can see. A reel of paper tape contains holes punched across the tape, there can usually be up to eight of them corresponding to the eight-bit binary code and each hole denotes a '1' position in that code. No hole means a '0'.

Paper tape is very slow to read and slower still to punch and the special reader/punch unit which does that is expensive; it is also noisy. Still, it's a clear and simple method of storing data and if you already have the reader/punch

mechanism, it might be worth considering.

I/O is input/output and the two are usually bracketed because the one device often provides both functions; it's easier to build it that way.

The visual display unit or VDU is the classic example. It comprises an input device (the typewriter-like keyboard) and an output device (the television-like screen), but a VDU manufacturer finds it convenient to provide one cable for connection to the processor.

In fact, that cable contains some wires specific to the input function and some for output; since the computer knows which is which, the VDU isn't really a single device at all. In any case, many of today's smaller computers make a physical distinction between a display and the keyboard.

Alternative

Another I/O device encountered frequently is the keyboard/printer terminal, an alternative to the VDU but with a printer instead of a screen. You might also have a totally separate printer with no keyboard; you will certainly need one if you intend to use your computer system for your business.

There are other more esoteric forms of I/O. One which appeals particularly to technology buffs is speech; the computer recognises what you're saying, and it

Announcing the arrival of

Chiltern Microcomputers Limited

Serving the needs of the serious user

Stockists of ITT 2020 (Apple)
Microstar 45 with multi-tasking facility
Printers and VDU's

An extensive library of commercial application packages is available such as:

- * Sales Ledger
- * Stock Control
- * VAT Recording
- * Incomplete Records Accounting
- * Word Processing
- * Mailing Lists

Packages can be modified to your requirements or we can write systems to your specification



Contact: Chiltern Microcomputers Ltd.

7, Amersham Hill,
High Wycombe,
Bucks HP13 6NQ.

Tel: High Wycombe (STD 0494) 20416



● Circle No. 164

replies vocally, too. The voice output part is more or less possible now, though it's not exactly broadcasting quality; voice input is proving more of a problem.

What is a personal computer?

You can forget most of what has gone before because today you can buy off-the-shelf a fully-fledged plug-in-and-go computer system which requires you to understand as much about electronics as the buyer of a music centre knows about hi-fi. Frankly, though, in both cases you will have more pleasure from your purchase if you know what's going on inside.

That off-the-shelf buy is what is usually called a personal computer – the emphasis being on the individual user. Though you might buy one for your business, you will also be the principal user. By comparison, larger computers sometimes occupy full-time staff who do nothing but work with the computer but who didn't select it and who didn't sign the cheque.

Let's start at the bottom. The most basic personal computer looks like this:

- **Input:** typewriter-style keyboard.
- **Processor:** totally invisible, probably buried somewhere inside the keyboard on a couple of circuit boards.
- **Storage:** internal memory is probably there, too, on one or two more PCBs. External storage will be a cheap cable-connected keyboard.
- **Output:** a screen, possibly an ordinary portable TV set slightly amended.

The three best-sellers at the bottom end of the personal computer market exemplify different approaches.


● **Commodore Pet:** less than £500. One unit containing keyboard, built-in cassette unit, and screen.

● **Tandy TRS-80:** less than £500. Four separate units – screen, keyboard (incorporates the processor and memory), cassette player, power supply. All computers need a black box to convert mains voltage to the current they use; in most computers this transformer is invisibly inside another unit.

● **Apple II:** less than £1,000. Three separate units – colour TV, keyboard (incorporates processor, memory and power supply), and cassette unit.

As for software, all have an *operating system* of some kind – typically a ROM chip or two which contain all the low-level binary decoding functions which make things work; you won't need to know anything about it, though. You will also have a *programming language* called Basic.

Remember all that decoding the computer is doing to save you having to communicate with it in binary? Well, that conversion process can be extended and most of today's computers allow you to use a near-English 'language' called Basic.



It is fairly easy to learn and it's easy to understand. In general, the syntax and vocabulary of a programming language like Basic are simpler to grasp than the rules of a foreign human tongue.

Basic has become popular partly because it was devised from the start as a beginners' language. It had little competition; and the business of translating it into binary digits for the computer – the so-called 'machine code' – didn't require as much space or effort from the computer as other programming languages.

Today you might also hear about PASCAL, a language with similar aspirations but it is only just starting to appear on small computers. The only other serious contender is Cobol, a long-winded language for business use which really scores only when you are already familiar with it, perhaps by using it previously on a big computer.

What can it do?

Peter Ustinov's biography compares TV to telephones. If someone asked you whether you like telephones, you would have to say it depends who is on the line and what they are saying. The same applies to TV and it's also true of computers.

A small computer can do something for everyone. That is an over-simplification, of course, but in practice it can probably do something for you, provided you tell it what to do. If the job you have in mind

can somehow be expressed as a series of rules or instructions in the form of a computer program, the computer can do it.

There are two ways of putting in a program. You can key it in yourself, or you can 'load' it from cassette, disc or paper tape, in which case someone else will probably have written the program and sold it to you ready for loading in that form.

So you can put in a program you've written yourself or you can load someone else's. What those programs do is limited only by your imagination – within reason.

Here are some examples we've heard of:

● **Games.** It's easy to regard computerised games as trivial and irrelevant. In fact, game-playing obviously can be intellectually and emotionally stimulating as well as merely diverting.

● **Simulations.** There's a cross-over point which illustrates the value of games. Simulating the economy of Sumaria or the starship *Enterprise* might be games but there's little which is different about planning the future of your company or looking at alternative ways of getting you and the family to Dubrovnik this summer.

A good example is in education, where a history teacher might use the classroom computer to decide 'what if' questions and thus bring historical situations to

(continued on next page)

(continued from previous page)

life. A recent prizewinner in a *Practical Computing* competition is doing that with a variety of situations, including the Norman Conquest – the pupils take parts, make decisions based on the historical situation, and watch the computer decide what the outcome would be.

● **Education.** This could be applied equally to geography and science subjects. The computer can also be used with obvious benefit in complicated calculations at school; but most teaching and much school administration could also gain from some automation of the more routine functions.

● **Business.** The same applies to the administration of business, though the returns are visible and financial. Stock control is an obvious example. A small computer could tell the shopkeeper or a retailer the current stock position at any time on all items, which were selling fast or slowly, which were approaching re-order levels, and how quickly the supplier could deliver. With that amount of information you ought to be able to cut back inventory levels and save money.

You could well do the same for debtors if you have a big sales ledger, and you should certainly look to save time by having the computer produce invoices with VAT analyses as an automatic by-product. It might also produce 'personalised' form letters or quickly-updated price



lists if your business involves those.

● **Home.** There is more rubbish talked about computers in the home than any other area of this subject. True, a computer can run your bath, feed the cat, switch on the TV and change the record but the extra items of hardware you would need could become complicated and expensive. In any case, who needs it?

There are, however, some sensible home applications. Playing games and doing household accounts are obvious candidates. If you're writing a novel, the computer might help, too. You'll need some skill to put a microprocessor into a

vacuum cleaner but that's a chore worthy of automation. There is also some scope for having the computer control your home while you're away – feeding and watering your houseplants, perhaps, or turning a video recorder on and off at longer intervals than the VCR manufacturer allows.

● **Art.** Computer-generated art is not to everyone's taste, but at the very least you can have plenty of innocent fun persuading your computer to produce patterns, poems, animated cartoon-like sequences and even music, though you might need special hardware. Some highly serious work has been produced with the computer, so don't take it too lightly.

What to look for

As with motor cars or hi-fi systems or sorbets, there are no hard and fast rules which do not rely ultimately on personal preference, but here are some points to consider:

● **Processor:** It doesn't matter whose processor is inside your computer unless you want to get into it with your soldering iron, in which case you shouldn't be reading this.

● **Standardisation:** Much more important is to consider what you might want to add in the future. Some personal computers follow a standard arrangement of connectors for the slots in their metal frames; so into those slots you can put

Programs for your

APPLE™
PET™
TRS 80™
SORCERER™
SUPERBOARD™

Please send large S.A.E. for list

the
software
house

44 Berners Street, London W1P 3AB

● Circle No. 165

Micromedia (Systems)

CONSULT THE EXPERTS

- * COMMODORE PET
- * NORTH STAR HORIZON
- * CROMEMCO
- * PROCESSOR TECHNOLOGY SOL
- * MICROSTAR 45

We supply a complete range of peripherals to suit the above including Texas, Elbit, Teletype, Diablo, Cifer etc., plus large selection of computer books.

Sophisticated Application software available, either packaged or bespoke.

We are currently running a series of one-day Seminars; ring for details.

MICROMEDIA (SYSTEMS), 14 CHEPSTOW ROAD,
NEWPORT, GWENT NPT 8EA.
TEL: (0633) 841691/50528/63310

● Circle No. 166

any PCB which obeys the same standard arrangement.

The best-known standard is called S-100. If you think you'll want to add goodies, you might well opt for a computer with the S-100 standard. Don't be too dismayed if your favourite computer doesn't have it; it reduces choice but it's not a disaster.

The other important standard to ask about is called RS-232, also known as CCITT V24. This refers to external connectors, the means whereby you can attach printers and other peripherals to your computer. Again, RS-232 increases the options and it's probably more important to have it than S-100.

● **Read-only memory:** ROM is generally a good thing. If you have to load the basic system software into the computer each time you want to use it, you don't have ROM in your computer. Having these functions pre-programmed and ready to go in ROM modules saves time and you won't have any load problems – they happen occasionally. Still, this isn't something for which there is much choice about; either you have it, or you don't have it.

● **RAM:** Read-write memory is much more important. The pressing question is how much do you need? And there's no easy answer.

Determine how much memory you can have for your programs and data, because most personal computers put some of their basic system software in RAM, whether you like it or not.

Then you might look at what your input takes up. For instance, if you wanted to put in a full A4 page of text you would need almost 4K of memory to store it. A relatively complicated game with many twists and turns, like most of the versions of *Star Trek*, will need 7K or 8K.

There's a variant on Parkinson's Law here – you almost always use all the memory you have, whatever size it is. Aim for at least 8K and try for 16K if you can afford it; you'll want to run fairly sophisticated programs sooner or later.

● **Programs:** Go for Basic. All personal computers have a Basic and it has become the *lingua franca* in which programs are exchanged. Beware, though, variants of the language are not interchangeable, and you can't load a Basic program written for a Pet into a TRS-80 and expect it to work.

If you buy one of the more popular personal computers – Pet, TRS-80, Apple II – you will find there is a good deal of ready-made software on sale in the form of cassettes (£3 to £25) and diskettes (usually £10 to £50).

Check whether your computer uses an operating system called CP/M or a floppy disc drive made by North Star; again, there is plenty of off-the-shelf software available (on floppy disc) for these.

● **Keyboards:** Unless you have a compu-

ter with a decent keyboard, you can have all kinds of problems trying to type-in a program. A good all-purpose keyboard follows the QWERTY typewriter layout. It has a solid, chunky feel when you depress keys and it has a big, unmissable RETURN key – this you use to tell the computer you have concluded one line of input and want to start the next, so it is used frequently.

Extras on it might include a separate numeric keypad on the right (speeds the entry of numbers) and a CAPS LOCK key in addition to SHIFT LOCK – locking into capitals means only that you can press all the non-alphabetic keys and still get whatever is in the lower-case position.

● **Display:** Go for a big display if you can. A good-sized display produces more information more quickly and in more alternative shapes and sizes than a printer or a small display. 'Big' in this context means it should be able to show at least 16 lines of 64 characters.

Displays are in three varieties. You ought to obtain the best possible results from a purpose-built visual display unit (VDU). They normally display 24 lines of 80 characters, but they will generally add at least £500 to the cost of the system.

A built-in screen like that on the Pet or CompuColor II might not display so many characters but you will get special graphics symbols and no need for cabling.

The third type is simply a converted TV, the simplest and the cheapest kind of display, though it might not produce the sharpest image.

● **Power supply:** Translating the mains power into the electricity your computer needs is the job of a chunky component usually called the power supply. In fact, it's a voltage transformer like the one used by a model train or racing car layout.


It is possible to overload the power supply, in which case things get hot and/or frail. So look for really beefy transformers and hefty wiring. Also get some advice about how much you can plug into the system's existing power supply before it needs a hand.

Computers dislike variations in the electric current. This may result in the appearance of wobbly characters on the screen, or data being lost between the processor and cassette or disc, or at worst, some component failing.

Voltage variations are inevitable in mains electricity and if your computer is plugged into the ring main you may compound the problem by having other electrical appliances switching on and off – refrigerators, stereo set-ups, irons, heaters.

Ask someone's advice about *voltage regulators*. For an average personal com-

(continued on next page)



(continued from previous page)

printer you could buy one for £25-£50; it plugs into your mains socket, and you plug the computer into it. The regulator evens out the dips and peaks in the power supply cleverly, delivering a smooth flow of electricity to your computer.

● **Printers:** Sooner or later you'll want a printer to keep a record of your programs – you might lose or damage a cassette, after all. For some applications, like business uses or word processing, a printer clearly is vital.

The immediate problem is connecting a printer to your computer. Having specified an RS-232 interface means you can attach almost any printer; otherwise your options are more limited.

There are two types of printer. There is high-quality, typewriter-like printing from daisywheel printers (£2,000 or more) or from converted IBM golf-ball typewriters (£1,000 or more but rather slower). Dot-matrix printing is a technique whereby characters are built up from dots, and because those printers are mechanically simpler, the prices are lower – down to around £300 for a very small and slow printer which can manage only 40 characters to a line. In the range £700 to £1,000 you will get a faster printer (60 to 120 characters per second) which is good enough for anything but top-quality printing.

● **Storage:** Using cassette tape or floppy disc for storage gives you a cheap and easily-expanded alternative to keeping data and programs in RAM.

The cheapest kind of cassette system loads at something around 50 bytes per second, and the fastest rarely exceed 300 bytes per second; it could take several minutes to transfer a complex program.

If you can afford it, choose floppy discs – their chief virtue is that they operate at much higher speeds, taking far less time to transfer information. This saves on boredom but it also allows you to make better and more imaginative use of your system.

In any case, your computer may well be doing jobs all the time which involve looking-up records; you need the speed of disc storage for this.

● **Documentation:** Personal computers generally have inadequate user instructions and reference manuals. These days the accompanying documentation tends to be better-produced and some of the learner-level starter manuals are really good. Even if you are sure that all the information is there somewhere, it can still be very difficult to read via an index or the contents page. Quantity is no substitute for quality.

● **Users:** You should also look for an active users' newsletter, perhaps even a specialised user group. Both are media for exchanging opinions, advice, notifications of errors, and potentially useful programs.

● **Supplier:** You'll come across three

kinds of supplier – single-system specialists, single-system generalists, and computer stores.

The last category is probably the most important. The computer store sells several types of computer, several types of printers and disc drives, and almost everything you need for your computing – paper, discs, tapes, books, magazines, the lot. Those places should serve as local social centres for the personal computer community, repositories of knowledge and advice and notice-boards for exchanges, advice and information – or that is how it should be. If your local computer store doesn't seem like that, tread warily.

The second group comprises mainly Pet and Tandy dealers, retailers who handle other products – typically audio systems or hobbyist electronics, sometimes other consumer electrical goods –



but who sell only one brand of computer, normally at rock-bottom prices.

The single-system specialists typically make their money from knowing a great deal about the one brand they sell and by selling you many extras for it, including perhaps some programs written by them to your specifications. Some computers you cannot obtain anywhere else. If you need a relatively complicated system to do certain specific tasks, that kind of supplier is your best bet.

What to buy?

Ensure you know what computers can and cannot do; then decide more or less what you want from a computer. The first decision should be what type of computer to consider, and there are four categories to look through:

● **Hobby computers:** Typically costing less than £300, they require some technical knowledge. They are either build-it-yourself kits – not too difficult to assemble – or ready-built computers on a single printed circuit board – with some memory but not much, and with no protective casing around it.

They may have a built-in keyboard for input; they may have a small display for output. Some have neither, some have both, one has a keyboard and a tiny printer on the PCB.

All have connectors to attach cassettes, printers, or other external devices. Most have Basic; some have only their own cryptic programming languages. Examples of this breed are the Kim-1, Aim-65, Nascom-1, and Ohio Superboard II.

● **Games growing up:** Again less than £300, they are a spin-off from the TV games you see for a few pounds. The more complicated allow you to plug in new cassettes for more games. Since these so-called games centres are essentially microcomputers with the games cassettes being programs, you could add a keyboard and program them yourself. Some of the games manufacturers now allow you to do that. It's already happening in the States, and there will be similar products this year in Europe, from Philips and others.

● **Appliance computers:** Denotes computers designed to be sold, taken home, plugged in, and used just like any other domestic appliance, TV or washing machine. The Commodore Pet was the first and the best example. It's compact, simple to use, and is in one piece. Against that, it's not particularly expandable. The newer model is more expandable but you have to add extra external items, like a printer and floppy disc drives.

A more recent arrival in this genre is the CompuColor II – more expensive but it incorporates floppy disc rather than cassette and it gives you a full colour display rather than black and white only. Further up-market there are several plug-in-and-go computers, so the price spread is from £500 to more than £5,000. The more expensive ones are designed for business use, of course, and they assume generally that you will be attaching at least one external device – a printer.

● **Building-block computers:** They separate the I/O, external storage and processor functions into different boxes and connect them by cable. The processor box contains the memory and may contain floppy disc drives, too, as in North Star Horizon. The Apple II, Tandy TRS-80 and Processor Technology Sol exemplify an alternative design trend by putting the processor and memory into the keyboard.

The attraction is simple. To uprate one area of the system you can disconnect the existing unit and plug in a better one, and/or you can attach more of the same, and/or you can add extras.

So you could swop a slow but cheap cassette for a fast but expensive floppy disc when you can afford the difference. You can attach more memory or a second disc if you want more storage. You could plug in a special typewriter-quality printer or one of those voice output devices if you want some extra facilities. ■

TVJ

MICROCOMPUTERS ETC

Registered business name

For Hardware, Software,
Peripherals, Consultancy
and Competitive Prices.

(0276) 62506



PET Pet 2001 From £435



NEW PET 2001 with large keyboard.
From £ 630.00

PET 2001-16N (16K RAM and New Large Keyboard)	£630.00
PET 2001-32N (32K RAM and New Large Keyboard)	£750.00
PET 2001-4 (Standard PET with 4K memory)	£435.00
PET 2001-8 (Standard PET with 8K memory)	£515.00
PET 2040 (Dual Drive mini-floppy 343K User Storage)	£695.00
PET 2023 (80 col. dot matrix printer with PET graphics)	£515.00
PET 2022 (as above with tractor feed)	£605.00
IEEE/RS232 Serial Interface 'A' Output only	£106.00
IEEE/RS232 Serial Interface 'B' Input/output	£186.00
IEEE-488/Centronics type parallel Interface	£45.00
PET C2N External Cassette Deck	£50.00
Interface to S100 (4 slot motherboard)	£112.00

Sorcerer

Now with the
S100 Bus Expansion
Interface and Dual
Drive min-floppy Disk



inc.
Authorized
Dealers

Sorcerer 16K RAM (inc.UHF Modulator)	£740.00
Sorcerer 32K RAM (including UHF Modulator)	£840.00
Exidy Video Monitor (High Resolution)	£240.00
Exidy Dual Drive mini-floppy disk (630K Storage)	£1200.00
Exidy S100 Bus with Interface+Motherboard+PSU	£200.00
Exidy Mini-floppy Disk Drive (143K Storage)	£495.00

Disk Drives

Shugart Mini-floppy Disk Drive (including PSU)	£350.00
Micropolis Mini-floppy Disk Drive (incl. PSU)	£350.00
Percom FD200 Mini-floppy Disk Drive (including PSU)	£350.00
SMS STD floppy Dual Drive (+controller+PSU+Case for 2.5Mbyte)	£2500.00
Pertec 10MB Top Load Hard Disk System (with controller+disk basic)	£6400.00

APPLE II

Apple mini-floppy Disk Drive (116K Storage)	£425.00
ITT 2020 incl. PAL Modulator (16K RAM)	£895.00
RS 232C Serial Interface for ITT 2020 Motherboard	P. O. A.
Parallel Input/Output Interface for ITT 2020 Bus	P. O. A.
Palsoft on ROM Board (extended Basic)	P. O. A.
ITT 2020 Authorized Dealers	

ALTAIR

300 Multi-User, Multi-Tasking system+floppy and hard disk options+practical business applications P. O. A.


Software

Personal Software	GEMSOFT
Petsoft COMPUSETTES (Authorized Dealerships, Send for Catalogues)	
PILOT (for TRS 80) text orientated language	£18.00
COMAC - Computerised Accounting for TRS 80	£50.00
STOCK CONTROL - (for TRS 80) incl. Inventory, Purchase Orders and Invoicing	£125.00
Estate Agents/Employment Agency Systems - CP/M - Fortran 80 - Cobol 80 - Pascal	

Etc.

Diskettes 5¼ (blank) boxed (min. order 10) each	£3.00
C60 Cassettes (Min. order 10) each	£0.40
CBM KIM 1 Microcomputer System	£94.00
Computalk Speech Synthesis for S100	£350.00
Books - Large range of Microcomputer related books & magazines.	

If you don't see it - ask if we have it.




TRS 80 From £350

TRS 80, 4K Level 1 (Keyboard with 4K memory+ VDU+Cassette drive+240v PSU)	£435.00
TRS 80 16K Level II (as above but with Level II basic and 16K memory)	£665.00
TRS 80, 4K Level I - Keyboard+240v PSU only	£350.00
TRS 80, 4K Level II - Keyboard+240v PSU only	£420.00
TRS 80, Expansion Interface with 16K RAM	£325.00
TRS 80, Expansion Interface with 32K RAM	£435.00
TVJ 232T Serial Interface for TRS 80	£45.00
Screen Printer for TRS 80 (text+graphics)	P. O. A.
Expander Black Box Interface for TRS 80	£48.00
Expander Black Box Power Supply for TRS 80	£49.50
Centronics Micro Printer Interface for TRS 80	£45.00
Centronics Parallel Printer Interface for TRS 80	£45.00
Disk Drives for TRS 80 - see Disk Drives	
UHF Modulators (encased with leads for 625 lines)	£20.00
RAM upgrade (4-16K, 16-32K, 32-48K) Supplied and fitted at our premises	£110.00
Upgrade to increase speed 1.78 MHZ to 2.66 MHZ	£13.00
'Beeper' for CSAVE/CLOAD & key functions	£40.00
Switchable selection of Level I or Level II (ROMS required)	£25.00
Automatic volume control (AVC) for CLOAD	£25.00
'Electric Pencil' text/word processing package (on cassette)	£65.00
'Electric Pencil' text/word processing package (disk version)	£115.00
'Electric Pencil' keyboard mod. to give lower case with text/word processing package.	£28.00
S100 Interface for TRS 80	P. O. A.
'Library 100' - 100 progs for TRS 80 on cassette (Level II)	£39.00

Printers

TELETYPE 43 KSR	£875.00
Keyboard send/receive Serial printer for PET or TRS 80 (interfaces or friction feed extra)	
Teletype 33 KSR Serial (110 Baud) Reconditioned	£550.00
Expander Black Box (80 column impact printer)	£375.00
Centronics 779 parallel(friction feed)	£790.00
Centronics 779 parallel printer (tractor feed)	£890.00
Centronics 701 parallel printer, Bi-directional+ tractor fed	£1375.00
Centronics micro printer (20, 40, 80 columns selectable)	£395.00
QUME daisy wheel serial printer, 45 cps	from £2195.00



In/Out

Altair 6801/2 Analog/Digital convertor board S100	£382.00
Altair 6804 Process control interface 8 output relays/12 input channels. S100	£275.00
Phone Modem	£115.00

Terminals

Soroc IQ120 VDU/Keyboard - 80 char./24 lines	£660.00
Cypher CUB VDU+separate keyboard	£380.00

Ansaback 'Phonemate' Telephone Answering Machine, voice operated twin cassette £190.00

PRICES EXCLUDE VAT, FREIGHT & HANDLING. SEND OR 'PHONE FOR PRICE LIST & BROCHURES.

(All prices correct at time of compilation)

Directors: Dr. R. V. King, BA, MIEE, S.G. Johnson, BSc. (Hons.) T.S. Johnson, ABIBA, ACMB, FBSC, MBIM A.S. Barton, ACII, ABIBA, CdiPAF.



T & V JOHNSON (MICROCOMPUTERS ETC) LTD.
Member of the TV Johnson Group of Companies
165 London Road, Camberley, Surrey GU15 3JS

Branches at: Birmingham, Bristol, Edinburgh, Leeds, London, Louth, Newmarket, Nottingham, Oxford, Byfleet, Wokingham.

(0276) 62506 + Ansaback eves and w/ends.

Telex 858893

Eves. Basingstoke (0256) 24787 and Farnham (0252) 721094 (+ ansaback during office hours)

Hours of business 9.30-5.30 Mon-Fri. 9.30-1.00 Sat.

DISTRIBUTED DATA PROCESSING



THE LARGEST DISTRIBUTOR OF THE ITT2020
SERVING NORFOLK, SUFFOLK, ESSEX,
CAMBRIDGE, LONDON CITY & WEST END
OFFERS THE FOLLOWING:

HARDWARE

	ITT2020 16K Upgrade Kit	£85
	Apple 16K Upgrade Kit	£90
NEW	Black & White Monitor	£145
NEW	Colour Monitor	£280
NEW	Larger Capacity Disk Drive	Price on Request

ALL ITT2020 & Apple Compatible

Also Available all ITT2020 peripheral equipment

SOFTWARE

The 'PROFESSIONAL' systems available
include the following

Sales Ledger
Purchase Ledger
Nominal Ledger
Financial Planning
Payroll
Stock Control

ALL Hardware & Software will be on view at
Stand 5 in the 'Micro Systems Exhibition'

Details can be obtained from
DDP SALES 0268 727474
DDP HEAD OFFICE 0268 282155

DISTRIBUTED DATA PROCESSING LTD
ESSEX HOUSE
CHERRYDOWN
BASILDON
ESSEX

SHOWGUIDE



INCORPORATING THE
DIY COMPUTER FAIR


**Bloomsbury Centre Hotel,
London
July 5-7, 1979**

online

Online Conferences Ltd
Cleveland Road, Uxbridge, England UB8 2DD
Telex: 261173. Cables: Online Uxbridge
Telephone 0895 39262

From Science of Cambridge: the new MK 14. Simplest, most advanced, most flexible microcomputer – in kit form.

**only
£39.95
(+ 8% VAT)**



MK 14 including optional RAM I/O and Extra RAM.

The MK 14 is a complete microcomputer with a keyboard, a display, 8 x 512-byte pre-programmed PROMs, and a 256-byte RAM programmable through the keyboard.

As such the MK 14 can handle dozens of user-written programs through the hexadecimal keyboard.

Yet in kit form, the MK 14 costs only £39.95 (+ £3.20 VAT, and p&p).

More memory – and peripherals!

Optional extras include:

1. Extra RAM – 256 bytes.
2. 16-line RAM I/O device (allowed for on the PCB) giving further 128 bytes of RAM.
3. Low-cost cassette interface module – which means you can use ordinary tape cassettes/recorder for storage of data and programs.
4. Revised monitor, to get the most from the cassette interface module. It consists of 2 replacement PROMs, pre-programmed with sub-routines for the interface, offset calculations and single step, and single-operation data entry.
5. PROM programmer and blank PROMs to set up your own pre-programmed dedicated applications.

All are available now to owners of MK 14.

A valuable tool – and a training aid

As a computer, it handles operations of all types – from complex games to digital alarm clock functioning, from basic maths to a pulse delay chain. Programs are in the Manual, together with instructions for creating your own genuinely valuable programs. And, of course, it's a superb education and training aid – providing an ideal introduction to computer technology.

SPECIFICATIONS

● Hexadecimal keyboard ● 8-digit, 7-segment LED display ● 8 x 512 PROM, containing monitor program and interface instructions ● 256 bytes of RAM ● 4 MHz crystal ● 5 V regulator ● Single 8 V power supply ● Space available for extra 256-byte RAM and 16 port I/O ● Edge connector access to all data lines and I/O ports

Free Manual

Every MK 14 kit includes a Manual which deals with procedures from soldering techniques to interfacing with complex external equipment. It includes 20 sample programs including math routines (square root, etc), digital alarm clock, single-step, music box, mastermind and moon landing games, self-replication, general purpose sequencing, etc.

Designed for fast, easy assembly

The MK 14 can be assembled by anyone with a fine-tip soldering iron and a few hours' spare time, using the illustrated step-by-step instructions provided.

How to get your MK 14

Getting your MK 14 kit is easy. Just fill in the coupon below, and post it to us today, with a cheque or PO made payable to Science of Cambridge. And, of course, it comes to you with a comprehensive guarantee. If for any reason, you're not completely satisfied with your MK 14, return it to us within 14 days for a full cash refund.

Science of Cambridge Ltd,
6 Kings Parade, Cambridge, Cambs., CB2 1SN.
Telephone: Cambridge (0223) 311488

To: Science of Cambridge Ltd, 6 Kings Parade, Cambridge, Cambs., CB2 1SN.

Please send me the following, plus details of other peripherals:

MK 14 Standard Microcomputer Kit @ £43.55 (inc 40p p&p.)

Extra RAM @ £3.88 (inc p&p.)

RAM I/O device @ £8.42 (inc p&p.)

I enclose cheque/money order/PO for £_____ (indicate total amount.)

Name _____

Address (please print) _____

Allow 21 days for delivery.

Science of Cambridge

CONFERENCE PROGRAMME

INTRODUCTION TO THE USE OF MICROPROCESSORS IN LIGHT INDUSTRY.

Thursday, July 5. Chairman: John Coll, Head of Electronics, Oundle School.

KEITH BAKER, UNIVERSITY OF SUSSEX: Microprocessors and the Product.

HOWARD KORNSTEIN, INTEL CORPORATION: Future trends in microcomputer technology.

MIKE GURR, BOC: Getting into Micros.

JOHN COLL, OUNDLE SCHOOL: Software simplified.

BARRY STANDRING, INTEXT: Business Information Services.

ALL SPEAKERS: Panel discussion.

PERSONAL COMPUTERS IN BUSINESS

Friday, July 6. Chairman: Keith Baker, Lecturer in Computer Science, University of Sussex.

PORTIA ISAACSON, ELECTRONIC DATA SYSTEMS CORP., U.S.A.: The personal computer, trends and developments.

ADAM OSBORNE, OSBORNE AND ASSOCIATES, U.S.A.: A view from the States.

JOHN COLL, OUNDLE SCHOOL: Teach yourself computers.

CHAIRIED BY KEITH BAKER: Personal computer parade – description and demonstration of four machines.

ALL SPEAKERS: Personal computer probe – questions on demonstration.

MIKE GURR, BOC: Running your business at home – with micros.

CLIVE LOVELUCK, ULSTER MANAGEMENT CENTRE: Personal computers, a new dimension in management training.

DO-IT-YOURSELF COMPUTERS Saturday, July 7. Chairman: Mike Gurr, Database Consultant, BOC.

ADAM OSBORNE, PRESIDENT,

OSBORNE & ASSOCIATES: DIY in the U.S.A.

GUY KEWNEY, Computing: U.K. products evolution.

PORTIA ISAACSON, ELECTRONIC DATA SYSTEMS CORP., U.S.A.: The 'byte' shop explosion.

MIKE GURR, BOC: New techniques in software.

JOHN COLL, OUNDLE SCHOOL: Case study – a personal computer built from scratch.

PORTIA ISAACSON: The games people play.

CHAIRIED BY ADAM OSBORNE, ALL SPEAKERS TAKING PART: Discussion panel.

CONFERENCE INFORMATION

SEMINAR REGISTRATION

You can apply for a registration form by writing to Online Conferences Ltd., Cleveland Road,

Uxbridge, Middlesex.

REGISTRATION FEES

Thursday, July 5 – Introduction to the use of Microprocessors in Light Industry. £45 plus £3.60

VAT.

Friday, July 6 – Personal Computers in Business. £45 plus £3.60 VAT.

Both days – £75 plus £6.00 VAT. The fees include daytime re-

freshments and a light buffet lunch.

Saturday, July 7 – The Do-it-Yourself Computer Day. £10. The fee includes coffee and tea, but not lunch.

GENERAL SHOW INFORMATION

HOURS OF EXHIBITION

Thursday, July 5-10am to 6pm

Friday, July 6-10am to 6pm

Saturday, July 7-10am to 6pm

ADMISSION

Entrance to the exhibition is by ticket only. Price £1. On Saturday, the DIY Computer Fair day, children under 14 will be admitted for 50p. A special offer of three tickets for £2 is available on tickets bought in advance. They can be used on any day. Seminar participants will be given a complimentary exhibition ticket which can be used on all three days of the show. Advance tickets available from Online.

CATERING FACILITIES

The exhibition foyer has a bar and there are tea and coffee points in the exhibition where snacks will be available. The Bloomsbury Centre Hotel has full restaurant facilities.

ACCESSIBILITY

The hotel is easy to reach by Underground – Russell Square, Kings Cross/St. Pancras, Euston and Euston Square are within easy

walking distance. Bus routes are two minutes' walk away, and the 68, 77, 170, 188, 196 and 239 service the area. The hotel has a basement car park and there is an adjacent National Car Park.

ACCOMMODATION

Online recommends that overnight accommodation be booked through Exp-O-Tel, Strand House, Great West Road, Brentford, Middx. Tel: 01-568 8765.

TELEPHONE FACILITIES

Coin boxes are situated around the hotel.

1979 Microcomputer Show, incorporating the Do-it-Yourself Computer Show, is organised by Online Conferences Ltd., Cleveland Road, Uxbridge, Middlesex. Tel: (0895) 39262. Contact: Christine Clarke.

MICROPROCESSOR HISTORY IS BEING CREATED at 184 High Street Berkhamsted and BOREDOM has been BANISHED

Our Client, part of an International giant, has been so successful in the micro-terminal business, that it needs three more software designers. At least two years' assembler experience in a disciplined environment plus a lively and creative mind is required.

In return, the Company offers the following Five-Star package.

- * *Really interesting design work covering micro-executives, communications etc.*
- * *Membership of a talented dynamic young team with good promotion prospects.*
- * *Good pay – starting salaries up to £7K*
- * *Big company benefits include good pension scheme, plus relocation assistance if required.*
- * *Attractive working environment, central to shops, facilities etc. –*
N.B. – there are three fine pubs just across the road.

Find out more by simply phoning:

Lionel Elton of Business Resources, at Redbourn (STD 058 285) 3888 during office hours.
Or at Aylesbury (STD 0296) 630063 during the evening or at the weekend.

Or just write to **Business Resources**

Old School, The Common, Redbourn, St. Albans, Herts AL3 7NG.

Licensed as an Employment Agency by the D.E. Licence No. SE(A) 3211

R

● Circle No. 170

DILLON'S UNIVERSITY BOOKSHOP 1 MALET STREET, LONDON WC1A 7JB Tel. 01-636 1577 (16 lines)

As visitors to our stand at the MICROSYSTEMS '79 Exhibition will already know, Dillon's has one of the most comprehensive stocks of computer books in the country. We will be presenting an even larger display at the MICROCOMPUTER SHOW with, of course, special emphasis on all aspects of mini- and microcomputers.

Our Malet Street shop is only a few minutes' walk from the Bloomsbury Centre. There you will find over 150,000 different titles in more than 20 subject departments. If you cannot visit the shop, write to the Mail Order Manager for details of our postal services and credit facilities, stating your subjects of interest.



A Pentos Company

● Circle No. 171

PRACTICAL COMPUTING July 1979

LIST OF EXHIBITORS

Abacus Computers Ltd,
62 New Cavendish Street,
London, W1.
Tel: 01-580 8841
Stand 3

The Byte Shop
426-428 Cranbrook Road,
Gants Hill,
Ilford, Essex.
Tel: 01-554 2177
Stands 18, 19, 20, 25, 26, 27

CCS Microhire,
7 Peartree Dell,
Letchworth, Herts.
Tel: (046 26) 73301
Stand 15

Comart,
PO Box 2,
St. Neots, Huntingdon.
Tel: (0480) 215005
Stand 34

Commodore Business Systems,
360 Euston Road,
London, NW1.
Tel: 01-388 5702
Stand 21

Computabits,
41 Vincent Street,
Yeovil, Somerset.
Tel: (0935) 26522
Stand 6

Computer Bookshop,
Temple House,
43-48 New Street,
Birmingham, B2 4LH.
Tel: 021-643 4577
Stand 47

Comp Computer Components,
14 Station Road,
Barnet, Herts.
Tel: 01-449 6596
Stands 28 and 29

Datalogic Ltd,
29 Marylebone Road,
London, NW1.
Tel: 01-486 7288
Stand 45

Dillon's University Bookshop,
1 Malet Street,
London, WC1.
Tel: 01-636 1577
Stand 4

Distributed Data Processing,
Essex House,
Cherrydown,
Basildon,
Essex.
Tel: (0268) 727474/282155
Stand 5

Electrical Research Association,
Cleeve Road,
Leatherhead,
Surrey.
Tel: (037 23) 74151
Stand 24

Equinox Computer Systems,
Kleeman House,
16 Anning Street,
New Inn Yard,
London, EC2.
Tel: 01-739 2387
Stand 32

Euro-Calc Ltd,
55 High Holborn, London, W1.
Tel: 01-636 8161
Stands 1 and 2

Gemsoft Ltd,
Alverstone Lodge,
Wych Hill Lane,
Woking, Surrey.
Tel: (04862) 60268.
Stand 33

Grama (Winter) Ltd,
21b Dryden Chambers,
119, Oxford Street, London, W1.
Tel: 01-636 8210
Stand 46

H B Computers,
22 Newland Street,
Kettering,
Northamptonshire.
Tel: (0536) 839922
Stands 51 and 53

H L Audio Newtronics,
138 Kingsland Road,
London, E2.
Tel: 01-739 1582
Stand 8

A J Harding,
28 Collington Avenue,
Bexhill-on-Sea,
East Sussex.
Tel: (0424) 220391
Stand 55

Keen Computers Ltd,
5 The Poultry,
Nottingham, NG1 2HW.
Tel: (0602) 583254
Stand 44

KES Computers,
4 Summerfields,
Yarnfield,
Stone, Staffs.
Tel: (0785 77) 297
Stand 54

LP Enterprises,
313, Kingston Road,
Ilford, Essex.
Tel: 01553 1001
Stands 12 and 13

Lyme Peripherals,
2 Avenue Court,
Farm Avenue,
London, NW2.
Tel: 01-425 0490
Stand 7

Midwich Computer Co. Ltd.,
Hillsborough House,
Churchgate Street,
Old Harlow, Essex.
Tel: (0279) 25756
Stand 16

MicroFocus Ltd.,
58 Acacia Road,
London, NW8.
Tel: 01-722 8843
Stand 22

Microsolve Computer Services Ltd,
252 Hale Lane,
Edgware, Middx.
Tel: 01-958 4347
Stand 10

Nascom Microcomputers,
92 Broad Street,
Chesham, Bucks.
Tel: (02405) 75151
Stand 48

Newtons Laboratories,
123 Wandsworth High Street,
London, SW18.
Tel: 01-870 4248
Stands 38, 39, 40 and 41

Online Publications,
Cleveland Road,
Uxbridge, Middx.
Tel: (0895) 39262
Stand 35

Osborne & Associates,
PO Box 2036,
Berkeley, CA 84702, USA.
Stand 50

Personal Computers Ltd,
194-200, Bishopsgate,
London, EC2.
Tel: 01-283 3391
Stand 49

Petsoft,
MicroAct Ltd.,
5-6 Vicarage Road,
Edgbaston, Birmingham,
Tel: (0635) 201131/200854
Stand 14


Practical Computing,
30-31 Islington Green,
London, N1.
Tel: 01-359 8451
Stand 17

Research Machines,
209 Cowley Road, Oxford.
Tel: (0865) 49791
Stand 30

Rostronics,
118 Wandsworth High Street,
London, SW18.
Tel: 01-660 4805
Stand 31

Sirton Products Ltd,
13 Warwick Road,
Coulsdon, Surrey.
Tel: 01-660 5617
Stand 9

Technologies,
8 Egerton Street,
Liverpool, L8 7LY,
Merseyside.
Tel: 051-724 2695
Stand 11



What you can see at the Show

Abacus Computers Ltd
62, New Cavendish Street,
London, W1.
Tel: 01-580 8841

Stand 3

ABACUS will be exhibiting two machines, the TEI and Compucolor. They will run on standard Cobol packages and the Compucolor will be hooked to a graphics terminal controlled by the TEI.

You will be able to get your hands on the machines and there will be sales and technical staff to take orders and give free advice.

Byte Shop

426-428, Cranbrook Road,
Gants Hill, Ilford, Essex.
Tel: 01-554 2177

Stands 18, 19, 20, 25, 26, 27

THE Byte Shop, with more space than anyone else at the show, will be giving most of its range an airing. The equipment on show will include the Cromemco System 3, Processor Technology Sol-20, North Star Horizon, the new Pet and the ITT 2020. There will be continuous demonstrations of the machines by experienced staff.

Two new surprise ranges will be launched – a complete range of Ohio Scientific Superboards with 74MB disc drives, plus a range of equipment based on the Digital Equipment LSI processor.

CCS Microhire

7, Peartree Dell,
Letchworth, Herts.
Tel: (046 26) 73301

Stand 15

THE COMPANY will be concentrating on two aspects – sales and hire. It will be exhibiting Pet, Apple II, Exidy Sorcerer and Compucolor. You will also have an opportunity to see the machines running on CCS software.

The Japanese microcomputer SORD is expected to make an appearance. Two versions, the 48K and the 128K, will be demonstrating colour graphics, among other things.

Sales and hire transactions will take place, as well as an exchange service, so if you

want to take your old computer and swap it for another, this is the stand to visit.

Comart

PO Box 2,
St. Neots, Huntingdon.
Tel: (0480) 215005

Stand 34

COMART will be exhibiting its complete range of Cromemco equipment, along with the Processor Technology Sol and the North Star Horizon. All will be running on standard packages. It also hopes to be showing its Microbox.

The stand will be fully-staffed with sales and technical people who will be taking enquiries on sales and passing them to dealers. An abundance of literature on all systems will be available.

Commodore Business Systems

360, Euston Road,
London, NW1 3BL.
Tel: 01-388 5702

Stand 21

COMMODORE will be showing the whole range of Pet microcomputers and peripherals, including all the new equipment. A range of its own software will be running on the equipment and sales and technical staff will be on hand to give demonstrations and answer questions. The Kim 1 will also be exhibited.

Comp Computer Components

14, Station Road,
Barnet, Herts.
Tel: 01-449 6569

Stands 28 and 29

COMP will launch its new machine at the show, the Compukit UK 101, which will compete directly with the recently announced Nascom-2. It is a turnkey kit based on the 6502 processor. It has 19K of memory, 4K of user RAM expandable to 8K, and a 2K powerful monitor, 256-character set and 8K Microsoft Basic.

It is complete with power supply, keyboard and RS modulator, which means that you can interface it to an ordinary TV set, giving 48

characters per line. You can walk away from the show with one under your arm for £219.

There will be a one-hour seminar on Saturday afternoon, given by designer Tony Burke, to introduce the machine. Vouchers worth £5 and £10 will be given away and they can be used towards the purchase of the U.K. Compukit.

Other hardware on display will include the new 16K Pet, Exidy Sorcerer, Apple, TRS-80, Nascom and Hitachi monitors. Five to 10 percent discounts will be given on all the above.

The stand will be staffed by the well-informed engineers who are employed by Comp for such occasions.

Computabits

41, Vincent Street,
Yeovil, Somerset.
Tel: (0935) 26522

Stand 6

THIS stand will display a range of standard Pets and Kim-1s, but instead of the normal peripherals it will be running with a set of related products designed by Computabits. Hopefully, they will include voice input and output and a music synthesiser for the Pet. The Kim-1 will be working with many of the special projects featured in *Practical Computing* over the last few months.

Nick Hampshire, Computabits editor of *Practical Computing* and manager of the business, hopes to have his new book published in time for sale at the show. It is, he says, packed with "all the things Commodore doesn't tell you".

The stand will be staffed by technical people and part of it will be sublet to *Infoguide*, which markets Compusettes cassette software for the Pet.

Computer Bookshop

Temple House,
43/48, New Street,
Birmingham, B2 4LH.
Tel: (021) 643 4577

Stand 47

COMPUTER BOOKSHOP is a trade distributor of books, literature and training courses, supporting the development of the microelectronics and personal computer industry.

Books on display will concentrate on the four major processors – the 6800, 8080, Z-80 and 6502 and "will fulfill the needs of all sections of hardware users."

Two new books which will be on display are *Programming the 6502* by Rodney Zaks – recommended by Mike Lake of the Independent Pet Users' Group – and *Programming a Microcomputer 6502* by Caxton Foster. Both titles are applicable to Pet and Apple.

Also on display will be a range of Camelot education books written specifically for use in schools and colleges. A detailed catalogue of all Computer Bookshop titles will be available.

Datalogic Ltd

29, Marylebone Road,
London, NW1.
Tel: 01-486 7288

Stand 45

THERE is an air of mystery surrounding the Datalogic stand, where a new microcomputer will be unveiled. All we could discover about it is that it is a product of the Datalogic micrologic division and it has been described as a "computer in a briefcase".

It has been designed for a specific application for a customer who has already ordered 50 of the machines.

Dillon's University Bookshop

1, Malet Street,
London, WC1E 7JB.
Tel: 01-636 1577

Stand 4

ONE of London's leading bookshops, Dillon's will be exhibiting more than 50 titles relating to microcomputers and microprocessors. The stand will be staffed by "people who know about the books".

Only one copy of each book will be on display, so Dillon's will be taking orders only.

Distributed Data Processing
Essex House,
Cherrydown, Basildon, Essex.
Tel: (0268) 727474/282155

Stand 5

DDP will be promoting its new improved large disc drive. It increases the storage capacity for the ITT 2020 over its market competitor, the Apple II.

The black and white monitor for the 2020 will be on sale at a reduced price, as will the 16K upgrade kit. DDP also hopes to have a colour monitor available.

Electrical Research Association

Cleeve Road,
Leatherhead, Surrey.
Tel: (03723) 74151

Stand 24

ERA is not exhibiting the usual equipment models but is concentrating on the education and training side. On display will be the microprocessor teaching system, the MP Experimentor. It was designed originally as a course for ITT in West Germany but ERA has now devised a machine which it will market.

Full and detailed coverage will be given to several experimental and highly-researched projects. Perhaps the most interesting and exciting is that which looks at the problems of Microprocessor versus Man and The Elements.

This fascinating document looks at the effects of weather on microprocessors, its reaction to altitude and, arguably the most exciting of all, the Physical Destruction Analysis.

Various experiments have been made in an abundance of agonising ways, including setting a chip in a plastic encapsulation, boiling it in sulphuric acid to remove the plastic covering, then studying the chip under an electromicroscope for faults in all individual sections.

The project also examines the effects of nuclear weapons on microprocessors. For example, it shows what would happen to a microprocessor contained in one of the more

sophisticated armoured vehicles during and after attack.

Equinox Computer Systems

Kleeman House,
16, Anning Street, New Inn
Yard, London, EC2.
Tel: 01-739 2387

Stand 32

EQUINOX will be showing the Equinox 300 multi-user, multi-tasking, time-sharing microcomputer. It serves a mixture of VDUs and printers, as well as floppy discs, hard discs and industry-standard tape drives.

Systems similar have been installed in several businesses, educational establishments and laboratories. The system has a powerful operating system, including Basic, Lisp, Pascal and Snobol 4, together with a multiple-pass macro-assembler with linking loader and screen-orientated text processor and editor.

Equinox will also be showing the Horizon Z-80A-based system.

Eurocalc Ltd

55, High Holborn,
London, W1.
Tel: 01-405 3113/3223

Stands 1 and 2

EURO-CALC, the shop which sells anything with a chip in it, will be exhibiting a new microcomputer which it feels will cause one of the biggest stirs of the show.

The machine is Plessey-made, built exclusively for Euro-Calc and entirely in England. It can be used as a stand-alone unit or as a program development system.

Euro-Calc will also be displaying its usual brands, including Pet, Apple, ITT 2020 and some printers.

Gemsoft Ltd

Alverstone Lodge,
Wych Hill Lane, Woking,
Surrey.
Tel: (04862) 60268

Stand 33

GEMSOFT will be displaying some 70 games for computer and television and you can see

some of them running on the Pet. It also hopes to have two business packages available which it is now hurriedly writing.

It has also developed a sound effects board for games.

Grama (Winter) Ltd

21B, Dryden Chambers,
119, Oxford Street, London,
W1.

Tel: 01-636 8210

Stand 46

GRAMA will have a full range of Pet and SWTPC hardware on view. It will be demonstrating its own software package, BUs(iness) 1, which is a complete package comprising 23 options and 30 programs stored on 10 files.

Tony Winter, owner of the firm and author of the package, reckons it to be in advance of anything he has so far seen and values it at more than £1,000. He is offering it at £275 plus VAT.

For the duration of the show any firm order for a system worth more than £3,200, including disc and printer, placed at the exhibition will include BUs(iness) 1 free.

A.J. Harding

28 Collington Avenue,
Bexhill-on-Sea, East Sussex.
Tel: (0424) 220391

Stand 55

THE TRS-80 is the main attraction, particularly as the new Level Three will be introduced for the first time.

The new Monitor Three program will make its debut. The Library 100 model will be on show on a demonstration machine.

H B Computers

22 Newland Street,
Kettering, Northamptonshire.
Tel: (0536) 83922

Stands 51 and 53

PETS, Exidy Sorcerers and Apple IIs are the attractions with some possible but so far unspecified releases. Filling the shelves will be TV interfaces, sound boxes, Pertec

floppy discs, and a series of new interfaces.

H L Audio Newtronics

138, Kingsland Road,
London, E2
Tel: 01-739 1582

Stand 8

THE MAIN feature will be the Elf II kit. Associated hardware includes the giant board kit, 4K static RAM board, ASCII keyboard, power supplies, modulators, light pen and steel cabinets. Software available includes Tiny Basic on cassette, and Elf-Bug monitor on cassette. Manuals will also be on sale.

Keen Computers Ltd

5, The Poultry
Nottingham.
Tel: (0602) 583254

Stand 44

THIS dealer will be displaying various pieces of software which turn the Apple II into a business, educational or home enthusiasts' machine. The Keen range of software is wide and covers all major commercial uses. Titles include Incomplete Record Accounting, Word Processing and Information Retrieval.

A variety of statistical and mathematical software will also be available, as will the range of memory upgrade kits for the Apple II, ITT 2020 and Tandy TRS-80.

A selection of printer and display terminals suitable for use with the Apple and other micros will be on view, such as the EleDEX DP 8000, Centronics 779 and Diablo 1610.

Keen is one of six dealers for the Attaché microcomputer which will be filling the rest of the shelves on the stand.

Kes Computers

4 Summerfields,
Yarnfield, Staffs. ST15 0RH
Tel: (0785) 77297


Stand 54

KES COMPUTERS will be showing an Ohio Superboard with

(Continued on page 71)

Buy a System. . .Not just a "Pretty Box"

The SD System* — From about 97p per hour (40-hour week)



*The SD System Includes:
SDS-200 Microcomputer
T.I. 810 Printer (or Equivalent)

The SDS-200 TOTAL System features:

System Hardware

The SDS-200 give you features that are not found in systems costing thousands more. State-of-the-Art Engineering. Quality Production and Full Reliability testing make the SDS-200 a dependable, compact and easy to operate data processing system.

- Up to 256K Bytes RAM
- Full Keyboard with Special Accounting Key Pad
- Large 12 in. Video Display Screen
- Full Cursor Control including Addressable Cursor
- Blinking, Underlining, Reverse and Protected Fields
- Uses 8 in. Flexible Diskettes for Permanent Storage 2 Mbyte on-line
- Forward and Reverse Scrolling
- Capable of up to 160 Special Characters
- Expandable with Memory and Peripheral Equipment
- Will Operate as a Remote Batch Processor for Large Systems

System Software

A full range of Business Programs are available from CAP-CPP written in Microcobol.

The system will support all normal high level languages including:-

Fortran
Cobol
Basic
CP/M

A Total System

SD Systems knows that small businesses do not keep full-time programmers on staff. We also know that individually designed business programs can be expensive on a one-time basis. That is why we offer the SDS-200 and compatible business software.

Complete Software

SD Systems Business Software is a complete system package that includes everything from general ledger, payroll and inventory control to Cash Receipts and Mailing List. Special modifications can be made to fit your specific needs.

Leasing Available

The SDS-200 is available by leasing. This gives the small business the opportunity to select the method of acquisition that best fits their needs.



SDS-200 Expandable

The SDS-200 is designed in a manner to give you expansion capabilities. As your needs change the computer system that you select today should be able to change with you. By the addition of memory and peripheral equipment, the SDS-200 can expand to fit your needs.

U.K. DISTRIBUTOR:

AIRAMCO LTD

Unit A2, 9 Longford Avenue, Kilwinning Ind. Est.,
Kilwinning, Ayrshire KA13 6EX
(0294) 57755 Telex 779808

Dealer enquiries invited

● Circle No. 172

What you can see at the Show

(Continued from Page 69)

C24P mini-disk and a new packaged single-board computer based on the Ohio 500 board. This is 8K Basic using an RS 232C interface or 20 milliamp loop serial interface – other standards can be met for various terminals.

The Pet User Board Serial Interface will also be on display.

Kes also offers computer systems consultancy to tailor systems for customers.

LP Enterprises

313, Kingston Road,
Ilford, Essex. IG1 1PJ
Tel: 01-553 1001

Stands 12, 13

LP ENTERPRISES will show its range of books and magazines. The company handles subscriptions for American personal computing magazines, as well as holding a large selection of books on nearly all the professional, business and hobbyist computing topics.

Examples include books on introduction to micros, business programs in Basic, the artist and the computer, and pocket guides for programmers. New publications will be available from Scelby, Byte Publications, Sybex, Sams and Creative Computing Press.

LP Enterprises specialises in distributing microcomputer software on diskette and cassette, including CP/M operating system, Basic, Fortran compilers and business software such as stock control, sales ledger/purchase ledger (accounts payable/receivable) and general ledger. They are available for popular makes of 8080, Z-80 and 8085 processors.

Lyme Peripherals Ltd

2, Avenue Court,
Farm Avenue, London NW2.
Tel: 01-452 0490

Stand 7

LYME PERIPHERALS will have its full range of VDUs on display. For the first time, it will be featuring the Lyme 4003 VDU. It incorporates all

the features available on the 4002, with the added advantage that it is compatible with the Digital Equipment VT52.

Lyme was due to merge with James Scott of Glasgow, a firm specialising in keyboards for the IBM 3270, which may also be on view.

Microfocus Ltd

58, Acacia Road,
London, NW8.
Tel: 01-722 8843

Stand 22

THIS software and systems house will be demonstrating its CIS Cobol Compilation System which runs on 8080 and Z-80 processors. The software will be running on the Intel MDS-800 and the Tandberg TDV range of intelligent desk-top terminals.

A new variant of CIS Cobol will be launched at the show.

Microsolve Computer Services Ltd

125-129, High Street,
Edgware, Middlesex. HA8 7HF

Tel: 01-951 0218

Stand 10

MICROSOLVE will be showing Apple II with a new printer, the Printer Model 879, which is one of the new generation of low-cost printers with a speed of 120 cps. Software consists of debtors' ledger, invoicing, medical billing and case history, financial modelling and payroll. There is also a school physics and commerce teaching package.

Also being exhibited will be a new computer, the Micro Star 45 with 64K RAM. It is a multi-user, multi-task computer starting at £5,000 and can be used by up to three simultaneous users. It will support a double-sided floppy disc drive with an option for double density.

Among the software it contains is a full word processing package, a purchase and debtors' ledger and stock control. The printer will be the

new Qume Sprint 5, a daisy-wheel printer terminal with typewriter quality for word processing.

Midwich Computer Co Ltd

Hillsborough House,
Churchgate Street,
Old Harlow, Essex.
Tel: (0279) 25756

Stand 16

THE Hardware Co changed its name recently to the Midwich Computer Co. The new name is being accompanied by a new range of microcomputers which will be given their first public airing.

The computers are of Italian design, from SGS-ATES. The modular microcomputers are based on the Z-80 CPU and are aimed at the education market.

The lowest-level machine is the Nenocomputer System. It uses a "calculator-style", hand-held hexadecimal data input display station and a solderless experimental bread-board station with binary data input display for digital experiments.

They are combined to enable the student to design and study complete microcomputer systems using Z-80, PIO, CTC and MOS memory. The computers are provided with training books which take the student through fundamental computer basics to the most complex Z-80 programming.

Nascom Microcomputers

92, Broad Street,
Chesham, Bucks.
Tel: (02405) 75151

Stand 48

ACCORDING to Nascom, "one of the most interesting new products of the show will be seen," the Nascom-2, featuring 20K of memory, 8K Microsoft Basic and an "incomparable" 2K monitor.

On show with the Nascom-2 will be the Nascom-1 and all its add-ons, including a memory board and Vero frame. The latter will accept the Nascom-2

as well. Other new products are expected to be available.

Newtons Laboratories

PO Box 789,
127, Wandsworth High Street,
London, SW18.

Tel: 01-870 4248

Stands 38, 39, 40, 41

THIS FIRM is one of several distributors of the Alpha Micro System, claimed to be the most powerful and versatile micro system available. It supports eight floppy discs, four hard discs or any combination of both. Memory ranges from 64KB to about 1.02 MB.

The system is based on AMOS (Alpha Micro Operating System) which is a multi-user, multi-tasking, time-sharing operating system which includes job priorities and a command language interpreter.

Printers and other peripherals will be available from stock.

Online Conferences Ltd

Cleveland Road,
Uxbridge, Middlesex.
Tel: (08995) 39262

Stand 35

ONLINE specialises in the co-ordination of conferences and exhibitions in the fields of information processing and communications technologies. All the events are related directly to practical commercial considerations and many highlight trends in technology which have important social implications.

The Microcomputer Show is an obvious example, as is Viewdata '80. This event is scheduled for next Spring at Wembley Conference Centre and will investigate the use of the television screen as an information access device.

The proceedings of most of the conferences have been published and form the most comprehensive range of books on computer communications and technologies available. Online publications has trebled its sales over the last year and is adding continually to its publications titles.

(Continued on page 75)

DYNABYTE COMPUTERS ARE ALL BUSINESS INSIDE AND OUT.

When we designed our new small business computers, we meant business.

As basic as that seems, it is unique. Just about every other microcomputer being sold as a small business system today was originally designed as a kit for hobbyists.

Every design decision was made with quality and reliability in mind. The result is dependable performance and a solid appearance for business, professional and scientific applications.

FIRST SMALL SYSTEM WITH BIG SYSTEM STORAGE

Many applications handle large quantities of information, so the DB8/2 uses two quad density 5-inch disk drives with our exclusive Dual Density Disk Controller for up to 1.2 megabytes of formatted storage. That's more capacity than two single density 8-inch drives.

If you need more storage, our DB8/4 has two 8-inch drives with up to 2 megabytes capacity, more than any other dual floppy disk system on the market.

OUR SOFTWARE IS BIG ON BUSINESS

Dynabyte helps you get down to business immediately. The DB8/2 is the first microcomputer to offer enough storage capacity on 5-inch drives to fully utilize CP/M,* the most widely accepted disk operating system. We also supply and support BASIC, FOR-

* CP/M is a trademark of Digital Research.

Associates to Dynabyte, Inc. U.S.A.

TRAN and COBOL programming languages. Our applications packages include general ledger, accounts receivable, word processing and many other CP/M compatible programs.

Reliability is a big consideration in buying a business computer, so we built it in. Our edge connectors meet military specifications, the toughest electronics manufacturing standard. Our regulated power supply is designed to meet U.L. standards, which means the entire system runs cool and dependable. And our cast aluminum enclosures are rugged as well as attractive.

AND THE BIGGEST THING OF ALL

Customer support. Our support starts at the factory with testing and burn-in programs that assure the *entire* integrated system is reliable prior to shipment. Our completely modular design allows continuing support in the field. We maintain a bonded inventory of all sub-system modules which means we can deliver replacement sub-assemblies overnight nearly anywhere in the U.K.

Dynabyte built in little things, too. Like a fully-populated 12-slot backplane, switched AC outlets for accessories, an option for European power, quiet whisper fans with long-life metal construction, lighted indicator switches for Power On and Halt, a shielded enclosure to protect disk drives from electro-mechanical interference, and a fully enclosed power supply for

operator safety.

Since we didn't cut corners in design, the price/performance ratios of our systems make good business sense.

THE INSIDE FACTS

The DB8/2 Computer System includes two 5-inch disk drives either single or double sided for up to 1.2 megabytes of mass storage; a 4MHz Z-80 processing module with one parallel and two serial ports, 32k of RAM, a 12-slot fully-populated backplane; our exclusive Dual Density Disk Controller, and CP/M.

The DB8/1 Computer includes a 4MHz Z-80 processor with one parallel and two serial I/O ports, 32k RAM, and a 12-slot fully-populated backplane.

The DB8/4 Disk System, designed to be the mass storage companion to the DB8/1, includes two 8-inch floppy disk drives in either single or double sided configuration for up to 2 megabytes of mass storage, our Dual Density Disk Controller, and CP/M.

All three units will be available in rack mount models.

For a descriptive brochure and price list, call or write Dynabyte UK/Europe, 25 Park Rd, Scarborough, Yorks, England. Phone: 0723-65559.

Or better yet, see your local dealer.

DYNABYTE

YOU CAN DEPEND ON IT.

Regional Distributors:

Merseyside: Zytel 2 Alexander Drive, Heswall. 051-342 4443
Brookfield Drive, Aintree. 051-523 4011.

Other regions available. Contact Mark Proudfoot.



DYNABYTE



NewBear



Computing Store Ltd.



New - Newbear DB80 Printer
ex-stock **£595**
serial & parallel ports
optional extra - 64 Key ASCII keyboard

Introducing - Newbear 700
low cost VDU ex-stock **£299**
V24 interface upper case only
keyboard and monitor available separately

Sym 1 - 6502 based micro from Synertek -
Fully assembled and tested

Down in price now only **£160**

Schugart SA400 5¼ ins.
disc drives down to **£190**

Now in stock **BASF 5¼ ins. disc drives.**

Horizon (S100 bus Z80 based micro)
16K RAM with single disc drive **£1265**
32K RAM with double disc drive
With 2 Serial and 2 parallel port **£1983**

Newbear now stocks O.K. tools.

All prices subject to 8% VAT.
Carriage by arrangement.

Barclaycard and Access welcome.
Minimum official order £10.
Callers welcome Mon-Sat 9.00- 5.30
but please phone us first on 0635 30505
Visit our Northern Office at 2A Gatley Road,
Cheadle, Cheshire. Tel: 061-491-2290.

All mail order to Newbury.



Our new address is Newbear Computing Ltd,
40 Bartholomew Street, Newbury, Berks.

● Circle No. 174

COMPUTER FIELD MAINTENANCE

Keeps Horizon running smoothly
Keeps Cromemco running smoothly
Keeps Abacus running smoothly
Keeps SWTP running smoothly
Keeps Rair running smoothly
Keeping things running smoothly



CFM

Computer Field Maintenance
A CWT company, a Member of the IAL Group,
Excell House, Trust Industrial Estate, Wilbury Way
Hitchin, Herts SG4 0UZ
Tel: (0462) 51511 Telex: 826649

● Circle No. 175

What you can see at the Show

(Continued from page 71)

On display will be more than 60 titles, as well as a range of forward conference literature. One of the world-wide best sellers is *Personal Computers in Business* and a new title *Introduction to Microcomputers* is expected to have record sales.

Osborne & Assoc.
PO Box 2036,
Berkeley CA 84702
U.S.A.

Tel: 0101-415 548 2805
Stand 50

THIS publishing house and consultancy will have all its titles on show, including *An Introduction to Microcomputing*, *A Program for Logic Design*, *Assembly Language Programming*, and *Business Book*.

Adam Osborne, who is also playing a major role as a speaker at the seminar, and Georgette Psarias will be present.

Personal Computers Ltd
194/200, Bishopsgate,
London, EC2.
Tel: 01-283 3391

Stand 49

PERSONAL COMPUTERS is one of the leading Apple II distributors, with 20 dealers throughout the country. The show is the ideal opportunity for it to exhibit its range of Apple hardware and as it runs the Apple software bank, you should have the opportunity to see some interesting programs at work.

Petsoft
5/6, Vicarage Road,
Edgbaston, Birmingham.
Tel: (0635) 201131/200854

Stand 14

PETSOFT will have a complete program supermarket at the show, comprising the "widest range of software available for microcomputers in the world". Two hundred titles will be

there, ranging from accounting at £350 on disc to chicken recipes at £3 on cassette.

Petsoft will be launching a new range of business software, collectively called PETACT. The range, Petsoft says, "is the first microcomputer software written by a mainframe team to mainframe standards."

There will be several Pets on the stand, demonstrating various pieces of software.

Practical Computing
30-31, Islington Green,
London, N1.
Tel: 01-359 8451

Stand 17

THE 1979 Microcomputer Show marks the first anniversary of *Practical Computing* which was launched last year at the Do-it-Yourself Show, immediately selling-out that first edition.

The magazine is heavily involved once more with the show, producing the official *Showguide* which will be distributed from a stand in the hotel foyer, as well as devoting seven pages to it in this, our latest and biggest edition.

Practical Computing will be selling all issues dating from October, 1978, as well as our highly-successful *Computer Guides* and the invaluable *Checklist for Data Processing*. You will also have the chance of an introduction to our big sister, WHICH COMPUTER?

We will be taking subscriptions for both magazines and answering questions or solving any problems you may have. Don't miss this opportunity to meet the staff of Britain's number one microcomputer magazine.

Research Machines
PO Box 75,
Chapel Street, Oxford.
Tel: (0865) 49792

Stand 30

RESEARCH MACHINES will be demonstrating its British-built Research Machines 380-Z microcomputer. This general-

purpose computer is offered in several versions, ranging from 16K RAM and single- or dual-cassette recorder backing store, to the top of the range with 56K RAM and dual full-size floppy disc drive (one megabyte on-line storage).

New or recent items on display will be a high-resolution graphics/memory add-on board, text processing software in use with the 380-Z and a daisywheel printer, and the new operating system extension, which also allows the use of a conventional VDU with the 380-Z.

Other software demonstrated will include the RML Interactive Text Editor with Immediate Mode Editing, extended Disc Basic, Cobol, Fortran IV, Algol, and Terminal Mode Software. Those interested in Z-80 program development or microprocessor training should ask for a demonstration of the 380-Z software front panel.

Rostronics

118, Wandsworth High Street,
London, SW18
Tel: 01-660 4805

Stand 31

ROSTRONICS, the Wandsworth shop specialising in TRS-80 business systems, promises a crowded stand. The Multiwriter 3, "the ultimate daisy-wheel", will be demonstrated as part of the Rostronics word processing system. The Multiwriter 3 is bi-directional, with full graphics capability, interchangeable print wheels, foreign language character sets, and is fully programmable.

Rostronics has been buying and testing chips and will be selling its own memory expansion kits.

Another own-brand exhibit will be the Rostronics system desk, which can be tailor-made for any system.

Available only on the stand will be the first issue of the British TRS-80 newsletter, which is bound to cause a queue.

Also on display will be the Rostronics small business system and appropriate

software, as well as many books.

Sirton Products Ltd
13, Warwick Road,
Coulsdon, Surrey.
Tel: 01-660 5617

Stand 9

SIRTON is a dealer for SD Systems, Jade, Ithaca-Audio and Intergrand, and can obtain boards from many other U.S. manufacturers at competitive prices. It will be exhibiting its range of S100 boards, including three CPU boards and comprising many stock items.

The Sirton Data Preparation Unit will be exhibited for the first time. It is an integral unit with a keyboard, 20-character alphanumeric display and 2K RAM for data storage. The unit is microprocessor-controlled, has a text-editing facility and can transmit and receive data via an RS232 or 20 milliAmp serial data link.

Another new product is the Sirton single-board computer, featuring on-board 2K RAM, 1 or 2K ROM, serial I/O and 16 data-in and data-out lines. It is designed for dedicated control applications or intelligent interfaces.

Keyboards, VDUs and various disc-orientated packages will also be displayed.

Technalogs

8, Egerton Street,
Liverpool. L8 7LY,
Merseyside.
Tel: 051-724 2695

Stand 11

TECHNALOGS will feature its TECS computer system and demonstrate Teletext reception, its computing facilities, and Prestel. The TECS computer system will be available in kit form as well as ready-built.

Technalogs will also be demonstrating pattern and colour bar generators - portable, battery-powered TV units for the amateur and TV service engineer.

It will also be showing a full Prestel editing terminal aimed at the information providers of Prestel.

TO START our series on U.K. microcomputer manufacturers, Kay Floyd visited Hertfordshire to meet Nascom Microcomputers, one of the top British companies. Its Nascom-1 kit has been a runaway success, selling more than 12,000 units in the last 18 months.

Kay spoke to Kerr Borland, marketing manager of Nascom Microcomputers and a director of the parent company, electronics distributor Nasco. Although he and John Marshall, chairman and managing director, are the brains behind Nascom, Borland describes himself as a "gofer" – at the top level, of course.

What prompted you to start Nascom?

I was managing director of Nasco at the time and Nascom was given to me as a kind of project. It took off because of the microcomputer revolution. John Marshall and I were very interested in everything that was going on and because Nasco had been distributing semiconductor products for nearly 10 years, we knew what it was about.

What role did Nasco play setting up Nascom?

There is a definite division between Nasco and Nascom, though Nasco gave us financial support at the beginning. The Nasco group includes Lynx Electronics and one or two other companies; Nascom Microcomputers is within that structure.

When Nascom was first set up we decimated Nasco and Lynx because I took all the staff I wanted with me. Only recently have we re-staffed them with managers and clerical people. We are now re-structuring Lynx and are about to open a new store in Amersham, which will offer a vast range of products for people who want to build microcomputers.

Two-man design

Who designed the Nascom-1?

John Marshall and myself. We wanted to see if we could make a small microcomputer. We had the ideas for the design but couldn't carry them out ourselves. We telephoned several people and did some market research but that wasn't much help as we found that there was really no existing market for the type of product we had in mind.

When we said that it had to be built for less than £200 they said it couldn't be done. Finally we went to Chris Shelton of Shelton Instruments. A top microcomputer engineer, he put our plan into practice. Now, 18 months later, we have the top-selling single-board computer in the U.K.

When was the Nascom-1 launched?

Officially, in January, 1978; that makes it one of the oldest microcomputers. We started delivering the following March.

What was the initial response?

By the end of the day of the launch we had more than 300 units ordered, and paid for, and we still didn't have a working machine to show anyone. That

was followed by around 7,000 letters from people wanting to buy or know more about it.

The Post Office wasn't very pleased at having to sort and deliver that kind of mail in a rural backwater. It took us ages to plough through them but we managed to turn around a lot of the enquiries. When we started, no-one could foresee what a success it would be.

Distributors

How many distributors do you have?

We have 12 in the U.K. Some are multiple companies, so there are more retail outlets than that implies. Then there are seven main distributors abroad. In Germany, we have between 15 and 20 retail outlets.

Many of our components are from Nasco and through the semiconductor industry in the U.S. Because of these problems there are no Nascoms for sale in France at the moment. We can never supply enough.

Where is your manufacturing plant?

In Chesham. We are looking at a site in the U.S. and two others in the U.K. There are 25 people working there, out of around 50 in the company. We hope to increase the number in our manufacturing facility to between 80 and 100 within the next two years.

How reliable is the machine?

Very few of our kits or boards are ever returned to us. We have two repair engineers and that's all we need. They can manage to turn them around within a week.

What do you see as the company aim in the immediate future?

We shall end up selling built systems. Everything we sell is in kit form now but our overseas customers want everything built. Because we can't do it at the moment, they are prepared to build their own.

What was the thinking behind the recently-launched Nascom-2?

In no way is the Nascom-2 a replacement for the Nascom-1. Over the 18-month period it became obvious that there is a market for the Nascom-1 for the foreseeable future. There is also a large market, however, for an upgrade version which will have more of a computing bias. Many of the additions necessary to

The revolution started

the Nascom-1 are integral to the Nascom-2.

Do you have an in-house design team or do you contract that work?

By the end of this year we aim to have one of the most complete design teams anyone has to offer in this field. We will not be aiming at an end result – a packaged machine. What we want to do is to produce a board with as much flexibility as possible.

As long as we stay with the standard components, this machine will do anything. Since the first was built in 1977, no component has been changed. There are some very good design houses around and we expect to be among them in the next five years.

Do you do much software development?

We do a reasonable amount, mainly in high-level languages and monitors. We get a good deal of material sent to us. We have developed an 8K Basic, Cobol and Pascal – that sort of thing. There are other standard packages which we would buy rather than develop ourselves.

How much have you spent on research and development?

So far, we have spent only £150,000 but next year it will be £500,000 or more. It is low at the moment because we have been sending a good deal of work outside the company. We have seven engineers, all specialists in their own right, who design our boards. We are attracting them because we are doing original research. We will have plenty of new things at the end of the year.

Turnover

What is the company turnover this year?

The estimated turnover from June, 1978 to June, 1979 is £1.5 million. That's in our first year of trading. We estimate that it will be £5 million next year.

How do you see the company as a whole?

I think we are the only British microcomputer company. No-one has any chance of getting close to us. No-one is doing the research we are. We produce microcomputer boards – that's the market we see and we understand it.

We do more than just selling packages. Our competition in Europe is nil but that's all going to change.

How do you see the company's future?

We are producing microcomputer boards – that's the market we see for ourselves. We feel that the Nascom-1 is only half our range and that there's a huge market for our complete computer boards.

Obviously, we shall expand very rapidly.

olution t

ly. We are already looking for more manufacturing space and we are increasing our product range all the time. By the end of 1979 we hope to have one of the most complete design teams of anyone in this field.

We want to be the country's top microcomputer designer and manufacturer, and the way things are going, that day will not be far away.

Our main overseas distributor is in Sweden, where the Nascom-1 has been accepted well. In fact, more than 70 percent of our output goes to Europe.

How many Nascoms have you sold?

So far we've sold 12,000 units worldwide. Last year we delivered 6,000 and in 1979 we estimate that we will ship 14,000. The problem is that we can't make them fast enough to satisfy all our customers.

If we could make 500 a week we could sell them with no difficulty. Shortly we hope to be manufacturing 500 Nascom-1s a month and that inevitably will increase.

Marketing

What is your marketing strategy?

We are badly constricted on the marketing side and we have cut our marketing budget because we do not need to advertise - we have no reason to push our product very heavily. We are swamped with orders, can't get the components fast enough, and we can't produce the machines fast enough.


We are looking for a sales manager but he won't have any selling to do; he will have to explain to people why orders are late being delivered and that we can't possibly appoint more distributors for the time being. Three Far East companies want to take distributorships but there's no way we can do that, either. The saving grace of the Nascom-1 is its good value, which shows itself in expanding purchases.

What are the main market areas for the Nascom-1?

The Nascom-1 was created as an industrial board. In the beginning it wasn't fully socketed for various reasons; now it is, so we can add plenty of PCBs and extra chips. We found then that the biggest market area was the industrial user and the hobbyist.

It began as a hobbyist machine but now we sell most to industry, with the rest of our production split between the hobbyist and educational establishments. It is very popular with schools and we will be selling a case for the boards to comply with school safety regulations.

The biggest market we see for Nascom-



Kerr Borland.

1 is definitely a board market and we see a huge market for our complete computer boards. OEMs are already buying them and building their own configurations around them.

Six or seven people are producing end-products based on our machine - not necessarily computer products but something totally different, where the computer has played a vital role in production.

In many cases people have built machines and ask us for 50 boards a month for a specific project on which they are working. Big OEMs order them in their thousands for just one project - we have two customers like that. The Nascom-1 is becoming a standard component for many development systems.

We feel that the market area for it will be in expansion boards which make it more acceptable for people who want to use it as a development system to look at a Z-80-based machine. Soon we shall have graphics and a disc controller, too.

It is a low-cost but powerful system, especially attractive for OEMs who want to interface it to other things.

To what do you attribute the success of the machine?

Nascom success is undoubtedly due to our use of the Z-80 processor. Many suppliers have given us a great deal of help as well, especially Mostek, which supplies our processors.

Parts problem

Why have you had problems supplying the Nascom-1?

One major problem is that you can't get the bits. No-one in the chip manufacturing business realised the sheer volume we were going to use. The industry goes through a four-year cycle of boom and disaster. At the moment, we are coming out of a disaster period, hence the lack of parts.

The determining factor of the cycle is the U.S. markets. Forget the Japanese. The Americans assess their cost production and work schedules on their home market; the overseas market is just an extra to them.

If the home market expands, they forget the outside business and we go short of parts. We try to buy as much of the product as we can in the U.S., but we have to get our high-technology parts from the U.S. because they are not made in this country.


(contd. on page 79)

Proudly Announce . . .

THE BASIC HANDBOOK

An Encyclopedia of the BASIC computer language.
by Dr. David A. Lien

PRICE £11.00



(360 pages - Soft Cover)

From the author of the highly acclaimed TRS-80 Learner's Manual comes the book you've been asking for! **THE BASIC HANDBOOK** is *THE* definitive reference and "idea" book explaining in detail the favorite versions of the BASIC language as used on micros, minis and mainframes.

Not a dictionary, not a text, it is a virtual **ENCYCLOPEDIA** of the BASIC language, explaining all you need to know about over **250 BASIC statements, functions, operators and commands.**

This HANDBOOK is written to be used!

With The BASIC Handbook you can finally make those BASIC programs found in magazines work on your computer — or know the reason why they can't.

If there is an alternate way to write a program using other BASIC words, the Handbook will show you how. If there is a function needed that your machine doesn't have, the HANDBOOK gives you a subroutine to accomplish the same thing. About the only thing the HANDBOOK won't help you with is additional memory.

Who needs the BASIC Handbook?

Every user of the BASIC language needs the Handbook! Hobbyists converting between BASIC "dialects" need it. Students learning and using BASIC on any size computer need the Handbook as a supplement to their BASIC language text. Programmers at every level will use it constantly to find better ways to achieve the needed results.

What versions of BASIC does it cover?

There are nearly a *hundred* versions of BASIC in use today. No wonder we keep seeing strange new BASIC words. Dr. Lien has selected over 50 of the most-used dialects and explained every commonly used statement, function, operator and command.

The popular Microcomputer dialects are covered, plus the major Mini and Mainframe dialects. Also included is the new proposed ANSI Standard BASIC which may be required in military and commercial contracts.

Computers Include:

- RADIO SHACK
- OHIO
- HEATHKIT
- COMMODORE
- SCIENTIFIC
- SWTPC
- DEC
- ALTAIR
- SORCERER
- IBM
- IMSAI
- Plus dozens more
- APPLE
- HP


SOLE DISTRIBUTOR · DEALER ENQUIRIES INVITED



118 WANDSWORTH HIGH STREET, LONDON SW18, ENGLAND

Telephone: 01-870 4805

Telex: 8813089 INTPRM G



Nascom-2 prototype

THE long-awaited Nascom-2 was launched in April and has emerged, not as a replacement for the Nascom-1, but as an upgrade version which will have more of a computing bias.

It is based on the Z-80A processor – theoretically twice as fast as the Z-80 – with an 8-bit CPU. The hardware consists of a 12in. x 8in. card with all bus lines fully buffered to the Nasbus specification. There is 20K of on-board addressable memory which is made up of 2K Monitor, 1K video RAM, 1K work space/user RAM, 8K Microsoft Basic and 8K static RAM.

It has a new expanded keyboard built specially for Nascom, which uses standard Nascom monitor-controlled decoding.

The new machine uses 8K Basic which offers a high degree of compatibility with other systems and programs published in magazines and books should run under Nascom 8K Basic with little or no modification. The language will also run on the Nascom-1.

One of the most exciting features of the Nascom-2 is its ability to run with a completely new monitor which has been designed specially for it.

Called Nas-sys I, it incorporates all the features of the Nasbug 2K monitor with many additional functions. It uses a blinking, non-destructive cursor, with on-screen editing. The method of calling routines has been modified and rationalised so that users need only a two-byte RST operation.

It was designed originally to run with the new keyboard but can be used with the Nascom-1 keyboard by using combinations of keys.

ASCII terminals are fully-supported via the serial interface and users can add their own I/O drivers via the Nas-sys I/O driver table to support other devices. Forty-two user-accessible RST operations are provided.

The Nascom-2 will cost £295 plus VAT and deliveries will start this month. Two OEMs have already placed orders for the machines and Nascom says "We will satisfy the demands of the U.K. market first."

AIRAMCO LIMITED CLEARANCE SALE LIMITED QUANTITIES ONLY

Ithaca Audio/Jade Z80 CPU Kits 4M	£89.00
2M	£85.00
Ithaca Audio/Jade 8K Static Ram Kits 450 ns.....	£79.95
250 ns.....	£109.95
Ithaca Audio/Jade 8K Static Ram B/T 450 ns.....	£99.95
250 ns.....	£129.45
Ithaca Audio Z80 B/B	£22.00
Ithaca Audio 8K B/B	£18.00
2708/2716 B/B	£18.00
Vector 8800 Procto Boards	£18.50
8224	£6.00
8216	£1.99
DM8131	£1.49
1702A 256 x 8 Proms.....	£2.50
4027 4K x 1 D Ram.....	£18.50 per 8
2112 256 x 4 450 ns.....	£1.50 each
21L02 1K x 1 S Ram 250	£8.99 per 8
21L02 1K x 1 S Ram 300	£8.50 per 8
21L02 1K x 1 S Ram 450	£7.50 per 8
4115 8K x 1 D Ram.....	£25.00 per 8
4215 16K x 1 D Ram.....	£49.99 per 8
36 Meg XTALS	£2.00
18 Meg XTALS	£2.00
Floppy Disks —"	£2.95 each

USED EQUIPMENT

2 only ASR 33 Teletype. Working Condition	£350.00
2 only Shugart Disk Controller Cards.....	£199.00 each


AIRAMCO LIMITED
UNIT A2

9 LONGFORD AVENUE
KILWINNING IND. EST.
KILWINNING
AYRSHIRE

PRICES EXCLUDING VAT

ACCESS AND BARCLAYCARD
ACCEPTED

● Circle No. 176



Historical simulation

AT FIRST SIGHT it might seem far-fetched to use the computer to assist in historical simulations in the classroom of a comprehensive school but I have been brooding on the variety of ideas involved over a period of at least 10 years.

During my own sojourn in a VIth form I became interested in the links between the disciplines. A scholarship to Massachusetts gave me the chance to learn Basic and an introduction to Probability and Decision Theory.

Richard Ennals writes about the ideas which won top prize in the schools section of our Christmas competition. The entry was from the history and computer studies departments of Sweyne School, Rayleigh, Essex. Ennals is developing some of his history simulations on the Research Machines 380-Z he won.

Later, at Cambridge, I spent a year immersed in the linguistic philosophy of Wittgenstein, especially his theories of games and languages. My studies included mathematical logic before I

switched to a history degree.

While a student, I wrote and produced a number of plays on historical situations, all starting from the basis of simulation and role-play. Teacher training followed and on teaching practice in Southfields, I developed my first simulation 'kit', based on the United Nations Organisation and how its members handle a series of possible crises.

Based on briefing

My first teaching post, in Mitcham, was in a department whose head, John Waddleton, had considerable skill and experience in simulations; this produced further kits on the House of Commons and the workings of a factory.

No computer facilities were available for these; the simulations were based on the briefing of the individuals, and the free development of the situation by the group in their roles.

Last September, in my present post as head of the history department at Sweyne School, I found an ideal opportunity to develop my ideas further. My colleague, Martin Frampton, shared my interest in games, and I developed a range of new

HOW THE IDEAS WORK

Our use of the computer for history simulations on a set of principles from the classroom teaching situation:

- The logical structure of a computer analogue of a historical situation is similar to the equivalent classroom simulation, with the possible difference that the simulation game normally involves decisions by a number of participants rather than by a single player. So it should be feasible to make use of the computer analogue to enhance the classroom simulation, and vice versa.
- If the appropriate programming and role preparation are provided in advance, the input of data and classroom role-play can be carried-out without over-direction from the teacher.
- The computer can aid the simulation participants in carrying-out historically credible decisions, given the accuracy of information already stored.
- There is philosophically a clear link between mathematical and computer logic, language structure and the rules of games — as outlined, for instance in Wittgenstein's *Philosophical Investigations* and Braithwaite's *Theory of Games as a tool for the Moral Philosopher*. This has clear, if undeveloped, practical implications, especially for people like teachers who have the task of explaining complex processes.
- The computer should not be used simply for its own sake of so doing, and it should not perform functions already carried-out adequately by other means. It should help clarify the decision processes involved and enhance the learning experience of the class. It should enable the participants to be aware of irrelation of two or more variables, and the consequences of their combination—hard to convey by conventional means.
- The computer work involved in class should not be too complex, with easily-understood input data and comprehensible conclusions printed-out or displayed on a screen.



kits based on the Russian Revolution, the Age of Discovery, the Wedgwood firm in the Industrial Revolution, the Norman Conquest, and the League of Nations—all for mixed-ability classes.

Next to my classroom at Sweyne is the computer studies room, run by John Ward. I showed him a range of programs I had devised for use in the games; he detailed three able 'O' level students—Andrew Wood, Martin Attwood and Keith Stewart—to help me as part of their computer studies course-work. They came to history lessons where the games were being used, and devised programs to facilitate the simulation process and enhance the students' understanding.

In an evening

Then Ward spotted the competition run by *Practical Computing*. The initial entry was written in an evening but a good deal of hard work was put in by all five of the team in developing the ideas, flowcharts and programs for the final submission, which ran to about 40 pages of typescript.

We have had to work so far with strictly limited access to a time-sharing terminal on-line to the county computer centre but our students have enthusiasm to start work at 7.30 each morning.

Helpful to all

The prize of a Research Machines 380-Z should expand our ability enormously to produce innovative materials for use with our classes, and in other schools. Essex County Council has been en-

couraging computer education for some years and recommends the 380-Z. It is helping us to modify our rooms to gain the most advantage from this new acquisition for our two departments.

Use of a television screen should enable a whole class, rather than just one

individual, to benefit from the output of 'the computer'; and the aim in our historical work is for the computer to become a major classroom teaching aid. *Practical Computing* and Research Machines have given us a chance to show how this can be done.

PUTTING THE PRINCIPLES INTO PRACTICE

Some examples of how the computer can be of use, based on classroom experience with simulation materials devised at Sweyne School.

● Wedgwood Potteries

We use a simulation kit for third-year, mixed-ability secondary students based on Josiah Wedgwood and his pottery firm in the 18th century. Class members are allotted a separate role among the people connected with the Wedgwood Pottery. Each receives a historical briefing on an individual part so that decisions will be historically authentic. A range of Basic programs has been developed to aid the management in planning of wages, prices and research policy. Data input is straightforward, and the printed conclusions go beyond the complexity of reasoning and the calculation of which the students are capable. Participants react to the computer findings, and the game continues. This relies, in part, on simple economic theory and, in part, on the provision of historically-accurate background material.

● Explorers

Second-year, mixed-ability history students have been using a simulation kit based on the Voyages of Discovery in the 15th and 16th centuries; the results have been very encouraging in terms of historical authenticity, the quality of written work and the level of enthusiastic participation. A fifth-year student, Andrew Wood, has written a program which clarifies the process of trading and makes possible many of the authentic variations in commodities and prices. Further programs will clarify the choices between routes, and their consequences, and enable the 'explorers' better to plan their strategies in the light of detailed historical knowledge.

● Russian Revolution

Two fifth-year students, Keith Stewart and Martin Attwood, have devised a program based on decision theory to analyse the choices facing a Russian revolutionary in 1917. This will enhance the effectiveness of our existing fourth-year simulation kit for the Revolution. As with the other kits, each member of the class is allotted a different role through whose eyes they see the events of 1917 as they unfold. Properly used, the computer can enhance the authenticity of the simulation and throw the decision involved into sharper focus, so that a complex historical situation can be brought to life in the classroom.

Britain is a nation of PET lovers

**THE No. 1
Personal
Computer
in the
U.K.**

**Hobbyist
Commercial
Scientist
Education**

**NOW FROM
£450
plus V.A.T.
(4K model)**

for the first time
user and the professional
check out the PET, the world's
most popular personal computer

- * **AVAILABLE** in either 4K, 8K, 16K* or 32K* RAM.
(*with large typewriter style keyboards.)
- * **CAPABLE** - just like a traditional computer.
- * **UNDERSTANDABLE** - fast, comprehensive and powerful - BASIC is one of the easiest computer languages to learn, understand and use. Machine language accessibility for the professionals.
- * **PERSONAL** - easily portable and operated - just "plug in" and go. Unique graphics make fascinating displays.
- * **EXPANDABLE** - built in IEEE-488 output, 8K RAM expandable to 32K, parallel user port 2nd. Cassette interface.
- * **SERVICEABLE** - easily serviced - only 3p.c. boards all readily accessible.

Commodore PRINTERS and DUAL DRIVE FLOPPY DISCS now available.

Contact your local dealer for a demonstration, also for memory expansion and peripheral details, also list of readily available software.

AUTHORISED COMMODORE PET DELAERS

Birmingham
Taylor Wilson Systems Ltd
Knowle (05645) 6192

Bolton
B & B Consultants
0204-386485

Bristol
Sumlock Tabdown Ltd
0272-26685

Cardiff
Sigma Systems Ltd
0222-21515

Derby
Davidson-Richards (Int) Ltd
0332-366803

Durham
Dyson Instruments
0385-66937

Grimsby
Allen Computers
0472-40568

Guildford
P.P.M.
0483-37337

Hemel Hempstead
Data Efficiency Ltd
0442-57137

Hove
Amplicon Micro Systems
0273-730716

Leeds
Holdene Ltd
0532-459459

Liverpool
Dams Office Equipment Ltd
051-227-3301

London
TLC World Trading Ltd
01-839-3893

Sumlock Bondain Ltd
01-253-2447

Da Vilai Computers Ltd
01-202-9630

Manchester
Cytek (UK) Ltd
061-832-7604

Sumlock Electronic Svcs.
061-228-3507

Morley (W. Yorks)
Yorkshire Electronic Svcs.
0532-522181

Newport
G. R. Electronics Ltd
0633-67426

Northern Ireland
Medical & Scientific
08462-77533

Nottingham
Betos (Systems) Ltd
0602-48108

Reading
C.S.E. (Computers)
0734-61492

Southampton
Symtec Systems Ltd
0703-37731

Business Electronics
0703-738248

Swansea
Radio Supplies (Swansea)
0792-24140

Thame, Oxon
Memec Systems Ltd
084-421-3149

Woking
Petalect Ltd
048-62-69032

Yeovil
Computerbits Ltd
0935-26522

In case of difficulty call **COMMODORE SYSTEMS DIVISION**
360 Euston Road, London. Tel. 01-388-5702

Do you want to buy a MicroComputer?

Digitus stocks a wide selection of micros and provides expert advice, sizing and design.

Test some robust, proven computers:

- Apple 11
- Cromemco
- DG MicroNova
- North Star Horizon
- Processor Technology SOL
- Exidy Sorcerer

Choose from a range of peripherals: Shugart, North Star, Sanyo, Sony, Lear Siegler, Cifer, Centronics, Teletype.

Discuss and select a system to fit your present and future needs.

Digitus

Call, write or visit:
Digitus Ltd
Dumbarton House
68 Oxford Street
London W1
Tel: 01-636 0105

PS Also provided:
micro skill, software, books and training.

Does your MicroComputer need software?

Digitus supplies application programs, systems, and tailormade software systems.

We specialise in business and administration programs for Z80/8080 and MicroNova computers including:

- Wordprocessing
- Mailing
- Sales Ledger
- Purchase Ledger
- Nominal Ledger
- Stock Control

Also supplied: systems software for Z80/8080 including CP/M, Extended Basic, Fortran and Interactive Cobol.

Digitus

Call, write or visit:
Digitus Ltd
Dumbarton House
68 Oxford Street
London W1
Tel: 01-636 0105

Do you need help to design and process your MicroSystems?

Through its MicroSkill Register of over 200 professionals, Digitus provides experienced programmers, designers and engineers to develop systems on most micros including:

- Z80/8080
- LSI 11
- 6502
- MicroNova
- 6800

Some of the Register people have their own machines. Others work on customer or Digitus equipment.

Whether you require a small program written or a large system designed and engineered, Digitus MicroSkill can provide support.

Digitus

Call, write or visit:
Digitus Ltd
Dumbarton House
68 Oxford Street
London W1
Tel: 01-636 0105

PS Applications to join the Register are welcomed. Please send C.V. and two professional references.

Do you want a MicroSolution for your business?

Some people want to buy equipment and software and bolt it together for themselves.

Others want to buy a solution, a complete system to meet their needs economically and reliably.

Digitus provides MicroSolutions for business, administration and professional practices.

We analyse your requirements, specify systems, choose suitable equipment and software, tailor it to fit your people and organisation, hold hands during transition, train operators and managers, arrange regular maintenance and support.

In short, provide a total MicroSolution.

Digitus

Call, write or visit:
Digitus Ltd
Dumbarton House
68 Oxford Street
London W1
Tel: 01-636 0105

Man Eater

Cassette for Commodore Pet only. Available from Games Workshop, 1 Dalling Road, Hammersmith, London W6 0DJ Tel: 01-741 3445 Price, £4.

HAVING seen some of the other offerings from Games Workshop, I found this a little disappointing. The idea behind the game is reasonable and the method of playing looks to be well-designed but the layout of the board ruins what might have been a good game.

The aim is to surround a shark with a set of swimmers so that it cannot move and eat a swimmer. As the shark can eat only diagonally and move orthogonally – up, down, right or left – this seems easy. The problem is that the shark is visible only at the beginning and when it has just eaten a swimmer. Any two men can be moved in one turn by using the grid reference system on the board.

Cramped

It is there that the main criticism applies. The board is cramped into the top lefthand corner of the screen and is much too small for comfort. I found I was having to squint to decide exactly where my swimmer was and where I was moving him. As the rest of the board was used only to display prompts and error messages, I found this rather irritating. Even more annoying was the fact that if you entered a move and pressed "return" – the "return" not being needed – it moved your man and then displayed "Coordinate not on the board".

I feel this game could be good but it would take a major re-think of the layout and more careful programming.—K.F.

File Handling


Cassette for Tandy TRS-80. Manufactured by Circle Enterprises Inc., Box 546, Groton, CT 06340.

THIS PROGRAM is very easy to operate and spells-out everything for you, taking only minutes to learn. Perhaps its simplicity is its greatest drawback because, despite its name, it is little more than a telephone book.

It has the capacity for 100 entries per file and the information you can put on each file is name, address, telephone number and birthday. We found that the last item was in most cases unnecessary but could be useful for, say, a small insurance firm.

The program begins by giving a menu of five options – input data, list names in file, search/edit, record on cassette and exit from program. You punch the corresponding number to each of these functions, from 0-4.

The input data allows you to create files; listing names in the file gives the subjects in alphabetical order with tele-



phone numbers; the search/edit facility gives several options. You can select the next or previous name in the file to the one you may already have chosen, search for the file by pressing the first letter or two of the surname.

Easy editing

Editing is easy. All you do is select the relevant file and take the line number to be edited, type in the whole line at the top of the screen with the correction, press the enter key, and all is done. Finally, by using the delete function you can erase anyone from your file completely.

It is unfortunate that the program will not identify a file by anything other than the surname of the person. If you forgot the name probably you would have to run through more than 50 entries to find it.

The program is very fast for putting a different format on to the screen and response times are a point in its favour. Sorting the names automatically into alphabetical order is another plus for the program.

A handy piece of software if you want to record names and telephone numbers but not much use if you want a file with a great deal of detail on it.—K.F.

Space Fighter

Cassette for Tandy TRS-80, by A. J. Harding. Available from most Tandy dealers. Price: £9.95.

YET another program to take you into the outer galactic regions, this time as a space fighter pilot. You meet five enemy ships and when they are in laser sights, you shoot them down.

You determine how many missiles you have to fire and there are three levels of play which you also choose. There is no time limit on the game, which is a pity, as this type of game lends itself to beating the clock.

Loses appeal

When you hit a ship the screen goes into a rather elaborate explosion simula-

tion. Then the sequence starts again and the ship moves slowly from the left into your sights. By the way, you can destroy a ship only if you hit it on the nose – nowhere else counts.

The bottom of the screen displays how many ships you have destroyed and the number of missiles remaining. When you have eliminated all the ships, the computer congratulates you and tells you how many shots you had left. If you use all your missiles without destroying the enemy, you are advised to abandon ship.

Unfortunately, once you have mastered the technique of destroying the ships – after about half an hour's play – the game quickly loses its appeal. If a little more of the competition element had been included with say, a clock or faster-moving ships, it would have been more enjoyable.—K.F.

Android Nim

Cassette for Tandy TRS-80. Manufactured by 80-US Software, PO Box 7112, Tacoma, Washington, U.S.A.

ANDROID NIM is based on all the other Nim games but with a difference – this one has sound and excellently-produced graphic robots.

All you need to do to receive the sound is plug-in the cord which goes to the AUX of your cassette recorder into any audio amplifier and you will hear the robots shrieking when they are about to be eliminated, and also the sound of the laser which takes them off the screen.

The idea is to remove the last Android, excluding the controllers which appear at the left of the screen. There is one for each of the three rows of Androids to be eliminated. All you have to do is press the number of the row – the top row is one – and then the number of Androids you wish to eliminate.

Reminder

You have the choice of whether to start or allow the computer to start and your turn is indicated by a flashing display and sound. If you wait 45 seconds without making a move, you will be reminded in the same fashion that it is your turn.

The graphics were truly excellent on this tape but the response time was agonisingly slow. Once you had keyed-in your move all the Androids would move their heads one by one to look at the poor victim who was about to be zapped. This took a long time and was very infuriating.

The worst thing about the program is that we couldn't win. Time and again we tried, even following the pattern of the computer during its last game, but it was impossible.

If you have two hours to spare and you manage to beat the Android executioners, let us know – we would like to know how it's done.—K.F.

If you buy the wrong personal computer, you can't re-program your bank account!

Buying a personal computer is not an easy task.

So many people selling them neglect the little things that enable you to get the most from your computer, such as documentation, spares, add-ons and maintenance. We believe that these 'details' are essential. We are the only British company to put all our time and energy into the personal computer market and are in the best position to advise you on your initial purchase and keep you fully informed about all the new developments relevant to your computer.

Personal Computers Limited — *the name of the game.*

Say 'hello' to a graphics Apple II



A business Apple II



Exclusive to Personal Computers Ltd. German Apple II. Available shortly.



Personal Computers Limited

194-200 Bishopsgate, London EC2M 4NR.
Tel. 01-283 3391

Apple Software Bank
Free membership to all Apple owners
POST TO: Personal Computers Ltd, 194-200 Bishopsgate
London EC2M 4NR.

NAME
ADDRESS

RAIR

- High speed 8085 microprocessor ●
 - Priority interrupts and DMA ●
 - 64K bytes of RAM memory ●
 - Transparent ROM bootstrap loader ●
 - Integral dual minifloppy disks ●
 - Programmable serial I/O interfaces ●
 - Advanced floppy disk operating system ●
 - Serial and random file processing ●
 - Macro assembler with symbolic debugging ●
 - Extended BASIC interpreter ●
 - Relocating FORTRAN IV compiler ●
 - ANSI 74 COBOL compiler ●
 - Comprehensive range of peripherals ●
 - UK wide on-site maintenance ●
 - Quantity and OEM discounts ●
 - Leasing and rental facilities ●
- New features**
- Double sided density disks (260K bytes/drive) ●
 - High speed hardware arithmetic unit ●
 - Multi-user operating system support ●
 - Dual-drive add-on (over 1M byte on-line) ●



BLACK BOX MICROCOMPUTER

30-32 NEAL STREET COVENT GARDEN LONDON WC2H 9PS TELEPHONE 01-836 4663

ILLUSTRATING BASIC

(A SIMPLE PROGRAMMING LANGUAGE)

WE CONTINUE our series of articles on how to program in Basic, probably the most widely-used programming language for small computers. For the series, we have obtained the serialisation rights for one of the best books on the subject, *Illustrating Basic* by Donald Alcock.

★

Each month, we are publishing a part of the book, so by the end of the series you will have the complete book. It is written with a distinct informality and has a rather unusual presentation; but it is this style, we believe, which makes it one of the most easy-to-read tutorials.

★

Alcock *Illustrating Basic*. Chapter 2. © Cambridge University Press. Reprinted by permission.

★

CONTENTS

P	REFACE	
1. C	OMPONENTS OF THE LANGUAGE	1
2. I	INPUT & OUTPUT, EXPRESSIONS AND FUNCTIONS	15
3. C	ONTROL	39
4. A	RRAYS	59
5. M	ATRICES	75
6. C	OMplete EXAMPLE PROGRAMS	101
	MCDXCII ↷ ILLUSTRATING A SYMBOL-STATE TABLE	102
	BEST WAY HOME ↷ ILLUSTRATING A ROUTE-FINDING METHOD	106
7. C	OMMANDS AND SIGNING ON	111
8. F	ILES OF DATA	119
9. S	YNTAX	127
I	NDEX	132

6

COMPLETE EXAMPLE PROGRAMS

MCDXCII



A PROGRAM TO CONVERT
ROMAN TO MORE FAMILIAR
NUMBERS.

THIS EXAMPLE DEMONSTRATES THE USE OF A *SYMBOL-STATE* TABLE
A STANDARD TOOL IN PROGRAMMING

ASSUME ALL VALID ROMAN NUMBERS ARE COMPOSED OF THE
FOLLOWING ELEMENTS NEVER MORE THAN ONE FROM EACH
CONSECUTIVE BOX :

THOUSANDS	HUNDREDS	TENS	UNITS
M = 1000	C = 100	D = 500	L = 50
MM = 2000	CC = 200	DC = 600	LX = 60
MMM = 3000	CCC = 300	DCCC = 800	LXX = 70
ARBITRARY UPPER LIMIT	CD = 400	CM = 900	LXXX = 80
			XL = 40
			XC = 90
			V = 5
			I = 1
			VI = 6
			II = 2
			VII = 7
			III = 3
			VIII = 8
			IV = 4
			IX = 9

(IT SEEMS CLASSICAL ROME SELDOM USED THE *SUBTRACTIVE* PRINCIPLE
INHERENT IN IV, PREFERRED IIII, BUT THIS PROGRAM REFUSES TO
HANDLE MORE THAN THREE CONSECUTIVE LETTERS OF THE SAME KIND.)

THE LOGIC OF THE PROGRAM IS CONTAINED IN THE FOLLOWING
SYMBOL-STATE TABLE :

		"SYMBOL"						
		M	D	C	L	X	V	I
"STATE"	STARTING STATE → 01	1000 & 02	500 & 03	100 & 09	50 & 05	10 & 10	5 & 07	1 & 11
	02	1000 & 02	500 & 03	100 & 09	50 & 05	10 & 10	5 & 07	1 & 11
	03	ERROR	ERROR	100 & 09	50 & 05	10 & 10	5 & 07	1 & 11
	04	ERROR	ERROR	100 & 04	50 & 05	10 & 10	5 & 07	1 & 11
	05	ERROR	ERROR	ERROR	50 & 06	10 & 10	5 & 07	1 & 11
	06	ERROR	ERROR	ERROR	ERROR	10 & 06	5 & 07	1 & 11
	07	ERROR	ERROR	ERROR	ERROR	ERROR	5 & 08	1 & 11
	08	ERROR	ERROR	ERROR	ERROR	ERROR	ERROR	1 & 08
	09	800 & 05	300 & 05	100 & 04	50 & 06	10 & 10	5 & 08	1 & 11
	10	ERROR	ERROR	80 & 07	30 & 07	10 & 06	5 & 08	1 & 11
	11	ERROR	ERROR	ERROR	ERROR	8 & 00	3 & 00	1 & 08

TAKE THE ROMAN NUMBER **CIX** AS AN EXAMPLE : BEGIN WITH A VALUE
OF ZERO. YOU ARE IN STATE 01 (WHERE THE ARROW IS) SO LOOK
DOWN FROM *SYMBOL C* AND FIND 100 & 09 WHICH SAYS "ADD 100 TO
THE VALUE & CHANGE STATE TO 09". SO ADD 100 TO ZERO & MOVE
THE ARROW TO 09. NOW LOOK DOWN FROM *SYMBOL I* AND FIND
1 & 11 ; SO ADD 1 TO THE VALUE ((100+1=101) & MOVE THE ARROW TO
STATE 11. FINALLY LOOK DOWN FROM *SYMBOL X* AND FIND 8 & 00 ; SO
ADD 8 TO THE VALUE ((101+8=109)). THE 00 MEANS YOU'VE FINISHED.

ILLUSTRATING BASIC PAGE 102

THE TABLE IS PART OF THE COMPUTER PROGRAM AND PREPARED AS SHOWN BELOW. TO SAVE SPACE EACH ELEMENT OF A(,) IS MADE TO CONTAIN BOTH THE NUMBER TO BE ADDED AND THE NUMBER OF THE NEW STATE — THUS 5 & 07 BECOMES $100 * 5 + 07 = 507$. THE ENTRIES SAYING "ERROR" ARE ENTERED AS -1.


```

10 REM      DECODE ROMAN NUMERALS
20 DIM      A(11,7), C$(7)
30 REM      EACH ELEMENT = 100 * ADDITION + NEWSTATE
100 REM     M, D, C, L, X, V, I
110 DATA 100002, 50003, 10009, 5005, 1010, 507, 111
120 DATA 100002, 50003, 10009, 5005, 1010, 507, 111
130 DATA -1, -1, 10009, 5005, 1010, 507, 111
140 DATA -1, -1, 10004, 5005, 1010, 507, 111
150 DATA -1, -1, -1, 5006, 1010, 507, 111
160 DATA -1, -1, -1, -1, 1006, 507, 111
170 DATA -1, -1, -1, -1, -1, 508, 111
180 DATA -1, -1, -1, -1, -1, -1, 108
190 DATA 80005, 30005, 10004, 5006, 1010, 508, 111
200 DATA -1, -1, 8007, 3007, 1006, 508, 111
210 DATA -1, -1, -1, -1, 800, 300, 108
220 REM
230 MAT READ A(11,7)
240 DATA "M", "D", "C", "L", "X", "V", "I"
250 READ C$(1), C$(2), C$(3), C$(4), C$(5), C$(6), C$(7)
260 REM
  
```

THE TEXTUAL ARRAY C\$() IS NOW LIKE THIS:

C\$(1)	C\$(2)	C\$(3)	C\$(4)	C\$(5)	C\$(6)	C\$(7)
M	D	C	L	X	V	I

IDEALLY WE SHOULD NOW "INPUT" A SINGLE TEXT LIKE "MCDXCII" AND EXTRACT ITS LETTERS ONE BY ONE FOR MATCHING IN ARRAY



C\$(). UNFORTUNATELY *BASIC*S CAN'T AGREE HOW TO DO IT. SUPPOSE YOU HAD THIS TEXT:

LET P\$ = "FRUSTRATION"

& WANTED TO PUT "RAT" INTO A\$; HERE ARE JUST SOME WAYS TO DO IT.

LET A\$ = SUBSTR(P\$, 6, 3)

LET A\$ = P\$(6, 8)

LET A\$ = STR(P\$, 6, 3)

LET A\$ = MID(P\$, 6, 3)

LET A\$ = EXT\$(P\$, 6, 8)

LET A\$ = P\$(6, 3)

LET A\$ = SUB\$(P\$, 6, 3)

SO WE SHALL BE CONTENT TO "INPUT" LETTERS ONE BY ONE — SEE OVERLEAF.

HERE IS THE MAIN BODY OF THE PROGRAM FOR DECODING ROMAN NUMERALS:

```

300 REM MAIN PROGRAM STARTS
310 PRINT "TYPE ROMAN NUMBERS LETTER BY LETTER"
320 PRINT "END NUMBERS WITH * END RUN WITH **"
330 PRINT "NUMBERS ENDING IV & IX NEED NO *"
340 PRINT
350 PRINT "START"
360 LET R=1
370 LET M=0
380 LET C=0
390 LET P=0
400 INPUT T$
410 IF T$ = "**" THEN 610
420 IF T$ = "*" THEN 580
430 FOR K=1 TO 7
440 IF T$=C$(K) THEN 480
450 NEXT K
460 PRINT "CRAZY ROMAN NUMBER"
470 GO TO 340
480 LET X=A(R,K)
490 IF X<0 THEN 460
500 REM ENSURE ONLY 3 OCCURRENCES OF ANY 1 LETTER
510 LET C=(1-ABS(SGN(K-P)))*(1+C)
520 IF C>2 THEN 460
530 LET P=K
540 REM ACCUMULATE RESULT IN M; CHANGE STATE R
550 LET M=M+INT(X/100)
560 LET R=X-100*INT(X/100)
570 IF R<>0 THEN 400
580 REM PRINT THE RESULT
590 PRINT M
600 GO TO 340
610 END

```

Handwritten annotations in clouds:

- 360 LET R=1: INITIAL "STATE" IN THE TABLE
- 370 LET M=0: ACCUMULATE RESULT IN M
- 380 LET C=0: COUNT OCCURRENCES OF IDENTICAL CONSECUTIVE LETTERS
- 390 LET P=0: "PREVIOUS" LETTER
- 410 IF T\$ = "**" THEN 610: END OF RUN
- 420 IF T\$ = "*" THEN 580: PRINT ACCUMULATED VALUE IN M
- 470 GO TO 340: NEW START
- 480 LET X=A(R,K): PICK UP ELEMENT FROM TABLE
- 490 IF X<0 THEN 460: -1 IN TABLE MEANS ERROR
- 510 LET C=(1-ABS(SGN(K-P)))*(1+C): IF "PREVIOUS" = "CURRENT" THEN C=C+1 ELSE C=0
- 520 IF C>2 THEN 460: SET "PREVIOUS" TO "CURRENT"
- 540 REM ACCUMULATE RESULT IN M; CHANGE STATE R: USE PART OF ELEMENT
- 550 LET M=M+INT(X/100): 2ND PART = NEW STATE
- 570 IF R<>0 THEN 400: INPUT NEXT LETTER
- 600 GO TO 340: NEW START

RUN

TYPE ROMAN NUMBERS LETTER BY LETTER
 END NUMBERS WITH * END RUN WITH **
 NUMBERS ENDING IV & IX NEED NO *

START

? M

? M

? I

? *

2001

START

? M

? C

? M

? L

? X


? X

? X

? I

? V

1984



NO * BECAUSE
NUMBER ENDS
IN IV

START


? V

? *

5

START

? **




END OF RUN

IN THIS EXAMPLE THE FIRST PART OF EACH ELEMENT OF THE SYMBOL-STATE TABLE IS SIMPLY A NUMBER TO BE ADDED INTO VARIABLE "M". IN MORE SERIOUS APPLICATIONS THIS WOULD BE THE LINE NUMBER OF A SUBROUTINE. AFTER PICKING UP AN ELEMENT (AS AT LINE 480) THERE WOULD BE AN "ON" INSTRUCTION CAUSING A JUMP TO THE PARTICULAR SUBROUTINE SELECTED BY THAT ELEMENT. AFTER RETURNING FROM THE SUBROUTINE THERE WOULD BE AN INSTRUCTION CAUSING A CHANGE OF STATE JUST AS THAT ON LINE 560.


BEST WAY HOME

A PROBLEM COMMON TO INDUSTRY AND COMMERCE.

HERE IS AN EXAMPLE OF AN "ALGORITHM" (COMPUTER JARGON FOR "METHOD") BY WHICH YOU CAN TRACE THE QUICKEST ROUTE THROUGH A NETWORK OF "NODES" AND "EDGES". (ANOTHER APPLICATION OF THE TECHNIQUE SHOWN IS "CRITICAL-PATH ANALYSIS".) THIS ALGORITHM WORKS AS LONG AS THERE IS NO MORE THAN ONE EDGE IN ONE DIRECTION BETWEEN ANY TWO NODES.



THIS IS HOW IT WORKS. YOU KEEP TRACK OF THINGS AS SHOWN IN THE SKETCH BELOW FOR NODE 2.



STARTING AT NODE 3 VISIT EACH NODE IN TURN 3, 4, 5, 6, CONTINUING ROUND AGAIN 1, 2, 3, 4, 5, 6, 1, 2, etc. UNTIL ALL THE "SWITCHES" ARE "OFF". AT EACH NODE DO THE FOLLOWING AS DESCRIBED FOR NODE 2:

- ★ LOOK AT THE SWITCH IN A(2,1). IF THIS IS "OFF" THEN GO ON TO THE NEXT NODE. IF IT IS "ON" THEN:
- ★ PICK UP THE BEST TIME SO FAR; THIS IS IN A(2,2).
- ★ USE THE HEAD OF CHAIN IN A(2,4) TO START LOOKING AT ALL NODES RUNNING OUT OF NODE 2. FOR EACH LINK IN THE CHAIN DO THE THINGS DESCRIBED BELOW WITH SPECIFIC REFERENCE TO NODE 5:

- ☆ PICK UP THE NODE NUMBER (INITIALLY THIS IS 5).
- ☆ PICK UP THE TIME TO TRAVEL ALONG THE EDGE TO THAT NODE (INITIALLY 8.0) AND ADD THIS TO THE TIME ALREADY PICKED UP FROM A(2,2) TO GIVE T; (THE TIME TO REACH NODE 5 VIA NODE 2).
- ☆ CONSULT A(5,2) TO SEE IF YOU HAVE JUST FOUND A BETTER ROUTE. IF SO:
 - SWITCH "ON" AT A(5,1).
 - REPLACE OLD BEST TIME A(5,2) WITH T.
 - PUT NODE NUMBER 2 INTO A(5,3) THUS BUILDING A CHAIN THROUGH NODES ON THE BEST ROUTE.

HAVING COMPLETED WORK AT EACH NODE, SWITCH OFF THAT NODE.

ARRAYS A(,) & B(,) MUST BE PREPARED BEFORE WORKING ROUND THE NODES AS DESCRIBED ABOVE. ALL THE SWITCHES MUST BE SWITCHED ON, SOME IMPOSSIBLY HIGH JOURNEY TIMES PUT INTO THE SECOND COLUMN OF A(,), AND EVERY NODE MUST BE LINKED TO THE NODES RUNNING OUT OF IT. THE JOURNEY TIME TO THE STARTING NODE MUST BE SET TO ZERO.

```

10 REM QUICKEST WAY HOME: DEMONSTRATE ALGORITHM ONLY
20 REM (DATA NOT CHECKED FOR ABSURDITIES)
30 REM ALLOW FOR 50 NODES AND 120 EDGES
40 DIM A(50,4), B(120,3)
50 PRINT "NO.OF NODES, NO.OF EDGES, START NODE, HOME NODE"
60 INPUT N, E, S, H
70 FOR I = 1 TO N
80 LET A(I,1) = 1
90 LET A(I,2) = 1000000
100 LET A(I,3) = 0
110 LET A(I,4) = 0
120 NEXT I
130 LET A(S,2) = 0
    
```

Annotations in the code block:

- Line 80: SWITCH ON
- Line 90: VERY HIGH TIME
- Line 110: CLEAR HEADS & ROUTE CHAIN
- Line 130: CLEAR TIME AT STARTING NODE

OR THE PROBLEM ILLUSTRATED OPPOSITE THE FIRST LINE OF INPUT DATA WOULD BE: ? 6, 9, 3, 6 AND ARRAY A(,) WOULD BECOME:

	1)	2)	3)	4)
A(1,	1	1000000	0	0
A(2,	1	1000000	0	0
A(3,	1	0	0	0
A(4,	1	1000000	0	0
A(5,	1	1000000	0	0
A(6,	1	1000000	0	0

- ☆ PICK UP THE NODE NUMBER (INITIALLY THIS IS 5).
- ☆ PICK UP THE TIME TO TRAVEL ALONG THE EDGE TO THAT NODE (INITIALLY 8.0) AND ADD THIS TO THE TIME ALREADY PICKED UP FROM A(2,2) TO GIVE T; (THE TIME TO REACH NODE 5 VIA NODE 2).
- ☆ CONSULT A(5,2) TO SEE IF YOU HAVE JUST FOUND A BETTER ROUTE. IF SO
 - SWITCH "ON" AT A(5,1).
 - REPLACE OLD BEST TIME A(5,2) WITH T.
 - PUT NODE NUMBER 2 INTO A(5,3) THUS BUILDING A CHAIN THROUGH NODES ON THE BEST ROUTE.

HAVING COMPLETED WORK AT EACH NODE, SWITCH OFF THAT NODE.

ARRAYS A(,) & B(,) MUST BE PREPARED BEFORE WORKING ROUND THE NODES AS DESCRIBED ABOVE. ALL THE SWITCHES MUST BE SWITCHED ON, SOME IMPOSSIBLY HIGH JOURNEY TIMES PUT INTO THE SECOND COLUMN OF A(,), AND EVERY NODE MUST BE LINKED TO THE NODES RUNNING OUT OF IT. THE JOURNEY TIME TO THE STARTING NODE MUST BE SET TO ZERO.

```

10 REM QUICKEST WAY HOME: DEMONSTRATE ALGORITHM ONLY
20 REM (DATA NOT CHECKED FOR ABSURDITIES)
30 REM ALLOW FOR 50 NODES AND 120 EDGES
40 DIM A(50,4), B(120,3)
50 PRINT "NO.OF NODES, NO.OF EDGES, START NODE, HOME NODE"
60 INPUT N, E, S, H
70 FOR I = 1 TO N
80 LET A(I,1) = 1
90 LET A(I,2) = 1000000
100 LET A(I,3) = 0
110 LET A(I,4) = 0
120 NEXT I
130 LET A(S,2) = 0

```


Annotations:

- 70 FOR I = 1 TO N → SWITCH ON
- 90 LET A(I,2) = 1000000 → VERY HIGH TIME
- 110 LET A(I,4) = 0 → CLEAR HEADS & ROUTE CHAIN
- 130 LET A(S,2) = 0 → CLEAR TIME AT STARTING NODE

FOR THE PROBLEM ILLUSTRATED OPPOSITE THE FIRST LINE OF INPUT DATA WOULD BE: ? 6, 9, 3, 6 AND ARRAY A(,) WOULD BECOME:

	1)	2)	3)	4)
A(1,	1	1000000	0	0
A(2,	1	1000000	0	0
A(3,	1	0	0	0
A(4,	1	1000000	0	0
A(5,	1	1000000	0	0
A(6,	1	1000000	0	0

HERE IS THE MAIN PART OF THE PROGRAM. VARIABLE K COUNTS THE NUMBER OF TIMES NODE 1 IS PASSED WHILST CYCLING THROUGH THE NODES. BUT K IS SET BACK TO ZERO IF A CHANGE IS MADE TO THE ROUTE. THUS WHEN K GETS TO 2 ALL SWITCHES ARE OFF AND THE SOLUTION CAN BE PRINTED.



RUNNING THIS PROGRAM WITH THE DATA SHOWN OPPOSITE PRODUCES THE RESULT:

QUICKEST WAY FROM 3 TO 6 TAKES 31 THRU
6 5 4 2 1 3

AT THE END OF A RUN THE SECOND COLUMN OF A(,) STORES THE QUICKEST TIMES FROM NODE 5 TO ALL OTHER NODES IN THE NETWORK.

Ask for our
free colour
brochure



031-225 2022
(24 HOURS ANSWERING)



Cromemco System Three



The professional microcomputer

At MicroCentre we're supplying the finest microcomputer at the fairest price in the UK.

Our Cromemco System Three boasts all the features you would expect in a system designed for professional users. Features like the fast Z-80A chip; the flexible S-100 bus; 64K memory as standard (expandable to 16 MB); 512K dual 8" discs (expandable to 23 MB with hard discs); and CDOS—Cromemco's powerful disc operating system,

compatible with CP/M. Yet it costs just £3786* from MicroCentre. We can even arrange maintenance at your premises. And we'll supply all the software you're likely to need—Cobol, Fortran, extended Basic, Word Processing, Data Base Management, etc. Outstanding value at £65 each—only from MicroCentre. Write or call today for our full colour brochure.

Micro Centre

Complete Micro Systems Ltd.

Telephone: 031-225 2022

132 St. Stephen St., Edinburgh EH3 5AA

National maintenance can be arranged through CFM Ltd. *Prices exclude VAT and delivery.

Introducing Communications Protocols

by Logica; published by NCC Publications, 1978; A5, 83 pages (softback); £5.50

LOGICA is one of the top UK consultancies and its speciality is data communications; both are good qualifications for a compact and fact-filled introduction like this.

The book begins by providing the background to the growth of communication needs. It lays great emphasis on the fact that good computer systems should not grow but should allow for possible expansion and connection into sophisticated networks. That probably doesn't apply to the smaller system but if you're investing a six-figure sum you ought to bear it in mind.

Although many data transmission techniques exist, the underlying principles dictating protocol requirements are always similar and must include message format and protocol procedures so that a meaningful dialogue can ensue.

Security aspects

The protocol must also ensure that the security aspects are dealt with properly and so the book describes vertical redundancy checks, block checks and cyclic redundancy checking.

There is a brief discussion of the major protocols available from computer manufacturers, including the IBM, SNA and the Digital Equipment DECnet architectures. Of particular use is a section on the new European standard X25 protocol for public switched networks. Although not a definitive guide to X25, Logica manages to provide a useful overview which should be a solid basis to further research.

The book also provides an extensive glossary and bibliography which should enable the reader quickly to supplement these areas of special interest.

The book suffers from having been written, one assumes, by a variety of people in a hurry, and consequently proceeds in jumps and starts, but the information contained in its few pages are of immense practical use.

Conclusion


● An extremely useful and well-written book, low on waffle and high on information content, and geared to the computing professional who needs to grasp the concepts and need for communications protocols quickly.

Cheap Video Cookbook

by Don Lancaster; published 1978 by Howard W. Sams - handled here by Prentice Hall International; A5 paperback, 256 pages; £6.55.

ANOTHER offering from Lancaster, this time not so cheap but certainly informative and, as always, well-written. Lancaster has the kind of enthusiasm so often lacking in technical texts.

Cheap Video Cookbook is something of a departure from his familiar Cookbook series on RTL, TTL and CMOS in that it's the first to cover a



specific microprocessor application - and, indeed, a particular hobby microcomputer kit, the Kim-1.

Briefly, the text explains the theory behind the construction of an add-on module for the Kim-1 which provides character and graphics displays on a suitably-modified TV set.

Comprehensive

The book divides easily into four parts, the first expounding the advantages of a microprocessor-based approach and explaining two special design concepts, the upstream tap - a means of allowing the graphics software to access central memory - and the SCAN micro instruction, which ensures high-speed output of generated characters.

There's a comprehensive section on designing and prog-

ramming the necessary software, for which you'll need a fairly good knowledge of the architecture and instruction set of the 6502. Following that Lancaster has a "getting-it-together" chapter on hardware which won't tax your brain too much.

Lastly, he offers a short section on transparency utilising spare processor time to run a user's program. This is rather disappointing, as it hints at what to do instead of describing any specific transparency techniques; still, it is but a minor complaint.

There are two potential pitfalls for the U.K. reader using this Stateside book. One is at the components level. In a sense the book is a construction manual, so you'll need the chips - two are rather specialised - and the American-made PCB. Another is the problem of adapting the design ideas for other microprocessors more popular with British-based kit manufacturers, notably the Zilog Z-80, as used for the Nascom.

Drive and humour

In fact, for various reasons, your reviewer is convinced that the Z-80 is the only microprocessor other than those from the 6800/6502 family which could easily support the suggested design. The display (TV set) will also need modification, which is curious since it would have been easy to add-in a UHF modulator to the basic design.

Don't be deterred, though. The book is a veritable mine of information and it is written with the kind of drive and humour one doesn't find in corresponding British texts.

Mercifully, it's also free of the kind of condescending writing which seems so much in vogue nowadays. All credit to Lancaster for realising that we don't need to be told, yet again, how dynamic RAM works - how refreshing.

Conclusion

● A specialist book and certainly not for the software pundit. You'll need to be very practical to get the most from the text, but the technical aspects are so well presented and the writing so persuasive that I defy you not to take up your soldering iron and work. - A.W.

Do-It-Yourself Computing

Compiled and edited by Martin Banks; published 1978 by Input Two-Nine Ltd; limp covers, 119 pages; £9.95

If you want to buy a technical book it's for a purpose. You want to obtain some information. The more specialised the information you want, the harder it will be to find a book to meet your requirements.

Conversely, if you choose a book at random from a shelf it should be possible to say from the contents what kind of learning need it would fulfill.

This is not a happy book. No matter which way you look at it, it's hard to imagine any need it could satisfy, other than the financial one. It is certainly expensive. Of its nominal 119 pages excluding introduction, quotes from previous reviews and a poor index - there are at most the equivalent of 90 pages of print. As they are in typewriting style, the large-format pages carry only the equivalent of a paperback of 100 pages.

The book is divided into sections dealing with State-of-the-Art, The Personal Computer in Business, Software and the Personal Computer and The Industry View. In all there are 13 articles, of which at least five are written by personnel of various companies.

Supplement A is an article from *Practical Computing* of December, 1978, reprinted without even the benefit of editing to remove such redundancies as the fact that the Pet "was reviewed in our October issue" and "In forthcoming issues of *Practical Computing* we shall examine the three approaches to buying a business system".

Supplement B is another reprint, a glossary of microcomputer terms from the material Digital Equipment issues with the LSI-11.

Conclusion

● Definitely not recommended. An expensive way to obtain a small amount of information. The contents are definitely lightweight. If you know the difference between a Pet and a poodle you won't learn anything. -R.G.

WE'LL SHOW YOU EVERYTHING

Because we've got the biggest and widest range of micro-computers, there's more for you to bite on at a Byte shop.

So you're not only sure of finding exactly what you want: you can take the opportunity to experiment before you buy.

And because we're backed by the huge financial resources of a major

investment group, we'll be here tomorrow as we are today. All over the UK.

So whether you want a micro-computer for your home, your business, for industry, for education — or if you'd just like to find out which model you get on best with — you'll find a

visit to a Byte Shop a new and invaluable experience.

You can call at a Byte Shop any time from Monday to Saturday.



the **BYTE SHOP** Ltd

The Byte Shop
426/428 Cranbrook Road,
Gants Hill, Ilford, Essex
Telephone: (01) 554 2177
Telex 897311

Branches at:
LONDON (WEST END):
48 Tottenham Court Road —
tel (01) 636 0647

NOTTINGHAM: 92a Upper
Parliament Street —
tel (0602) 40576

MANCHESTER: 7-8 Com
Exchange Building, Fennel
Street — tel (061) 834 0220

Printer tip

WE HEARD this one from reader Benny Thomson of Norwood. It looks good for business users and others writing frequently to a printer. It seems you can PEEK at (decimal) location 14312 to find the line printer status. If it contains value 63, it is on and ready to print; 233 means 'on but unavailable'; and 255 signifies 'off'.

The point is that programs which do a great deal of printer output can grind to a halt if the printer is not available. So Thomson offers this subroutine to be called before an LPRINT:

```
9000 C = PEEK (14312)
9010 IF C = 63 RETURN
```

and the rest of the subroutine takes you away to do something else before trying again.

Business user's view

THE AUTHOR works for a large commercial group which makes extensive use of time-sharing bureaux but which is now interested in the idea of cheap microcomputers for its staff. Company policy dictates that the writer remains anonymous.

ALONG with many others, at the Tandy presentations in London, we saw only the Level 1 TRS-80; we were impressed and subsequently we bought a 16K 2 Level 2 machine at a local Tandy store.

It has been in constant use since then and its performance has been sufficiently impressive for it now to have a major impact on our entire approach to the use of computer-based techniques.

That is not to say there have not been problems. First, Level 2 is essential for sensible computing, though you need a good grasp of Basic before you can use the manual - in contrast to the superb Level 1 introduction.

Twice as fast

With the Level 2 system, the cassette tape is read and written twice as fast as Level 1; this must be close to the reasonable limits of a domestic cassette recorder, as our system has been very prone to load errors, in spite of the fact that we use digital-quality tapes and have had our cassette recorder modified to reduce hum and to improve the control of the mechanism. In our view, both are absolutely essential modifications, though load errors have still not been eliminated.

It is critical to check volume levels and stay at the one which is acceptable. We clean the tape-heads each day and have a tape-head de-magnetiser. As a matter of procedure we save four copies of long programs and we always use CLOAD? to check the integrity of each copy.

There has also been a distinct lack of software until recently, a situation which is now improving. We have bought a re-numbering system and are about to obtain the Electric Pencil word processor - it is difficult to appreciate the full power of this software because it is all priced very economically.

TANDY FORUM is devoted to the Tandy TRS-80. We will be using it to pass on news about the TRS-80 and its supplier and product announcements from Tandy and other vendors of compatible equipment. Above all, these are pages for users, and would-be users, of this personal computer. We want you to send tips, queries, moans and comments, and we want this page to become a market-place for TRS-80 information.



Our only other major complaint is that without the disc system we are limited to one system routine at a time and there can be a noticeable impact on memory. Still, one can at least assess the pros and cons - which is of course the Tandy intention - and then make the disc upgrade.

Startling

We were fortunate that we already had a Texas Instruments Silent 700 ASR, a 30cps thermal printer terminals. For £50 we could buy a TRS 232 interface to link it to the TRS-80. As the associated software diverts the print output to the cassette recorder leads, we obtain hard-copy on this terminal without the Tandy expansion interface. Even more startling to us is the claim that the associated software can drive a printer at 9,600 baud - so much for the 1,200 baud limitation that the bureau was using.

Two interesting considerations emerged from the interface exercise. We had already discovered that there was a high degree of overlap between the TRS-80 Basic and that of the time-sharing bureau. This overlap provided the mechanism for using the TRS-80 for program development. The cassettes on the Silent 7000 ASR provided the means of capturing this program and transmitting the tested program to the bureau.

We consider that the TRS-80 can also work as a fairly sophisticated data-capture device working in a similar manner. Given that intelligent terminals cost £10,000 or more, the TRS-80 can provide many of these features - arguably with more processing power - at an impressively low cost. If we can obtain a two-way RS232 interface we will be able to load both data and programs into the TRS-80; that will duplicate all the features of an intelligent terminal completely.

Characters lost

The second point is that we were able to alter the associated software for the RS232 interface. With program lines greater than the 80-character print width of the Silent 700, characters were lost while the carriage return was operating. This also occurs with the time-sharing bureau and is due to a lack of delay characters (nulls) with a terminal-generated as opposed to a system-generated end of line.

The print software now counts the length of each line and when the specified print width is exceeded will supply the necessary nulls. It also proved possible to provide some extra code, so that we could also obtain a screen print from the contents of the disc memory - though not for the graphics, unfortunately.

This is done by making the extra code a USR with a CALL to the print driver routine for each character to be printed. As it is written in machine code, this routine should also operate at up to 9,600 baud.

Outlay saved

We see the TRS-80 as a very versatile piece of equipment. It can be considered a word processor, intelligent terminal, or key-to-tape for processor. We feel our initial outlay has already been saved several times in terms of a reduction in external expenditure with time-sharing bureaux. It has also opened the door to many applications which could not be justified in a £20 to £30 per hour cost environment.

Given that micros compete with many of the peripheral activities of a main-frame installation and often with much better response times, the next few years will show exactly how far the design concept can go.

The only real constraint, it seems to us, is data storage - for both reliability and volume. When this becomes available at a cost comparable to that of the CPU, one really will be close to having an IBM 370 on one's desk top. ●

**SMALL BUSINESS SYSTEM WITH
NORTH STAR**

HORIZON

Horizon microcomputer with dual double density disk drives, 2 serial ports, 2 parallel ports 24K ram
£1,913

Extra 8K ram boards **£155 each**

VISUAL DISPLAY UNITS

Hazeltine		Lear Siegler	
1400	£550	ADM 3A	£630
1410	£595	ADM 31	£830
1500	£785		

PRINTERS

Decwriter II	£900	Anadex DP 8000	£575
Teletype 43K P	£900	Single part paper for	
Teletype 43 (friction)	£920	Anadex	£8 per 1000 sheets

APPLICATION SOFTWARE


Sales ledger, Purchase ledger, Stock recording, Letter writer, Word Processing, Payroll, Estate Agent's system etc.

We can provide consultancy service for any application software

MICRODATA

58 High Street, Prescot, Merseyside
Tel: 051-426 7271

● Circle No. 184



**HAPPY
MEMORIES**

21L02	450ns	80p	2114	450ns	£5.25
21L02	250ns	95p	2114	300ns	£6.00
4116	250ns	£7.50	2708	450ns	£6.75

TRS-80 16K Memory Upgrade Kit **£75**
Full instructions included

S100 16K Static RAM Kit 450ns **£195**
Bank select, 4K boundaries, all sockets, components and instructions included

with 4K **£81**: with 8K **£119**: with 12K **£157**

ASCII Keyboards from the USA **£48.50**
59 keys, 128 characters, alpha-lock, repeat, pos and neg strobe, send SAE for data sheet

Science of Cambridge Mk 14 set of 18
Texas low-profile sockets **£2.80**

Texas low-profile DIL sockets:
pins 8 14 16 18 20 22 24 28 40
pence 10 11 12 17 18 20 22 28 38

Antex 1mm bits CCN or CX17 45p

Call or write for 74LS price list

VAT included. 20p p+p under **£10** order

5 Cranbury Terrace, Southampton
Hants SO2 0LH Tel. (0703) 39267

● Circle No. 185


Source

Micro Computer Consultants

12 Vivian Road,
Wellingborough,
Northamptonshire,

Telephone: (0933) 224040

Source introduces: **BUSINESS SYSTEMS**



Accounts General, sales, purchase ledger, VAT, comprehensive report structure etc.

Mail Selective data retrieval (names and addresses) for input to a word processor to produce mailshots, reminder letters etc.

Parts Stock control system with re-order limits, audit trail, comprehensive reports etc.

One or all of these 3 modules may be combined to produce an interlinking package. The above is available on our two systems :


System 1 0.6 MB, single user from **£4,955**

System 2 10 MB, multi user from **£11,600**

2 day installation plan **£200**.

The quoted prices are for hardware only and exclude VAT.

Software prices are not quoted as the packages will need tailoring to suit individual businesses.



User group news

SINCE April, when the user group came into being and was first publicised, response has been good, but it could be better. Membership is growing daily and every post brings more enquiries: the problem is, however, that most of them are from the hobbyist.

There is nothing wrong with that but many Apples have been sold into business; so businessmen, please note you need the Apple Users' groups, too.

User groups form an important back-up service; the more members they have the more information available to all. Surprisingly, one group from which response has been small is the Apple dealers. So far we have had only one reply from the 14 distributors.

Making life easy

Applesoft II is an easy language to use but in it there are a few traps for the unwary. For instance, this statement will cause problems:

```
IF Y = A THEN PRINT I
```

Apple won't print I; in fact, you'll get SYNTAX ERROR.

This is because the Applesoft parsing action causes the statement to be read as:

```
IF Y = AT THEN PRINT I
```

Hence the syntax error.

The solution is simple; enclose 'A' in parenthesis. This will stop Applesoft parsing of the letter combination and thus 'recognising' the reserved word AT. So if this statement is entered everything will be fine:

```
IF Y = (A) THEN PRINT I
```

All roads lead to ROM

PROGRAMS written using the Applesoft ROM card will not run if Applesoft is loaded from tape or disc; programs written without a ROM card, using the tape or disc Applesoft, won't run either, but don't despair. To run a program written using the ROM card, LOAD the program and then CALL 3314. It should then run.

A program written using the disc or tape Applesoft can be run with the ROM card by LOADING the program and typing CALL 54514.

These CALL statements move the memory pointers to the appropriate place; the tape or disc Applesoft will occupy a different location in the memory from the ROM version and consequently the program will start at a different position.

Manual problem

THOSE users who have bought disc drives will probably be disappointed with the rather brief documentation. Apple has promised a new manual, but until it appears we'll try and smooth out some of the hassles.



One problem with the disc is understanding its information format. Data can be written as fixed-length records or random-length records. All data is written in ASCII.

Fixed-length records are written when you OPEN the file with an 'L' parameter. So OPEN DAN, L 40 will create a file named DAN whose records are all 40 bytes long. If you put only 20 bytes of information into each record, you will waste 20 bytes per record of space.

Random-length records are one byte each but are grouped into blocks which are up to 32K bytes long. Each block or logical record ends with a carriage return. Note that this means that the number '1' requires two bytes – the number followed by a RETURN – and the number '10' will require three bytes. If you forget this and later replace '1' with '10' you will destroy part of the following record, which is not exactly good programming practice.

Graphics programs

LENGTHY programs involving a fair amount of string handling and graphics may be limited because the string space fills with old data and runs over into the high-resolution screens.

To initiate some house cleaning and avoid this problem, two things can be done:

- Insert X = FRE (Ø) into your program, which deletes all unused strings.
- Set the address of the lowest memory location the program can use above the H resolution graphics screens. LOMEN: 24576 will enable you to use both pages 1 and 2 of the high-resolution graphics.

Graphics re-visited

LOOKING through an issue of *Contract*, the American Apple User Group newsletter, we found a neat summary of how to use both pages 1 and 2 of the memory.

Ordinarily, Apple displays only page 1 of its memory locations – locations 1024-2047 – but it is possible to display page 2 – locations 2048-3071 – as well; if you know how to do this, use of page 2 will give you 'instant' black screens and snap your

graphics or text material on and off clearly.

Before you can use page 2, however, you must tell Apple not to put any variables in locations lower than 3072 – in other words, set LOMEN: 3072. After you have done this, you are free to move the contents of page 1 to page 2, re-load page 1 with new data and switch back and forth between the two pages.

Here is how to do it, using the general-purpose block movement routines built into the Apple monitor:

```
POKE 60 (old starting address mod 256)
POKE 61 (old starting address /256)
POKE 62 (old ending address mod 256)
POKE 63 (old ending address /256)
POKE 66 (new starting address mod 256)
POKE 67 (new starting address /256)
CALL-468 (the actual move command)
Now, to use page 2 (remembering to set LOEME: 3072 (or higher):
10 POKE 60, 0: POKE 61, 4: POKE 62, 255:
POKE 63, 7: POKE 66, 0: POKE 67, 8: CALL-468:
POKE -16229,0
```

To switch back and forth between pages 1 and 2:

```
POKE -16299,0 (display page 2)
POKE -16300,0 (display page 1)
```

If both pages contain similar graphics figures, switching between them will yield simple animation. Further effects may be gleaned from an inspection of the list of POKES on page 30 of the *Apple II Reference Manual*.

Note that this will not work with Applesoft in ROMs. It starts at hex 800, the second page of graphic space. A block move into this area will lose your Applesoft Basic.

Apple Shoppe

APPLE Shoppe is the name of an interesting newsletter we received from a Californian computer shop, Computer Components of Orange County. Volume 1 Number 1 was produced on the Apple II with a \$50 word processor package and a Trandcom thermal printer – somewhat ugly workaday output with no true descenders.

Most of its 16 pages are interesting and/or useful. We have asked permission to reprint two pieces, including a neat introduction to the Apple disc and a clever workshop, article on How to write a mailing list program.


PAM

PAM is a Pet add-on memory from OMB Electronics. It is available in 8K, 16K, 24K and 32K versions. The 24K version upgrades the Pet memory to the full 32K addressable in Basic; 8K cards are available separately to augment 8K, 16K and 24K versions at a later date.

Operation is by plugging-in to the memory expansion port, using the connector provided, and to the mains. Pet power consumption, temperature and, most important, the Commodore warranty are unaffected.

The cash-with-order price of the 24K unit is £310 plus £4.75 carriage and insurance, excluding VAT. Delivery is normally ex-stock but telephone 0322 863567 for confirmation. ■

Train your PET in accounting systems



PETAL... is ACT's way of putting Analysis and Ledgers on your 8K Commodore PET.

Sales Ledger
with complete Statement/Remittance Advice, Debtors Control List and Overdue Letters.

Purchase Ledger
with complete P.L. Record/Remittance Advice, Creditors Control List and Credit Transfers

Analysis
a powerful analysis system allowing full management reporting.

VAT Analysis
a purpose built analysis to take away the VAT blues.

PETAL... combines all the advantages of your own Commodore PET together with a low cost Bureau Service.

PETAL... is available from:—

Applied Computer Techniques Limited
Graphic House
Telephone Avenue
Bristol BS1 4BS.
Telephone 0272 211733

ACT

I am interested in knowing more about PETAL. Please send me a free copy of your Systems Manual. Also available from your Commodore PET dealer.

NAME _____

ADDRESS _____

PC1

● Circle No. 186

PRACTICAL COMPUTING July 1979

How to interface to a mainframe computer

COMPUTERS can talk to each other. In particular, microcomputers can talk to minis or large mainframes and there are good reasons to do so, as a great deal more than aesthetic pleasure can be derived from their union. Distributed processing of this form can be used to implement data entry systems, point-of-sale data capture, and many other cost-effective organisations. At the very least the micro can save the mainframe user the price of a VDU.

These articles will deal with the Commodore Pet because of its popularity, though the unusual design of the keyboard on the 8K Pet and its interfaces make it an unlikely prospect for intelligent terminal work.

First let us deal with interfacing the Pet to a mainframe computer. Do you have a hard-wired line, or will you be using a modem? A direct connection via a hard-wired line is the easiest to work with but it requires close proximity.

Given that you are more likely to use a modem, you can choose one of two ways. You can stay with the IEEE interface on the Pet and buy an IEEE-standard modem – a somewhat esoteric device in today's context; or you can opt for an RS232 modem plus an RS232 interface adaptor.

Two options

I prefer the latter course. An RS232 modem is much easier to obtain second-hand and bi-directional IEEE 488/RS232

THIS is the first of two articles which discuss how microcomputers – specifically the 8K Commodore Pet – can be used to communicate with other computers in distributed networks. The author is technical director of Computastore Ltd, a Manchester-based company primarily concerned with business systems.

interface adaptors are available widely – I use the one from Bailey Associates.

The cost of the two options is about the same but having an RS232 interface on the Pet also provides the great advantage of being able to use any RS232 printer on the market.

by Michael Whitehead

If you decide to implement the project outlined in these articles, you can obtain an RS232 modem in the form of an acoustic coupler – which is just an ordinary telephone handset – from any manufacturer of computer peripherals. Anderson-Jacobson has a good reputation, though a new AJ coupler will cost more than £200.

You probably will not be able to beat Modular Technology for price for a new one. You might also be able to get one from a second-hand dealer like Electronic Brokers Ltd or possibly you could contact an amateur computer club which has one.

Remote-access bureaux use them a great deal, so if you have contacts in one of them try that source.

For the interface adaptor, though, you do not have much alternative but to order

new; try Bailey Associates, Amplicon or SDK Projects.

The second requirement is the dial-up number of the destination, plus information on the communications protocol, transmission rates and parity, passwords if relevant, operating system, editor, and high-level languages available. If you are using a mainframe, most of this information should be relatively easy to obtain, except perhaps for details on the protocol.

The most common transmission rate is 300 baud (bits per second) which equates roughly to 30 characters per second; each character consists of eight data bits, plus a start bit and a stop bit. You cannot use an acoustic coupler at data rates above this, incidentally.

A rate of 110 baud is also common; it represents the transmission of 10 characters per second, as each character is followed by two stop bits at this slower rate.

The Bailey interface contains a number of switches which allow your Pet to talk to other RS232 devices at any of a wide range of speeds, although it may take a little trial and error to decide on the correct parity and stop-bit settings.

Then the only thing you need is some software to allow your Pet to drive its built-in IEEE interface quickly and efficiently. Although the Bailey adaptor permits the Pet to communicate at the RS232 standard, all data entering or leaving the Pet must go through the IEEE interface, so this must be the target for your software.

Novelty

To start, you want to be able to input and output characters. It can be done from Pet Basic, a novelty with which you may want to experiment for an hour or so. Once the excitement wanes, however, it becomes very clear that Pet Basic is not even fast enough to simulate a dumb terminal running at 110 baud. Surely we are aiming for a much higher form of life.

With Basic out of the running, that leaves Assembler. But where, you might ask, are all the ROM routines which Pet Basic uses to drive the IEEE interface? How can I assess them from Assembler?

(continued on page 101)



Logic box

PETS IN S.W. LONDON



We have most of the latest range of Commodore equipment, business software, games etc. We also have other machines in stock and instruction in use of systems is available.

Logic box

another branch
opening soon in
Westminster

LOGIC BOX
Planer Building
Windmill Road,
Sunbury, Middx.
(09327) 86262

Telex 928185

● Circle No. 188

COMPUTERS FOR HOME BUSINESS EDUCATION

**EXIDY INC.
SORCERER**



Exidy Sorcerer
8K-£702 16K-£820.80 32K-£927.72
S100 Expansion Box 6-slot-£226.80
Micropolis Dual Disc Drive-£1,296.00
Centronics Printer-£864.00



PET 2001 House Trained

PET 2001 4K-£496.80	DUAL DISC DRIVE
8K-£594.00	FOR PET
16K-£729.00	£989.28
32K-£858.60	

INTERNAL MEMORY EXPANSION BOARDS AVAILABLE

NASCOM 1 kit	£178.20 or Built & Tested	£232.20
3A Power Supply kit	£21.50 or Built & Tested	£26.50
Ohio SUPERBOARD II 8K Basic Built & Tested		£284.95
CHESS CHAMPION 6-level Chess Computer		£89.50
STARCHESS Colour TV Game (Space Age Chess) £64.95		£59.50
ELECTRONIC MASTERMIND Pocket-size 3, 4 or 5 Digits		£14.90
TRS 80 LIBRARY 100-100 Programs on Cassettes		£46.95
2K BASIC for NASCOM 1 used in place of Nasbug or B-Bug		£22.00

SAE with all enquiries - All price inclusive VAT

SUPPLIERS TO BUSINESS, EDUCATION & HEALTH AUTHORITIES



N.I.C.

27 Sidney Road, London N22 4LT
01-889 9736

● Circle No. 189

BIRMINGHAM COMPUTER STORE

COMMODORE
AUTHORIZED AGENTS

PETSOFT DIST

PETACT BUSINESS
PROGRAM
STOCKISTS



PETS AT
CASH DISCOUNT
PRICES
TILL 31-8-79

PET 2001 8K BYTES MEMORY	£555.00
PET 2001 N 16K BYTES MEMORY	£700.00
PET 2001 N 32K BYTES MEMORY	£825.00
PET 2040 DUAL DISK FLOPPY 343 K	£795.00
PET 2023 PRINTER FULL GRAPHICS	£580.00
KIM-1 MICRO FULLY ASSEMBLED	£100.00
IEEE 488-CENTRONIC TYPE PARALLEL INTER	£50.00
IEEE 488 SERIAL INTER	£115.00
BD80 MATRIX PRINTER	£675.00
NASCOM + FREE B-BUG + MODULATOR	£172.00
SORCERER 16K BYTES MEMORY	£740.00
BETSI	£152.00
POWER SUPPLY FOR KIM 1	£21.00
C-10 TAPES SUPER QUALITY BOXED 10	£5.00
DISKETTES SUPER QUALITY BOXED 10	£41.00

ALL GOODS INCLUDE VAT P/P FREE

PET MICROHIRE
NOW AVAILABLE

PHONE
FOR
DETAILS



CAMDEN ELECTRONICS
FIRST FLOOR
462 COVENTRY ROAD
SMALL HEATH
BIRMINGHAM B10 0UG.

SHOWROOM
OPEN
10 am-6 pm
Mon.-Sat.



PHONE:
021-773 8240

TERMS
AVAILABLE

● Circle No. 190

(continued from page 99)

Let us deal first with output, as it's easier. The general steps required are to assign an IEEE listener device, output one or more characters to that device, and then to de-assign that listener. The routine in figure 1 may be called from an assembler program to output a character in the accumulator.

This routine is only 39 bytes long and if used intelligently will run at speeds of up to 9,600 baud. You may also want to add some code to it to convert lower-case characters from their Pet representation to ASCII, though it is suggested that the Bailey interface will soon do it for you.

Note that the aforementioned code assumes a listener-device-address of four, which is that of the Bailey interface; later my input routine will assume a talker-

device-address of six, for the same reason. Also note that some Pet Assemblers will not assemble this code, as it involves symbols with a value higher than 32K. If this is a problem for you, use the Computastore assembler - it does not have this restriction.

When we feel confident of being able to output at least one character to another computer, how about input? Sadly the answer is not perfectly satisfactory. The general scenario for inputting a character from the IEEE interface is:

- Assign an IEEE talker device.
- Listen until it either comes up with a character or times-out.
- De-assign all talker devices.
- If you still have no character, go back to the first step. This scenario is implemented by the routine in figure 2, which always returns with a valid

character in the accumulator.

Unfortunately, there is a problem which centres on a PIA register at location SE84D used to control the 64-millisecond time-out on input. Unless it can be re-set to zero, any call to the ROM IEEE input routine will be doomed to fail immediately on a time-out.

Not solved

Although I have spoken to Commodore about the problem, it has not yet been solved. For the moment the solution is to copy the ROM routine but to use some other mechanism to effect a time-out, such as looping around the input-status-test instruction a maximum number of times.

That is the approach which has been taken in the input program presented in figure 2. It works well but unfortunately it slows the whole process somewhat, so that it will not run reliably at speeds greater than 600 baud.

As with the output routine, you may wish to modify the input routine in figure 2 to convert incoming lower-case characters to their equivalent Pet representation.

So we can input and output characters. How do we assemble our building blocks? A feasible project might be a dumb terminal simulator, often called a termulator routine. That kind of program, while executing, might convert your Pet into, for example, a 300 baud full-duplex upper-case-only VDU.

Next month I shall offer such a program and discuss some of the more interesting aspects of distributed computing of which Pet owners are capable.

Figure 1. IEEE Output routine for the Pet.

OUTPUT	STA	CHAR	SAVE CHAR FOR OUTPUT
	JSR	LISTEN	TELL DEVICE 4 TO LISTEN
	JSR	OUT232	OUTPUT A CHARACTER TO DEVICE 4
	JSR	UNLSTN	UNLISTEN ALL DEVICES
	RTS		RETURN
LISTEN	LDA	# 0	INITIALISE ACCESS MODE OF
	STA	ACCMOD	LISTENING DEVICE
	LDA	# 4	ASSIGN LISTENING DEVICE NUMBER
	STA	DEVONO	AS BEING NUMBER 4
	JSR	\$F6EA	ROM ROUTINE
	RTS		RETURN
OUT232	LDA	# 4	ASSIGN OUTPUT TO DEVICE
	STA	OUTDEV	NUMBER 4
	LDA	CHAR	LOAD BYTE FOR OUTPUT
	JSR	SYSOUT	ROM OUTPUT ROUTINE
	LDA	# 3	REASSIGN SCREEN AS
	STA	OUTDEV	THE OUTPUT DEVICE
	RTS		RETURN
UNLSTN	=	\$F17E	UNLISTEN ROM ROUTINE
ACCMOD	=	\$F0	ACCESS MODE OF CURRENT DEVICE
DEVONO	=	\$F1	PHYSICAL DEVICE NUMBER
OUTDEV	=	\$264	OUTPUT DEVICE NUMBER
SYSOUT	=	\$F230	OUTPUT TO ANY DEVICE FROM HERE

Figure 2. IEEE Input routine for the Pet.

INPUT	JSR	TALK	TRY FOR A CHARACTER
	LDA	# 2	DID I GET ONE?
	AND	STATUS	
	BNE	INPUT	NO? TRY AGAIN
	LDA	CHAR	LOAD INCOMING BYTE
	RTS		RETURN
TALK	LDA	STATUS	
	AND	# \$FD	RESET TIME-OUT STATUS BIT
	STA	STATUS	
	LDA	# 6	ASSIGN TALKER DEVICE
	STA	DEVONO	NUMBER SIX
	JSR	\$F0B6	
	JSR	\$F161	
	JSR	IN232	TRY FOR A CHARACTER
	JSR	UNTALK	UNTALK ALL DEVICES
	RTS		RETURN
IN232	LDA	# \$34	SET NDAC
	STA	\$E821	
	LDA	\$E840	RESET NRFD
	ORA	# 2	
	STA	\$E840	
	LDX	# 8	SET UP LOOP COUNTERS
	LDY	# 255	
TEST	BIT	\$E840	HAS A CHARACTER ARRIVED? (DAV)
TEST	BIT	\$E840	IF YES, TRANSFER TO GOTONE
	BPL	GOTONE	LOOP 1535 TIMES
	DEY		
	BNE	TEST	
	DEX		
	BNE	TEST	
	JMP	\$F146	TIMEOUT!!! (WILL SET STATUS BIT)
GOTONE	LDA	\$E840	
	AND	# \$FD	SET NRFD
	STA	\$E840	
	LDA	\$E820	FINALLY . . . THE DATA!
	FOR	# \$FF	NOW ACTIVE HIGH
	STA	CHAR	SAVE IT
	LDA	# \$3C	SIGNAL 'DATA ACCEPTED'
	STA	\$E821	(RESET NDAC)
WAIT	BIT	\$E840	WAIT TILL DAV IS RESET
	RPL	WAIT	
	LDA	# \$34	SET NDAC AGAIN
	STA	\$E821	
	RTS		RETURN
UNTALK	=	\$F17A	ROM UNTALK ROUTINE
STATUS	=	\$20C	BASIC VARIABLE ST
DEVONO	=	\$F1	

Addresses

Computastore Ltd
16 John Dalton Street
Manchester 2
061-224 9545

R. Bailey Associates Ltd
62 New Cavendish Street
London W1M 7LD
01-637 0777

Anderson Jacobson Ltd
The Estate Office
Station Approach
Shepperton, Middlesex TW17 8AP
09322 44439


Electronic Brokers Ltd
49-53 Pancras Road
London NW1 2QB
01-837 7781

Modular Technology
PO Box 117
Watford, Herts WD1 4PD
01-421 0626

SDK Projects
39 Eveline Road
Mitcham, Surrey
01-640 5492

Payroll, Pete and Friends Professional **PET** Software

At last



To help you get the most out of your Commodore PET, Computastore has developed a range of software packages to cope with the demands of both Industry and Education.

PAYROLL: Runs on the 8K PET and produces pre-printed payslips, totals and coin analysis.

PETE: Turns your PET into an intelligent RS-232 terminal for use with a mainframe.

PETROFF: A text formatter to produce neatly typed reports.

ALSO: Assembler, Disassembler, Renumber, Keyboard.

Contact your PET dealer or Computastore for a demonstration.

Computastore

Software that means business

Computastore Ltd, 16 John Dalton Street,
Manchester M2 6HG. Tel: 061 224 9545

● Circle No. 191

TRS 80

PAYTALK

PET

THE PAYROLL PROGRAM WHICH SETS THE STANDARD

PAYTALK makes an immediate contribution to your business. It lets anyone handle PAYE complexities. Just type simple payroll facts and PAYTALK instantly responds with full P11 deduction card results and payslip details. Deal with any number of employees and then screen payroll totals to enter up your accounts. It needs no printer – just 16K of RAM and one cassette drive.

COMPREHENSIVE

All tax code types. Any pay interval. N.I. includes contracted-out. Week 53 handled. Pension deductions. etc. etc.

PROFESSIONAL

Performs on the computer method specified by the Inland Revenue. Developed by a Software House with over 10 years' experience.

CONVERSATIONAL

A simple question-and-answer operation methodically checks your replies. The program runs with superb clarity.

SUPPORTED

Full instruction manual – itself a model of clarity. New program cassettes are produced for PAYE changes.

£50 for the program cassette and instruction manual

TRV COMMERCIAL SERVICES LTD sole UK supplier

PO Box 36, Bury, Greater Manchester

(061) 764 5744

● Circle No. 192

Finding the good days

Everyone has ups and downs. Biorhythm theory suggests that those ups and downs aren't as arbitrary as they seem. There is some evidence to suggest that good and bad days follow regular cycles throughout your life from the moment of birth. It's possible to calculate those cycles - and here is a program to do it.

		PASSIVE			CRITICAL			ACTIVE		
APR 1979										
1	P								I	
*	2	P							E	I
	3	P						E		I
	4	P							E	I
	5	P								E I
	6		P							E I
	7			P						E I
	8				P					E I
*	9								P	I E
	10									P I E
	11									P I E
	12									I PE
	13									I E P
	14									I E P
	15									I E P
*	16									I E P
	17									I E P
	18									I E P
	19									I E P
	20									I E P
*	21									I E P
	22									I E P
	23									I E P
	24									I E P
	25									I E P
	26									I E P
	27									I E P
	28									I E P
	29									I E P
*	30									I E P

THERE are three biorhythm cycles, and while each may vary in intensity of effect, they do not vary in length. The shortest is the 23-day physical cycle, affecting energy and self-confidence. The sensitivity, or emotional cycle, is 28 days, and governs mood, optimism, irritability. The intellectual cycle, 33 days, controls the ability to be logical, to absorb and recall facts, and powers of reasoning.

Each cycle goes through a positive - plus or active - phase and a negative or regenerative - minus or passive - phase.

On the physical cycle, the 11½ days are held to be a good time for intensive training in athletics or for any activity requiring physical stamina. Those plus days represent physical strength, endurance, energy, resistance to infection and disease, and physical confidence. Some doctors, we gather, will perform scheduled surgery only between the second and ninth day of this cycle.

On the minus days of your physical cycle you are re-charging and you tend to tire more easily. That is a good time for athletes to train to store energy.

by Martin Collins

The 28-day emotional cycle corresponds approximately to a woman's menstrual cycle; it is not identical to it, though, and it occurs in both men and women. On the plus days you are likely to be cheerful, co-operative, considerate, creative and loving; generally you should have a positive outlook on life.

Conversely, the 14 minus days are conducive to moodiness and negativism. You may exhibit signs of irritability. Awareness of that fact is important to drivers, operators of complex machinery and others who need to react quickly and rely on sound judgment.

The first half of your 33-day intellectual cycle is the best time to absorb new subjects. A person finds it easier to study, write creatively, understand mathematics or pursue any intellectual efforts. Equally, your intellectual faculties will be less keen during the last half of this cycle.

The highs and lows vary with individuals. Factors such as age, excitability and health determine to what degree these traits will apply to each person. The day your cycle changes from a plus to a minus or from a minus to a plus is critical;

(continued on page 105)

CHART PREPARED FOR BOB BIRTHDATE 21 7 1958

NORTH STAR HORIZON

Benchmark Computer Systems Ltd. agent for Bristol & S.West

Service

On-site or depot (Bristol) maintenance contracts for North Star Horizon and peripherals. Field enhancements to your existing system.

Software

North Star Dos, Monitor BASIC and PASCAL. CP/M with CBASIC, Fortran and Cobol. Business Systems and software.

Sales

Horizon—1—	16K	: £1,265
—1—	32K	: £1,445
—2—	16K	: £1,575
—2—	32K	: £1,755
Decwriter	LA36	: £925
VDU		: £700

all prices exclude VAT and carriage.

For Service ● Software ● Sales call

Benchmark Computer Systems Ltd, Tremena Manor, Tremena Road, St. Austell, Cornwall PL25 5QG.
 on: St. Austell 0726-61000. Blagdon 0761-62435.

● Circle No. 193

WE HAVE MEMORIES

SOME OF OUR PRICES ARE:

4116 16K X 1 DRAM Mostek	£11.50
2708 1K X 8 EPROM AMD	£9.50
2716 2K X 8 EPROM MOTOROLA	£28.50
74188AN 32K X 8 PROM	£2.00

And many more send SAE for full list.

Also send for details for our Microprocessor
 SEMEL 1

- * 16K, 32K, 64K Memory.
- * Provision for a light pen attachment.
- * External shift key to display dot graphics.
- * 16-channel analogue multiplexer.
- * Controls up to 8 X 250K disc drives.

Strutt Electrical & Mechanical Eng. Ltd.
 3C, Barley Market St., Tavistock,
 Devon, PL19 05F.

Tel: 0822 5439

Telex: 45263

● Circle No. 194

EQUINOX 300

A powerful multi-user
 multi-tasking
 multi-language

16-bit microcomputer time-sharing system

- supporting
- BASIC
- LISP
- PASCAL
- Floppy discs
- Hard discs

including a powerful Text Formatter,
 Assembly Language Development System
 and disc-based Sort utilities.

Priced from under **£5,000**

Write or phone for further information.

EQUINOX COMPUTER SYSTEMS LTD

"Kleeman House" 16 Anning Street,
 New Inn Yard, London EC2A 3HB.
 Tel: 01-739 2387/9 01-729 4460.

● Circle No. 195

a digitizer adds another dimension

The Bit Pad computer digitizer converts graphic information into digital form for direct entry into a computer. By touching a pen like stylus or a cursor, to any position on a drawing, diagram, photograph, or other graphic presentation, the position co-ordinates are converted to digital equivalents.


- Bit Pad interfaces with almost any micro computer.
- Bit Pad consists of a 15" sq. digitizer tablet (11" sq. active area), a stylus, and a controller cabinet.
- Bit Pad costs only £450 (excluding VAT).
 Fill in the coupon and we will send you full information and details.

Terminal Display Systems Ltd., Hillside, Whitebirk Industrial Estate, Blackburn BB1 5SM, Lancs, England

Send to: Department CPPC, Terminal Display Systems Ltd., Hillside, Whitebirk Industrial Estate, Blackburn BB1 5SM, Lancs, England.

Name

Address



HEAVY DUTY PRINTER

FOR

PET . SWTP . HORIZON . APPLE
SORCERER . CROMEMCO . ETC
ANADEX D.P 8000



80 COL. FAST 112 CPS
BIDIRECTIONAL PRINTING.
VERY GOOD PRINT
QUALITY UPPER/LOWER CASE. £ SIGN.

COMPLETE WITH PLUGS, CABLES & 500 SHEETS OR PAPER

READY TO GO **£575+VAT**

FOR PETS, ALL ABOVE + INTERFACE **£195**

Also available:

COMPLETE BUSINESS SYSTEMS **£2700**

DIABLO HYTERM 1620 **£2000**

Write or Phone for further details or demonstration

LONDON COMPUTER STORE

43 GRAFTON WAY

Off Tottenham Crt. Rd., London W.1

01-388 5721 OPEN 11-7 Mon-Fri 11-4 Sats.

● Circle No. 197

Introducing

LEVEL III BASIC

for the TRS 80

From Hardings—always first with new TRS-80 software. A new 5K Basic interpreter from Microsoft who wrote Level II. Fully interacts with your existing Level II to give you the most powerful Basic available for any microcomputer. Fantastic capability for your machine with powerful editing command, new graphic commands, easier cassette loading, elimination of keyboard bounce, full error messages, hex and octal constants and conversions, user-defined functions and commands, which before now you had to buy disk drives to get!

Supplied on cassette with manual £39.95 + 50p p&p

A. J. HARDING

28 Collington Ave, Bexhill, E Sussex
Tel: (0424) 220391

● Circle No. 198



Gentlemen, the Petdisk has landed

The U.K.-designed and manufactured Novapak disk system for Commodore's PET*, first seen at Compec '78, is (after extensive industrial evaluation), now available to the domestic user. Its unique saddle configuration continues the integrated design concept of your PET, with no trailing wires or bulky desk-top modules.

- * Novapak may be used with any available RAM plane.
- * May be used with latest versions of PET.
- * Data transfer takes place at 15,000 char/sec - effectively 1,000 times faster than cassette!
- * Storage capacity is 125 K/bytes (unformatted) on 40 tracks per diskette side.
- * Dual index sensors permit dual-side recording for 250 K/bytes per diskette.
- * Easy operation full-width doors prevent media damage.
- * System expandable to 1/2 Mbyte on-line storage (4 drives).
- * Dual head and 2D versions provide 2 Mbytes on-line.
- * Industry Standard IBM 3740 recording format for industry-wide media compatibility offered only by NOVAPAK.
- * Dedicated Intel 8048 microprocessor and 1771 FDC minimise PET software overhead.
- * Local hardware and software support available.

The sophisticated Disk Operating System is disk-resident, which allows for future DOS-enhancements without hardware alterations. PDOS supports multiple file handling, allocating disk space dynamically to each as and when necessary. Any file may occupy from 1 to 600 sectors as required, at up to 16 non-contiguous locations on the disk, PDOS may be used alone, or within a BASIC program and offers user-specified password security for any file. Multiple access-modes simplify BASIC program construction.

Novapak dual-disk system complete with PDOS and BASIC demonstration programs on disc **£950 + VAT**.

Available from the manufacturer or selected dealers.
Terms: 50% with order, balance on delivery.
Full cash with order is subject to 5% discount.
VAT-FREE Export arranged (Must be shipped by us).

analog electronics

47 Ridgeway Ave,
Coventry
Tel: (0203) 417761

To catch a good idea

DID YOU read the results of the *Practical Computing* Christmas competition? Cleaning-up oil slicks, dieting for diabetics and re-creating historical episodes in the classroom were only a few of the ideas submitted; and I would be willing to bet that there were other really good ideas doomed to oblivion simply because they didn't win.

The other day I was chatting to a doctor and a naval engineer about prosthetics. The ones we were dreaming up were hands. There are two main problem areas in the design of a useful artificial hand, the power supply and the control system. The most sophisticated modern ones use compressed gas for power and, while it is far from convenient, it can do the job pretty well. Yet, the only word to describe the control is crude and it was this aspect that we were discussing.

Most generally-available prosthetic hands rely on muscular movements in other parts of the body – typically the upper arm and shoulders – to provide both power and control. The nett result is that to light a cigarette can involve expenditure of considerable amounts of energy, as well as producing movements reminiscent of a circus contortionist.

As it happens the nerves supplying a missing hand are still intact over most of

their course from brain to limb and are hard at work trying to control the non-existent extremity. In addition, they are conveniently firing-out pulses of real live electricity which can be detected easily with little more than a good amplifier and filter arrangement. Until now most ideas of linking nerves to transducers have involved microsurgery at the nerve endings, as well as a need for wires physically to cross the skin barrier.

What we wanted was a receptor system which could be implanted anywhere in

by Nick Laurie
who specialises in
popularising high technology

the general region of the nerves concerned by any competent surgeon and what we evolved was a simple web of wires, each linked to an op-amp and feeding its signals direct to a microprocessor, which could then do all the decoding necessary to turn these signals into some sort of sense.

The CPU chip, complete with op-amps, a little memory and one or two other things could, we decided, be packaged in such a form that the owner's blood supply could pass right through it

to help dissipate the odd couple of watts of heat it gave off.

Extending ourselves further, we realised that with a power requirement of only a few hundred milliamps at around five volts we could bury a few square centimetres of thermocouples up the arm to give a completely self-contained unit needing no batteries, radioactive sources or anything else.

As a final step we had to cross the skin barrier, but with the aid of any one of a dozen or more transducers ranging from LEDs to Hall-effect semiconductors, we reckoned that that problem qualified as minor.

My doctor friend could see nothing wrong with the idea; the naval engineer reckoned he could construct the hand quite easily – powered by compressed gas – and I could see nothing over-difficult about the computing side of things.

So why won't we be seeing the bionic hand in use this year? Are we really doomed to a sort of electronic voyeurism, watching a never-ending stream of applications being discussed while the best we can do is reach out and occasionally grab one for further development while the rest of them slide off into oblivion?

I don't pretend to know the answer, but if you do, feel free to write and tell me. ■

CAMBRIDGE COMPUTER STORE

We can help you select the right system for your application. Here in Cambridge your choice won't be limited — we'll demonstrate as comprehensive a range of microcomputers as you'll find anywhere in the U.K.:

TANDY TRS-80
COMMODORE PET
APPLE II
N-S HORIZON
CROMEMCO
SORCERER
SUPERBOARD II
NASCOM-1

Where possible we deliver off-the-shelf. Our stock also includes a vast range of **electronic components** as well as **computer books** and **magazines**.

The store is open 6 days a week from 9–5.30 with demonstration systems always in operation. We offer a professional standard of advice and after-sales support and we're ready to discuss your application any time.

CAMBRIDGE COMPUTER STORE

1 Emmanuel Street, Cambridge (0223) 68155

● Circle No. 200

WATCH THIS SPACE

for announcements

NEXT MONTH

regarding new

S-100 CARDS

from Europe's S-100

bus specialist

LEENSHIRE LTD

13 Cathedral View,
Winchester, Hants.

Tel: 0962 3675

● Circle No. 201

CADDIS (COMPUTER SYSTEMS) LTD


Suppliers of Microcomputers in:

- ★ EDUCATION ★ SCIENTIFIC
- ★ ENGINEERING ★ COMMERCIAL
- ★ PERSONAL (HOME) COMPUTING

WE OFFER:

1. A complete service for Commodore PETs including:

- ★ Demonstration
- ★ RS232C & Current Loop Interfaces
- ★ Parallel I/O Interfaces
- ★ Analogue I/O Interfaces
- ★ User Port Teaching/Diagnostic Unit with Software
- ★ Printers
- ★ Memory Expansion Units
- ★ Protective Dust Covers



- 2. Special Interfaces and Software designed to your requirements
- 3. Complete range of Petsoft Games, Business and Education Programs
- 4. CompuCorp 600 Series Computers. Ideal for larger companies and Estate Agents

72-74 TRINITY LANE
HINCKLEY, LEICS.
HINCKLEY (0455) 613544

★ ★ ★ STOP PRESS ★ ★ ★
4 & 8K PETS @ 10% Discount on all orders received during July!

● Circle No. 202

TRS-80 OPTRONICS

WE TAKE OVER WHERE TANDY LEAVE OFF

We work exclusively with the TRS-80 because, as Consultant Engineers, we believe it to be the best MICROCOMPUTER on the market, in its price range and, with our engineering skills and applications, it's getting better all the time!

LOOKING FOR A WORD PROCESSOR?

Have a look at the OPTRONICS system first, you could save up to 50% against a competitive unit and ours comes complete with a very fast and powerful computer, FREE!

Our word processor comes complete with a 12in. Video Display

Up to 48K of RAM (for writing very lengthy script)

Full-size QWERTY keyboard

Up to four mini-floppy disks (or 8in. if you really need them)

Wide choice of printers to suit your application

Upper and Lower case operation

Plain and pre-printed paper to your requirements

Operator training courses

System is controlled by the famous ELECTRIC PENCIL software

Complete system guaranteed

50 Holly Road,
Twickenham, Middx.

Tel: 01-892 8455. Visitors by appointment

TRS-80 COMPUTER

Keep up to date with the TRS-80 COMPUTING newsletter and SOFTSIDE magazine. We are also the U.K. distributors for CLOAD cassette magazine.

We are the exclusive U.K. distributors for Small System Software and we keep most of their products in stock. The TRS-232 is made by us in Twickenham, under licence but our model includes a screen print facility.

They have just introduced CP/M for the TRS-80!

We hold a complete range of the amazing RACET COMPUTES software!

We have a large stock of Dr. David Lien's BASIC HANDBOOK now at only £8.00 plus 50p p&p.

We also have the new MICROPOLIS TRS-80 DOS in stock complete with a 1in. thick manual!

Ask us about NEWDOS and NEWDOS+

We are about to introduce to the U.K. a new range of mini-floppy disk drives with faster than current access times, at a very competitive price!

We are expanding our business programs to meet the ever increasing demand.

● Circle No. 203

PRACTICAL COMPUTING July 1979

June

●19-21 **International Microcomputers Minicomputers Microprocessors.** Venue: Palais des Expositions, Geneva, Switzerland. The Exhibition will be displaying computers - mini and micro - peripherals, components and services from more than 100 international companies. The technical conference is designed to provide an exchange of applications, development and design technologies in many areas of the industry. There will also be two ICS Advanced Technology courses, run simultaneously - Microprocessor Applications Development and Small Computing Systems. Technical sessions and courses will be in English only. More information from Kiver Communications, S.A. (U.K. branch office), Millbank House, 171-185, Ewell Road, Surbiton, Surrey, Tel: 01-390 0281.

●26 **Microprocessor Seminar for Non-Electronic Engineers.** Venue: Manchester. One-day seminar for mechanical and production engineers, supervisors and managers in industry. Fundamentals explained, demonstrations, examples of applications and discussions. Attendance limited to 10 people and the cost is £30 per delegate. More information from Mektronic Consultants, Linden House, 116, Rectory Lane, Prestwich, Manchester, M25 5DB. Tel: 061-798 0803.

●29 **Computers in Small Businesses.** Venue: London. This one-day course introduces guidelines for organisations taking their first steps towards computerisation. It is designed for the first-time user and assumes little knowledge of computer techniques. The course costs £50 including lunch and light refreshment. Highly recommended for those about to enhance a business with a computer. More information from Course Registrar, MSS Computer & Business Consultancy Ltd, MSS House, 49 Chapel Road, Worthing, West Sussex.

July

●4 **Introduction to Basic Programming.** Venue: Lecture Room, Sumlock-Anita House, London, EC1. A three-day course which will continue on the following two Wednesdays. It goes through various elementary stages such as explaining what a program is, to file structures

and applications packages. Full course fee is £90 plus VAT. Sumlock-Bondain advises early booking as only 12 places per course are available. Tel: 01-253 2447.

●5-7 **The 1979 Microcomputer Show Incorporating The DIY Computer Fair.** Venue: Bloomsbury Centre Hotel, London. Essential for all computer freaks. This year there will be a record number of exhibitors who will bring all the latest microcomputer equipment to the heart of London. Entrance fee £1. For more information, see our seven-page guide, which tells you all you need to know about this event.

●10-13 **International Word Processing Exhibition and Conference.** Venue: Wembley Conference Centre, London. Those who are considering buying a word processor could do worse than go to this comprehensive exhibition. All you ever wanted to know about the subject will be available in the form of literature, demonstrations of all the latest equipment, and a two-day advanced conference, and special-interest, half-day seminars. Admission is £2. More information from BETA Exhibitions, Business Equipment Trade Association, 109 Kingsway, London, WC2.

●23-25 **Advanced Basic.** Venue: London, EC1. This three-day course is a follow-up to the Sumlock-Bondain *Introduction to Basic Programming* and is intended for those who have taken one of the previous courses or have a ground knowledge of the language. Full course fee is £130 plus VAT. More information from Sumlock-Bondain Ltd., Sumlock-Anita House, 15 Clerkenwell Close, London, EC1.

September

●18 **Microprocessors** is a two-day seminar at the Cafe Royal, London, organised by Informex in association with the Institute of Data Processing Management. Speakers include experts from the major semiconductor companies. Cost for the two days is £78 plus VAT, which includes lunch and refreshments for both days. Contact: Jan Clarke, Informex-London Ltd., 61, Harland Avenue, Sidcup, Kent. Tel: 01-300 0380.

Complete Computer Systems

AFTER A YEAR'S EXPERIENCE AS - THE FIRST MICROHIRE COMPANY - CCS HAVE EXPANDED INTO SALES AND PROGRAMMING* DIVISIONS

CCS Microsales ————— CCS Microhire CCS

FREE CASSETTE UNIT WITH 32K M/Cs

	16K	£970	48K	£1290
COMPUCOLOR	8K+DISC+CRT			£1370
COMMODORE PET	4K	£460	8K	£550
	16K	£675	32K	£795
EXIDY SORCERER	16K	£750	32K	£850
SORD M100 ACE				price on application
PLOTTER				£690

We have drawn on our experience of a BIG range of machines to make up a Sales List consisting of machines that represent the BEST in - VALUE FOR MONEY - EASE OF USE - AND RELIABILITY

CCS MICROSALES TEL: 01-444 7739
22 WESTSIDE Letchworth 73301
68 FORTIS GREEN
LONDON N2

Still the Leading Microcomputer Hire Company with the best range of equipment: Apple II; PET; Exidy Sorcerer; SEED System One/MSI 6800; NASCOM/MICROS; Research Machines 380Z and Tandy TRS-80.

Send for our NEW PRICE LIST giving the most attractive prices yet. Don't forget our "THREE WEEKS FOR THE PRICE OF TWO" OFFER (From July to September).

Write to address below, or to London for particularly urgent enquiries.

CCS MICROHIRE
FREEPOST
LETCWORTH
HERTS SG6 4YA

* CCS MICROPROGRAMS are actively looking for more programs to add to their range. Even if you want to market your own systems, letting us know can generate more sales for you. If you have any programs at all DON'T SIT ON THEM - TELL US.

Business and Technical systems First Please: Games - later. Write giving details to either of the above addresses.



POWERFUL

Pet

BUSINESS PROGRAMS

Now
PETACT BUSINESS SYSTEMS
offer mainframe quality at micro prices:

SALES ACCOUNTING

provides all the facilities for maintenance of Sales Ledger, preparation of a list of outstanding balances and printing of statements.

Cassette based system £225+VAT Disk version £350+VAT

PURCHASE ACCOUNTING

handles Purchase Ledger, preparation of a list of outstanding balances, printing of remittance advices.

Cassette based system £225+VAT Disk version £350+VAT

Written by ACT's own software team, each package handles 200 accounts and 800 transactions in memory at once giving true real time operation on a 32K PET and printer (typical cost £1,350+VAT). Alternatively the disk-based version may be used with the addition of a dual mini floppy drive (price £740+VAT).

Other PETACT BUSINESS SYSTEMS

include: Invoicing, Payroll, Stock Control, Nominal Ledger, and Management Information

Send for a free copy of our new 16-page catalogue. It contains details over 150 programs from £3 to £375, covering Business Packages, Programming Aids to help you make the most of your PET and some super Games to play with it. Here are just a few examples:

TRY THESE PROGRAMS ON STAND 14 AT THE MICROCOMPUTER SHOW OR AT YOUR NEAREST PET DEALER Prices include VAT

Addressbook £6
6502 Assembler/Editor £25
Backgammon £8
Bridge Challenger £10
Civil War £7.50
Data File Handler £12
Discounted Cashflow £8
Estate Agents Pack £25
Graphics Package £12

Hotel Finder £5
Linear Programming £8
Line Renumber £8
Mailing List £15
Micro Chess £14
Music £10
Payroll £25
Percentage Costing £49.50
Pet Basic Tutorial £12

Program Merger £8
Sales Analysis £10
Statistics £7
Super Startrek £8
Tax £8
VAT Pack £17.50
Word Processor £25
76 Common Basic Programs £15

For full details of these and the other cassette and disk programs in our free catalogue, complete the coupon or ring us today. We also accept credit card orders over the telephone.

Recommended by Commodore

Petsoft Specialists in personal computer programs,

5-6 Vicarage Road, Edgbaston, Birmingham B15 3ES.
Tel: 021-454 5348 Telex: 339396.

Petsoft A member of the ACT Computer Group.
PET is the trade mark of Commodore.

To **Petsoft**
My name is _____
My PET lives at: _____
5-6 Vicarage Rd., Edgbaston, Birmingham B15 3ES.
MY PET NEEDS FEEDING! Please rush me a copy of your free 16 page catalogue of PET programs without obligation.

ROSTRONICS Computer Centre can scarcely be described as off the beaten track. The shop is sandwiched between a photographer's studio and an undertakers in Wandsworth High Street, in south London.

Such a location is evidently good for the microcomputer business, though, as Rostronics has sold a steady 15 to 20 systems a month since opening in January.

This shop is owned and run by its three directors, John Barton, John Pendreich and Rhoda Battersby, who decided to specialise in selling Tandy systems. Barton spent a year looking at all the equipment available on the market and settled on the Tandy "because it offered best value for money".

Critical

Like many people, he is critical of the way Tandy sells computers through shops which do not provide what he considers adequate software and support.

'Specialist in computer business machine systems' reads the shop letterhead and Rostronics is orientated firmly towards selling commercial systems. It is not really a hobbyist shop, although they are catered for. Barton had his own business printing commercial stationery for a number of years; when he became interested in micros he soon perceived the potential for dealing with paperwork.

"Within a couple of years all businesses with a turnover of £50,000 will have a micro. Everyone will have one, so why not sell them and do the job properly?"

To do the job properly, Rostronics writes its own software and provides its own engineering service. The latter has become so renowned that Tandy owners telephone from all over the country, Rhoda says, for help and advice. The

'Selling properly' aim of Rostronics

shop employs a full-time engineer and, if necessary, can call upon another four specialist engineers - moonlighting from leading computers manufacturers, who can afford to employ the best.

Repair service

Rostronics is very proud of the maintenance contract it offers. Under the terms of the agreement, Rostronics guarantees to replace an item or repair any fault on a business system within 24 hours of receiving the call.

For that service the user pays 15 percent of the cost of the system per annum; a business system will cost £2,000, so the maintenance agreement would be about £200 pa. This apparently appeals to schools, which are only too conscious of the effect sticky little fingers might have on the school micro.

Rostronics is very particular about the equipment it sells. Everything is tested thoroughly before it leaves the shop and only suppliers with a large maintenance force to be called upon receive orders from Rostronics.

The shop also tries to supply anything a

customer may need. "If someone is to have a business system from us, we aim to have everything they need, down to the printer ribbons".

Software is written in-house; off-the-shelf packages available include accounts, inventory, cash registers, and sales analysis, as well as the well-known Electric Pencil word processor from the States.

"Our word processing system", Barton says, "is probably our strongest selling point". The Rostronics word processing system comprises a TRS-80 plus the Electric Pencil software and a daisywheel printer. The printer is a Canadian machine, manufactured by Alain Sapper, and Rostronics is the sole importer at the micro end of the market.

Rostronics can also supply continuous stationery and business forms. "There is no other system on the market", Barton claims, "which will give you, at that price, full screen-editing facilities". About 10 word processing systems have been sold to date and, of course, the customer, receives a computer as well.

Tandy shops sell two kinds of printers; Rostronics sells three - the standard friction-feed and tractor-feed line printers plus the Teletype 43 and the Alain Sapper daisywheel. Rostronics buys its Centronics printers directly from Centronics and can thus sell them for less than the Tandy price.

System desk

Mail order accounts for a large amount of Rostronics business and it is from all over the world. "We even have customers in Bahrain who telephone orders".

"We are always looking at new products appearing in the States", Barton says, "and we also have our engineer working on some 8in disc drives" - from Tinker Toy, Shugart and Micropolis.

A Rostronics-designed system desk is about to go into production. The desks, available through Tandy shops, are constructed to accommodate the Shugart Micropolis drives in this country and they do not fit the desk.

So Rostronics is building desks which will hold either Shugart or Micropolis disc drives. The desk will also have a line filter to protect the drives from fluctuation in the electric current, and a power supply which will box the eight wires which straggle from the average configuration.

With a view to taking a second machine on board, Barton has been looking around the market again. "The most likely candidate is the ITT 2020; it has good software and is cheaper than the Apple".

Rostronics is in no hurry to adopt another system, though. As Barton points out, "Tandy has sold so many systems that people will be looking for Tandy software and hardware for a long time".



WHY BUY A MICRO-COMPUTER FROM

PETALECT ELECTRONIC SERVICING LTD.

BECAUSE

- 1) Established company trading since 1971
- 2) Electronic servicing is our speciality
- 3) We have in house programmers/systems analysts
- 4) We have our own service engineers
- 5) We will demonstrate the PET at your premises
- 6) We can customise the PET to your requirements
- 7) We can arrange finance
- 8) We offer, after the three-month warranty, a service contract for £69.50
- 9) You benefit from our experience of having sold over 150 micro-computers to industrial, educational and business, personal users.
- 10) We specialise in programs and interfaces for weighing applications for average weight control and counting etc.

8K £550.00 + VAT.
16K £675.00 + VAT.
32K £795.00 + VAT.

All 'PETS' sold with a Basic Tutorial Tape

New Large
Keyboard 'PETs'
Now in Stock



In our showroom we sell
Books, Programs etc.

Also available:

24K Memory Expansion Boards (disk-compatible)
only £320 + VAT

PET-compatible dual floppy disk unit
with advanced operating system
only £840 + VAT

Large Extension Keyboard for the PET £89.50 + VAT

Telephone for complete system prices.

Wide Range of Printers Available.

If you require any more information or demonstration regarding the PET 2001/8 or any associated equipment, programs, etc., please contact Mr. P. J. A. Watts or Mr. D. W. Randall at:

PETALECT ELECTRONIC SERVICES LTD
33/35 Portugal Road,
Woking,
Surrey.
Tel. Woking 69032/68497

Shop at:
PETALECT
Chertsey Road,
Woking,
Surrey.
Tel. Woking 20727/23637

● Circle No. 206

Double density plotting on Pet

BY USING the amazing collection of graphics symbols on the Commodore Pet, it is possible to set up a sequence of logic operators which increase the screen size from 40 characters wide by 25 deep to an apparent 80 x 50 plottable points.

The characters used for this Double Density Plot (DDP) are contained in

by A Clark

table 1 in the sequence required for the routine - the importance of this particular order will be apparent later.

Say the new co-ordinate system has its origin (0,0) at the bottom left-hand corner of the screen, giving maximum values of 49 and 79 for Y and X respectively. A normal-sized blank screen character can then be considered as divided into four possible DDP points:

DDY odd	C	B
DDY even	D DDX even	A DDX odd

If you know the screen position (DDY/2, DDX/2) and whether X and Y are odd or even, the character required can be found from table 1.

If A was to be filled (DDY even, DDX odd), the character used from table 1 would be number 2; if C, we would use character number 4.

A problem arises when we want to plot a character at A if the block already contains one or more DD points.

The method used in my subroutine is to construct a byte which the four least significant bits representing the four possible quarters of the character square. So originally the byte would be 0000/0000 for a blank.

If we consider bit 0 to represent A, 1 to represent B, 2 to represent C and 3 for D, the byte would change to the following values (U) and configurations when each corner only is filled:

Position	Byte	Value	Y	X
A	0000/0001	1	Even	Odd
B	0000/0010	2	Odd	Odd
C	0000/0100	4	Odd	Even
D	0000/1000	8	Even	Even

As can be seen from table 1, there are 16 possible arrangements for A,B,C and D, ranging from a blank square to a completely filled-in square. There are also 16 possible values of u if the four most significant bits remain constant.

It is now possible to show why table 1 is

arranged in that particular order. If we want to add B to a square which already contains A, the result and value of u must be 3 (bits 0 and 1 set); from table 1 it can be seen that when u is equal to this number, the result is a vertical half-square, which is correct. This rule follows for all the other combinations. Try a few.

Strictly speaking, it is not correct to add the values of the bytes together. If that quarter is already occupied the next bit will be set by a carry rather than the correct one remaining. For example, if B is to be re-plotted one would have added:

















```
0000/0010
0000/0010
-----
0000/0100
```


which results in C being set rather than B remaining. This problem of over-plotting is overcome by using the logical OR rather than adding. Each bit in turn is compared and if either bit is set to one, then the result is set to one. So the example becomes:

```
0000/0010
0000/0010
or'-----
0000/0010
```

(continued on next page)

Table One

Character	Value	Least significant bits
	0	0000
	1	0001
	2	0010
	3	0011
	4	0100
	5	0101
	6	0110
	7	0111
	8	1000
	9	1001
	10	1010
	11	1011
	12	1100
	13	1101
	14	1110
	15	1111



TRS-80 SOFTWARE

SOME EXAMPLES

LIBRARY 100	£37-50
STARTREK 111	£10-50
ELECTRONICS 1	£ 6-50
INVENTORY	£13-50
FINANCE 1	£ 6-50
ASTRONOMY 1	£ 6-50

MICROCOMPUTER APPLICATIONS

11, RIVERSIDE COURT,
CAVERSHAM, READING
RG4 8AL.

● Circle No. 207

BEYTS LOGIC

SYSTEMS & SOFTWARE

We supply complete small business systems; hardware such as S.W.T.P. and Compelec; - software including Mailing Lists, accounting and information systems, stock control, invoicing etc. and instruction in the use of micros.

Windmill Rd. Sunbury,
Middx. (tel) 09327 86262
Telex 928185

● Circle No. 208

TRS-80 LEVEL III!!

This addition to LEVEL II loads in from cassette and enables:-
Keyboard debounce, USR 0-9, &H & O, DEFUSR, LINE INPUT, MID's (on left), INSTR, and DEF FN.


All this for £15 + 50p for postage. Much more software available - all at realistic prices.

CHEAP HARD COPY!!

A few Olivetti Teletypes for sale at £250 each - easily connected to the keyboard unit without need of an expansion interface.

For more details send to:
Jake Commander, 305,
Brownfield Rd., Shard End,
Birmingham B34 7EA.

● Circle No. 209



★ **PET OFFER** ★

£60 free software with Pet 2008.
List price £550 + VAT.
Demonstrations and immediate
delivery from our showroom off
Tottenham Court Road.

Capital Computer Systems 29-
30, Windmill Street, London W1.
Tel 637-5551. The agents for
Commodore Pets and Bytronix
Megamicro.

● Circle No. 210

ANDREWS COMPUTING LTD

- Programs for minimum Nascom-1
- Fruit Machine Game @ £4.00
 - Submarine Chase Game @ £4.00
 - Game of Life @ £4.00
 - Minefield Game @ £4.50
 - Program for extended NASCOM 1
 - Renumber Basic program @ £8.00
- All supplied fully documented with listings
on B-Bug, T4 or Nasbug format
cassette tape.
- C20 cassettes (inc. lib.
cases) 5 @ £2.40
10 @ £4.40

Machine code, Assembler for Basic coding
forms. £1.60 each pad (approx. 180 sheets).
Add 35p for P & P, all prices include VAT.
Send SAE for details.
21 Lime Tree Drive,
Farndon, Chester.

● Circle No. 211

Vets for Pets

Anita Electronic Services (London) Ltd.
are specialists in the repair and service of
Commodore Pets.

We offer a fast on-site service, or alter-
natively repairs can be carried-out at our
workshops should you wish to bring in
your Pet.

Pet maintenance contracts are available
at very competitive prices. Trade inquiries
welcomed.

For further information tel. or write to:-

John Meade
Anita Electronic Services,
15 Clerkenwell Close, London EC1
01-253 2444

* We also specialise in the repair of all
makes of office equipment.

● Circle No. 212

**MICROCOMPUTER
HIRE AND OTHER
EQUIPMENT**

Nascom, Horizon, Apple II,
Cromemco and others may be avail-
able on request. Charges—less than £12
per week on some.

Delivery and collection will be free in
Greater London. Same day delivery when
available.

Promglow Ltd, 30 City Road, London
EC1. Tel: 01-368 9002.

● Circle No. 213

(continued from previous page)
which leaves us with bit one set and no
carry to bit 2.

At this stage, look at the preliminary
flowchart for the subroutine. This routine
can be constructed in Basic in about five
lines by PEEKing and POKEing at the
screen; but if we include checks for valid
DDP co-ordinates as well as the facility to
erase squares, the plot routine length
doubles.

That is not excessive use of memory by
any means but the time factor becomes
important, especially on 3D plots. The
obvious answer is a machine code routine
for which a disassembled listing is given
at the end of the article.

The first problem to be overcome in it
was the passing of three values to the
subroutine by the USR function. The
number passed to the machine code is
converted to an integer in locations \$B3
and \$B4 by subroutine \$DOA7. The
method employed was to place the DDY
co-ordinate in the most significant byte
(\$B3) by multiplying by 256 and leaving
the X co-ordinate in the least significant
byte, \$B4.

The third variable, whether to plot or
erase, is controlled by setting bit seven in
the least significant byte if an erase is to
be carried-out. So typical USR com-
mands would run as follows:

10 W = USR (Y*256 + X)...plots at DDP
X,Y

20 W = USR (128+Y*256+X)...sets bit
seven and erases DDX,DDY

Among other ideas incorporated, I
decided to transfer back from the sub-
routine into W the value of the screen
character at X, Y before alteration; and if
either DDX or DDY were invalid – not
on the screen – USR would return with
W = 1024.

Glitchless plotting is also featured by
using a subroutine – WAIT in listing –
which stops the machine code looking at
or writing to the screen at the wrong
time, which means during a screen
refresh cycle.

Cassette offer

Remarks contained in the program
listing explain the sequence of events
simply, so a detailed flowchart is not
required. If anybody has any comments
or improvements on my first attempt at
machine code, I will be only too grateful
to receive them.

For those who would like double
density graphics and who do not yet have
the experience necessary I will be happy
to supply a cassette tape which loads the
routine automatically into the second
cassette buffer, for a nominal £1.50. The
only line required in your program would
be:

10 POKE 1, 58 : POKE 2,3

The program which plotted figure 1
follows:


```

1 POKE 1, 58: POKE 2, 3
2 PRINT "CLEAR PAGE"
3 T = 200: T1 = 30: T2 = 99: T3 = 4: T4 = 1521: T5 = 23: T6 =
0.7: T7 = 40: T8 = 256: T9 = 24: V = 1
4 S1 = 79: S2 = 44: S3 = 48
5 DEF FNA (Z) = T1 * EXP (-Z * T9)
110 FOR X = -T2 TO T2
120 L = 0
130 Y1 = T3 * INT (SOR (T4 - X * X) / T3)
140 FOR Y = Y1 TO -Y1 STEP -T3
150 Z = INT (T5 + FNA (SOR (X * X + Y * Y)) - T6 * Y)
160 IF Z < -L THEN 190
170 L = Z
180 W = USR (X + T7 + T8 * (Z - T9))
190 NEXT
200 NEXT
210 FOR X = -T2 TO T2
220 Z = INT (T5 + FNA (X))
230 FOR I = T5 TO Z
240 W = USR (X + T7 + T8 * (I - T9))
250 NEXT
260 NEXT
270 PRINT "CLEAR PAGE"
300 FOR I = 0 TO T2: FOR J = 0 TO I:
W = USR (I + (T3 + V + J) * T8)
310 W = USR (S1 - I + (S2 - J) * T8): NEXT: NEXT
320 PRINT "CLEAR PAGE"
330 FOR J = 0 TO S1: FOR I = 0 TO S3 STEP 2:
W = USR (J + I * T8)
340 W = USR (S1 - J + (I + V) * T8): NEXT: NEXT
350 GOTO 2

```


Happy plotting, and the address for the
tape is: A. Clark, 107 Haydon Close, Red
House Farm Estate, Gosforth,
Newcastle-upon-Tyne NE3 2BZ.

Table Two



Disassembled machine code listing

033A	20A7DO	JSR DOA7	: Converts argument to integer in B3,B4
033D	A5B4	LDA B4	: LSB (x coord)
033F	3005	BMI Erase	: Checks for bit 7 set
0341	A9CC	LDA # CC	: Alters jump address in 03C7
0343	4C4CO3	JMP Label	
0346	26B4	ROL B4	: Removes bit 7 from B4
0348	46B4	LSR B4	
034A	A9CA	LDA # CA	: Alters jump address in 03C7
034C	8DC803	STA 03C8	
034F	A5B4	LDA B4	: Divide DDP X by 2 to give screen X
0351	4A	LSR A	
0352	85B2	STA B2	: Screen X into B2
0354	9005	BCC EVEN 1	
0356	A903	JMP LAB 1	: DDP X is odd, V = 1 or 2 = 3
0358	4C5DO3	LDA # 03	
035B	A90C	LDA # 0C:	DDPX is even, V = 4 or 8 = 12
035D	85B5	STA B5	: V temp into B5
035F	A5B3	LDA B3	: Divides DDPY by 2
0361	4A	LSR A	
0362	85B1	STA B1	: Screen Y into B1
0364	9007	BCC EVEN 2	
0366	A5B5	LDA B5	: DDPY is odd, V = 2 or 4
0368	2906	AND # 06	: Result is actual V
036A	4C7103	JMP LAB 2	
036D	A5B5	LDA B5	: DDPY is even, V = 1 or 8
036F	2909	AND # 09	: Result is actual V
0371	85B5	STA B5	
0373	A918	LDA # 18	: Change screen origin to top of screen
0375	38	SEC	
0376	E5B1	SBC B1	
0378	3023	BMI ERR1	: DDPY too large
037A	85B1	STA B1	: New screen Y
037C	38	SEC	
037D	E919	SBC # 19	
037F	1023	BPL ERR2	: DDPY too small
0381	A980	LDA # 80	: Load (0,0) Screen ram position
0383	85B4	STA B4	: Screen hi
0385	A900	LDA # 00	
0387	85B3	STA B3	: Screen lo
0389	A4B1	LDY B1	: Find Y position in screen ram
038B	FOOE	BEQ LAB3	
038D	6928	ADC # 28	
038F	9005	BCC LAB1	
0391	E6B4	INC B4	
0393	18	CLC	
0394	EA	NOP	
0395	EA	NOP	
0396	88	DEY	
0397	DOF4	BNE LABL	
0399	85B3	STA B3	
039B	A5B2	LDA B2	
039D	3049	BMI ERR	: DDPX too small
039F	85B2	STA B2	
03A1	38	SEC	
03A2	E928	SBC # 28	
03A4	1042	BPL ERR	: DDPX too large
03A6	A5B3	LDA B3	: Final screen ram positions
03A8	65B2	ADC B2	
03AA	9002	BCC LAB4	
03AC	E6B4	INC B4	
03AE	85B3	STA B3	
03B0	A900	LDY # 00	: Find character at X, Y
03B2	A20F	LDX # OF	
03B4	20DC03	JSR WAIT	
03B7	B1B3	LDA (B3), Y	: Finds Character in X, Y
03B9	A8	TAY	
03BA	DDEF03	CMP TABLE, X	
03BD	FOO5	BEQ LAB5	
03BF	CA	DEX	
03C0	10F8	BPL LOOP	
03C2	A200	LDX # 00	: if no table character: -Blank
03C4	8A	TXA	
03C5	05B5	ORA B5	: Plot addition
03C7	4CCCO3	JMP 03XX	: Variable Jump: past or to erase
03CA	45B5	EOR B5	: Erase point
03CC	AA	TAX	
03CD	20DC03	JSR WAIT	
03DO	BDEF03	LDA TABLE, X	
03D3	A200	LDX # 00	
03D5	81B3	STA (B3,X)	: Plot on screen
03D7	A900	LDA # 00	
03D9	4C78D2	JMP D278	: Return with integer to FLP
03DC	AD40E8	LDA E840	: Subroutine which waits for a screen refresh
03DF	4920	EOR # 20	
03E1	2920	AND # 20	
03E3	FOF7	BEQ WAIT	
03E5	60	RTS	
03E6	EA	NOP	
03E7	EA	NOP	
03E8	A904	LDA # 04	: ERROR MESSAGE (W = 1024)
03EA	A000	LDY # 00	
03EC	4C78D2	JMP D278	: Returns W = 1024
03EF	20		: Character Table
03FO	6C	6C	
03F1	7C	7C	
03F2	E1	E1	
03F3	7E	7E	
03F4	7F	7F	
03F5	E2	E2	
03F6	FB	FB	
03F7	7B	7B	
03F8	62	62	
03F9	FF	FF	
03FA	FE	FE	
03FB	61	61	
03FC	FC	FC	
03FD	EC	EC	
03FE	AO	AO	



BRITISH MOTOROLA 6800 SYSTEMS

6800S: 16K Dynamic RAM, 1K Mikbug compatible monitor, room for 8K BASIC in ROM, VDU with u/l case and graphics. CUTS and Hi Speed tape interfaces. Single pcb with power supply components. Price of kit from £275 without kbd or £299 with keyboard.

Mini 6800 Mk 2 u/l case VDU with graphics option, 1K Monitor, 1K user word RAM, 1K VDU, RAM, CUTS. From £127-50 without keyboard, £152-50 with full QWERTY keyboard.

NCU Board. This number cruncher using the MM57109 is supplied with our own Basic style program on tape (3K bytes) that will outperform any of the 8K Basics as a programmable calculator. Suitable for any 6800 system with Mikbug. Kit price £32.

8K RAM (2114) and 5 or 10K PROM board. This pcb is bus compatible with the above systems and has all the buffering and decoding that you need. PCB only. £13.

all prices without VAT and post
PLEASE SEND SAE FOR LEAFLETS

HEWART MICROELECTRONICS
95 BLAKELOW ROAD
MACCLESFIELD, CHESHIRE

● Circle No. 214

MAINS INTERFERENCE?

Our no wiring, plug in Suppressor helps stop mains borne interference which can be a threat to data in micro systems. Handles 1500 watts at 6 amps, reduces interference between 150 kHz and 100 MHz.

£18 (inc. VAT, p & p)

BEYTS LOGIC

Windmill Rd, Sunbury,
Middx. (tel) 09327 86262
Telex: 928185

● Circle No. 215

Dyna-Byte

fully assembled
burned in S100

16K Dynamic	RAM	£198
16K Static	RAM	250ns £271
16K Static	RAM	450ns £266
32K Static	RAM	250ns £506
32K Static	RAM	450ns £470

80 x 24 video terminal, just add keyboard and monitor £177.

Cable set for video terminal £7-20

Post free. Add 8% VAT to all prices.

S.W.C. Electronic distributors, P.O.
Box 30, London E.4.

● Circle No. 216



TRS-80 Software

Our latest catalogue of over 50 titles includes:

- Games/Microchess, Startrek, etc.
- Business—sorting, mailing, stats., etc.
- Home—cheque book, loans, etc.
- Aids—assemblers, renumber, etc.
- also education, finance, etc.

Send S.A.E. for our catalogue of level 1/2 programs to:

Micro Gems, 32 Buckingham Avenue, Hucknall, Nottingham.

● Circle No. 217

INTRODUCTORY OFFER

Special Discounts on:— Assorted Breadboards, I.C. Test Clips etc. Send s.a.e. for full Catalogue to:—

ROMANE ELECTRONICS

64 Newlyn Drive, Sale, Cheshire M33 3LE

● Circle No. 218

NICOMTECH

Cornish and West Devon distributor for the ITT 2020 and range of accessories.

Amateur radio software available for PET, APPLE, 2020 and TRS-80.

European Distributor for MICROTRONICS MORSE and RTTY software for PET and TRS80.

Blank C10'2 etc. on sale.

Mailing services available. Phone Nigel Huntley on (075-55) 2066. Address: 212, St. Stephens Road, Saltash, Cornwall.

● Circle No. 219

RADIO SHACK COMPUTER OWNERS

TRS-80 MONTHLY NEWSLETTER

(Not to be confused with TRS-80 Computing)

- PRACTICAL APPLICATIONS
- BUSINESS
- GAMBLING ● GAMES
- EDUCATION
- PERSONAL FINANCE
- BEGINNER'S CORNER
- NEW PRODUCTS
- SOFTWARE EXCHANGE
- MARKET PLACE
- QUESTIONS AND ANSWERS.
- PROGRAM PRINTOUTS
-AND MORE

ONE YEAR SUBSCRIPTION INC. P&P £16.50

G-MAX RESEARCH CO. LTD

8 STATE RD. SUTTON, SURREY
TEL. 01-642 8971 (No callers please)

● Circle No. 220

Real-time clock for M6800 D2

DESIGNING a real-time clock for a micro-computer development kit, factors like the Motorola MEK6800 D2 should be considered. Among them – is the system clock stable enough for use as a time standard? Is the MPU to be used for tasks other than time-keeping, so that a software-only solution is impractical? Can the 50Hz mains be used as a timing signal? Can the final choice of timing signal be interfaced to the MPU with minimum external hardware?

by Brian Wilkie

Motorola Semiconductors, East Kilbride

Assessing these in relation to a D2 microprocessor requires some appreciation of the hardware already in the kit.

- The D2 uses a crystal oscillator at 614.4KHz which is divided down to 4,800Hz for use in a Kansas City Standard cassette interface.
- It has a hexadecimal keyboard and associated debug monitor, which is ideal for initial clock setting.
- It uses six seven-segment LED displays for output of information. This is ideal for time display, with the proviso that they must be driven in a multiplexed mode by software, using one PIA port as segment drives and another – outputting only one bit high at a time – for digit drives.
- It has provision for using two MCM2708 EPROM. The one located at hex address \$6000 – the dollar indicating hexadecimal notation – was selected for this program, although it could be altered easily to fit into the RAM locations lower in the memory map.

Nucleus

We can eliminate some of the options in choice of time standard. The intention of this program was to act as the nucleus of a central heating controller, so a software-only solution can be put aside. Since six LED displays must be refreshed at least 25 times a second – which means 150Hz – a 50Hz interrupt from the mains would be too slow.

Fortunately, the designer of the D2 kit used a 12-stage CMOS counter, the MC14046, to divide down from the crystal clock to drive the cassette interface. The final stage of this counter therefore has a 300Hz square wave which is crystal-controlled and at an ideal

frequency for driving the LED display. The only hardware modification necessary on the D2 kit is to connect this 300Hz signal from U18 pin 1 to the user PIA interrupt input CA1, U20 pin 40.

The flowchart and listing show a program to turn this 300Hz signal into a clock. Note that the initialisation puts the start of the interrupt service routine into location \$A000, which is, in turn, referred to by the internal JBUG interrupt service routine.

The interrupt service routine is short and simple; such routines are difficult to debug without professional equipment and since the wait-for-interrupt loop has its own software timer, the program can be checked in the absence of an interrupt signal.

The time is stored as three bytes of packed binary-coded decimal information, to facilitate the addition of alarm and on/off time routines to the program.

Time is increased not by an increment instruction but by an add immediate one; this sets the half-carry flag for the subsequent decimal adjust accumulator to restore the number to BCD format.

Expanded easily

In normal operation, the software enters a wait loop, checking continually for the flag byte to be incremented for zero. When this happens every 1/300 second the time counters are incremented; if the displayed time has altered, the new time values are translated into suitable format in the display buffer locations. This facilitates changing to other display formats, such as ASCII for output on a VDU.

The software then calls a display subroutine which converts one character at a time to seven segments, using a look-up table DIGTBL in JBUG and outputting it to all six LEDs in parallel.



Finally, a new digit is selected by shifting the scan count mask SCNCNT one bit left. At this point the program returns to the waiting loop to await the next interrupt; extra routines such as alarm time checks could, however, be added here.

The software is organised so that even if extra routines like this occasionally last more than the three milliseconds between interrupts, the IRQ service routine will count the unserved interrupts in the flag register in memory. On returning to the clock program, the time counter is then incremented as many times as required to compensate for missed interrupts.

This program provides a short, efficient and easily-expanded real-time clock facility for the D2 kit. Its major problem is that the clock circuit used in the kit has no facilities for frequency trimming such as is usually employed in electronic watch

circuits. Those kits we tested in our laboratory ran to within a few seconds a day; this could be adjusted easily in software - for example, by detecting midnight and making the necessary adjustment in the software.

Real-time clock flowchart



NORTH-WEST LONDON'S HOME FOR NEW BORN PETS!

Why dash into town for your new Pet, when you can shop locally at discount prices? Our prices are lower than anywhere in the U.K.
 In stock now:
 PET 2001 (8K, 16K, 32K, inc large keyboard) Dual Drive Mini-Floppies
 Centronic Printers Extra Cassette Decks
 Interfaces Oodles of Software
SOFTWARE TAILOR-MADE & WRITTEN FOR INDIVIDUAL APPLICATIONS
 Evening & week-end demonstrations & sales
 Examine & purchase at your leisure
 Just pick up the phone and make an appointment
L & J Computers
 01-204 7525
 NOW!
 3 Crundale Avenue,
 Kingsbury, London, NW9

● Circle No. 221

OHIO SUPERBOARD

Computer on a board. 8K basic in ROM keyboard, graphics, cassettes interface, 2K monitor, British TV interface, expandable.
4K RAM £275 8K RAM £315
 Please send SAE for details
C.T.S., 1 Higher Calderbrook Littleborough Lancs OL15 9NL
 Tel. Littleborough (0706) 79332 anytime


● Circle No. 222

MICROTEK COMPUTER SERVICES



Agents for North Star Horizon. Personalised software for small business applications. Stock control, accounting, estate agents package, mailing list programs.
50, Chislehurst Road, Orpington, Kent
 Tel 66-26803
 evenings 0474-872630

● Circle No. 223



BUSINESSMEN DISAPPOINTED

IN TRS 80

Need expert software
and hardware advice to
get their machines
operational

**BOX 113, EMG,
30 Heathfield Road,
Croydon, Surrey**

● Circle No. 224

B&B Consultants THE CONSULTANTS FOR THE NORTH WEST



"You can rent me for 10 pence an hour"

For further details please contact

B&B CONSULTANTS

At: 124 Newport Street,
Bolton, Lancs.
Or Telephone: Bolton
(0204) 26644

● Circle No. 225

COMPUTECH for APPLE and ITT 2020

Professional Business Software Pack-
ages on Diskette, comprehensive
Manuals, validity checks, interactive
enquiry, Self-balancing.

**168 Finchley Road,
London, NW3 6HP.
Tel. No: 01-794 0202.**

Dealer enquiries welcome.

● Circle No. 226

PRINTER

BD 80-COLUMN Matrix Printer
Parallel and RS-232 Interface Standard.
Pet IEEE Interface Undecoded £45
Pet IEEE Interface decoded £80
Ex-stock P&P Free. Price £675 inc VAT

CAMDEN ELECTRONICS

First Floor
462 Coventry Rd., Small Heath,
Birmingham B10 0UG.
021-773 8240

● Circle No. 227

Kim Project - Morse Code Generator

This month's Kim project shows the Kim-1 microprocessor in a dedicated application as a Morse code generator.

BEFORE an individual is allowed to use the amateur radio frequencies, a Post Office test in Morse proficiency must be passed. Having satisfied that requirement, the radio ham need never look at a Morse key again.

Nevertheless, Morse has many advantages over the other forms of radio transmission; the equipment required is simpler and cheaper than that needed for voice telephony, for instance, particularly at the higher power outputs.

Reception is possible over longer distances and under less favourable circumstances, again requiring less sophisticated receivers.

While it is a slower transmission method than RTTY methods or voice telegraphy, it has the dual advantage of being possible both to send and receive Morse without any specialised equipment. Further, the Morse code can be generated automatically and it can be received by machine as well.

Samuel Morse devised his code originally in 1832, basing it on the newly-discovered properties of electricity and electromagnetism. His initial design for a transmitter involved a series of projections shaped to form the code on template 'portrue', which could be moved under a contact lever to generate the codes.

Shaped by hand

At the receiving end, an electromagnet deflected a pencil over a moving reel of paper; the wavy line on the paper would then be deciphered and the message could be read normally.

In succeeding models, the portrue was replaced by the Morse key we know today, each character being shaped by hand. It was nearly 10 years before someone realised that the dot and dash made different sounds on the receiving solenoid and that they could be understood directly; so the writing receiver was abandoned.

Morse code became very popular for telegraph methods but in the 1920s, with Baudot code teleprinters and the like, the Morse code became less widely used. Early radio transmitters provided an excellent medium for it. The crudest or the most sophisticated transmitters could be used, albeit with relative risk of

electrocution, to almost equal effect.

Morse has all but disappeared for telegraph transmission but it remains a firm international standard for radio; and the SOS signal has become the definitive distress call.

Each letter, digit, and punctuation mark along with various procedural signals - like invitation to type, end of transmission, error - is represented in Morse code by a combination of between one and eight dots and dashes. A dot is a short period during which signal is present, a dash a somewhat longer period.

There is no specification as to how long a dot should last - typically between one-tenth and one twenty-fifth of a second - but Morse transmission is defined in terms of 'dot' periods. A dash is defined as a period equal to three dots. The spaces between dots and dashes of the same character are equal to one dot. The space between one character and the next is equal to three dots and the interval between adjacent words is equal to seven dots.

Post Office test

The Post Office Morse test specifies a rate of 12 five-character words per minute. A radio amateur, who must transmit a call sign at the beginning and end of each contact and at 15-minute intervals during it, may send the call sign either on telephony or Morse telegraphy at a rate of up to 20 words per minute.

One of the applications of the automatic code generator is to repeat the call sign with a single key stroke. In fact, it can be made to repeat any ASCII character string in Morse, although the full ASCII character set is not implemented. Table 1 shows the various ASCII characters with their Morse and hexadecimal equivalents.

A subroutine to translate ASCII characters into Morse equivalents may be used in any number of ways. For instance, the program STRING retrieves bytes successively from the Kim memory and calls the subroutine CHAR to sound the character as Morse, stopping when it reaches a byte containing zero. CHAR will convert an ASCII character in the A-register into Morse and put it out on to two of the user PIO lines.

Unfortunately 'consecutive' Morse characters have unrelated code representations. Whereas in ASCII code the character 'A' is represented as \$41 and 'B' as \$42, the Morse is '-.' and '-...' respectively. So we cannot rely on program code to generate Morse from ASCII using simple rules. Because of this each character has its corresponding Morse representation in a look-up table (\$026E-\$0357).

As each character is a different length, there must be some way of determining where it begins and ends. An initial idea was to store the ASCII byte with the Morse characters and then search sequentially down the table until the required code was found.

A more efficient and elegant solution generates a second table containing the addresses for the start of each letter, digit and symbol (\$0200-\$026C). Each of those entries is a two-byte address with the letters and digits organised in ASCII order.

Powerful feature

To find any particular Morse character, for instance the letter 'C', the numeric value of 'A' (\$41) is subtracted from that letter (\$43 minus \$41), showing that this is the second letter (A is at zero). Because each address is two bytes, this result is multiplied by two, a single shift-left.

One of the most powerful features of the 6502 processor chip used in the Kim is its indirect indexed addressing mode. In this mode any two consecutive bytes in the first 256 bytes of memory may be used as a pointer to some other location in memory. Their contents then act as a pointer to some other location in memory, forming an operand to the current instruction. There is an added bonus that the current contents of the Y register are added to the pointer before the indexing is done.

Figure 1 shows that the process of indirect pointer addressing is used twice to find each Morse character. Consider a call to the subroutine CHAR with the ASCII character 'C' in the A-register. First a jump to INTER is made; it produces the three-dot inter-character silent period. The parity bit, if there is one, is ANDed out.

Next the character is tested to see if it is a space (\$20). If it is, a further six-dot duration of silence will occur and the subroutine returns. Since it is not, and since it is greater or equal to 'A' (BCC) and also less than 'Z-1' (BCS), the value of ASCII 'A' is subtracted from it.

The shift left (ASL) multiplies the result by two and it is loaded into the Y register. The instruction LDA (LET), Y loads the A register with the contents of the location pointed to by LET offset by the contents of the Y register (\$4). Looking at the start of the program shows that LET contains the address of

LETTER (\$0200).

So location \$0204 contains the low-order byte of CHARLY, the Morse for the letter 'C' (\$74). The next byte, Y=5 (\$0205), contains the high-order byte (\$02). Those two bytes are transferred into the locations STARTC and STARTC+1, employing the 'zero-page, X' addressing mode to store the bytes. The code starts at label C100. STOPC is loaded with the next two bytes (\$0206 and \$0207) containing the address of DELTA (\$0278).

Using this scheme, if STARTC is loaded with the beginning address of one character, then STOPC is loaded with the start address of the next, irrespective of the length of the Morse code.

Digits are handled in essentially the same way, except that zero (0,\$30) is subtracted from the initial contents of the A register, and the addresses loaded into STARTC and STOPC are those offset from DIGIT - the address of which is stored in DIG.

Procedural and punctuation characters are handled by testing for each in turn, the code from label C5 to label C15. Whenever such a symbol is located the Y register is loaded with the relevant offset from SYMBOL, whose address is stored in SYM. If the character was not found at all, STARTC is loaded with the ERROR character, eight dots '.....'.

Sound label


By the time the program reaches the label SOUND, STARTC contains a pointer to the first dot or dash of one of the Morse characters LDA (STARTC), Y with zero in Y loads either a dot or a dash into the A register. If it is a dot, the subroutine DOT is called; otherwise DASH is called.

Instead of adding one to Y the next dot or dash, a full 16-bit increment by one is performed on STARTC. All 16 bits of STARTC are compared with STOPC; if they are equal, the subroutine exits. If they are not, the new value in STARTC - modified by the zero in the Y register - points to the next dot or dash.

Subroutine DELAY (\$00B0) is called by both DOT and DASH. It uses one of the internal timers provided on the Kim board. DELAY will delay a period of time corresponding to one dot; it will be called three times for a dash. During a dot or dash the microprocessor has to produce a tone, which will appear on the applications port PA0.

On PA1 an on/off signal provides the capability to modulate a transmitter or external oscillator using a relay or transistor switch, in place of the Morse key. DELAY is used for sounding the dots and dashes as well as the silent space periods; it has to act as an oscillator during the sounded dots and dashes but it must also be muted during the silent periods.

(continued on next page)



TRS-80 SOFTWARE

All types of Software for the TRS-80. Imported and U.K. written! Business, games and general programs stocked for same day shipment. A few examples:-

Software eradication of key-board bounce 4K-48K	£5.95
Use Programmable File Handling	£14.95
Microchess	£14.00
Cross Reference	£7.95
Star Trek	£14.95
Accounts Receivable	£19.95
Inventory Management	£19.95
Space Fighter	£9.95

Send SAE for full listing and addition to our mailing list.

A. J. HARDING
 28 Collington Avenue,
 Bexhill-on-Sea, E. Sussex
 Tel: (0424) 220391

● Circle No. 228

TOPMARK Computers

dedicated to
APPLE II



Simply the best!

Full details from Tom Piercy on Huntingdon (0480) 212563 or circle enquiry card.

● Circle No. 229

DEALERS ONLY

European distributor for exciting new range of U.S. microcomputers seeks dealers to handle range. Unlike many existing distributors we will not compete with you for your business but will sell systems only through our authorised dealers. Just fill in the reply paid card and circle the correct no.

● Circle No. 230



GRAFFCOM
PROFESSIONAL
BUSINESS
SYSTEM

We can offer a complete Turnkey installation with everything including evaluation, system design, installation and training.

Our range of systems handles payroll, accounts, inventory, invoicing, financial planning, plus any specialised applications you require.

Why not contact us Today?

GRAFFCOM

52 Shaftesbury Av., London W1
 01-734 8862



● Circle No. 231

MAILING SERVICES

Computer held files, Selected outputs on labels, letters, envelopes, Sorted for Mailing Rebate, Complete Mailing Shots Assembled & Posted, Coupon Responses, Order Files, Media Analyses etc.
 NLDS, ROTHWELL, LINCOLN
 0472-89346/7

● Circle No. 232



30 St. Johns Road,
 Tunbridge Wells,
 (STD 0892) 39591.

Digital Microsystems DSC-2

Low Cost Computer System incorporates

- 1 Megabyte of Floppy Disk storage on two single sided 8 in. Shugart drives
- 64K bytes of Main Memory Standard 32K or 48K available
- CP/M Disk Operating System Standard TEXT PROCESSING—COBOL—FORTRAN available

EXPANDABLE—Add-on Hard Disk System up to 28 Megabytes per drive

MODATA ARE LOOKING FOR DEALERS AND DISTRIBUTORS

● Circle No. 233

PET NEWS

Floppy disk system saddle mount twin—£950. Compact free twin—£916.

Both units at last

Pet 2001/8 down in price to £550 + VAT

for news of the Pet printer, Pet floppy, Super Pet, EDV Pet, keyboard, software and dust-covers

Why not send for free catalogue

Intex Datologic Ltd,
 Eastcliffe Ind. Est., Eastcliffe
 Cleveland TB16 0PN
 Tel 0642-781193

● Circle No. 234

(continued from previous page)

To obtain the oscillator function 21 is loaded into the 64-microsecond counter location C64D. The program then remains in a tight loop for 1,334 microseconds. After that the location OSC is incremented, changing the least significant bit from zero to one or from one to zero.

By loading this into the A register and ANDing it with %00000001 the bottom bit oscillates at 372Hz; during a tone period this will be transferred to PA0.

By ORing it with %00000010 the second bit is always set and will be transferred to PA1. Just before it is stored into the output port PA0-7 it is further ANDed with MASK. If MASK was loaded with zero before calling DELAY, DA is always loaded with a cleared byte and DELAY is silent. On the other hand, if MASK was loaded with %00000011 then PA0 oscillates at the rate determined by the timer and PA1 is set for the duration of DELAY.

The variable SPEED (\$0002) contains the number of half-cycle timer delays DELAY will perform per call. It is initialised to \$40. If this number is reduced the Morse will be sounded faster; if it is increased the rate will fall.

The number loaded into C64D to effect the delay determines the frequency of the tone; by changing this the pitch will be altered. SPEED will have to be adjusted to compensate for the rate change caused.

Subroutine DOT will call DELAY twice. The first time MASK will enable the output channels and the program will produce a tone for one dot period. DELAY is called a second time with MASK set to zero, so the program will be silent for one dot period; this is the inter-dot/dash spacing.

Subroutine DASH is almost identical in operation, except that DELAY is called three times in quick succession to sound a dash. Subroutine INTER generates an inter-character delay, three silent dots. Subroutine INIT must be called before any attempt is made to use DELAY; it sets the user peripheral port PA0-7 to be an output device.

Four programs

These subroutines have been incorporated into four distinct programs. They are given as examples and you will no doubt find they do not match your particular requirements exactly. The important feature is that CHAR will translate the ASCII character passed in the A register into Morse, at a rate determined by the value in location SPEED. This includes an inter-character delay. A space is interpreted as an interword delay.

Setting-up the start address of the program STRING (\$0013) and pressing the GO key on your Kim causes the program to sound a string of characters

from memory in Morse. You will notice that the start of the string is not mentioned explicitly in the program; instead, the indirect indexing mode is used again.

A string of ASCII characters terminated by a \$00 byte is placed in any consecutive locations in the Kim memory space. The low- and high-order bytes of the beginning address are then loaded into the location BUUFER (\$0000).

Note that the test string MORSE TEXTO starts at the label TEXT. This means that the text to be used may be anywhere in memory and that it is data locations, not program, which are altered to show where a new string begins. Apart from making the code somewhat tidier this means that the program could be blown into memory with no further modification.

STRING sets the Y register to zero and extracts the first byte of the text into the A register. If it is not the zero terminator it calls CHAR. Y is incremented and the next byte is obtained by jumping to STRG.

This will continue until Y overflows, in which case it will start to repeat the first 256 byte of the message, or until a \$00 byte is encountered, in which case it will go into the tight loop 'HERE JMP HERE'. Use of the RESET button will allow the string to be played again by pressing GO.

This could be extended to play a number of strings which could be called with a little operating system, by using the Kim-1 keyboard to form a Morse 'jingle-machine' for radio amateur use. By retaining the indirect indexing technique, the strings can easily be of varying lengths and spread through the memory wherever there is unused space.

Inconvenient

The second program KEYED (\$002C) initialises the port with INIT and then alternates between the Kim-1 keyboard fetch routine GETCH (\$1E5A) and our CHARI routine. The code will wait for a character inside GETCH until one is typed, return and then jump to CHARI. CHARI is identical to CHAR except that there is no inter-character delay; this will be provided by the time to type the next character.

Because GETCH simulates the serial-to-parallel conversion of an ACIA device in software, the program must return to this routine before the next key is pressed. This feature is somewhat inconvenient; the user must predict the end of the last Morse character and start the next one just as it finishes.

By adding an ACIA - like the Motorola MC6850 - and setting-up a circular buffer to store characters if they are typed too quickly, a more usable system would result. Still, as it stands the main penalty is slightly-increased inter-word



spaces and lost characters if the next is typed before the last one is finished.

The third program CHATER (\$0038) sounds Morse characters at random. It could be used for Morse code receiving practice. Part of the Post Office Morse test for radio amateurs requires candidates to transcribe 36 words in three minutes and 10 five-digit groups in one-and-a-half minutes; four errors in the words or two in the number test will result in failure.

A random code generator would not represent a fair practice medium for the test but could assist the beginner with individual character recognition.

A pseudo-random number generator (\$007A) places the next 'random' number in a series into location RND (\$000F). The series is obtained by multiplying a seed - in RND, which holds the last 'random' number - by 13. All but the bottom eight bits are then discarded and the result is incremented by one. Any

integer can be multiplied by a constant in this way.

This program will sound any of the first 48 characters of the defined Morse set. A 'random' number in the range 0 to 47 is obtained by calling RANDOM and ANDING off the top three bits in RND, to produce a number in the range 0 to 31. RANDOM is called again and this time the top four bits are cleared, leaving a number in the range zero to 15.

Adding together these two numbers results in one in the desired range; Y is loaded with this number multiplied by two. This is then used as the offset from LETTER, loading STARTC and STOPC as before. Subroutine SOUND, which is part of CHAR, does that and INTER forms the required inter-character delay.

Three no-operation instructions are placed at \$0062 but they could be replaced by a JSR PRINT routine call. PRINT would print-out the character just

(continued on next page)

Table 1: ASCII characers with hexadecimal and Morse equivalents.

ASCII	HEX	MORSE
A	41	.-
B	42	...-
C	43	-.-.
D	44
E	45
F	46
G	47
H	48
I	49
J	4A
K	4B
L	4C
M	4D
N	4E
O	4F
P	50
Q	51
R	52
S	53
T	54
U	55
V	56
W	57
X	58
Y	59
Z	5A
	ERROR	
0	30
1	31
2	32
3	33
4	34
5	35
6	36
7	37
8	38
9	39
.	2E (full stop)
,	2C (comma)
:	3A (colon)
;	3F (question mark/ repeat misunderstood transmission)
'	27 (apostrophe)
-	2D (dash/minus/hyphen)
/	2F (oblique)
(28 (open bracket)
)	29 (close bracket)

HUMBERSIDE MICROPROCESSOR SERVICES THE COMPLETE INDEPENDENT SERVICE

Application areas:-

Business, process control, education,

Personal Computing

We can provide for you:-

Consultancy, training, supply,
maintenance and software to suit
your individual requirements

Including

Commodore PET

M6800

Compec 202

and full ancillary equipment.

Microprocessor Services,

139 Beverley Road,

Hull

Humberside.

For further details ring (0482) 23146

● Circle No. 235

EXIDY SORCERER

32K Micro Computer

£850.00 + VAT

Dealer for

Bristol and South West

ELECTROPRINT (Mr. Tasker)

5 Kingsdown Parade • Bristol 6 • 292375

● Circle No. 236

PROGRAMS! BUSINESS EDUCATION PERSONAL

For Pet TRS80 and Apple. Our catalogue includes Petsoft, Gemsoft, A J Harding, Personal Software, Games Workshop, and Soft Solution. This represents the best in terms of quantity and choice!

Write or phone for your free copy!

Our speciality, business applications. Programmers - if your product is good - and marketable - we can offer you a very good deal. Try us!

SOFT SOLUTION - phone 0222-372066.

Mail order only to 71, Heathfield Road, Cardiff CF4 3JX.

● Circle No. 237

TRS - 80 LEVEL - II SOFTWARE

* Games programs on cassette, e.g. Dominoes, Stunt Cycle, Ski-Run, Booby-Trap, etc; s.a.e. please for list.

* Personal & Business programs tailor-made in BASIC.

* RPG 2 programming & Systems Design for ICL 2903, IBM System 3, etc.

JOHN KANE COMPUTER
SERVICES LTD.

21 Trevor Road, Hinckley, Leics.

LE10 1JD.

Tel: (0455) 611663

● Circle No. 238



Business software for your Pet

- 1) **Cashflow**—gives you a weekly picture of future liquidity, £12
- 2) **Orders**—store your orders on tape; run them any time for an itemised breakdown, £14

These programs will run on the basic 8K Pet with one cassette 1 drive.

Gerontius, 11 Old Bond Street, London W1.

● Circle No. 239

COMPUSTAT

Continuous Stationery for the Micro Computer

All sizes of listing paper stocked. Specialists in the preparation of Printed continuous stationary



Design Service available Spacing Charts £1.00 C.W.O.

Commercial prices to all. Phone or write for a quotation to Miss Berry.

01-520 6038
63 ORFORD ROAD,
LONDON, E.17.

● Circle No. 240

WE PROGRAM MICROS

- *Occasionally for Ohios*
- *Periodically for Pets*
- *Also for Apples*

S Software Services

14 Herbert Street, Dublin 2, Ireland.
Tel: 765197.

● Circle No. 241

MICRO ADS

are accepted from private readers only, pre-paid and in writing, 20p per word, minimum charge £2.

PROGRAM IN PEACE

See beautiful Scottish Highlands. B & B or holiday home on croft with magnificent mountain and sea loch views. Ideal for walks, fishing, tranquillity and computer programming. Holiday home, sleeps six, from £50 per week. Book now. Tel: Reeves at Dundonell (085-483) 221. Near Ullapool.

EXIDY SORCERER-32K

Plug-in ROM-PAC; modulated for domestic TV; only 3-weeks' use. Boxed with instructions. First come, first served £795 (one only). Tel: 01-959-6184.

Computabits

(continued from previous page)

sounded on a terminal, so the user could check the accuracy of transcription. Remember that you would have to translate the 0 to 47 number into its ASCII equivalent; a 48-byte long look-up table is a possibility.

Test routine

The last program ALTERN (\$0068) is a test routine which sounds dots and dashes alternatively.

All the programs are designed to be exited from by use of the RESET key.

If you are a Morse code user it is possible that the four demonstration programs STRING, KEYBD, CHATER and ALTERN will not match your requirements exactly; but CHAR, INIT, RANDOM, DOT, DASH, DELAY and INTER are all complete routines and could be embedded in a program of your own construction in a vast number of ways.

Sorting large files

A BUBBLE sort requires all data to be held in the internal store. This is feasible with small quantities of data but with large files it may be impossible (insufficient storage space) or expensive (reduction in the number of programs running to provide space).

On minis and mainframe computers a different sorting technique is used; it utilises three or more files including the one holding the source data.

Some microcomputers are not able to access so many files at the same time but if two are available, one for input and the other for output, sorting of large files is possible, though it may be somewhat slow.

The example given used a bubble sort with a 100-element array to form the work area. The data is taken in small quantities from one file, sorted and output to the second file.

The data on the output file is in small sorted sets and if the output data is sorted a second time, the result would be no different from the first. That is because the work area is of a fixed size.

To overcome the problem, the data has to be sorted using work areas of different sizes. When the data is being transferred from file A to file B, the work area is set to the maximum size 100; when the data is passing from B to A, the work area is varied between 61 and 69.

The work area is allowed to vary to avoid the possibility of the program getting into a loop which cannot be broken. Consider the problem where the work areas are set at 100 and 60. Any file having more than 600 items would be in sorted in order up to the 600th and another sorted sequence would start from the 601st.

As the program stops only when the whole file is in sorted order – and it never would get into sorted order – the program will run indefinitely.

When the program listed is running, the user is informed as to which direction the data is being passed by the symbols:

A > B Input A, Output B
A < B Input B, Output A

This example us for a file of more than 300 items:

```
RUNNH
A > B
END OF RUN, SORTED DATA ON FILE B
READY
```

This printout is for the following file, unsorted on the left and sorted on the right:

TAKE IN PRINTOUT 3 HERE TAKE IN PRINTOUT 4 HERE

The records comprise Part Number (characters 1-9), Price (10-15), and quantity (16-20). The word END is used to indicate the end of data.

Fixed format

To use the sort on records, the data has to be assembled as fixed format. This means that data has to be in a specific place and of a specific type – alphabetic or integer, for example and length.

It is not too difficult to alter the program so that a user can enter the name of the file to be sorted or reduce the working areas if space is limited. A further article will show how data can be sorted internally using a linked list.

Silly Basic

WE FOUND this stuck in a cracker left over from an April 1 party which never happened. Take an aspirin before entering:

Teensy Basic for MK14

- !! 16 BCD Arithmetic !!
- !! Variety of Diagnostics !!
- !! Fully protected System – requires logon password !!

Yes! All usual Basic functions and more packed into an amazing 40 bytes!

How to use Teensy Basic:

(i) Enter the following program into memory.
 OF12 C4 01 37 C4 84 33 C4 OF 36 C4 30 32 3F
 OF1F 90 00 C4 42 32 3F 90 00 90 F2 A9 00 9C
 OF2C 06 BA FB 94 00 00 6E 5E 77 79 50 00 00
 OF39 05 00 00 50 69 00 00 05 00 00 00 50 5C
 OF46 50 50 79 00 00 00 00 84 42 71 OF FF

(ii) Run the program from OF12.
 You are now set to enter your first Basic program.

The display will now show 'Ready'.
 To log on to the system, press any key for exactly 23.58829 ms. This prevents any unauthorised person using your Basic programs.
 If you should press a key accidentally for, say, 23.58828ms, the display will show 'Error' and you can re-try after pressing 'GO'.
 Happy programming.

We are North London dealers for the best micros on the market

MICROSOLVE

Microcomputer sales and software

If you need advice on which Microcomputer to buy WE CAN HELP YOU. We are specialists in writing packages and tailor-made software.

MICROSTAR 45, right, from £4,950 64K RAM, 1.2M or 2.4M char. disc storage. MULTI-USER, MULTI-TASK, database reporting system. A complete system for £6,000-£7,000.



APPLE II, left, (ITT 2020) from £950. A complete business system including printer and software £3,500.

SOFTWARE

APPLE II

Stock control £100
Purchase ledger £275
Invoicing/Debtors' ledger £275
Payroll (up to 200 employees - I.R. approved) £175
Incomplete records £250
Medical Billing/case history £300
Equipment rental £250
Financial modelling £275
School commerce and Physics teaching package £150 each
Chequebook £20


MICROSTAR

Stock control/Sales Ledger/Invoicing £500 each
Word processing £300
Payroll £250
Other software on request

Come and see the computer and discuss your requirements. We promise a personal service. H.P. or leasing available.

PRINTERS

A large selection available. The new LOW COST PRINTER M, below, now in stock: 120cps, 80 columns, serial/parallel interface, 9 x 7 matrix, £695



MICROSOLVE COMPUTER SERVICES LIMITED

2nd floor, 125-129 High Street, Edgware, Middx. Tel: 01-951 0218



Introducing the Lyme 4000 family of visual display computer terminals, the British-designed and built Terminal exploiting all the very latest Microprocessor and N-MOS circuits. Only 32 Chips provide a VDU giving the highest performance and flexibility at low cost.

- * 4,000 character page with 1,920 characters viewable at any one time
- * 64/96 character set
- * Switchable transmission speeds 75–9,600 bps (split speeds optional)
- * HDX FDX (Model 4002) Block Mode (Model 4004)
- * Dual interface—RS232C and 20 ma current loop
- * Protected areas (defined by reduced intensity)
- * XY Cursor addressing, 12" diagonal screen
- * 12 × 7 dot matrix upper and lower case
- * Character delete and insert
- * Up to 16 dedicated function keys. Printer Port RS232 optional
- * One off end user price £645

Lyme Peripherals Limited, 2 Avenue Court, Farm Avenue, London NW2 2PT.
Tel: 01-4520490.

● Circle No. 243



DATA DESIGN TECHNIQUES LTD

TELETYPE 43	£850
PET INTERFACE	£180
LA 36 DECWRITER II	£875
TALLY 160cps BI-DIRECTIONAL	£1650
KERR MINIFILE 6000:	£875

Mini-floppy RS232 interface for use as Disc file system. Call us for your cables, connectors, adaptors, chips, and ROMs etc.

Our own countrywide maintenance organisation will be pleased to quote for comprehensive agreements or ad-hoc service to suit your needs.

12 LEEMING ROAD,
BOREHAMWOOD,
HERTS, WD6 4DU.
01-207 1717

58-60 NORTHFIELD ROAD,
KINGS NORTON,
BIRMINGHAM B30 1JH.
021 459 5959

5-6 LOWER CHURCH STREET,
CHEPSTOW,
GWENT NP6 5HJ.
02912 2193

GLASGOW:
041-221 9761
TELEX:
49280

THE BUYER'S GUIDE is a summary of low-cost computers available in this country. It appears each month; we add new computers and amend existing information as required to keep up-to-date. The cut-off point is taken as £5,000, because we feel that computer systems costing more than that for a minimum configuration cannot be summarised adequately in a brief table. Systems are listed by manufacturer.

If a computer has been reviewed by *Practical Computing*, the date of the appropriate issue is indicated.

MANUFACTURER	HARDWARE/SOFTWARE & APPLICATIONS/AVAILABILITY	PRICE
ACORN COMPUTERS	Acorn. Single Eurocard-sized microcomputer with 6502 processor, 1KB RAM, 16-way I/O. Max size: a second Eurocard adds hex keypad and CUTS cassette interface. Monitor and machine-code programming now, Basic and disc operating system in the future. "Highly cost-effective basis for a computer or an industrial development system". Sold by post or from Microdigital (051-236 0707).	£70.20 inc VAT and postage for kit. £81 complete for assembled Acorn.
APPLE COMPUTERS	Apple II. Min size: 16K memory; 8K ROM; keyboard; monitors; mini assembler; colour graphics; Pal card; RF modulator; games; paddles and speakers; 4 demo cassettes. Max size: Expandable to 48K memory; floppy discs and printers are now available. Two versions of Basic, PASCAL; Assembler; games; business packages. An American system regarded as suitable for any kind of applications. Maintenance contracts offered. Personal Computers Ltd (01-283 3391) is the sole U.K. agent but has a distributor network of 20 dealers. (Reviewed July, 1978.)	Around £1,000
ATTACHE	Attache. Min size: system with 10 slots, S100 bus, 8080 processor and 16KB housed in desk-top case with built-in keyboard. Max size: 64KB, parallel printer interface, two single- or double-density 8in. floppies, video screen. Disc Basic; business applications produced by Moncoland, the sole U.K. agent. Distributors include Keen, GBH, Alba, and Lion.	From £1,737 without video or external storage. Full business system with screen, discs and printer about £5,000
BRUTECH ELECTRONICS	BEM-CPU1: Single-board processor with 6502 and no RAM. No applications software. Available from Data Precision Equipment (04862 67420). (Reviewed March, 1979.)	From £116
COMART	Microbox. Chassis with three to six PCB sockets for S100 boards, plus fan. Several S100 boards available. Aimed mainly at OEM industrial users and perhaps the serious hobbyist. It will take Cromemco, North Star and other processors. Available from Comart (0480 215005).	£255 for full package plus case
COMMODORE SYSTEMS DIVISION	Pet. Single unit containing screen, tape cassette and keyboard. Floppy disc, printer and full-size keyboard are options, as are external cassettes. Basic; games; business packages. The British subsidiary of Commodore Systems of the U.S. sells Pet for home, educational and small business applications. About 80 distributors.	£460-£795 exc VAT
	KIM I, processor (6502 chip); small calculator-type keyboard; LED six-digit display; built-in interfaces for audio-cassette and Teletype; 1K RAM; 2K ROM (can add up to 64K). No software available, but it has three good manuals. An American import which gives Pet-type capabilities with a maximum configuration. For the hobbyist but used mainly as an evaluation board for the 6502 chip. Twelve to 15 dealers. (Reviewed October, 1978.)	£99.95
COMPELEC ELECTRONICS	Series I. Z-80 processor 512MB floppy, 32KB, Centronics printer, VDU. Up to 4MB disc and 64KB. CP/M, Basic, Cobol, PASCAL, Fortran IV, Assembler, Business and word processing packages available. From Compelec (01-580 6296), which is also sole supplier of Altair systems.	Less than £5,000 for basic system
COMPUCOLOR	Compucolor II. Packaged system including 13in. eight-colour display with alphanumerics and graphics, 72-key detachable keyboard, 8KB, and built-in mini-floppy. Max size: 32KB. Extended disc Basic in ROM, graphics programs and games. The system now ranks fourth behind Pet, TRS-80 and Apple in personal computer sales. Abacus (01-580 8841) is sole U.K. agent and is arranging distributors, including the Byte Shop and Transam. (Reviewed June, 1979.)	From £1,390
COMPUCORP	610: desk-top unit using Z-80 and incorporating screen, 150KB floppy, 48KB. Up to 60KB memory, four floppies, printers. Basic, Assembler, DOS, text editor, file manager; business packages. Nine dealers.	From £3,890
COMPUTER CENTRE	Mini kit: Z-80 CPU, CTC, USART, serial and parallel I/O. 16 bytes memory, Western Digital disc controller, SA400 5in. drive plus CP/M, cables and connectors.	Mini kit: £786.
	Maxi kit: As above but with DRI 7100 8in. drive instead of 5in. drive. All (33) volumes of CP/M user group library available for cost of media. Library includes utilities, games. Basic compilers/interpreters and Algol compiler. Microsoft Basic, Cobol, Fortran also available. Computer Centre (02514 29607).	Maxi kit: £886.
COMPUTER WORKSHOP	System 1. Typical size: 40K memory; dual 8in. floppy discs, total storage capacity 1.2MB; Ricoh daisywheel printer. System 2. Typical size: 24K memory; dual minifloppy discs of 80K bytes each; Centronics 779 dot matrix printer; VDU.	System 1, £5,000 plus, System 2, around £3,000.
	System 3. 12K memory, cassette interface; 40-column dot matrix printer. Editors, Assemblers, Basic, games, information retrieval package. The systems were designed and built in Peterborough and are suitable for educational and small business users and perhaps the more serious hobbyist. Twenty-five dealers.	System 3, from £1,350
CROMEMCO	Single-card computer. 4MHz Z-80 CPU, S100 bus, 1KB RAM, sockets for 8K ROM. 20mA/RS232 serial interface and parallel bi-directional interface. Basic in ROM and Z-80 monitor. For OEM and industrial users; used with backplane for "full computer capability". Comart is the sole agent and has 12 distributors. (Reviewed February, 1979.)	£247-£281

(continued on page 127)

Expand your Pet to its full capability with these professional peripherals

Dual floppy disk unit

A COMMERCIAL GRADE DISK SYSTEM FOR THE PET

- Up to 800K Bytes on Line Mass Storage
- High Speed D.O.S. in ROM
- Effectively doubles PET operating system commands
- Complete documentation allows use of full resources
- Handles up to four disk drives
- Includes Commercial Printer Support
- Adds 16 commands to PET basic
- Automatic self reorganisation of free space on disk after each save or erase command
- Free space is never fragmented

PRICE £840.00

Expandem memory expansion board

General purpose expansion system for PET and other 6502 Computer Systems (e.g. KIM, SIM, AIM).

- 24K to 32K Low Dissipation RAM
- Mounting slots for 4 option cards
- All necessary cables and brackets
- Disk Controller
- Parallel I/O
- Sockets for Eprom
- Flexible Serial I/O
- S100 I/O Driver

24K Board £320.00

All Apple II and Exidy Sorcerer ranges stocked.

24K £449.00



PET 2001-4 4K Bytes of Memory £460.00

PET 2001-8 8K Bytes of Memory £550.00

PET 2001-32N 32 Bytes Memory £795.00

PET 2ND Cassette Unit £55.00

PET Sound Box Plugs direct into 2nd Cassette Port complete with Demo Software £12.98

PET Dust Covers To protect your PET—(Four Colours) Rust, Blue, Beige, Green £8.33

PET TV Interface Plugs direct into user port Superb Specification £45.29

Unidirectional IEEE to RS232 interface £85.00

Bi-directional IEEE to RS232 interface £160.00

Cifer Cub visual display terminals with keyboard £380.00

C12 blank data cassettes £3.98 per 10

5 1/4 in. Mini-floppy diskettes £27.78 per 10

Software

Estate Agency: Very cheap, very effective method of showing properties to customers. Automatic deletion. Printed copies for prospective purchasers (Now available on disk). £25.00

Mail List: Printout all your mailshots, names and addresses; printout on self-adhesive labels; disk only £15.00

Payroll: Complete suite, abundant storage on disk. End-of-year summary; coin analysis; two payslips; excellent value; disk only £50.00

R.H. MICROPOLY: Monopoly on an 8K Pet, would you believe? Absolutely superb.

R.H. Mastermind: Surely the best Mastermind ever. 3 Games levels. £5.00

R.H. Shape Matching: Match up two different shapes to score. You against the other guy. You will have to be sharp for this one. £5.00

We supply all Commodore, Petsoft and Compusette programs. We should be glad to quote for dedicated software applications.

Access and Barclaycard accepted for Telephone and Postal Orders.

All prices include post and packing (insured post extra).

Dealer enquiries invited for all our stock items.

U.K.-wide service by our specialist technical staff. Maintenance contracts available after our one-year guarantee at 7 1/2% of capital purchase price.

All prices exclusive of VAT

All new equipment sold by us carries a 12 months' guarantee

HB COMPUTERS LTD

Computers for Business & Home

22 Newland Street
Kettering Northants

Telephone (0536) 83922/
520910 Telex 341297

● Circle No. 245

THE SGS-ATES NANOCOMPUTER,

*Probably the best microcomputer system for education in the world,
will be displayed for the first time, in the UK, on stand 16
at the 1979 Microcomputer Show.*

SGS-ATES Nanocomputers are distributed by:

**THE MIDWICH COMPUTER COMPANY LTD.
HILLSBOROUGH HOUSE,
CHURCHGATE STREET,
OLD HARLOW,
ESSEX.**

(continued from page 125)

MANUFACTURER	HARDWARE/SOFTWARE & APPLICATIONS/AVAILABILITY	PRICE
CROMEMCO continued		
	Z-2. Min size: chassis, 30A power supply, motherboard, Z-80 processor, 16KB memory. Max size: 512KB, 21 sockets, three minifloppies or four 8in. floppies. Basic, Fortran, Cobol, assemblers. For serious hobbyists, OEMs, educational applications, and industrial/scientific users.	£372 (in kit form) to more than £4,000
	System Two. Min size: factory-assembled system with 32KB, dual 90K minifloppies, dual printer interface, serial interface. Max size: two additional floppies, 512KB, up to seven terminals. CP/M-compatible operating system (DCOS), Fortran, Cobol, Basic, assemblers, word processing, database manager. Multi-user system for software development, or scientific/industrial/business users.	£2,294 upwards
	System Two/64. New configuration featuring mini-diskette drives and 64K bytes memory. Software and application as System Two.	£3,050
	System Three. Min size: 32KB, dual 256KB floppies, dual printer interface, 20mA/RS232 serial interface, Z-80 processor. Max size: two additional discs, 12KB, seven terminals, multi-channel A/D and D/A interface, PROM programmer. Software as for System Two. Described as appropriate for small to medium business, scientific and industrial users—"rivals minicomputers at more than twice the price".	£3,444 to more than £10,000
	System Three/64. New configuration featuring dual 8in. diskette drives; Z-80A processor; 64K of 4MHz memory; console and printer interfaces. Macro Assembler, Fortran IV, Extended Basic, Cobol, Multi-user Basic.	£4,385
EQUINOX	Equinox 300. Min size: 48K memory; dual floppy discs giving 600K bytes of storage; 16-bit Western Digital m.p.u. Max size: up to 256K memory; up to four 10MB hard discs. Basic, Lisp, PASCAL, Macro Assembler, Text Processor. All software bundled. The system is a multi-user, multi-tasking, time-sharing system for two to 12 users. Application software available for general commercial users. Sole distributors Equinox Computers Ltd (01-739 2387).	£5,000-£40,000 plus.
EXIDY	Sorcerer: based on Z-80, 16K and 32K; cartridge and cassette interfaces; 79-key keyboard; 256-character set (128 graphics symbols), 12in. video monitor; expandable with Micropolis floppy discs. Basic, Assembler and Editor; games, word processor. Other pre-packaged programs plus EPROM pack for your own programs on cartridges. There is no sole importer for U.K.; sold through various importers and dealers. (Reviewed March, 1979.)	£760 for 16K, £859 for 32K (excludes video monitor); £1,200 with floppy discs.
HEWART MICROELECTRONICS	Mini 6800 Mk II. 1K monitor; 1K user RAM, 1K VDU RAM; CUTS. Upper and lower-case VDU with graphics option. 128-byte scratchpad; decoder/buffer; power supply Basic in ROM; monitor command summary, SWTPC programs; Newbear 6800; Scelbi 6800 Cookbook. Markets are small business, education and home user. Cash with order to Hewart. (0625) 22030.	From £127.50 plus VAT
	6800S. 16K dynamic RAM; 1K Mikbug-compatible monitor; room for 8K Basic in ROM; upper and lower-case graphics; single floppy disc drive; printer and high-speed tape interfaces. "Mountains of software available". Test tape with CUTS test tones, test message and games with kit.	From £275 plus VAT.
DIGITAL MICROSYSTEMS	DSC-2. Min size: 32KB, but 64K standard; Z-80; over 1MB floppy disc on two single-sided 8in. drives; four programmable RS232 and one parallel interface. CP/M and Basic included in price. Extended Basic, Fortran, Cobol, text processing, Macro Assembler, Link Loader, business packages and CAP-CPP business software. Add-on rigid disc system (14 and 28MB) available soon. Modata (0892 39591) is sole U.K. distributor; dealers being appointed.	From £4,465.
IMSAI	VDP 40: 32K or 64K RAM memory 9in. display screen, standard keyboard. Two 5½in. floppy disc drives; serial I/O. No software support, but packages for the larger VDP-80 could be converted for smaller system. This would be from about £700 per package. Computer Mart, Norwich (0603 615089), is the main U.K. supplier but there are other distributors.	£4,507 for 32K model.
ITT	2020. Identical to Apple II. Min. size: 4K memory; 8K ROM; keyboard, monitor, colour graphics, mini assembler; Powell card; RF modulator, games, paddles and speaker; Max size: 48K with floppy discs and printers. Basic, Assembler, games, business packages. Generally suited to any type of application. Fifteen wholesalers, including Fairhurst Instruments.	From £827 for 4K and cassette, to £1,114 for 32K plus floppy and printer. £3,003 for 48K version, two floppies and serial printer.
MICRONICS	Micros. Typical size: 1K monitor; 47-key solid state keyboard; interfaces for video, cassette, printer and UHF TV; serial I/O, dual parallel I/O ports; 2K RAM; power supply. 2K Basic; British-designed and manufactured system. Claimed to be the cheapest data terminal - a system with an acoustic coupler and VDU for £1,020. Prospective applications for small businesses, process controllers and hobbyists. Manufacturer is sole distributor (01-892 7044).	From £400, assembled.
MICRO V	Microstar. Single box with twin 8in. floppy discs, 64K RAM, three RS232 serial inputs, STARDOS operating system enables system to have three VDUs, plus a fourth job running simultaneously. Word processing software available. Packages being developed include invoicing system, payroll, accountancy type system. Price includes a reporter generator language. Imported by a Data Efficiency subsidiary, Microsense Computers, Microsolve is London agent; other distributors being arranged.	£4,950 or machine and software.
MIDWEST SCIENTIFIC INSTRUMENTS	MSI 6800. Min size: 16K memory Act I terminal; cassette interface. Max size: three disc systems - minifloppy system with triple drives of 80 bytes each and 32K memory, large floppy system with up to four 312K-byte discs and 56K of memory mounted in a pedestal desk, or hard disc system with 10MB and 56K. Basic interpreter and compiler; editor; assembler; text processor on small disc system. American-designed system being manufactured increasingly in the U.K. Sole U.K. agent is Strumech (SEED) (05433 4321) but a distributor network is being established.	Basic system: £1,100 (£815 as kit); Minidisc, £2,500; Large floppy disc £3,200, plus £1,400 for quad system; hard disc, £8,000-£12,000.
NASCOM MICROCOMPUTERS	Nascom I. Min size: CPU; 2K memory; parallel I/O; serial data interface; 1K monitor in EPROM. Max size: CPU; 64K memory; up to 16 parallel I/O ports. Mostly games, but also a dedicated text editor system written by ICL Dataskil. Nascom is working on large versions of Basic, and 8K Microsoft Basic should be available soon. Eleven distributors in U.K. Nascom is negotiating to increase the number. (Reviewed January, 1979.)	£165 exc. VAT.

(continued on page 129)

ROBOX LTD



FOR PET IN SCOTLAND


We stock the famous
PETSFT SOFTWARE SUPERMARKET

* ALL THIS AND MORE FROM ROBOX *
Peripherals, field service and software consultancy
service available

We supply ex-stock the ANADEx DP8000

ROBOX, Scottish Agents for Kingston Computers
Interfaces
Floppy discs
Memory expansion
Bus connectors

ROBOX, Agents for CBM, Texas, Hewlett Packard
and Casio range of calculators
Full range in stock



ALL THIS FROM ROBOX.COME AND SEE US.

KIRKINTILLOCH: 84 TOWNHEAD 041-776 4388/1253
GLASGOW: ANDERSON SHOPPING CENTRE
ABERDEEN: 12 BARRATT DRIVE, ELLON 0358 21730
LIVINGSTONE: 25 THE MALL 0589 38458

ROBOX LTD

● Circle No. 247

ZYTEL for DYNABYTE

THE NEWEST, MOST EXCITING SYSTEM YET TO COME FROM THE USA

See advertisement on page 72 for full details

ATTENTION ALL 6800/SS50 BUS SYSTEM USERS (eg SWTPC)

You can now run the FASTER, MORE
POWERFUL Z80 CPU on your system using Z80
CPU board.

Will it cost a fortune???

NO ONLY £150.00 + VAT (8%).

Plugs directly into your SS50 bus system (co-
resident with your 6800 CPU if you wish).

Supplied with 2K monitor plus socketed space for
extra 14K of EPROM on board.

Enables you to run a wide range of Z80-based
software.

12K extended basic available on EPROM.

VIDEO OUTPUT BOARD for SWTPC. Plugs
directly into I/O section of motherboard and
coupled to a MPL parallel interface gives

DIRECT VIDEO in 16x64 format.

ONLY £68.00 + VAT (8%).

Uses the Thompson-CSF SFF96364 CRT con-
troller microprocessor.

2 x 2114 static memory chips.

A 2513 character generator chip. Cursor control
decoder prom

Full scrolling capabilities.

For further details of DYNABYTE or our range of SS50 Bus compatible products contact
ZYTEL at:

MICROWAVE MODULES LTD.,
BROOKFIELD DRIVE,
AINTREE, LIVERPOOL, L9 7AN.
Tel: 051-342 4011 Telex: 628608
Contact: Richard Butterfield

or

P.M. ELECTRONIC SERVICES,
2, ALEXANDER DRIVE, HESWALL,
WIRRAL, MERSEYSIDE, L61 6XT.
Tel: 051-342 4443 Telex: 627371
Contact: Bruce Norcliffe

● Circle No. 248

(continued from page 127)

MANUFACTURER	HARDWARE/SOFTWARE & APPLICATIONS/AVAILABILITY	PRICE
NATIONAL MULTIPLEX	Pegasus. Min size: 48K; Z-80; double-density floppies (320KB); S100 bus; 12in. CRT; 58-key keyboard; two serial and one parallel interfaces; bi-directional printer. Options: 8in. drives; 1.2MB additional drives; digital recorder 9,600 baud. Assembler, Cobol, Fortran, Extended Basic. General business package available as well as text editing and mailing list. All run under CP/M. Suitable for education, business and home users. London Computer Store (01-388 5721) sole supplier.	£2,700 exc. VAT.
NETRONICS	Elf II: single-board computer in kit form or assembled. RCA Cosmac 1802 processor, hex keyboard, 256 bytes RAM; options include up to 64KB, ASCII keyboard, cassette and RS232 I/O, and video output. Machine code or Tiny Basic. Promoted as a teaching system in minimal form, but expandable for more general use. Sole U.K. distributor HL Audio (01-739 1582).	Basic kit £115.50 inc VAT, p&p, power supply. Assembled plus user manuals, £164.10. I/O board adds £40.95; Basic is £14.95.
NEWBEAR	7768. CPU board, 4K memory, cassette and VDU interfaces. Range of Basics and games, British-manufactured system for hobbyists. Expandable to 64K memory, available only in kit form. From Newbear; also from Bearbag dealers, Microdigital, Microbits.	From £45.
NORTH STAR	Horizon. Min size: 16K memory; Z-80A processor, single minifloppy disc drive (180KB). Max size: 56K memory, four minifloppy disc drives (180KB), any acceptable S100 peripheral boards. Basic (includes random and sequential access), disc operating system and monitor. Options: Basic Compiler, Fortran, Cobol, Pilot, PASCAL and ISAM. The system is suitable for commercial, education and scientific applications. Application software for general commercial users. Twenty distributors. (Reviewed April, 1979.)	£995 to £2,500.
OHIO SCIENTIFIC	Ohio Superboard II: Min size: 6502 processor, 8K Basic in ROM; 2K monitor in ROM; 4K RAM; Cassette I/F. full keyboard; 32 x 32 video I/F, 8K Basic in ROM; Assembler/Editor; American single-board system with in-board keyboard. Aimed at hobbyist/small business. Ohio makes games, personal maths tutors, and business programs. This and other Ohio products have six U.K. distributors. (Reviewed June, 1979.)	From £298.
	Challenger C24P: similar to Superboard but with a 32 x 64 character set. Supplied as two separate boards with open slots for expansion. The 'professional portable'; similar to Superboard but packaged and ready to use. Aimed at small business, education, research.	£620 to £1,595.
	Challenger C28P: similar to 4P but expandable to include two 8in. floppies, allowing use of Ohio software. Personal computer for larger business/commercial programs. Aimed at small business, education and research.	£825-£2,670.
	Challenger C3. Min size: 32K RAM, dual 8in. floppies, triple processor architecture (6502A, Z-80, 6800). Max size: 768K RAM, 74MB hard disc, multiple terminals, printers. Can run virtually all 6502, 6800, 8080 and Z-80 code. Runs Basic, Cobol and Fortran under OS CP/M. Full business software packages available, including word processing and database management. Multi-programming available.	£3,425-£13,000.
PERTEC	System 1300. Min size: 32K memory; dual minifloppy discs 71 bytes each, formatted; serial interfaces. Max size: 64K memory; four serial ports. Basic (single and multi-user), Fortran, Cobol. The hardware for Compelec Altair systems is from Pertec but the software is Anglo-Dutch. Sole distributor Compelec (01-580 6296).	£3,000-£5,500.
PROCESSOR TECHNOLOGY	Sol. 808-based S100 microcomputer packaged with cassette and video interfaces (including graphics), keyboard with numeric pad, and 16KB RAM. Basic, assembler, word processors. Floppy disc systems available. Several distributors including Comart (0480 215005), which can offer nationwide maintenance contracts. (Reviewed, July, 1979.)	From £1,750 (excluding monitor and cassette). Complete floppy disc systems with word processing about £5,000.
RAIR	Black Box. Min size: 32K memory dual minifloppy discs, 80K bytes each; two programmable serial I/O interfaces. Max size: 64K memory; eight serial interfaces; 1MB disc storage (or 10MB hard disc); range of peripherals. Basic, Fortran IV; Cobol. Hardware distributors are being signed and agreements made with software houses to add software. A warranty and U.K.-wide on-site maintenance is given. From manufacturer (01-836 4663) and systems houses.	From £2,300.
RESEARCH MACHINES LTD	380-Z. Min size: 4K memory; 380-Z processor, keyboard. Max size: 56K memory. Options: cassette, single or dual minifloppy discs, dual 8in. double-sided discs (1MB); serial interfaces; parallel interfaces; analogue interface; printer available. Basic Interpreter, Z-80 Assembler; interactive text editor; terminal mode software; data logging routines; CP/M, DOS, text processor, C Basic, Fortran, Algol, Pilot, Cobol, CP/M users' club library. Sold principally to higher and secondary education, and for scientific research, data processing and data logging. Available from Sintel and the manufacturer. (Reviewed December, 1978.)	From £830-£3,500.
	280-Z. Board version of 380-Z system. 4K or 32K (identical in performance to the 380-Z). Interfaces, software as for 380-Z.	4KB version at £398; 32KB for £722.
RCA	Elf II: RCA 1802 micro with hex keypad and output to TV screen. Assembler and machine code programming; options include Tiny Basic. Available by mail order from HL Audio (01-739 1582).	From £99.85 in kit form; £164.10 including postage and VAT.
ROCKWELL	Aim-65: Kim-compatible with full keyboard and on-board printer. 1K or 4K RAM. The 4K version is described as a development system rather than a personal computer. Assembler, editor. Basic. Available from Pelco and Microdigital. (Reviewed July, 1979.)	1K - £249.50. 4K - £315.
SCIENCE OF CAMBRIDGE	MK14: SC/MP processor, 256 bytes user memory; 512-byte PROM with monitor program; hex keyboard and eight-digit, seven-segment display; interface circuitry; 5V regulator on board. To this can be added: 1K RAM (£3.60); 16 I/O chip (£7.80); cassette interface and replacement monitor (£7.95); PROM programmer (£9.95). No software provided but a 100-page manual includes a number which will fit into 256 bytes covering monitors, maths, electronics systems, music and miscellaneous. Based on American National Semiconductor chips. Science will soon have a VDU interface and large manual on user programming. Mail order from manufacturer (0223 312919) and by selected dealers. (Reviewed May, 1979.)	£39.95 basic.

(continued on next page)

(continued from previous page)

MANUFACTURER	HARDWARE/SOFTWARE & APPLICATIONS/AVAILABILITY	PRICE
SDS	SDS 100. Single unit containing 32K memory (expandable to 64K); up to 8K PROM; twin double-sided floppy disc drives of 500 bytes each, serial and parallel RS232 interfacing; keyboard; 12in. video display; power supplies; SD monitor program; line printer available. CP/M, 8080 assembler, E Basic, Editor supplied with system; M Basic, Fortran, Cobol available for business use, industrial process monitoring and control (with additional hardware). All CP/M games and business packages. Sole supplier Airamco (0294 65530).	From £3,750 (basic machine) plus £890 (printer); £4,500 combined.
SORD	M100. Min. size: 16K RAM; 4K ROM monitor; full keyboard plus function keypad; two-channel joystick dual cassette I/F; IIC EBasic on cassette; video; graphics; printer; S100 bus; converters; speaker; 24-hour clock. Max size: 48K RAM; 8K ROM; black and white or colour graphics; mini-floppy discs. Suitable for OEMs, small business, education, laboratory and scientific and home computing. Main distributor is Dectrade, but for London and South contact Midas Computer Services (0903) 814523. M222. Min size: 64K RAM; VDU; full keyboard; numeric keypad; graphics; real-time clock; 70K minifloppy disc drive; audio cassette interface; two serial ports; programmable 110 to 9,600 baud; three S100 slots; power and interface for two external minifloppy drives; ROM bootstrap. Max size: 70K byte minifloppies; black and white or colour graphics; bar code reader; TMS-1000 development system. EBasic interpreter; compiler EBasic; matrix Basic; Fortran; Cobol; assembler editor; re-locatable linker/loader; debugger. Application software includes word and graphics processor; business demonstration packages and games. For small business; industrial/research, education; software houses OEMs. M223. Min size: 64K RAM; hardware as M222 plus one or two 350K byte minifloppy drives. Max size: Four 350K minifloppies; up to four 11.4Mb hard discs; range of S100 devices. As M222 plus Cobol-80, CAP-CPP BOS MicroCobol. Application software includes word and graphics processor; personal information processing system; games; CAP-CPP range of MicroCobol software.	From £726 From £3,450-£4,123 including desk and printer. From £3,775-£4,448
SYNERTEK	Sym I: 6502 chip and keypad with memory available in 4K blocks to 64K. Any Kim software. American, meant to be the foundation system for very small business and hobbyist users. Available from Newbear (0635 49223).	From £200
TANDY CORP.	TRS-80. Min size: Level I 4K memory; video monitor; cassette; power supply. Max size: Level II 48K up to 350K on-line via floppy discs; line printer; tractor feed printer and quick printer; floppy disc system. Modem, telephone interface soon available. Basic; some business packages. Level I aimed at the hobbyist and education market and Level II at small business applications. Hundreds of dealers. (Reviewed November, 1978.)	Level I-£499 Level II-from £578-£4,700
TRANSAM COMPONENTS	Triton: British-made kit computer. Up to 65KB. Full graphics capability, 64 characters. Power supply; cabinet. Communications interfaces. Tiny Basic or 2K Basic, 1KB monitor plus new option 4K firmware on board. Available from manufacturer. (01-402 8137).	£286 kit with 5KB.
VECTOR GRAPHIC	48KB RAM, Z-80 micro: 63K bytes, mini-discs are standard, Options: graphics. Monitor, MDOS, Basic; business packages from dealers. Several distributors.	£2,300

DYLE HOUSE Present

TRS-80 Special

Dual density double sided 8" discs (over 2 megabytes of on-line storage)
Dyle House Business Basic & Disc Operating System.
Fast maths with the MM 57109 number cruncher.

Plus a very special option.

"Multi Cluster Intelligent Disc Controller"

As many TRS 80 units as you wish linked into a single communications network.

Free Business Software

Accountancy — Payroll — Stock Control — Manufacturing.

Fully Integrated Sales Control — Invoice & Purchase Orders.

System prices starting at £4000 (including 140 c.p's full width printer.)

DYLE HOUSE LIMITED, Brook Crescent, London E.4 01-529-2436/1760

● Circle No. 249

A PRACTICAL GLOSSARY

Continuing the terminological gamut from I to M

Interface

A word much-loved by the jargon writers, an interface is the boundary between two systems, and within that can be practically anything from an airy concept to a piece of very solid hardware.

On the one hand it is possible, and even sometimes helpful, to think of the man-machine interface as residing somewhere in the brain of the human, who perceives what is happening and who decides to interact with the machines.

On the other hand, it is generally more useful to think of an interface as a plug, a socket, or a cable; or all three. The interface between a cassette player and a microcomputer is the connection between them, the connection which passes information or data from one to the other.

Programs can have interfaces, too, which is where the 'logical' bit comes in; they aren't solid, physical interfaces, but those parts of a program which can pass information or data to other programs. And so on.

The crucial aspect of interfaces is that they should be well-defined, wherever or whatever they are; so that both sides of the connection should know what to expect, and so that information can be passed satisfactorily from one to the other.

Take the CCITT V24 standard, also known as the EIA RS232-C specification. This is a well-accepted standard for connecting things physically; it defines which wires go to which pins in a plug-and-socket connection, and effectively it defines the shapes of the plug.

It is widely used and most terminals and printers offer a V24 connection; even so, there is plenty of room for variety and many terminals require you to juggle the wires around before the plug is satisfactorily into the socket.

IS

Conventional abbreviation for index sequential (qv).

Label

Like the literal descriptive defin-

ition, it's a descriptive identifier. Typically a label is a group of characters used to identify a file, a message, or a record; very specifically, the term also denotes an instruction in a program.

Some programming languages allow you to reference a label rather than an absolute address or a particular line number; so instead of a branch instruction like GOTO 40, where 40 is a line number, you might be allowed to say GOTO SUBROUTINE "B".

Language

This one's tricky. Between them Wittgenstein and Chomsky had some difficulty composing a simple definition. Still, it's obvious that the essential element is communication; and in computing, a programming language is a code – or a defined set of symbols or a notation or a systematic means of communication – whereby humans can communicate with computers.

The analogy with human languages is very good. There is no point in using Swahili to a Pathan if the Indian doesn't know the language. Speaking in Swahili to someone who knows that language is a good way to impart information. In fact, the only simple way for two people to pass information is by agreeing, probably implicitly, on what a set of written squiggles or spoken grunts means.

So it is with computers. Basic and Cobol and the rest are alternative ways of expressing information; if you and the computer both 'know' one of them, you can write a program which will run on that computer.

With a definition like this, it should be said that languages are in several varieties. There are three – machine code, assemblers, and high-level languages. All are being defined as we go, but briefly **machine code** relates directly to how the computer processes instructions, so normally it consists of a binary code, a string of 0s and 1s which will be meaningless to anyone who doesn't know this is a code the computer can understand.

Assembler is one step up, coding the binary instructions into more or less meaningful

alphanumeric symbols but it's still related directly to the way a particular computer operates.

High-level languages are distanced one step further from the insides of the processor; the instructions usually bear some resemblance to English but, more important, the high-level language can, in theory, run on more than one computer. In practice, for each computer there's a different translator which converts the high-level language into machine code.

Latency

It is just possible you might meet this word. It refers to a delay or a waiting state in the middle of some operation. You might encounter it among the fine print of a floppy disc manual – it's the delay while the read/write head is moving, plus the time the disc takes to rotate to the required data position. In other words, nothing happens during latency, but something is about to happen.

LCD

Liquid crystal display. Some crystals are liquid, and some liquid crystals light if you tickle them with a burst of electricity. LCDs are used in pocket calculators and digital watches, normally as an alternative to LED displays. The technology probably isn't a serious contender when a great deal of information has to be displayed quickly; you can't beat the cathode ray tube for that.

Leased line

If you want to link your computer to another, there are realistically two ways of doing it – a cheap way and an expensive way. The cheap way is via the ordinary dialled telephone system. You'll need a modem or an acoustic coupler but you'll pay only the normal dial rates.

You will be competing with crossed lines and other interference, though, so if you know where the recipient of your transmission is, and if you need a high-quality transmission signal, and if you have the extra money, you might lease your own private telephone line to do the job. You will still need modems – more of that later.

LED

Light-emitting diode. Most digital read-outs on laboratory instruments, calculators and watches use LED display. A diode is a simple electron tube which lights when you pass electricity through it, so where you need a simple display – exactly what they are – LED displays are the natural choice.

Liebniz

Gottfried Wilhelm von Leibniz was one of those 17th-century polymaths you usually see wearing an unlikely curly wig and looking coolly benign. Leibniz was reportedly a cheery soul who dabbled with law, logic, religion, politics, diplomacy, philosophy, history, librarianship, inventions and maths. He has a place here because, around 1694, he invented a mechanically unreliable and economically unmarketable calculator. Pascal had already built one to add and subtract; the Leibniz version could multiply and divide, too. Since it didn't work he moved to other things, notably letter-writing – there are at least 15,000 of his letters around – and philosophy.

Library

A collection of program subroutines to insert in programs or data files.

Light pen

A photo-electric device which can detect the presence of light at a particular point on a CRT display screen. It looks like a pen but it's connected by cable to a controller. You point it at the place on the screen you want to reference; the controller detects where you are. Depending on the programming, the computer could then modify the display or perhaps accept something as input data.


Line

It's a connection, usually a cable, between one part of the system and another – like screen and keyboard – or one computer and another. See *line speed*.

Line feed

The command which moves the paper in a printer up by one line; on a display screen then
(continued on page 133)

Professional ASCII Keyboards



- ★ Intended for professional micro-processor applications.
- ★ This one Keyboard will meet most present and future requirements.
- ★ Full 128-character ASCII 8-bit code.
- ★ Tri-mode MOS encoding.
- ★ Applications notes for auto repeat, numeric pad, serial output.
- ★ Upper and lower case characters generated by keyboard with latching shift-lock.
- ★ Selectable polarity.
- ★ Size 305 x 140 x 32mm. (12¼ x 5½ x 1¼in)
- ★ MOS/DTL/TTL compatible outputs.
- ★ New guaranteed OEM grade components.
- ★ Needs +5 and -12V supply.
- ★ Board has space for small low cost DC/DC converter so that entire unit operates off single 5V rail.
- ★ Alpha lock.
- ★ Extra loose keys available.
- ★ Supplied complete with full technical data.
- ★ Rugged mil. spec. G-10 PCB with plated through holes.
- ★ 2-key roll-over.
- ★ DC level and pulse strobe signal for easy interface to any 8-bit input port microprocessor system, video display or terminal board.
- ★ Strobe pulse width 1 ms.
- ★ User selection of positive or negative logic data and strobe output.

Model 756 ASCII Keyboard, Fully assembled	£49.50
Model 756 MF " " " " Two or more	£48.00
with metal mounting frame	£54.50
Edge Connector, gold plated. Type 756/con	£ 1.95
Numeric keypad. Type 710	£ 7.50
Plastic enclosure, black. Type 701	£10.75
DC to DC converter, for -12V. Type DC512	£ 5.00
U.K. orders add 8% VAT on order total.	
Generous D.E.M. & distributor discounts available	
Stockists required in some areas.	

CITADEL PRODUCTS LTD.
50 High St., Edgware, Middx. HA8 7EP, England.

CARTER KEYBOARDS

● Circle No. 250

V. & T. ELECTRONICS

ASSEMBLER FOR NASCOM ON TAPE £10.00
supports all standard mnemonics, occupies 3½K available in sixteen different versions, i.e. one for each page of O to F; please state which page you require.

CONVERSION KIT TO PLACE NASCOM MONITOR & VDU ON ANY PAGE IN MEMORY
please write or phone for details.

THIS MONTH'S SPECIAL OFFER: NATIONAL MM5270 4Kx1 200NS CERAMIC PACKAGE £10.00 FOR 8

21L02	450ns	8 off	£6.00	Z80 cpu	£13.00
21L02	250ns	8 off	£7.00	Z80 cpu	£16.00
4116	250ns	8 off	£7.00	Z80 PIO	£15.00
2114	300ns	2 off	£11.50	2716 INTEL	1 off £23.50

We apologise to our customers who have tried to contact us at Dartmouth Rd, N. W2., but we haven't moved yet—our address is still as below. Stuck for a bit in the middle of the night? We are often open very late but please phone first. If you don't see what you need in this ad, please phone and enquire. By the time this ad appears, we hope to have some 8 in. floppies in at silly prices—first come, first served.

Please add 40p postage then 8% V.A.T.
V&T ELECTRONICS 01-263 2643
82 CHESTER ROAD, LONDON N.19

● Circle No. 251

We supply Apple and Commodore Pet Computers and connect them with any peripherals you can think of. (We will help you to connect even scientific or measuring devices to the computers).

We keep stocks of Chips, Discs, Books on Basic etc., Fan-fold listing paper etc.,

Extra RAM for Apple and Pet at attractive prices.



A standard IBM Selectric typewriter is the heart of terminals which you can connect to your Apple — from £695.00.



COMPUTER SYSTEMS WITH...

**Easy to operate
standard accounting
programmes for
under £3,000, or
combined with word
processing machine
for under £4,500
outright purchase or
easy repayment
scheme**



Contact:
Vlasak Electronics Ltd.
Thames Building,
Dedmere Road,
Marlow, Bucks
Tel. Marlow 74789

● Circle No. 252

PRACTICAL COMPUTING July 1979

(continued from page 131)

effect is to move the cursor on to the next line.

Line speed

This is about the only time you'll use the word 'line' in the communications context. Line speed is the data rate, which means the maximum rate at which data can reliably be sent down a line.

Linear programming

Some programming techniques are mathematical; they utilise equations, follow mathematical logic, and essentially calculate things. Linear programming is a branch of this esoterica, much used in 'what if' problems-like routing vehicles to optimise fuel consumption, economic planning to balance all the variables, and so on.

Line printer

A line printer is a printer which prints one line at a time. It contrasts with a serial printer, which prints one character at a time. Line printers are generally faster and more complicated, so they tend to be more expensive.

LISP

Processing language which belongs to the intellectually refined reaches of programming. List processing is processing data in the form of lists.

Load

To transfer something from memory to backing store, or vice versa, you load a program from cassette into the memory when you read it in.

Two other loads are of some importance. One is the obvious physical action of placing a cassette or floppy disc or paper in the appropriate device. The other usage refers to internal operations of moving around data - your programming language may well allow you to load specific locations with specified data, especially if it's an assembler.

Location

Loosely, it's a synonym for address. More precisely, it means the same as absolute address, a particular storage area in memory

Logic

Computers are fast idiot rule-followers because they are electronic and logical. In rarefied terms, logic is the formal and systematised interconnection of discrete components. The emphasis is on the interconnection - logic relates things together - and on the formal bit - logic doesn't necessarily have any relationship to physical matters like a hardware organisation.

In practice, and in microcomputers, logic means the circuitry which performs logical functions, and since much micro circuitry does this, the term 'logic' is applied loosely to any of its circuitry.

Loop

A loop is a group of instructions in a program which may be executed more than once before the program continues. The loop includes one instruction which increments some kind of counter and another which checks the counter it sees if it's reached a specified exit total. All this is the same as iterate (qv).

LSI

Large-scale integration. See *integration*. All micros use LSI, a loosely-defined term meaning electronic circuitry with a large number of logical operations per component.

LSI-4

A minicomputer from Computer Automation. It does not have as much LSI circuitry as the micros and Computer Automation doesn't generally sell them on a one-off basis. If you can obtain an LSI-4 it would make an interesting contrast with the upmarket micros.

LSI-11

The 16-bit micro from Digital Equipment, which builds a computer around it (the PDP-11/03). So do other companies, Plessey among them. Not many personal computers utilise the LSI-11, so the Heathkit H-11 is an honourable exception.

Machine

All-purpose jargon word for processor, computer or system.

Advertisement Index

Acorn Computers	27	Factor One Computers	50	Paxton Computers	40
Airamco	70, 79	Gemsoft	40	Pelco (Electronics)	30
A. J. Harding	106	Gram (Winter)	5	Personal Computers	85
Almarc Data Systems	8	Happy Memories	96	Petalect Electronic Services	112
American Data Home and Office Computers	13	HB Computers	126	Petsoft	110
Anadex	12	Henry's Radio	12	PM Electronics	128
Analog Electronics	106	H L Audio	28	Practical Electronics	19
Applied Computer Techniques	98	Integrated Circuits Unlimited	25	Protechnic	28
Belvedere Computer Services	72, 73	Interactive Sciences	23	Rair Timesharing	86
Benchmark Computer Systems	104	Interam Computer Systems	10	Research Machines	46
Betos	82	Isherwoods	8	Robox (Office Equipment Systems)	128
Beyts Logic	100	Jilta Micro	26	Rostronics Computer Centre	78
Business Resources	66	Keen Computers	52	Science of Cambridge	64
Byte Shop	94	Kingsland Electronic Services	16	SEED	48
Boer De, Elektronika	21	Leenshire	107	Shelton Instruments	26
Caddis Computer Systems	108	Linburg Electronics	18	Sintrom Microshop	11
Cambridge Computer Store	107	Lion Computer Systems	4	Sirton Products	24
Camden Electronics	100	London Computer Store	106	Small Systems Engineering	18
CCS Microhire	109	Lotus Sound	34	Software House, The	58
C C Soft	16	LP Enterprises	7, 22	Source	96
Chiltern Microcomputers	56	LTT Electronics	24	Stack Computer Services	32
Chromasonic Electronics	18	Lyme Peripherals	124	Strathand	14
Citadel Products	132	Marshalls	6	Strutt Electrical & Mechanical Engineering	104
Comart	15	Microbits	20	Sumlock Electronics Services	6
Comp Computer Components	134, 135	Microcentre	92	Tangerine	12
Compelec Electronics	14	Microdata	96	Tay Commercial Services	102
Computer Field Maintenance	74	Micromedia (Systems)	58	Technalogs	22
Computastore	102	Microsoft Systems	24	Terminal Display Systems	104
Computer Workshop	136	Microsolve Computer Services	123	Tim Orr	26
Computrade	31	Midwich Computer Co	126	Transam	29
Crofton Electronics	10	Millbank	16	T&V Johnson (Microcomputers Etc)	61
Crystal Electronics	30	Mine of Information	22	Video Terminals	14
DAMS (Office Equipment)	12	Moncoland	51	Videotime Products	10
Data Design Techniques	124	Nasco Sales	17	Vlasak Electronics	132
Digitus	83	Newbear Computer Store	74	V&T Electronics	132
Dillons University Bookshop	66	NIC Models	100	Watford Electronics	40
Distributed Data Processing	62	OMB	6	Wyeside Computing	16
Dyle House	130	Optronics	108	Shop Window	113-122

INTERESTED IN HOME COMPUTING?

Start now and don't get left behind **THE NASCOM 1** is here Ex-stock with full technical services

Plus the opportunity to join the fastest moving club of personal computer users enabling you to get the most out of your computer. You can OBTAIN and EXCHANGE programs and other software — many now available.

The Powerful Z80 Microprocessor
Professional Keyboard
1 Kbyte Monitor in EPROM
2 Kbyte RAM (expandable)
Audio Cassette interface
Plugs into your domestic TV
Easy construction from straightforward instructions — no drilling or special tools — Just neat soldering required.



**SAVE
£60**

Only ~~£197.50~~ + 8% VAT (includes p & p + insurance)

Manuals separately 2.95
Z80 programming Manual 6.90
Z80 Technical Manual 2.95
PIO Technical Manual 2.95
(All prices add 8% VAT)

**NEW LOW PRICE
£165 + VAT**
Power supply suitable for NASCOM 19.90

NASCOM AD ONS — Nascom improved monitor B Bug (2K) featuring — *Four times tape speed *Direct text entry without ASCII *Extended keyboard facility *Additional useful subroutines **£23.00**

Nascom Vero Case **£22.50**
Nascom Joy Stick Kit **£14.90**
Nascom Music Box Kit **£9.90**
(write your own tunes and play them on your Nascom. Complete with full documentation).

GRAPHICS ADD ON BOARD £9.90
Complete kit to upgrade your NASCOM for graphics capability includes full documentation and demonstration program.

NASCOM IMMEDIATE EXPANSION S100 from COMP — strongly recommended

The only available S100 motherboard kit (fully buffered) that plugs directly into your Nascom. Designed for the insertion of S100 boards (e.g. Static RAM, EPROM and discs etc.).

S100 Motherboard/Buffer **£47.50**
(Complete kit + documentation) } Motherboard comes complete with 2K Tiny Basic on cassette.
Suitable 8K Static RAM Memory ~~£125~~ **£110**
(fully assembled tested and guaranteed)

NASCOM LOW COST EXPANSION

Uses dynamic RAM and NASBUS
(please note this expansion does not support S100 memory)

Tiny Basic in EPROM **£25.00**
8K Dynamic RAM board (in kit only) **£85.00**
Motherboard (in kit only) **£12.50**
Buffer board (in kit only) **£25.00** } All plus VAT

SHORT C12 CASSETTES 10 for £4.00 FOR COMPUTER PROGRAMMES

SPECIAL DYNAMIC MEMORY OFFER **£69** + VAT

8 x 4116 □ 150ns access time, 320ns cycle

FREE B BUG
valued at £23.00
plus 10 x C12 cassettes
valued at £4.00
plus Standard Modulator
valued at £2.25
WITH EVERY NASCOM

COMPUKIT UK101 — ON DEMO

All specifications of Superboard with many improvements and in kit form including power supply and modulator on board. Improved video display with 48 chars x 16 lines. English TV Standard.

£219
+ VAT

RELEASED END OF
JUNE 1979.

SEND £10 DEPOSIT TO RESERVE

OHIO SUPERBOARD II NEW — ON DEMO

For electronic buffs. Fully assembled and tested. Requires +5V at 3 Amps and a video monitor or TV with RF converter to be up and running.

STANDARD FEATURES

Uses the ultra powerful 6502 microprocessor
8K Microsoft BASIC-in-ROM
Full feature BASIC runs faster than currently available personal computers and all 8080-based business computers.
4K static RAM on board expandable to 8K
Full 53-keyboard with upper/lower case and user programmability
Kansas City standard audio cassette interface for high reliability
Full machine code monitor and I/O utilities in ROM

Direct access video display has 1K of dedicated memory (besides 4K user memory), features upper case, lower case, graphics and gaming characters for an effective screen resolution of up to 256 by 256 points. Normal TV's with overscan display about 24 rows of 24 characters; without overscan up to 30 x 30 characters.

EX-STOCK — £263 + VAT

Please phone to check availability or send £10 to reserve one and pay the balance on delivery

MODULATORS UHF Channel 36

Standard 6 meg band width **£2.25**
High Quality 8 meg band width **£4.90**

INDUSTRIAL POWER SUPPLY

+5v 10 amps — **£63.25** +5v 5 amps + 12v-12v-5v **£89.00**
DC switched Both housed and fully guaranteed. Lightweight

TRS 80 SOFTWARE **NEW**
100 MIXED PROGRAMMES
on cassette **£39.00**
(inc. VAT)

HITACHI 9" & 12" PROFESSIONAL MONITORS

SUPERB DEFINITION

9" — **£132**
12" — **£210** } + VAT




Delivery charged at cost — Red Star — Securloc — Post etc., Your Choice. Please make cheques and postal orders payable to COMP, or phone your order quoting BARCLAYCARD or ACCESS number.

OPEN — 10am to 7pm — Monday to Saturday
CONTINUOUS DEMONSTRATIONS



JUST COMPARE OUR CASH AND CARRY PRICES!

THE TRS-80 (SPECIAL SCOOP) Low Priced, Ready to Go! ★



Use your own cassette

Level-II with 4K RAM
Improved graphics, print formatting, and a faster cassette transfer rate are features of Level-II BASIC.

£399 + VAT

PLUGS INTO
YOUR OWN TV

Level-II with 16K RAM
A combination of 16K RAM and the powerful Level-II BASIC produces a system capable of handling most demands.

£499 + VAT

FREE 100 PROGRAMS

KEY BOARD ONLY

COMPLETE WITH UHF MODULATOR

UK POWER SUPPLY — **£9.90** + VAT

ATTENTION! SAVE £90 TRS 80 & APPLE II USERS

Simple to fit - only a screwdriver is required

16K UP GRADE KIT HALF NORMAL PRICE **£99** + VAT

LIFETIME GUARANTEE

NEW Standard QWERTY Keyboard with 16K Memory



only £625 + VAT

The No. 1 in the U.K. Affordable

8K PET still at unbeatable price of **£499** + VAT



ITT
MICRO COMPUTER

£827 + VAT

NEW! THE ITT APPLE (2020)

EX STOCK 4K

LOW PRICE MEMORY UPGRADE PURCHASED AT TIME OF ORDER

16K £49 + VAT

* Full colour - UHF output * Audio cassette tape interface * Up to 48K RAM on board * BASIC in ROM (graphics commands include COLOUR = VLIN, HLIN, PLOT and SCRIN) * Built in Loudspeaker * Buckets of software already available * disk system (110 K byte per drive — includes controller) only **£425** + VAT

THE EXIDY SORCERER. **SAVE**

SORCERER COMPUTER SYSTEM

The Sorcerer Computer is a completely assembled and tested computer system. Standard configuration includes 63-key typewriter-style keyboard and 16-key numeric pad, Z80 processor, dual cassette I/O with remote computer control at 300 and 1200 baud data rates, RS232 serial I/O for communications, parallel port for direct Centronics printer attachment, 4K ROM operating system, 8K ROM Microsoft BASIC in Rom Pac™ cartridge, composite video of 64 char/line 30 line/screen, 128 upper/lower case ASCII set and 128 user-defined graphic symbols, operation manual, BASIC programming manual and cassette/video cables, connector for S-100 bus expansion.

CPM NOW



LOOK!

*32K RAM on board
*RS232 interface *8K BASIC ROM
*CUTS interface *4K MONITOR
*KANSAS CITY interface *S100 BUS
*User defined graphic symbols *Z80 cpu

EXIDY SORCERER 32 RAM COMPUTER **£790** + VAT

BOOK SHELF

LOW PRICES! FAST SERVICE!

Vol 0 The Beginner's Book	£5.40
Vol 1 Basic Concepts +	£5.90
Vol 2 Some Real Products (June 1977)	£9.90
Microprocessor series, by Rodney Zaks C201 From Chips to Systems	£7.50
C207 Interfacing Techniques	£7.50
Microprocessor Systems Design by Edwin Kilgman ISBN 0-135-81413-8 (1977) 480 pages hard cover	£6.40
CMOS Cookbook by Don Lancaster	£6.90
6800 Assembly Language Programming	£6.50
6800 Software Guide & Cookbook from Sciabi	£7.90
8080 Software Guide & Cookbook from Sciabi	£7.90
8080 A/B085 Assembly Language Programming	£6.50

8080A Bugbook Interfacing & Programming by Rony, Larsen & Titus (1977) 416 pages	£6.90
Z80 Programming for Logic Design by Adam Osborne	£5.90
Z80 Microcomputer Handbook by William Barden	£7.20
Structured Programming & Problem Solving with Pascal ISBN 0-138-54869-2 (1978) 365 pages by Kieburz "When will your microcomputer speak Pascal!"	£9.50
BASIC Computer Games — Microcomputer edition	£5.40
Best of BYTE Vol 1 (1977) 376 pages	£8.90
Best of CREATIVE COMPUTING Vol 1 (1977) 326 pages	£6.90
Vol 2 (1977) 323 pages	£6.90
MOI OTHELLO Game for 2 players on NASCOM 1 cassette	£2.00
MOI MINO PILOT powerful text editor and interpreter in 1/2KB!	£5.00

COMP COMPUTER COMPONENTS

(PART OF THE COMPSHOP LTD. GROUP)

For technical and sales literature send SAE to:
COMP COMPUTER COMPONENTS (Exidy UK Sales),
Freepost, 14 Station Road, New Barnet, Herts.
Tel: 01-441 2922 (Sales) 01-449 6596 Telex: 298755

TAKE ADVANTAGE OF OUR SHORT DELIVERY TIME.

All prices exclusive of VAT

SEND FOR OUR SPRING '79 CATALOGUE - U-GOOP

CT-82 Terminal



- * Software function controls
- * 56-key "Cherry" keyboard
- * 12 key numeric or cursor control pad
- * 128 control functions
- * Graphics capability
- * User programmable character sets
- * Software selectable Baud rates (50-38, 400)

£550 + VAT

The CT-82 has 128 different functions all of which are software controlled. Too numerous to list in their entirety they include 18 cursor control commands, 6 ways to configure the cursor, 11 erase functions and graphics capability including point-to-point plotting, field protection, printer pass through, paged edit mode and light pen position reading.

PR-40 Matrix Printer



This unit can be used with any computer with a parallel printer interface and may be ordered with a special interface for the PET system.

The PR-40 uses an 8 bit parallel interface, with data strobe and acknowledge.

This unit prints the 64 character upper case ASCII set on a 40 character line at a print speed of 55 lines per minute. It uses an impact dot matrix head and prints on standard adding machine paper. It is ideal for development work and applications where a 40 column report is sufficient.

PR-40A (25 way RS connector) **£250** + VAT
 PR-40P (PET connector) **£250** + VAT

Computer Workshop 3rd Anniversary Offers

4K Memory board (Can be used with Motorola D2 kits as well as SWTPC)	Kit £45.00 Ass. £50.00
Tubes of 25. x 2102-L RAM	£20.00
6575 Character Generator	£4.00
Set of 20 male and female Molex 10 way connectors	£6.00
MP-A processor board containing 6800 MICBUG system, clock and 128 byte scratchpad RAM	Ass. £50.00

All prices include postage, packing and VAT.


All offers subject to availability. Please send cheque with order. Goods or full refund by return.

Southwest Technical Products Co.

Computer Workshop

38 DOVER STREET · LONDON · W1X 3RB · Telephone: 01-491 7507 · Telex: 268913

MICRODIGITAL



MICRODIGITAL MEANS MICROCOMPUTERS




25 BRUNSWICK STREET
LIVERPOOL L2 0BJ
Tel: 051-236 0707 (Mail Order)
Tel: 051-227 2535 (All other Depts.)

AI

SPECIAL 12 PAGE GUIDE
TO THE NORTHWEST'S
LEADING MICROCOMPUTER SH



MICRODIGITAL LIMITED WHERE TO FIND US IN LIVERPOOL



Introduction

Our company is one of the first in the country set up to cater for the exciting new world of microcomputer.

We sell a wide range of computers, each selected for its value, ability and reliability, brief notes of each are included on the following pages.

Not only do we serve as a retail outlet for the machinery of the second industrial revolution but also we offer a myriad of other service to help you to decide which machine best fits your requirements, this is backed by providing a hire service which allows potential customers to try a machine before they buy it.

Secondly we sell the widest range of literature concerning microcomputers available in the U.K. today. The books are imported directly from the U.S. and our current range exceeds 250 titles. Magazines include all the U.K. magazines with as many back issues as possible held in stock. The best of the American Magazines are also available, the latest possible issues always being in stock.

On the hardware side we have the proven ability to design, manufacture, maintain and repair; likewise on the software side we have the proven ability to produce and maintain commercial application programs.

In addition to all the foregoing we also provide support with magnetic media, engineering tools, test equipment etc, etc.

All in all we try and provide the most competent service in the microcomputer industry.

BRUCE EVERISS

TERMS AND CONDITIONS

In addition to cash we accept Access, Barclaycard, Diners Club and cheques covered by a bankers card.

VAT in this brochure has been calculated at the rates of 8% and 12½% current at the time of writing. Please allow for any changes in the rates.

Postage and carriage is offered free of charge within the United Kingdom.

All products are covered by our 90 limited warranty against failure due to faulty materials or workmanship.

We offer an after sales service which is second to none, technical expertise is always available from our well informed staff and repairs are handled by our own service department at very competitive rates.

Terms are implemented at the discretion of management.



TECHNICAL QUERY SERVICE

We have a free technical query service, for written queries only. If you have any question you want answered write us a letter and we will reply with your answer by return of post.

WHY YOU SHOULD BUY FROM US

We want and appreciate your trade. As a direct consequence of this, we do our utmost to ensure that our customers are, and remain, happy. To this end we provide full technical support with fast and efficient service for all our customers.

commodore

The Commodore Pet

A complete Computer for the price of a good typewriter! With a library of over 200 programs in business, science, education and entertainment costing as little as £1.25 each.

The Pet is made with Commodore's own advanced technology to bring you the benefits of recent dramatic advances in microprocessor technology.

Pet can store and retrieve data which conventionally occupies high storage capacity, and solve numerical problems traditionally tedious and time consuming.

**NEW AT
MICRODIGITAL**



COMMERCIAL APPLICATIONS

The Commodore PET brings to the commercial user for the first time, a really cost effective business computer for use in payroll, stock control, amortization calculations, numerical analysis, etc.

FOR THE SCIENTIST AND ENGINEER

The PET has a comprehensive set of scientific functions designed for scientists and engineers. PET also has a built-in real time clock and is directly compatible with hundreds of instruments such as D.V.M.'s, dataloggers etc., enabling control of industrial plant and processes.

AS A TEACHING TOOL

As a teaching tool in computer programming and other fields, the PET has no equal in performance or cost. There is even a tutorial programme (Basic Basic) available for £9.00 — use the PET to teach you how to program PET!

IN THE HOME

As well as being used for all the previous applications the PET computer is an extremely creative and instructive learning medium of the future for young and old alike. There are also large numbers of entertainment programs available including chess and space games.

EASE OF OPERATION

The Commodore PET comes complete with a built-in T.V. screen, keyboard and cassette deck as well as its full computer circuitry. It is plugged into any 13 amp mains and no special computer knowledge is needed for running standard programs. Personal programs can readily be written in the BASIC computer language of PET which is easily learnt.

AN EXPANDABLE SYSTEM

Further expansion is a prime design concept enabling PET to be made the heart of a much larger system incorporating printers, floppy discs etc, as and when required.

		nett £	VAT £	Total £
COMPUTERS				
PET 2001-4	— Standard PET with integral cassette and calculator type keyboard. 4K bytes of memory.	460.00	36.80	496.80
PET 2001-8	— Standard PET with integral cassette and calculator type keyboard. 8K bytes of memory.	550.00	44.00	594.00
PET 2001-16N	— PET with 16K bytes of memory and large keyboard. External cassette optional.	675.00	54.00	729.00
PET 2001-32N	PET with 32K bytes of memory and large keyboard. External cassette optional.	795.00	63.80	858.80
PRINTERS				
PET 2023	— 80 column dot matrix printer. Plain paper printer with full PET graphics.	550.00	44.00	594.00
PET 2022	— 80 column dot matrix printer as above, with forms handling capability and tractor feed.	645.00	51.60	696.60
FLOPPY DISC				
PET 2040	— Dual drive intelligent mini-floppy system. 343K net user storage capacity.	740.00	59.20	799.20
EXTERNAL CASSETTE DECK				
PET C2N		55.00	4.40	59.40
KIM RANGE				
KIM 1 Microcomputer System		99.95	8.00	107.95
KIM 3B 8K Memory Expansion		129.95	10.40	140.35
KIM 4 Motherboard		69.95	5.60	75.55
MANUALS (VAT free)				
PET Introductory Booklet				1.00
PET Users Handbook	included with PET Computer			5.00
6500 Programming Manual				5.00
6500 Hardware Manual	included with KIM 1			5.00
KIM Users Handbook				5.00
Strathclyde Basic Course Workbook (Without cassettes)				3.00
MISCELLANEOUS				
PET Users Club Membership				10.00

PART EXCHANGE

Nascom 1 owners — We will give up to £165 in part exchange for a well built, working Nascom 1 against the cost of a Commodore Pet.



inc. SORCERER

EXIDY SORCERER is a complete and ready to use microcomputer, simply plug into a standard U.H.F. T.V. set and you are up and running in BASIC.

SORCERER is manufactured in America by EXIDY who have for the last five years been a leading manufacturer of microprocessor based T.V. games.

High quality materials are used throughout, and the **SORCERER** has proved to be a well constructed and reliable machine.

Subject of rave reviews, **SORCERER** offers far and away the best features of any machine in it's class.

FEATURES AS STANDARD

In alphabetical order:

BASIC.

SORCERER has 8K Microsoft BASIC, contained in a plug in "Rom Pak" which slots into a socket at the side of **SORCERER**. Microsoft BASIC is a well tried and trusted version of BASIC used on a number of other machines besides **SORCERER**.

CHARACTERS.

SORCERER has the full 128 character, upper and lower case standard ASCII, and also 64 useful predefined graphic characters.

DISPLAY.

The video display on **SORCERER** is "memory mapped", the characters displayed on the screen are a representation of a block of random access memory. This feature is very useful when working with graphics.

64 characters are displayed per line, and 30 lines can be displayed at once a total of 1,920 characters all seen at the same time.

GRAPHICS.

This is an area in which **SORCERER** scores high marks in the computer ratings **SORCERER** has 128 graphic symbols which may be defined by the user on an 8 x 8 dot matrix. Any symbol may be defined such as a mathematical symbol, part of a larger picture made up of many such symbols, or even a chinese letter! ... Yes your computer can even speak chinese!

Each user defined character is formed by programming 8 bytes of memory and is assigned a key on the keyboard depending on where in the memory you place the 8 bytes of data. User defined graphics may be called up direct from the keyboard or under program control.

KEYBOARD.

SORCERER has a high quality keyboard with a light but positive "feel" to it. The keyboard consists of a 64 key, stepped, style keyboard with a 16 key numeric keypad to one side, the numeric keypad is very useful for programmes containing a great deal of number data.

MEMORY EXPANSION.

The standard **SORCERER** unit has 8K of user Ram. The memory capacity may be expanded to 16K or 32K without any additional hardware save the chips themselves, further expansion is available via the S100 expansion unit which is an optional extra.

MONITOR.

SORCERER has a power of 4K monitor in Rom. Facilities include, Memory display/modification, Input/output control (for instance you can link to user defined I/O routines), cassette file handling and creation of batch tapes, memory block move and system diagnostics.

PARALLEL INPUT/OUTPUT.

A (DB 25) 25 pin connector at the rear of **SORCERER** provides a parallel input/output port which can drive a Centronics printer or similar peripheral devices that require an eight bit parallel I/O port with full handshaking.

ROM PAKS.

There are a unique feature of the **SORCERER**, the Rom Pak provided with the **SORCERER** contains 8K Microsoft BASIC in Rom. APL, FORTRAN pascal in Rom Paks are in the pipeline also Eprom pak, Development Pak, and Word processing Pak will be available in the future. ROM Paks can contain as much as 16K of read only memory.

SERIAL INPUT/OUTPUT.

Standard RS232 serial output is available via another DB 25 connector at the rear of **SORCERER**, this socket also has connections for two cassette units furthermore the motors of these cassette units can be controlled by instructions contained in your programmes.

S100 EXPANSION UNIT.

The S100 expansion unit is a self contained 6 slot chassis styled in the **SORCERER** fashion with interconnect cable and s*100 translation interface. It serves to connect **SORCERER** to a standard bus structure enabling **SORCERER** to be connected to a multitude of peripheral devices including: Printers, Floppy Disk Subsystems, A.C. power line switching, Music Synthesizer units, Speech Recognition systems, Speech synthesizer units, and many other exciting devices.

TAPE INPUT/OUTPUT.

Facilities are provided on the **SORCERER** for connection to a standard commercial tape recorder. Just plug into the earphone and microphone sockets (leads provided) this gives you the ability to store and retrieve programmes you have written.

VIDEO OUTPUT.

Jack plug connectors at the rear of the machine give both modulated and un-modulated video.



	RETAIL PRICE (£)	VAT (£)	TOTAL (£)
Sorcerer Computer 8K RAM	650.00	52.00	702.00
Sorcerer Computer 16K RAM	760.00	60.80	820.80
Sorcerer Computer 32K RAM	859.00	68.72	927.72

Sorcerer Computer Expansion.

S100 Expansion Unit.
A completely self-contained 6-slot chassis styled in the Sorcerer fashion with interconnect cable and S100 translation interface.

	RETAIL PRICE (£)	VAT (£)	TOTAL (£)
S100 Expansion Unit	210.00	16.80	226.80

Video Display Unit

A 12" professional CRT monitor with high resolution and P31 phosphor styled in the Sorcerer fashion. Connects directly to Sorcerer computer with video cable supplied.

	RETAIL PRICE (£)	VAT (£)	TOTAL (£)
12" Video Display	240.00	19.20	259.20

I/O Expansion Kit

A cable and S100 translation interface card to interconnect any S100 chassis to the Sorcerer computer.

	RETAIL PRICE (£)	VAT (£)	TOTAL (£)
I/O Expansion Kit	98.00	7.84	105.84

16K Memory Expansion Kit

Component parts and instructions to ADD-ON memory within the Sorcerer computer enclosure. Maximum RAM expansion internally is 32K bytes.

	RETAIL PRICE (£)	VAT (£)	TOTAL (£)
16K Memory Expansion Kit	175.00	14.00	189.00

Sorcerer Computer Accessories


Manuals	RETAIL PRICE (£)		
Sorcerer Operation Manual	6.95		
Sorcerer Technical Manual	8.95		
Standard BASIC Manual	8.95	No VAT on	
Development Tour Manual	8.95	these items	
Word Processing Manual	8.95		
S100 Expansion Unit Manual	6.95		
Video Display Manual	6.95		
Rom Pac TM Cartridges			
EPROM Pac	35.00	2.80	37.80
Standard BASIC Pac	70.00	5.60	75.60
Development Pac	70.00	5.60	75.60
Word Processing Pac	70.00	5.60	75.60

Miscellaneous			
Cassette Recorder Cable	3.95	0.32	4.27
Video Display Cable	3.95	0.32	4.27
Serial/Cassette Data Cable	16.95	1.36	18.31
Parallel Data Cable	16.95	1.36	18.31



apple II AT MICRODIGITAL

JOIN THE MICROCOMPUTER REVOLUTION
BY BUYING THE BEST
APPLE PLUGS INTO A DOMESTIC TELEVISION AND
CASSETTE RECORDER TO MAKE A
POWERFUL, EASY TO USE COMPUTER SYSTEM



Apple II

Features

- A fast powerful integer BASIC is built into Apple II. The built-in assembler, disassembler and monitor will be appreciated by advance programmers in search of more speed or flexibility than BASIC can provide.
- Fifteen colour standard graphics in a 1,880 Point array for spectacular visual effects.
- High resolution graphics in a 54,000 point array for finely detailed display.
- Loudspeaker and sound capabilities that bring programs to life.
- Four hand control inputs for games and other human input applications.
- Internal memory capacity of 48K Bytes of RAM, 12K Bytes of ROM for big system performance in a small package.
- Eight expansion slots to plug in cards that give your Apple even more power.
- Superb, easy to follow documentation, so even a total beginner can use the machine.
- Fast (1500 baud) cassette interface.
- Proper typewriter style keyboard.

Apple II prices

With 16K of RAM		
Nett.	Vat.	Total
985.00	78.80	1063.80
With 32K Bytes of RAM		
1185.00	94.80	1279.80
With 48K Bytes of RAM		
1305.00	104.40	1409.40

Applesoft II Floating Point BASIC

An expanded version of Micro-soft's popular floating point BASIC. Its 9 digit arithmetic and large library make it ideal for business and scientific programs. Applesoft II is supplied either with a cassette tape or a plug in ROM card. The tape version is supplied free with every Apple.

Apple II ROM card		
Nett.	Vat.	Total
110.00	8.80	118.80

Floppy Disk Subsystem

Gives your system immediate access to large quantities of data. The subsystem consists of an Intelligent Interface card, a powerful Disk Operating System and one or two mini-floppy drives.

Features

- Storage capacity of 116 Kilobytes/diskette.
- Data transfer rate 156K Bits/second.
- Individual file write protection.
- Powered directly from Apple II.
- Full disk capability with systems as little as 16K bytes of RAM.
- Fast access time — 600 m sec (max) across 35 tracks.
- Powerful disk operating software.
- Load and store files by name.
- BASIC program chaining.
- Random or sequential file access.

Floppy disk subsystem		
425.00	34.00	459.00
Second disk drive and connecting cable		
375.00	30.00	405.00

Parallel Printer Interface Card

Allows you to connect almost any popular printer to your Apple. A BASIC program can produce hard-copy output as easily as it prints to the TV monitor screen. Command interpretation and printer control details are handled by the firmware built into the card, to eliminate user programming requirements.

Parallel Printer Interface Card		
Nett	Vat	Total
110.00	8.80	118.80

Communications Interface Card

Allows your Apple to "talk" (through a modem) with other computers and terminals over ordinary telephone lines. Now you can load programs over the phone, send messages to remote terminals or access your office computer from the comfort of your home.

Communication Interface Card		
Nett	Vat	Total
110.00	8.80	118.80

High Speed Serial Interface Card

Allows Apple to exchange data with printers, plotters and computers in serial format at up to 19.2 K Baud

High Speed Serial Interface Card		
Nett	Vat	Total
110.00	8.80	118.80

Speechlab Voice Recognition Card

Allows the Apple to recognise a spoken vocabulary of up to 32 user-selected words. The computer can be programmed to perform any task desired upon recognition of a key word.

Voice Recognition Card		
Nett	Vat	Total
165.00	13.20	178.20

Prototyping Card

Provides the User with a means of building up experimental circuitry for the Apple computer. The 2 1/4" x 7" double-sided board includes a hole pattern that accepts all conventional integrated circuits and passive components. Documentation includes a complete system bus description to aid the interface designer.

Prototyping Card		
Nett	Vat	Total
18.00	1.44	19.44

Carrying Case

The Apple is truly portable and this padded vinyl, leather look case protects your Apple in transit and makes it easier to carry.

Carrying Case		
Nett	Vat	Total
25.00	2.00	27.00



accepted

Other Products

Apple maintains a 6 to 12 months technology lead over the competition. There is not sufficient space to give full details of all that is available, but the following is a sample to whet your appetite.

- Light pen
- Real time clock
- Co-resident assembler on disk or tape
- Programming aid ROM
- Joysticks
- PROM Burner

Apple Hire

The Apple is one of many machines from Microdigital (Hire) Ltd. For details ring 051-227 2535.

Software

We can supply application programs from a number of sources and advise you on your program requirements.

Our own software department has developed a Trade Counter program which keeps a round pounds debtors ledger in real time and advises trade counter staff when credit limits are reached.

This program is tried, tested and proven and helps reduce bad debts.

Nett	Vat	Total
25.00	2.00	27.00
Trade Counter Program (Integer basic, needs 32K of RAM and a single disk)		

Lower case for your Apple II exclusively from MICRODIGITAL

- * Plugs in — no modifications to your Apple
- * Displays lower case letters with descenders
- * Provides full 96 — character ASCII set
- * Software included for use with integer BASIC.

	Nett	VAT	Total
Lower case adapter	40.00	3.20	43.20

NEWS FLASH ITT 2020 SYSTEM

We are now dealers for the ITT version of the Apple at the following prices.

	Nett	Vat	Total
With 4K Bytes of RAM.....	827.00	66.16	893.16
With 16K Bytes of RAM.....	950.00	76.00	1026.00
With 32K Bytes of RAM.....	1114.00	89.12	1203.12
With 48K Bytes of RAM.....	1278.00	102.24	1380.24

PART EXCHANGE

Pet owners, trade up to an Apple at MICRODIGITAL. We can allow up to £300 for your old PET against the cost of a new Apple II

Other Prices

	Nett	VAT	Total
8 x 4116 RAMS 16K Bytes	100	8.00	108.00
Joystick	20	1.60	21.60
Diskettes	3	0.24	3.24
Diskettes Case	1	0.08	1.08
Centronics 779 Printers	825	66.00	891.00
Tractor feed on Printers	65	5.20	70.20
British ASCII on Printers	22	1.76	23.76
AXIOM micro Printers	349	27.92	376.92
AXIOM graphics Printers	699	55.92	754.92


Books

	Nett	VAT	Total
Apple operators manual	5.50		
Applesoft extended Basic manual	4.00		
Basic tutor	4.00		
6502 programming manual	7.50		
6502 hardware manual	7.50		

NO VAT ON THESE ITEMS

NASCOM 1 AT MICRODIGITAL

The most successful microcomputer in Europe, the Nascom 1 represents exceptional value for money.



	Nett	VAT	Total
NASCOM I	165.00	13.20	178.20

The Nascom I is the best possible introduction to the world of personal computing, yet it has the power and flexibility to be expanded into a full data processing system.

The specification includes a powerful Z80 processor, parallel I/O controller with two 8 bit ports. UART driving cassette interface or most serial peripherals, video output to plug in the ariel sockets of your T.V., 2K bytes of RAM (1K user and 1K video), proven 1K byte monitor program in EPROM and a spare EPROM socket.

The kit is complete, all that is required is a power supply a domestic T.V. and a domestic cassette recorder.

POWER SUPPLIES

There are two power supplies available, a 3 amp supply which will power the basic kit and some expansion and an 8 amp supply with toroid transformer which will power a very large system. Both supplies can be mounted in the vero frame.

	Nett	VAT	Total
3 amp P.S.U. kit	24.50	1.96	26.46
8 amp P.S.U. kit	60.00	4.80	64.80

EXPANSION

Nascom I is expanded by connection to a buffer board which creates a 77 way bus structure "NASBUS" into which expansion boards plug directly. The bus structure is carried along a motherboard which allows future boards to be added and to keep your computer neat the Nascom I, power supply, buffer board, mother board and expansion boards can all be mounted in a vero frame.

	Nett	VAT	Total
Buffer Board	32.50	2.60	35.10
Mother board	9.50	0.76	10.26
Mini Motherboard	2.90	0.23	3.13
Vero frame	29.50	2.36	31.86

NASBUS

The 77 way Nasbus has the following advantages:

1. Uses standard Veroboard as a motherboard and Standard 0.1" single sided edge connectors for expansion cards. These components are readily and cheaply available.
2. The bus structure leaves 8 spare data lines and 4 spare address lines for future use of 16 bit processors.
3. The power lines are regulated, on board regulators are therefore not needed which obviates the necessity for fan assisted cooling.
4. All cards use lower power, low noise shotky buffering which means the bus is quiet and does not need sophistication like active termination or interleaved ground planes.
5. Expansion boards are standard 8" x 8" vero DIP boards which are economic and give a good useable area.

MEMORY

The memory expansion board can carry 16 dynamic RAM chips, these can be either 4K bit or 16K bit chips and the board is offered with 8, 16 or 32K bytes of RAM. The 16K board can be expanded to 32K by plugging in 8 more 4116 chips. The memory expansion board also has room for 4 2708 UVEPROMS each of 1K bytes and a lot of pre-programmed systems software is available to fit these sockets.

	Nett	VAT	Total
8K RAM board kit	85.00	6.80	91.80
16K RAM board kit	140.00	11.20	151.20
32K RAM board kit	200.00	16.00	216.00
Set 8x 4116	70.00	5.60	75.60
Additional 2708	10.50	0.84	11.34

INPUT/OUTPUT

For people wanting to use more peripherals than the standard kit allows for, Nascom are producing an I/O board which can carry a counter timer chip and a number of PIO's and UARTS. This will be available in March.

I/O board	35.00	2.80	37.80
CTC	8.00	0.64	8.64
UART	5.50	0.44	5.94
PIO	8.00	0.64	8.64

BASIC

To allow high level language programming Nascom have produced a 2K Tiny basic and a 3K Super Tiny Basic in 2 or 3 2708 EPROMS respectively. Also available is an 8K Microsoft precision floating point basic in 8 2708's which will be available in June on a single 64K bit ROM to fit the EPROM board.

Tiny Basic	25.00	2.00	27.00
Super tiny Basic	35.00	2.80	37.80
8K Basic (8 x 2708)	100.00	8.00	108.00
8K Basic (ROM)	40.00	3.20	43.20

EPROM BOARD

Available in June this board will carry 8 x 2708 UVEPROMS and the 64K bit ROM containing basic. The board can also be used for burning in 2708 UVEPROMS.

EPROM BOARD	40.00	3.20	43.20
-------------	-------	------	-------

GRAPHICS BOARD

Allows high resolution graphics on your Nascom 1. Contains 4K of RAM.

GRAPHICS BOARD	95.00	7.60	102.60
----------------	-------	------	--------

MONITOR

Nascom have written a new monitor, T4 the most powerful yet available for this machine it contains many desirable features not found on any other monitor. T4 comes in 2 x 2708 to plug into the main Nascom 1 board.

	Nett	VAT	Total
Nasbug T4	25.00	2.00	27.00

ASSEMBLER

A powerful editor assembler zeap 15 available to run under Nasbug on tape.

Zeap (tape)	30.00	2.40	32.40
-------------	-------	------	-------

M5

This is a new computer language, designed to use the minimum amount of memory and thus work on a basic Nascom 1 Kit.

Features

- Reverse polish notation
- Multiply, Divide, Add, Subtract, Increment and Decrement by one.
- Integers up to 64K.
- Variables A to Z
- Loops and jumps
- Editor
- Error messages
- String handling

M5 is supplied on tape with an instruction manual packed with examples and a hex dump of the language.

We have priced M5 so all Nascom owners can afford it.

	9.26	0.74	10.00
--	------	------	-------

(M5 is supplied free on all Nascom purchases over the value of £150).

THE FUTURE

In the near future a mini-floppy disk system will be available with either single or double drive. These will probably offer in excess of 1/2 a megabyte and 1 megabyte respectively at prices that will allow even that to have a large data base. To take full advantage of the business and scientific uses opened up by disks Nascom intend to release several high level languages. Looking further forwards Nascom is a developing product, and the fact that many thousands are now in use will ensure that the latest in computer technology will be available at a competitive price.

FREE Gift Pack

with all Nascom I purchases over £150.

Contains:

A copy of M5, pad of 100 Microdigital coding forms, 10 C15 cassettes, keyboard bleep kit, UHF modulator and keyboard ribbon cable.

Total Value nearly £30.00

NASCOM 2 MICRODIGITAL

NEW AT

Following the success of its NASCOM-1 Microcomputer which was launched nearly 18 months ago, Nascom Microcomputers Limited has introduced the NASCOM-2.

In no way is the NASCOM-2 a replacement for the NASCOM-1. Over the 18 month period, it has become obvious that there is a marketplace for the NASCOM-1 for the foreseeable future. However, there is also a large market for an upgrade version which will have more of a computing bias. From this specification you will see that many of the additions necessary on the NASCOM-1 are integral in the NASCOM-2.

MICROPROCESSOR

Z80A. 8 bit CPU. This will run at 4 MHz but is selectable between 1/2/4 MHz. This CPU has now been generally accepted as the most powerful, 8 bit processor on the market. The software library for the Z80, with its base around the 8080, has rapidly expanded with the increasing use of its more powerful instruction set.

HARDWARE

12" x 8" Card
All bus lines are to the Nasbus specification.
All bus lines are fully buffered.
PSU +12v, +5v, -12v, -5v.

MEMORY

On-board, addressable memory: 1K Work space/User RAM (MK 4118)
2K Monitor — Nas-Sys I (2K ROM) 8K Microsoft Basic (MK3600 ROM)
1K Video RAM (MK 4118) 8K Static RAM/2708 EPROM

INTERFACE KEYBOARD

New expanded 57 key Licon solid state keyboard especially built for Nascom. Uses standard Nascom, monitor controlled, decoding.

T.V.

The 1v peak to peak video signal can drive a monitor directly and is also fed to the on-board modulator to drive the domestic T.V.

I/O

On-board UART (Int. 6402) which provides serial handling for the on-board cassette interface or the RS2 32/20mA teletype interface.

The cassette interface is Kansas City standard at either 300 or 1200 baud. This is a link option on the Nascom —
The RS232 and 20mA connector will interface directly into any standard teletype.

The Input and Output sides of the UART are independently switchable between any of the options —

i.e. It is possible to house input on the cassette and output on the printer.

PIO

There is also a totally uncommitted Parallel I/O (MK3881) giving 16, programmable, I/O lines. These are addressable as 2 x 8 bit ports with complete handshake controls.

ON-BOARD DECODING

The NASCOM-2 makes extensive use of ROMs for on-board control decoding. This reduces the chip count and allows easy changes for specialised industrial use of the board.

Link options are on-board to allow the Reset control to be reassigned to an address other than zero.

CHARACTER GENERATORS

The 1K video RAM drives a 2K ROM character generator providing the standard ASCII character set with some additions, 128 characters in all. There is a second 2K ROM socket for an on-board graphics package which is software selectable. Gives another 128 characters.

The PCB is, of course, of industrial standard, through hole plated, masked and screen printed.

DOCUMENTATION

Full construction article is provided for those who buy a kit and an extensive software manual is provided for the monitor and Basic.

	Nett	VAT	Total
Nascom-2 in kit form	295.00	23.60	318.60

RING FOR A DELIVERY DATE

NASCOM NAS-SYS I MONITOR

For use with the Nascom 2 and its new keyboard, a completely new monitor has been designed. It incorporates all the features of the Nasbug 2K Monitor (T4) with many additional functions.

The most obvious enhancement is the use of a blinking non-destructive cursor with on-screen editing facilities using the left, right, up and down arrow keys. A routine is provided which gives the user a pointer to an edited line of text, input via the screen and keyboard, allowing user programs to exploit this powerful feature.

The method of calling routines has been modified and rationalised so that, in most cases, users need only a two byte RST operation. It also allows the monitor to be changed and improved at a later date without needing to re-allocate jump addresses.

Although primarily designed for use with the new keyboard, all features can be used with the current Nascom 1 keyboard by using combinations of keys. As with Nasbug T4, ASCII terminals are fully supported via the serial interface and can be switched on and off using the X and N commands. Users can add their own I/O drivers via the Nas-sys I/O driver table to support other devices.

The 22 commands supported are:	N	O	Q	R	S	T	U	V	W	X	Z
A — hexadecimal Arithmetic	— return to Normal mode	— Output to PIO port	— (Query) input from port	— Read tape	— Single step	— Tabulate	— activate User I/O routines	— verify tape	— write tape	— set external device options	— execute at FFD (warm start for Basic)
B — set Breakpoint											
C — Copy											
E — Execute											
G — Generate											
H — Operate as half duplex ASCII terminal											
I — Intelligent copy											
J — Execute at FFA (to start Basic etc.)											
K — set keyboard options											
L — Load from tape											
M — Modify store											

A total of 42 user accessible RST operations are provided including character input/output, system reset, relative sub-routine call, input a line, position cursor etc.

NASCOM 2 EXPANDED KEYBOARD

Ten new keys have been added, as follows:

- Graphics — when used in conjunction with Nas-sys simplifies generation of graphics characters from the keyboard.
- control — to generate control characters.
- cursor control keys for use with Nas-sys.
- LF to allow input of additional useful characters. CH, LF, CH to allow.
- Shift — an additional shift key has been added on the left-hand side of keyboard — particularly useful for typing in Basic or other high level language programs.

As with the current Nascom keyboard, the switch mechanisms are contactless, high reliability professional standard units for long trouble free life.

NASCOM 8K BASIC

Nascom 8K Basic is based on the Microsoft 8K Basic which has become the de facto industry standard. It, therefore, offers a high degree of compatibility with other systems, and programs published in magazines and books should run under Nascom 8K Basic with little or no modification.

It offers a full range of string handling and arithmetic functions and handles numbers in the range 1.70141E38 to 2.9387E-38. It also supports use of the PIO using the INP, OUT and WAIT commands.

NASCOM BASIC operates with Nasbug T2, Nasbug T4 and the new Nas-Sys monitor. It is supplied as either 8 x 2708 EPROMS or 1 x MK 3600 64K bit ROM.

The most obvious feature, when used with Nas-Sys, are the extensive line editing features which make data or program entry and modification very simple — allowing insertion, modification or deletion of single or multiple characters.

In order to allow for flexible screen formatting, a cursor positioning command (SCREEN), and a clear screen command (CLS) have been incorporated. Also, by setting parameters, input can be undertaken on a character by character basis so that forms can be simply created and edited on the screen.

Backspace and delete functions are retained, and characters are input on a character by character basis when supporting a terminal on the serial interface. The width of a printed line can be set by the WIDTH command, and the serial interface turned on and off under program control so that a printer can be attached and supported with no additional software or interface hardware.

Normally the LIST command scrolls five lines at a time, then waits for a character to be typed before scrolling another five lines (or aborting if escape is typed). However, the number of lines scrolled can be set by the LINES command to any number allowing a complete LIST to be generated on a printer without pausing, or to scroll through a program at a faster (or slower) rate.

Program saving and loading uses the monitor's tape read and write routines, providing block checking and information about the success and progress of the operation on the screen. Program file names are displayed when read too. Arrays can be read or written to tape, and the Nascom routines incorporate a 16 bit sumcheck to verify the accuracy of data read.

System modifications and machine code routines have been made easier by the inclusion of the routines DEEK and DOKE, routines which read or write 16 bit integers.

The Nascom graphics option is supported by the routines SET (X, Y) and RESET (X, Y) — which light up or erase point X, Y on a 96 x 48 point grid, and the function POINT (X, Y) which returns the value 1 if the point X, Y is lit up, or zero if it is not.

The comprehensive modifications and extensions to the original Basic provide both the Nascom 1 and the Nascom 2 with probably the most powerful 8K Basic available on any personal computer system today.

8K Basic Summary

Commands:

NEW	LIST	CONT	MINOTOR	RUN
CLEAR	NULL	SCREEN	LINES	WIDTH

Program Statements:

DEF	DOKE	IF . . THEN	FOR
DIM	END	ON . . . GOTO	NEXT
GOSUB	GOTO	RETURN	POKE
REM	ON . . . GOSUB		SET
WAIT			RESET

PRINT	DATA	INPUT	READ	CLS	RESTORE
-------	------	-------	------	-----	---------

Operators:

<	+	*	/
>	=	<>	AND
>=		<	

Functions:

ABS	ATN	LOG	SIN	PEEK
INT <td>INT <td>SGN <td>TAN <td>SPC</td> </td></td></td>	INT <td>SGN <td>TAN <td>SPC</td> </td></td>	SGN <td>TAN <td>SPC</td> </td>	TAN <td>SPC</td>	SPC
RND <td>RND <td>USRn <td>COS <td>DEEK</td> </td></td></td>	RND <td>USRn <td>COS <td>DEEK</td> </td></td>	USRn <td>COS <td>DEEK</td> </td>	COS <td>DEEK</td>	DEEK
SQR <td>TRAB <td>EXP <td>FRE <td>POINT</td> </td></td></td>	TRAB <td>EXP <td>FRE <td>POINT</td> </td></td>	EXP <td>FRE <td>POINT</td> </td>	FRE <td>POINT</td>	POINT
ASC <td>CHR\$</td> <td>FRE <td>STR\$</td> <td>RIGHTS</td> </td>	CHR\$	FRE <td>STR\$</td> <td>RIGHTS</td>	STR\$	RIGHTS
LEFT\$	LEN	MIDS	VAL	

Cassette Input/Output Functions:

CSAVE (Array or program) CLOAD (Array or program)

PERSONAL COMPUTER WORLD BENCHMARK TESTS

	APPLE II	NASCOM 2	RM. 3802	PET
BM 1	1.5	1.1	1.4	1.7
BM 2	3.2	5.4	6.5	9.9
BM 3	7.3	11.1	13.2	18.4
BM 4	7.2	11.6	13.9	20.4
BM 5	8.9	12.6	15.0	21.7
BM 6	18.6	19.3	22.3	32.5
BM 7	28.2	27.6	31.6	50.9
BM 8		5.2	6.2	12.3

Rockwell

AIM 65

AT MICRODIGITAL

The Head-Start in Computers

AIM 65 Technical Overview

THERMAL PRINTER

- Most desired feature on low-cost microcomputer systems
- Wide 20-column printout
- Versatile 5 x 7 dot matrix format
- Complete 64-character ASCII alphanumeric format
- Fast 120 lines per minute
- Quiet thermal operation
- Proven reliability

FULL-SIZE ALPHANUMERIC KEYBOARD

- Provides compatibility with system terminals
 - Standard 54 key, terminal-style layout
 - 26 alphabetic characters
 - 10 numeric characters
 - 22 special characters
 - 9 control functions
 - 3 user-defined functions
- ##### TRUE ALPHANUMERIC DISPLAY
- Provides legible and lengthy display
 - 20 characters wide
 - 16-segment characters
 - High contrast monolithic characters
 - Complete 64-character ASCII alphanumeric format

PROVEN R6500 MICROCOMPUTER SYSTEM DEVICES

- Reliable, high performance NMOS technology
- R6502 Central Processing Unit (CPU), operating at 1 MHz. Has 65K address capability, 13 addressing modes and true index capability. Simple, but powerful 56 instructions.
- Read/Write Memory, using R2114 Static RAM devices. Available in 1K byte and 4K byte versions.
- 8K Monitor Program Memory, using R2332 Static ROM devices. Has sockets to accept additional 2332 ROM or 2532 PROM devices, to expand on-board Program Memory up to 20K bytes.
- R6532 RAM-Input/Output-Timer (RIOT) combination device. Multipurpose circuit for AIM 65 Monitor functions.
- Two R6522 Versatile Interface Adapter (VIA) devices, which support AIM 65 and user functions. Each VIA has two parallel and one serial 8-bit, bidirectional I/O ports, two 2-bit peripheral handshake control lines and two fully-programmable 16-bit interval timer/event counters.

BUILT-IN EXPANSION CAPABILITY

- 44-Pin Application Connector for peripheral add-ons
 - 44-Pin Expansion Connector has full system bus
 - Both connectors are KIM-1 compatible
- ##### TTY AND AUDIO CASSETTE INTERFACES
- Standard interface to low-cost peripherals
 - 20 ma. current loop TTY interface
 - Interface for two audio cassette recorders
 - Two audio cassette formats: ASCII KIM-1 compatible and binary, blocked file assembler compatible

ROM-RESIDENT ADVANCED INTERACTIVE MONITOR

Advanced features found only on larger systems

- Monitor-generated prompts
- Single keystroke commands
- Address independent data entry
- Debug aids
- Error messages
- Option and user Interface linkage

ADVANCED INTERFACE MONITOR COMMANDS

- Major Function Entry (RESET Button)—Enter and Initialize Monitor
- ESC—Re-enter Monitor
 - E—Enter and Initialize Text Editor
 - T—Re-enter Text Editor
 - N—Enter Assembler
 - 5—Enter and Initialize BASIC Interpreter
 - 6—Re-enter BASIC Interpreter

Instruction Entry and Disassembly

- I—Enter mnemonic instruction entry mode
 - K—Disassemble memory
- ##### Display/Alter Registers and Memory
- Alter Program Counter to (address)
 - A—Alter Accumulator to (byte)
 - X—Alter X Register to (byte)
 - Y—Alter Y Register to (byte)
 - P—Alter Processor Status to (byte)
 - S—Alter Stack Pointer to (byte)
 - R—Display all registers
 - M—Displays four memory locations, starting at (address)
 - (SPACE)—Display next four memory locations
 - Alter current memory location

Manipulate Breakpoints

- #—Clear all breakpoints
 - 4—Toggle breakpoint enable on/off
 - B—Set one to four breakpoint addresses
 - ?—Display breakpoint addresses
- ##### Control Instruction/Trace
- G—Execute user's program
 - Z—Toggle instruction trace mode on/off
 - V—Toggle register trace mode on/off
 - H—Trace Program Counter history

Control Peripheral Devices

- L—Load object code into memory from peripheral I/O device
- D—Dump object code to peripheral I/O device
- 1—Toggle Tape 1 control on/off
- 2—Toggle Tape 2 control on/off
- 3—Verify tape checksum
- CTRL PRINT—Toggle Printer on/off
- LF—Line Feed
- PRINT—Print Display contents

Call User-Defined Functions

- F1—Call User Function 1
- F2—Call User Function 2
- F3—Call User Function 3

Text Editor Commands

- R—Read lines into text buffer from peripheral I/O device
- I—Insert line into text buffer from Keyboard
- K—Delete current line of text
- (SPACE)—Display current line of text
- L—List lines of text to peripheral I/O device
- U—Move up one line
- D—Move down one line
- T—Go to top line of text
- B—Go to bottom line of text
- F—Find character string
- C—Change character string
- O—Quit Text Editor, return to Monitor

LOW COST PLUG-IN ROM OPTIONS

- 4K Assembler—symbolic, two-pass
- 8K BASIC Interpreter

POWER SUPPLY SPECIFICATIONS

- 5 VDC ± 5% regulated @ 2.0 amps (max)
- +24 VDC ± 15% unregulated @ 2.5 amps (peak)
- 0.5 amps (average)



Rockwell's AIM 65 Advanced Interactive Microcomputer can get you into the exciting world of microcomputers a lot easier and at a lower cost than you may have thought possible. And you'll be working with the 6500 family, the advanced state-of-the-art NMOS system that's an ever-increasing favorite for new commercial and hobbyist applications.

As a learning aid, AIM 65 gives you an assembled, versatile microcomputer system with a fullsize keyboard, 20-character display and, uniquely, a thermal printer. An on-board Advanced Interactive Monitor program provides extensive control and program development functions. And our AIM 65 User's Manual will help you along each step of the way.

You'll master fundamentals rapidly. Then you'll appreciate the fact that unlike the computer "toys" on the market, AIM 65 offers flexibility and expandability you would expect to find in a sophisticated microcomputer development system.

THERMAL PRINTER GIVES YOU HARD COPY — FAST AND QUIET. AIM 65's 20-column Thermal Printer prints on low-cost, thermal roll paper at a fast 120 lines per minute. It produces all of the standard 64 ASCII characters with a crisp-printing five-by-seven dot matrix. AIM 65's on-board printer is a unique feature for a low-cost computer.

EXTENDED ALPHANUMERIC DISPLAY IS BUILT FOR UNDERSTANDING, NOT DECIPHERING. AIM 65 comes with a 20-character true Alphanumeric Display. Information is displayed with bright, magnified 16-segment font monolithic characters. It's both unambiguous and easily readable.

FULL-SIZE KEYBOARD IS DESIGNED FOR HUMANS, NOT ELVES. AIM 65's terminal-style keyboard frees you from the hassles of fumbling around with a tiny calculator-type keypad. And its 54 keys provide 70 different alphabetic, numeric, control and special functions.

ON-BOARD ADVANCED INTERACTIVE MONITOR GETS YOUR PROGRAMS UP AND RUNNING

The ROM-resident AIM 65 Advanced Interactive Monitor Program provides a comprehensive set of easy-to-use, single-keystroke commands for debugging your programs, and offers features normally available only in larger, expensive microcomputer development systems. And with the AIM 65 Monitor, there's no guesswork involved; the Monitor gives a self-explanatory prompt when it needs information and it will generate a meaningful error message if an error has occurred.

The AIM 65 Monitor includes commands to

- Enter and edit programs directly — no "opcode" memorization
- List programs on Printer or TTY
- Display/alter registers and memory
- Set breakpoints, trace and debug program execution
- Control the Thermal Printer
- Transfer information to/from attached Cassette Recorders or TTY
- Execute programs in on-board or external RAM, ROM or PROM memory
- Interface the optional AIM 65 Assembler and BASIC Interpreter

AIM 65'S ADVANCED R6500 NMOS ARCHITECTURE

The R6502 Central Processing Unit is the heart of the AIM 65. It provides demonstrated speed and simplicity, plus 65K addressability and the power of a 56-command, minicomputer-like instruction set.

The R6532 RAM-Input/Output-Timer (RIOT) combination device is used by the AIM 65 Monitor for scratchpad memory and Keyboard operations.

Two R6522 Versatile Interface Adapter (VIA) devices are provided. One device supports AIM 65's Thermal Printer and the TTY and Cassette Interfaces, the other supports two user-dedicated 8-line I/O ports, plus an 8-bit serial I/O port and access to two 16-bit interval timer/event counters, on the module's Application Connector.

AIM 65 comes with two R2332 4K Read Only Memory (ROM) devices installed. These hold the Advanced Interactive Monitor program. Spare sockets allow the user to expand on-board ROM up to 20K bytes. These sockets will accept user programs on R2332 ROMs or compatible ROMs, or can be used to install the optional AIM 65 Assembler and BASIC Interpreter ROM devices.

On-Board Read/Write RAM memory is available in 1K-byte and 4K-byte configurations.

AIM 65 HAS EXPANSION BUILT IN.


And to allow AIM 65 to grow the way you want it to, we've provided an Application Connector and an Expansion Connector. The Application Connector permits you to plug on a TTY (20 ma. current loop) and one or two standard audio cassette recorders. It also has the pinouts for the VIA's General-Purpose I/O ports. The Expansion Connector extends AIM 65's system bus — address, data and control — out to additional memory, or anything else you might attach.

And, BASIC high-level language programming is a built-in option.

	Nett	VAT	Total
AIM — 65 with 1K RAM	249.50	19.96	269.46
AIM — 65 with 4K RAM	315.00	25.20	340.20
8K Basic in ROM	70.00	5.60	75.60
4K Assembler in ROM	59.50	4.76	64.26



ACORN



A professional MPU card - designed as a general purpose industrial controller based on the 6502 MPU, this card is complemented by a matching Eurocard hex keyboard and CUTS standard cassette interface, to create the new ACORN MICROCOMPUTER.

This compact stand-alone micro-computer is based on standard Eurocard modules, and employs the highly popular 6502 MPU (as used in Apple, Pet, Kim, etc). Throughout, the design philosophy has been to provide full expandability, versatility and economy. Take a look at the full specification, and see how Acorn meets your requirements.

Acorn technical specification

The Acorn consists of two single Eurocards:

1. MPU card: 6502 microprocessor; 512 x 8 ACORN monitor; 1K x 8 RAM; 16-way I/O with 128 bytes of RAM; 1 MHz crystal; 5 V regulator, sockets for 2K EPROM and second RAM I/O chip.
2. Keyboard card: 25 click-keys (16 hex, 9 control); 8 digit, 7 segment display CUTS standard crystal controlled tape interface circuitry.

Compact, easy to use Acorn Monitor includes the following features:

- System program
- Set of sub-routines for use in programming
- Powerful de-bugging facility displays all internal registers
- Tape load and store routines

Acorn - with real expandability

The standard Acorn is fully expandable to 65K of memory, and the Acorn bus is available on the 64-way edge-connector. Whether you're a beginner in the field, an ambitious home computer buff, a development engineer, a teacher or a businessman, the Acorn and its family of modules will provide a practical solution in virtually every situation.

Acorn Operating Manual


With Acorn, you'll receive an operating manual that covers computing in full, from first principles of binary arithmetic, to efficient hex programming with the 6502 instruction set. The manual also includes a listing of the monitor programs and the instruction set, and other useful tabulations; plus a selection of 12 interesting and educative program samples.

Acorn MPU card with 1K RAM and keyboard card with cassette interface in kit form, with assembly instructions.

	Nett	VAT	Total
Ready built	65.00	5.20	70.26
Kit form	75.00	6.00	81.00

Science of Cambridge

MK 14 KIT



This is probably the cheapest complete home computer, the kit costing less than the retail price of the chips included in it. The specification is as follows:

- 1 Hexadecimal keyboard.
- 2 8 digit LED display.
- 3 512 x 8 PROM, containing monitor program and Interface instructions.
- 4 256 Bytes of RAM.
- 5 4 MHz crystal.
- 6 5 Volt stabiliser.
- 7 Single 6 Volt power supply requirement.
- 8 Space available for extra RAM and RAM I/O.

The kit is based on the National Semi-conductors SC/MP2 microprocessor and programs are entered in machine code through the hexadecimal keyboard, the results showing on the calculator type display. Each kit is supplied with an Operations Manual which contains operational instructions, examples for training applications, and numerous programs including math routines, timing general purpose sequencing, games, etc.

	Nett	VAT	Total
Science of Cambridge Mk 14 kit	39.95	3.20	43.15
Socket Set	3.60	0.29	3.89
256 x 4 extra RAM (2 required)	2.95	0.24	3.19
INS 8154 RAM I/O	8.17	0.65	8.82
Power Supply	5.32	0.43	5.75
Cassette Interface	5.95	0.48	6.43
PROM Blower	9.95	0.80	10.75



NEWBEAR 77/68

This is a new concept for low cost computing. Each of these bags contain all the parts necessary to build a vital part of a microcomputer system. Each part is backed with the support necessary for such a complex project.

Bear Bag No 1 77-68 P.C.B., Components & Edge Connector.

This contains all the parts which fit on this low cost start to a large 6800 microcomputer system.

Nett	VAT	Total
45.00	3.60	48.60

Bear Bag No 2 77-68 LED's and Switches

This kit contains high lumance 0.2" LED'S and high reliability gold plated subminiature toggle switches suitable for low voltage low current contacts, to match Bearbag No 1.

Nett	VAT	Total
14.95	1.20	16.15

Bear Bag No 4 77-68 5 u Rack Backplane

This card frame is not the cheapest way of mounting 77-68 p.c.b.'s but it is the recommended one. (The lowest cost alternative is to use a wooden box and plastic double glazing channel for guides).

Nett	VAT	Total
27.70	2.22	29.92

Bear Bag No 5 77-68 4 K RAM P.C.B. and Components

This is the vital element for any computer. This design is fully buffered and address decoded. The 4K block can be positioned anywhere within the 64K memory allowable.

Nett	VAT	Total
75.00	6.00	81.00

Bear Bag No 6 77-68 Mon 1 P.C.B. and Components

This board can support two V24/RS232C interfaces or 20 MA current loop (only one supplied) and a method of "bootstrapping" a kilo byte of operating system into protected memory. A listing of an operating system is supplied and Kansas City cassette or Paper tape is available. Beware to load the operating system a Kansas City cassette interface if required (see Bear Bag No 10) or a terminal with a paper tape reader.

Nett	VAT	Total
50.70	4.06	54.76

Bear Bag No 9 Petitevid V.D.U. Kit Mk2

All the electronics for a VDU on a single 8" x 4" card! The latest Thompson CSF Super Chip does all the hard work and the result is a full scrolling VDU 64ch by 16 lines with full cursor control, software "home" and software of hardware clear screen. the interface is V24/RS232C switchable between 110 baud, 300 baud and 1200 baud.

Nett	VAT	Total
85.00	6.80	91.80

Bear Bag No 10 Kansas City Cassette Interface.

This interface solves your bulk storage problem immediately. The method of use is quite simple. It sits in the V24/RS232C interface between your computer and VDU or Teletype and is switched in and out as appropriate when information is recorded from the computer or played back into it.

Nett	VAT	Total
18.95	1.52	20.47

Bear Bag No 12 77-68 V.D.U. Kit

This is a Direct memory accessed type of Visual Display Unit which gives a very fast writing speed. Its format is 40ch by 24 lines e.g. Teletext. Its output is composite video and it also has a keyboard interface which expects parallel 7 bit ASCII and strobe.

Nett	VAT	Total
69.50	5.66	75.06

Bear Bag No 13 77-68 Mon 2 Kit.

This board can support "MIKBUG" (with a hardware single step), or "SWATBUG" on a 2708 Eprom. The V24/RS232C ports can be via one of the two 6821 PIA's or the ACIA port.

Nett	VAT	Total
64.10	5.13	69.23

Bear Bag No 14 2708 Prom Programmer Kit (6800)

This is a low cost programmer which contains its own power supply and interfaces to a 6820 PIA. A novel approach has been adopted by supplying the necessary software in a 2708 and a short copying program to place it RAM. A low insertion force socket is provided.

Nett	VAT	Total
35.00	2.80	37.80

Bear Bag No 15 Promverter, Mikbug to 2708

All the people who have suffered MIKBUG now have the chance to write their own operating system, plug it in the 2708/6830 converter and so replace (at last) MIKBUG.

Nett	VAT	Total
8.50	0.68	9.18

Bear Bag No 16 77-68 Eprom Board (ROMA)

This board holds up to 8K bytes of 2708 Eproms or 16K bytes of Intel 2716. This bag does not contain the EPROMS.

Nett	VAT	Total
29.50	2.36	31.86

Bear Bag No 17 77-68 Interface Board (P10)

This is a utility board which helps make 77-68 the most complete hobbyist system available, supplying a 6840 timer and enough 6820I/O ports to keep your peripherals busy.

Nett	VAT	Total
45.00	3.60	48.60

Bear Bag No 18 Cottis Blendford Cassette Interface.

This high speed cuts cassette interface was designed to be not only low cost but also Kansas City compatible, very few adjustments e.g. onel and up to 2400 baud or perhaps even 5000 baud.

Nett	VAT	Total
17.25	1.38	18.63

Bear Bag No 21 Lower Case for Petitevid

A small modification to your "Petitevid" VDU kit can add lower case letters.

Nett	VAT	Total
10.50	0.84	11.34



BOOKWORM



Microprocessors: from chips to systems.
R. Zaks — £7.95
Microprocessor interfacing techniques.

Microprocessor interfacing techniques.
R. Zaks — £7.95

Practical solid circuit design.
Olesky — £5.20

555 Timer applications source book. — £0.00
Understanding solid state electronics.
Texas instruments — £2.40

Modern operational circuit design.
Smith — £18.60

Microprocessor systems design.
Klingman — £14.00

Microcomputer design.
Martin — £12.00

Designing with TTL integrated circuits.
Texas instruments — £24.80

Fundamentals and applications of digital logic
circuits — S. Libes — £6.36

Analysis and design of digital circuits.
P. Chirlian — £16.40

Linear IC principles, experiments, and projects
E. M. Noll — £7.16

Semiconductor circuit elements.
T. Towers and S. Libes — £5.56

TTL cookbook.
D. Lancaster — £7.50

CMOS cookbook.
D. Lancaster — £7.95

RTL cookbook.
D. Lancaster — £5.15

Active Filter cookbook.
D. Lancaster — £11.96

T. V. Typewriter cookbook.
D. Lancaster — £7.50

Cheap Video cookbook.
D. Lancaster — £5.10

Microcomputer problem solving using
PASCAL — K. L. Bowles — £7.84

PASCAL User Manual and Report.
Jensen and Wirth — £5.52

An introduction to programming and problem
solving with PASCAL. Schneider, Weingart
and Perlman — £10.36

Programming in PASCAL.
P. Grogono — £7.50

PASCAL — An introduction to methodical
programming — W. Findlay and
D. A. Watt — T.B.A.

Best of BYTE vol. 1 — Helmers et al — £8.95

Best of Creative Computing vol. 1
AHL et al — £6.95

Best of Creative Computing vol. 2
AHL et al — £6.95

Dr. Dobbs Journal of computer Calisthenics
and Orthodonita vol. 1.
J. C. Warren — £10.00

Scelbi-Byte Primer.
Helmers et al — £9.95

The Best of Micro.
Tripp et al — £6.95

The First West Coast Computer Faire
proceedings — J. C. Warren — £9.56

The Second West Coast Computer Faire
proceedings — J. C. Warren — £9.56

Program Design.

B. W. Liffic — £4.80

Simulation — B. W. Liffic — £4.80

Basex — P. Werne — £6.40

The BYTE book of computer music.
C. P. Morgan — £8.00

Superwumpus — J. Emmerichs — £4.80

Ciarcia's Circuit Cellar.
S. Ciarcia — £6.40

Bar Code Loader — K. Budnick — £1.60

Tiny Assembler 6800 v3.1.
J. Emmerichs — £7.20

Tracer: A 6800 debugging program.
J. Hemenway — £4.80

MONDEB: An advanced 6800 Monitor-
debugger — D. Peters — £4.00

RA6800ML: An M6800 Relocatable Macro-
assembler — J. Hemenway — £20.00

LINK 68: An M6800 Linking loader.
J. Hemenway et al — £6.40

The 8080A Bugbook-Microcomputer,
interfacing and programming.
P. R. Rony et al — £7.95

8080 machine language programming for
beginners — R. Santore — £5.10

Scelbi "8080" software gourmet guide and
cookbook — Scelbi computer consulting —
£7.95

A step by step introduction to 8080
microprocessor systems.
D. L. Cohn and J. L. Melsa — £5.70

8080/8085 Software design.
C. A. Titus, P. R. Rony et al — £7.50

8080 Programming for logic design.
A. Osborne — £5.95

Practical microcomputer programming:
The Intel 8080.
W. J. Weller et al — £17.56

Scelbi's 8080 standard monitor £9.95

Scelbi's 8080 standard editor £9.95

Scelbi's 8080 standard assembler £15.95

Scelbi computerconsultants.

'8080 Assembly language programming.

L. Leventhal — £7.95

An

'8080 Assembly language programming.
L. Leventhal — £7.95

An Editor/Assembler system for 8080/8085
based computers — W. J. Weller — £11.96

Scelbi 8080 Galaxy game.
Scelbi-computer consultants — £7.95

8080 Programmers pocket guide.
Scelbi-computer consultants — £1.95

8080 Hex code card — Scelbi — £1.95

8080 Octal code card — Scelbi — £1.95

Z-80 instruction handbook — Scelbi — £3.95

Practical microcomputer programming:
the Z80 — W. J. Weller — £23.96

Sargon Z80 Chess Program.
D. and K. Spracklen — £9.50

The Z80 microcomputer handbook.
W. Barden — £6.95

A-80 Programming for logic design.
A. Osborne — £5.95

Z-80 Programming manual.
Mostek — £4.50

Nascom-1 Hardware notes — £1.50

Nascom-1 Programming manual — £1.50

Nascom-1 Seminar notes — £1.50

Sorcerer Technical manual — T.B.A.

Sorcerer Technical manual — £8.95

Practical microcomputer programming: the
M6800 — W. J. Weller et al — £17.56

Scelbi 6800 Gourmet guide.
Scelbi computer consultants — £7.95

Programming the 6800 microprocessor.
Bob Southern — £8.00

6800 Assembly language programming.
L. Leventhal — £7.95

Using the 6800 microprocessor.
E. Poe — £6.25

6800 Programming for logic design.
A. Osborne — £6.30

77-68 Design manual — T. Moore — £7.50

APL — an interactive approach.
Gilman and rose — £9.50

Structured Programming In APL.
Geller and Freedman — £7.96

APL — A short course — Pakin et al — £7.35

APL — The language and it's usage.
Polivka et al — £15.05

Microprogrammed APL implementation.
R. Zaks — £14.76

Fortran fundamentals — A short course.
J. Steingraber — £2.95

FORTAN Programming — £6.75

FORTAN workbook — £4.76

Instructor's manual for FORTRAN
programming — £4.95

FORTAN programming — £6.95

A guide to SC/MP programming.
Drury £4.00

A Guide to KITBUG — Drury — £1.00

Artist and computer — R. Leavitt — £3.96

Basic computer games — D. H. Ahl — £5.50

Game playing with BASIC.
D. Spencer — £5.56

How to build a computer controlled robot.
T. Loofborrow — £6.36

Starship simulation — R. Garrett — £5.10

Game playing with computers.
D. Spencer — £13.56

57 Practical programs and games in BASIC.
K. Tracton — £6.36

Chess and computers — D. Levy — £7.16

1975 U.S. Computer chess championship.
D. Levy — £4.75

1976 U. S. Computer chess championship.
D. Levy — £4.75

Chess skill in man and machine.
P. Frey ed — £11.84

Some common Basic programs.
A. Osborne — £6.30

Introduction to artificial intelligence.
Jackson — £14.80

How to profit from your personal computer.
T. G. Lewis — £6.36

Build your own working robot.
D. L. Heiserman — £4.76

Computer programs that work.
Beech et al — £2.55

The mind appliance: home computer
applications — T. G. Lewis — £8.36

Robots on your doorstep.
N. Winkless and L. Browning — £5.56

Artificial intelligence.
P. H. Winston — £12.00

Computer power and human reason.
J. Weizenbaum — £4.76

The thinking computer: mind inside matter.
B. Raphael — £5.56

Data books.
TTL Data book, 2nd edition £5.00
TTL Data book supplement £1.00
Semiconductor memory Data book £2.40
Power semiconductor handbook — £6.00
Transistor and diode Data book — £6.80
Optoelectronics Data book, 5th ed — £2.80
Bipolar microcomputer components
Data book — £2.40
Linear Control circuits Data book — 2.40
Interface Data book — £2.80
MOS memory Data book — £2.80



BOOKWORM

Scientific Research-Basic library.
A complete reference library of BASIC programs
in 8 volumes:

- 1—Bookkeeping, Games, Pictures — £17.50
- 2—Maths/engineering, plotting/statistics,
Basic statements defined — £17.50
- 3—Advanced business, billing, Inventory,
investments, payroll — £26.95
- 4—General purpose — £7.95
- 5—Experimenters programs — £7.95
- 6—Mini-ledger — £32.50
- 7—Professional programs — £29.95
- 8—Homeowners programs — £T.B.A.

The Systems Analyst.
J. W. Attwood — £6.60

Computers for the Physician's office.
Zimmerman et al — £15.40

Accounts Payable/Accounts receivable £9.95
 General Ledger £9.95
 Payroll with cost accounting £12.00
 A. Osborne et al.

Take my computer please!
S. Ciarcia — £T.B.A.

Computer Rage.
Creative computing — £6.95

Charging for computer services.
D. Bernard et al — £8.00

The technology of computer music.
M. Mathews — £12.80

A Dictionary of microcomputing.
P. Burton — £10.00

PCC reference book — PCC £4.95
Microprocessor lexicon — £2.00

Computer Dictionary — £5.45

Computer Dictionary and Handbook.
Sippl et al — £11.99

Computer Dictionary (2nd edition.)
Sippl — £6.95

Microcomputers at a glance.
D. Spencer — £6.45

Computer Data directory — £3.98

Microprocessor encyclopedia, vol 2.
Bit-slice machines — R. Zaks — £7.45

The microcomputer handbook.
Sippl — £15.95

How you can learn to live with computers.
H. Kleinberg. — £7.16

Getting involved with your own computer.
L. Solomon and S. Veit. — £4.76

Microcomputer primer.
M. Waite and M. Pardee — £6.35

Small computer systems handbook.
S. Libes. £6.75

Your home computer.
J. White — £5.10

Understanding microcomputers and small
computer systems.

N. Wadsworth — £7.95

Computer Science: projects and study
problems.
Forsythe et al — £7.80

Home computer revolution.
T. Nelson — £2.75

An introduction to personal and business
computing.
R. Zaks — £4.95

How to buy and use minicomputers and
microcomputers.
W. Barden jr — £7.50

Hobby computers are here.
"73" — £3.95

Introduction to microcomputers vol. 1.
A. Osborne — £5.95

The new hobby computers.
"73" — £3.95

Introduction to computer programming.
Crawford and Copp — £3.84

Microprocessor basics.
M. S. Elphick — £6.60

Computer Lib.
T. Nelson — £5.95

Getting acquainted with micros.
L. E. Frenzel — £6.95

Fundamentals of Digital Computers.
D. Spencer — £7.50

Finite State fantasies.
Motrin Publishers — £2.00

Computer Science: a first course
Forsythe et al — £14.60

Consumers guide to personal and home
computing.
S. Freiberg et al — £4.80

About Computers.
£6.95

Home computers: a beginners
glossary and guide.
M. Miller and C. Sippl — £4.95

Computers and programming guide for
engineers.
D. Spencer — £9.45

Microprocessors: new directions for designers
E. A. Torrero — £6.60

Home computers 2**10 questions/answers
vol. 1 Hardware.
R. Didday — £5.70

Home computers 2**10 questions/answers
vol 2. software. — R. Didday — £4.95

Understanding computers.
P. Churlian — £6.50

Be a computer literate!
M. J. Bell and S. Charp — £3.16

Introduction to Microprocessors.
D. Aspinall et al — £5.95

Microcomputers — The mini-micro revolution.
A. Simpson — £9.95

Introduction to microprocessors and
computing.
E. F. Scott — £2.30

Illustrating Basic — a simple programming
language — D. Alcock — £2.25

Basic BASIC: an introduction to computer
programming in the BASIC language — £6.50
and Advanced BASIC: applications and
problems — £6.00 both by J. S. Coan.

A guided tour of computer programming in
BASIC — T. A. Dwyer and M. S. Kaufman —
£4.16

Computer resource book-Algebra.
T. A. Dwyer and M. Critchfield — £4.16

BASIC with business applications
R. W. Lott — £8.40

BASIC and the personal computer.
T. A. Dwyer and M. Critchfield — £10.36

Basic: a hands on method
H. Peckham — £6.36

Instant Basic
G. R. Brown — £7.20

Introduction to BASIC.
J. Morton — £6.50

BASIC — a unit for secondary schools.
D. Spencer — £4.45

Teachers manual for BASIC.
£6.45

Accent on BASIC — £4.95

Beginning BASIC — P. Chirlian — £7.12

A Quick look at BASIC — £4.45

Sixty challenging problems with BASIC
solutions — £5.95

Fun with computers and BASIC
D. Spencer — £5.45

My computer likes me . . . when I speak in
BASIC — D. H. Ahl — £1.65

BASIC programming — £6.95

Programming a microcomputer: 6502
C. C. Foster — £7.96

Microcomputer programming: 6502.
R. Zaks — £7.95

6502 Applications book.
R. Zaks — £10.25

6502 Hardware manual — £7.50

6502 Software manua — £7.50

The first book of KIM.
J. Butterfield et al — £7.16

APPLE II Operators manual — £5.50

APPLE II Integer BASIC manual
J. Raskin — £4.00

APPLE II APPLESOFT extended BASIC
manual — J. Raskin — £4.00

TIS Workbooks for the Commodore PET 2001
TIS — £3.00 each

1—Getting started with your PET
2—PET string and array handling.

3—PET Graphics

4—PET cassette I/O

5—PET miscellaneous

6—PET interfacing techniques.

The art of computer programming 1, 2, 3
by D. K. Knuth

Volume 1 Fundamental Algorithms.
D. E. Knuth — £9.50

Volume 2 Seminumerical algorithms.
D. E. Knuth — £17.56

Volume 3 Searching and sorting.
D. E. Knuth — £17.56

Top-down structured programming
techniques — C. L. McGowan
and J. R. Kelly — £12.76

Software Tools.
Kernighan and Plauger — £7.20

Programming Proverbs — H. Ledgard — £5.56

Software design for microprocessors.
J. G. Wester and W. D. Simpson — £10.36

A collection of programming problems and
techniques. — H. A. Maurer and
M. R. Williams — £11.16

Problems for computer solution.
S. Rogowski — £7.96

The design of well-structured and correct
programs — S. ALogic
and M. A. Arbib — £10.24

Assembly level programming for small
computers — W. J. Weller — £12.76

Phone in your
Access/Barclaycard
Number on
051-236-0707
or complete
this order
form



Books are zero rated for VAT purposes,
the prices quoted are therefore the
amount of money to be sent.
Most orders are despatched on a same
day basis. If exceptional demand has
forced us out of stock or a book has gone
out of print you will be advised by return of
post. The maximum delivery delay is
usually in the order of two weeks.
If you require further information send
for our book brochure which contains a
critique of each title.

PLEASE SEND ME:

.....

I ENCLOSE:

I ENCLOSE:

CHEQUE/POSTAL ORDER No.....
 BARCLAYCARD No.....
 ACCESS CARD No.....
 NAME.....
 ADDRESS.....

 COMPLETE AND POST TO

MICRODIGITAL LTD.
25 BRUNSWICK STREET, LIVERPOOL L2 0BJ

CHROMA CHIME DOOR-CHIME KIT

This is one of our favourite products because of the way it takes the mystique out of computers. A Texas Instruments TMS 1000 microprocessor is pre-programmed with 24 popular tunes. It is possible to select the tune of the day, how loud it plays, the speed it plays at and the envelope decay rate of the notes. A second bell-push can be added for the back door, which will play a different tune and an additional loudspeaker can be used.

The excellent handbook contains comprehensive building instructions and technical details. Anyone reasonably competent with a soldering iron can complete construction in less than two hours.

	Nett	VAT	Total
Chroma Chime door-chime kit	8.84	1.11	9.95

SINCLAIR PDM 35 DIGITAL MULTIMETER

A 3½ digit digital multimeter at an analogue price, the PDM 35 can be used for a wide variety of electrical and electronics testing, as the specification shows.

D.C. Volts: 1mv - 1000v (%±1 count) 10 m Ω input
 A.C. Volts: 1v - 500v 40 HZ - 5KHz (1%±2 counts)
 D.C. Current: 1 nA - 200 mA (1%±1 count)
 Resistance: 1 - 20mΩ (1.5%±1 count)

	Nett	VAT	Total
Digital Multimeter	27.00	2.16	29.16

Q.E.D. MAINS INTERFERENCE SUPPRESSOR

Computers are especially prone to interference from spurious signals in the main supply. This unit cures most forms of this interference. Maximum current 3 Amps.

	Nett	VAT	Total
Suppressor	10.83	1.35	12.18

S & R BREWSTER SOLDERING EQUIPMENT

We stock and recommend the SRB Type 1 miniature soldering iron which is ideally suited in size and power to printed circuit work. The negligible current leakage is especially useful when dealing with CMOS devices and interchangeable bits provide sufficient versatility.

	Nett	VAT	Total
Type 1 Soldering Iron 16-18 watts with 3mm bit	3.50	0.28	3.78
No. 78 Integrated Circuit desoldering bit	0.81	0.07	0.88
Stand	3.01	0.24	3.25
Spare bit 1.5mm	0.41	0.03	0.44
Long Life bit	0.88	0.07	0.95

TEXAS INSTRUMENTS TI PROGRAMER CALCULATOR

Designed for the computer user this calculator has the following features:

1. Quick accurate conversion between numbers base 8, 10 or 16.
2. Calculations in all three number bases.
3. Logical functions: AND, OR, EXCLUSIVE OR, SHIFT. Operating bit by bit on numbers in HEX and OCT.
4. Handles mixed number bases and combined logical and arithmetic operations, taking place automatically in user specified order.
5. Constant with all arithmetic and logical operations.

	Nett	VAT	Total
TI Programmer	46.25	3.70	49.95

CHIP SHOP

A Selection from our range of semiconductor devices:

	Nett	VAT	Total
Z80 CPU	15.00	1.20	16.20
SC/MP II CPU	9.00	0.72	9.72
8080 CPU	9.00	0.72	9.72
6800 CPU	8.58	0.69	9.27
6502 CPU	14.93	1.19	16.12
6802 CPU	10.00	0.80	10.80
6850 ACIA	7.20	0.58	7.78
6402 UART	5.50	0.44	5.94
3881 PIO	8.00	0.64	8.64
3882 CTC	8.00	0.64	8.64
5204 UVEPROM	7.00	0.56	7.56
2708 UVE PROM	10.00	0.80	10.80
8154 RAM I/O	8.17	0.65	8.82
2111 RAM	2.95	0.24	3.19
1103 DRAM	1.10	0.09	1.19
4116 DRAM	12.50	1.00	13.50
96364 VDU	11.75	0.94	12.69
6820 PIO	4.25	0.34	4.59
6821 PIO	4.25	0.34	4.59

TIL 311 dot format hexadecimal display, fits 14 pin DIL socket, incorporates TTL compatible four bit latch, decoder and display driver
 6.25 0.50 6.75

PROGRAM NAME _____
 TO RUN IN _____ K DATE _____
 MACHINE _____



MICRODIGITAL LTD QUALITY DATA CASSETTE

LOOK FOR THE LABEL!

The Micro-Digital "own-brand" C15 Cassette means high quality, specially made for your micro-computer.

- ★ Tape made against DIN reference tape 45513/16 C528V with anti-static carbon additive.
- ★ Five screw case fixing and transport mechanism using precision stainless steel roller axles.
- ★ Two special graphite impregnated slip shields guide tape edges to prevent pack scramble and dispel residual static.

	Nett	VAT
10 quality C15 cassettes with library cases & special labels	4.40	0.35
Total £4.75 (inc. P & P)		

HARDWARE ORDER FORM

PHONE IN ACCESS & BARCLAYCARD No. OR FILL IN THIS FORM

COMPLETE AND POST TO THE ADDRESS ABOVE

PLEASE SEND ME:

I ENCLOSE:

.....

CHEQUE/POSTAL ORDER NO.....
 BARCLAYCARD NO.....
 ACCESS CARD NO.....
 NAME.....
 ADDRESS.....



Carriage Free on all Products

Get into the action... Get into computing

MICRODIGITAL LTD 25 Brunswick Street, Liverpool L2 0BJ